

Supplement of Atmos. Chem. Phys., 16, 10809–10830, 2016
<http://www.atmos-chem-phys.net/16/10809/2016/>
doi:10.5194/acp-16-10809-2016-supplement
© Author(s) 2016. CC Attribution 3.0 License.



Supplement of

Technical note: Mineralogical, chemical, morphological, and optical interrelationships of mineral dust re-suspensions

Johann P. Engelbrecht et al.

Correspondence to: Johann P. Engelbrecht (johann@dri.edu)

The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.

Supplement S1 – Grab Sampling Sites

Sample	Sample Type	Country-Region	Locality	Coordinates, Elevation
S1000	Hematite (Fe ₂ O ₃)	Chemical	Laboratory	
S1005	Sand pit	Spain - Las Canarias - Lanzarote	La Mala	29° 05' 50.50" N, 13° 27' 43.92" W, 39m
S1006	Sand pit	Spain - Las Canarias - Lanzarote	La Mala	29° 5'49.79"N, 13°27'44.83" W, 33m
S1007	Sediment	Spain - Las Canarias - Lanzarote	Mirador del Rio	29°13'39.86"N, 13°28'20.92"W, 350m
S1008	Soil	Spain - Las Canarias - Lanzarote	Vega de Femes	28°55'22.71"N, 13°45'52.71"W, 300m
S1009	Surface soil	Mali	above Bamako	12°41'17"N, 8°01'39"W, 554m
S1010	Surface soil	Mali	Bamako	12°41'17"N, 8°01'39"W, 554m
S1011	Surface soil	Mali	West Bamako	12°41'17"N, 8°01'39"W, 554m
S1013	Surface soil	Cabo Verde	Ponta Fiúra, Sal Island	16°51'3.63"N, 22°54'54.37"W, 12m
S1014	Surface dust	China	NW China, 500 km north of Taklamakan	45°03'47.4"N, E84°42'11"E, 268m
S1016	Surface dust	China	NW China, 530 km north of Taklamakan	45°23'22.6"N, 84°48'33.5"E, 267m
S1017	Green dust	China	Daemon City, Xinjiang, 650 km north of Taklamakan	46°07'30.8"N, 85°44'11.6"E
S1018	Green dust	China	Daemon City, Xinjiang, 650km north of Taklamakan	46°07'34"N, 85°44'17.6"E, 305m
S1019	Playa dust	USA	Owens Lake, CA	36°28'2.86"N, 118° 1'41.49"W, 1109m
S1022	Playa deposit	Namibia	Etosha, Fischer Pan	18°43'35.92"S, 17° 0'43.89"E, 1086m
S1023	Playa deposit	Namibia	Etosha, Stinkwater	18°37'54.38"S, 16° 49'44.48"E, 1085m
S1024	Playa deposit	Namibia	Etosha, Lookout	18°56'26.60"S, 16°29'34.79"E, 1088m
S1025	Dune sand	Morocco	Lake Iriki	29°50'17.02"N, 6°30'44.51"W, 450m
S1027	Soil	Spain - Las Canarias - Gran Canaria	Galdar	28° 8'43.17"N, 15°37'47.77"W, 172m
S1033	Calima dust? Pockets in lava	Spain - Las Canarias - Fuerteventura	Fuerteventura, Pozo Negro, off road FV-420	28° 19' 42.42"N, 13° 54' 41.27" W, 30m
S1034	Calima dust? Pockets in lava	Spain - Las Canarias - Fuerteventura	Fuerteventura, Pozo Negro, off road FV-420	28° 19' 40.47" N, 13° 54' 43.63" W, 31m
S1035	Clay soil near gabias (8 FV)	Spain - Las Canarias - Fuerteventura	La Ampuyenta, off FV-20	28° 27' 02.00" N, 14° 00' 03.68" W, 289m
S1038	Playa dust	Botswana	Makgadikgadi Pan	21°12'32.42"S, E24°51'30.47"E, 912m
S1039	Playa dust	Botswana	Makgadikgadi Pan	21°01'18.02"S, 24°21'38.41"E, 916m
S1040	Playa dust	Botswana	Nxai Pan	20°07'02.03"S, 24°45'54.37"E, 914m
S1041	Playa dust	Botswana	Nxai Pan	19°53'28.45"S, 24°45'43.88"E, 928m
S1042	Surface Soil	Chile	Atacama, Yungay (Rock Garden)	25°56'56.89"S, 70°27'45.81"W, 777m
S1045	Playa surface soil	USA	Black Rock playa, Northern Nevada	40°45'10.57"N, 119°13'59.38"W, 1196m
S1049	Playa surface dust	Chad	Bodélé Depression	16°08'08.34"N, 18°35'55.80"E, 266m
S1050	Playa surface dust	Chad	Bodélé Depression	16°13'16.38"N, 18°36'23.82"E, 270m
S1051	Playa surface dust	Chad	Bodélé Depression	16°13'16.38"N, 18°36'23.82"E, 270m
S1052	Peavine Mtn diatom layer	USA	Peavine, hillside outcrop, white diatomaceous shale	39°32'50.58"N, 119°54'46.53"W, 1650 m
S1053	Peavine Mtn oxide layer	USA	Peavine, sedimentary outcrop, yellow limonite soil	39°32'45.30"N, 119°54'56.62"W, 1617m
S1055	Loess Plateau	China	Jiuzhoutai Mtn summit, 6.5 km NW of Lanzhou City	36°06'09.77"N, 103°46'56.91"E, 2032m
S1056	Riverbed surface deposit	Australia	Cooper Creek, Lake Eyre, South Australia	28°31'20.28"S, 137°55'24.60"E, -6 m
S1057	Riverbed surface deposit	Australia	Warburton River, Lake Eyre, South Australia	27°46'56.64"S, 137°50'01.32"E, 2m
S1058	Lake inflow surface deposit	Australia	Lake Frome, South Australia	30°38'13.2"S, 139°39'21.6"E, 1 m
S1060	Loess deposit	Serbia	Batajnica, Danube	44°55'28.59"N, 20°19'10.67"E, 95m
S1062	Loess deposit	Serbia	Kostolac, Lignite pit	44°44'11.95"N, 21°14'43.11"E, 71m
S1064	Loess deposit	Serbia	Stari Slankamen, Lowest Loess section	45°07'55.85"N, 20°15'48.96"E, 94m
S1065	Fireclay (milled)	USA	Carbondale red clay, Amador County, California	undisclosed
S1066	Road dust (milled)	USA	Arizona road dust	undisclosed
S2001	Surface soil	Djibouti	Lemonière, Site 1	11°32'34.32"N, 43°09'35.72"E, 8m
S2002	Surface soil	Afghanistan	Bagram, Site 2	34°56'25.59"N, 69°17'6.87"E, 1475m
S2003	Surface soil	Afghanistan	Khowst (Salerno), Site 3	33°21'54.96"N, 69°57'14.87"E, 1158m
S2004	Surface soil	Qatar	Al Udeid Air Base (Abu Nahlah Airport), Site 4	25° 7'4.50"N, 51°18'59.63"E, 35m
S2005	Surface soil	UAE	Al Dhafra, Site 5	24°14'40.61"N, 54°32'51.45"E, 11m
S2006	Surface soil	Iraq	Joint Base Balad (Anaconda), Site 6	33°56'38.64"N, 44°21'23.37"E, 46m
S2007	Surface soil	Iraq	Camp Victory, Site 7	33°15'17.09"N, 44°13'26.87"E, 34m
S2008	Surface soil	Iraq	Tallil (Camp Adder), Site 8	30°56'12.04"N, 46° 5'14.89"E, 4m
S2009	Surface soil	Iraq	Tikrit (Contingency Operating Base Speicher), Site 9	34°40'31.27"N, 43°33'16.94"E, 129m
S2010	Surface soil	Iraq	Taji, Site 10	33°31'16.01"N, 44°15'25.25"E, 40m
S2011	Surface soil	Iraq	Al Asad, Site 11	33°47'28.25"N, 42°27'24.38"E, 174m
S2012	Surface soil	Kuwait	Northern Kuwait (Camp Buehring), Site 12	29°41'52.56"N, 47°25'23.34"E, 132m
S2013	Surface soil	Kuwait	Central Kuwait (Camp Ali Al Salem), Site 13	29°21'17.59"N, 47°31'29.72"E, 141m
S2014	Surface soil	Kuwait	Coastal Kuwait (Ash Shu Ayabah), Site 14	29° 2'21.11"N, 48° 7'55.31"E, 27m
S2015	Surface soil	Kuwait	Southern Kuwait (Camp Arifjan), Site 15	28°52'43.47"N, 48°10'9.03"E, 38m
S2016	Surface soil	Afghanistan	Helmand Province (Camp Leatherneck), Site 16	31°51'50.13"N, 64°11'42.75"E, 890m
S2017	Surface soil	Kuwait	Coastal Kuwait (Ash Shu Ayabah), Site 17	29°02'30.66"N, 48°07'04.79"E, 32m
S3003	Gunpad soil	USA	Yuma Proving Ground (YPG), AZ, Area 3835Z	32° 52' 27.06"N, 114° 12' 31.84"W, 208m
S3004	Gunpad soil	USA	Yuma Proving Ground (YPG), AZ, 26500R	32° 51' 48.62"N, 114° 10' 50.72"W, 215m
S3008	Desert pavement	USA	Roadrunner, Yuma Proving Ground, Yuma, AZ	32° 54' 25.43"N, 114° 21' 20.72"W, 152m
S3011	Unpaved road	USA	Ft. Carson, CO	38° 42' 30.79"N, 104° 47' 10.56"W, 1774m
S3016	Built dirt road	USA	Dugway Proving Ground, UT	40°04' 36.84"N, 113°09' 14.88"W, 1316 m
S3017	Built dirt road	USA	Dugway Proving Ground, UT	40° 11' 30.10"N, 113° 09' 50.05"W, 1313m

Supplement S2.1 – Optical Mineralogy on >38µm to <125 µm Particles

Sample	Locality	Optical Mineralogy (qualitative), on > 38 µm, < 125 µm sieved soil fractions			
		Country	Major 20-100%	Minor 5-20%	Trace <5%
S1000	Chemical		submicroscopic, oxides		
S1005	Spain - Las Canarias		calcite, quartz	muscovite, plagioclase, obsidian, pyroxene	
S1006	Spain - Las Canarias		calcite (shells), plagioclase	clino-pyroxene, brown obsidian, opaque oxides	
S1007	Spain - Las Canarias		quartz (coated)	clino-pyroxene (light green), plagioclase, obsidian (brown), oxides	
S1008	Spain - Las Canarias		plagioclase (oligoclase), orthoclase, quartz (coated)	clino-pyroxene	
S1009	Mali		oxides, quartz	calcite, muscovite, plagioclase	sphene
S1010	Mali		quartz (coated), oxides	plagioclase	
S1011	Mali		quartz (coated)	oxides	
S1013	Cabo Verde		plagioclase, clino-pyroxene, quartz (coated)		zircon
S1014	China		quartz (coated), calcite	plagioclase, amphibole (actinolite)	zircon
S1016	China		quartz (coated)	plagioclase, muscovite, calcite, amphibole (hornblende), oxides	
S1017	China		quartz (coated), muscovite, biotite	calcite, plagioclase, amphibole (hornblende), clino-pyroxene	
S1018	China		quartz, biotite	plagioclase, microcline (perthite), oxides	zircon
S1019	USA		plagioclase, calcite, quartz (coated), biotite	amphibole (hornblende)	epidote
S1022	Namibia		quartz (coated)	calcite, plagioclase, muscovite, clino-pyroxene	tourmaline
S1023	Namibia		quartz (coated), calcite	plagioclase, amphibole (hornblende), orthoclase	
S1024	Namibia		calcite	quartz, plagioclase	amphibole

Supplement S2.1 – Optical Mineralogy on >38µm to <125 µm Particles

Sample	Locality	Optical Mineralogy (qualitative), on > 38 µm, < 125 µm sieved soil fractions		
	Country	Major 20-100%	Minor 5-20%	Trace <5%
S1025	Morocco	quartz (coated), calcite, orthoclase, oxides	plagioclase, amphibole (hornblende), orthoclase	
S1027	Spain - Las Canarias	quartz (coated)	orthoclase, amphibole, oxides	chlorite
S1033	Spain - Las Canarias	quartz (coated)	muscovite, calcite, amphibole, biotite, plagioclase, oxides	chlorite
S1034	Spain - Las Canarias	quartz (coated)	plagioclase, orthoclase, biotite, calcite, amphibole, oxides	
S1035	Spain - Las Canarias	quartz (coated)	orthoclase, perthite, biotite, obsidian	
S1038	Botswana	quartz (coated), orthoclase	amphibole (hornblende), plagioclase, calcite, oxides	
S1039	Botswana	quartz (coated), orthoclase, calcite	muscovite, plagioclase, amphibole	epidote
S1040	Botswana	quartz, calcite	plagioclase, amphibole (hornblende), orthoclase	
S1041	Botswana	quartz (coated)	amphibole, plagioclase, biotite, muscovite, oxides, calcite	
S1042	Chile	plagioclase, amphibole, quartz (coated)	orthoclase, calcite, biotite, gypsum, oxides	
S1045	USA	clay clusters	calcite, quartz, amphibole (hornblende), plagioclase	
S1049	Chad	quartz, amorphous (diatoms)	orthoclase, plagioclase	
S1050	Chad	quartz, amorphous (diatoms)		
S1051	Chad	amorphous (diatoms)	quartz, plagioclase	
S1052	USA	amorphous (diatoms), quartz	biotite, plagioclase, pyroxene	
S1053	USA	quartz (coated), plagioclase	amphibole (hornblende), biotite, muscovite, oxides	epidote
S1055	China	quartz, calcite, muscovite, biotite	amphibole (hornblende)	chlorite

Supplement S2.1 – Optical Mineralogy on >38µm to <125 µm Particles

Sample	Locality	Optical Mineralogy (qualitative), on > 38 µm, < 125 µm sieved soil fractions		
	Country	Major 20-100%	Minor 5-20%	Trace <5%
S1056	Australia	quartz (coated)	plagioclase, gypsum, calcite	
S1057	Australia	quartz (coated)	pyroxene, plagioclase, oxides	
S1058	Australia	quartz (coated)	orthoclase, plagioclase, calcite, muscovite, biotite	
S1060	Serbia	quartz (coated), muscovite	biotite, plagioclase, orthoclase, oxides	chlorite
S1062	Serbia	quartz, muscovite	calcite, biotite, plagioclase, oxides	chlorite, zircon
S1064	Serbia	quartz (coated), muscovite	calcite, biotite, plagioclase, orthoclase (granophyre)	chlorite
S1065	USA	unidentified, submicroscopic	unidentified, submicroscopic	
S1066	USA	unidentified, submicroscopic	unidentified, submicroscopic	
S2001	Djibouti	calcite, plagioclase (andesine), clino-pyroxene	orthoclase, amphibole (hornblende), oxides	
S2002	Afghanistan	quartz (coated), biotite	plagioclase, muscovite, amphibole (hornblende), calcite	
S2003	Afghanistan	quartz (coated), calcite	clino-pyroxene, biotite, plagioclase, amphibole	
S2004	Qatar	calcite, quartz (coated)	clino-pyroxene, plagioclase, biotite, muscovite, amphibole	
S2005	UAE	calcite (foraminifera)	quartz, clino-pyroxene, plagioclase, anhydrite	
S2006	Iraq	quartz (coated), calcite	biotite, muscovite, clino-pyroxene, plagioclase	zircon
S2007	Iraq	quartz (coated), plagioclase	muscovite, biotite, calcite, amphibole (hornblende)	
S2008	Iraq	quartz (coatings), calcite	muscovite, clino-pyroxene, plagioclase	
S2009	Iraq	quartz (coatings), calcite	amphibole (hornblende), biotite, plagioclase	

Supplement S2.1 – Optical Mineralogy on >38µm to <125 µm Particles

Sample	Locality	Optical Mineralogy (qualitative), on > 38 µm, < 125 µm sieved soil fractions		
	Country	Major 20-100%	Minor 5-20%	Trace <5%
S2010	Iraq	quartz (coated), calcite, amphibole (hornblende)	plagioclase, biotite, muscovite	
S2011	Iraq	calcite	plagioclase, quartz, amphibole (hornblende), muscovite, oxides	
S2012	Kuwait	quartz, calcite	clino-pyroxene, plagioclase, orthoclase, muscovite, biotite, oxides	
S2013	Kuwait	quartz, calcite	plagioclase, orthoclase, biotite, muscovite, amphibole (hornblende)	
S2014	Kuwait	quartz, calcite	muscovite, clino-pyroxene, serpentine, zeolite (natrolite), plagioclase, amphibole (hornblende), oxides	
S2015	Kuwait	calcite, quartz, plagioclase	amphibole (hornblende), clino-pyroxene, oxides, orthoclase (granophyre)	
S2016	Afghanistan	quartz, calcite, orthoclase	biotite, amphibole, plagioclase	
S2017	Kuwait	quartz, calcite, plagioclase, orthoclase	muscovite, clino-pyroxene, biotite	
S3003	USA	quartz, biotite	muscovite, plagioclase, microcline, amphibole (hornblende)	
S3004	USA	quartz, calcite, amphibole (hornblende)	plagioclase, biotite, clinopyroxene, oxides	chlorite
S3008	USA	quartz, plagioclase, calcite	biotite, amphibole (hornblende), muscovite, clino-pyroxene, oxides	chlorite
S3011	USA	quartz (coated), plagioclase, calcite	amphibole (hornblende), biotite, muscovite, oxides	
S3016	USA	calcite, quartz, plagioclase	biotite, muscovite, granophyre, clino-pyroxene, oxides, orthoclase (granophyre)	
S3017	USA	quartz, calcite, plagioclase	biotite, muscovite, amphibole, oxides	

Supplement S2.2 – Mineralogy on <38 µm, Sieved Powders by XRD

Sample	Locality	Mineralogy (semi-quantitative) by XRD, on < 38 µm sieved soil fractions		
	Country	Major 20-100%	Minor 5-20%	Trace <5%
S1000	Chemical	hematite		
S1005	Spain - Las Canarias	calcite, quartz	illite	plagioclase, aragonite, dolomite, hematite
S1006	Spain - Las Canarias	calcite	quartz	aragonite, dolomite, plagioclase, halite, hematite
S1007	Spain - Las Canarias	illite, quartz	calcite, plagioclase, dolomite, kaolinite	hematite
S1008	Spain - Las Canarias	montmorillonite (illite)	muscovite (biotite), quartz, plagioclase, microcline,	calcite, goethite, hematite, illite, kaolinite
S1009	Mali	quartz, kaolinite, illite	hematite, goethite, kaolinite, illite	dolomite
S1010	Mali	quartz, amorphous	goethite (6.9%), hematite (1.72%), kaolinite	muscovite (biotite), K-feldspar
S1011	Mali	quartz	hematite, goethite, kaolinite, illite	calcite
S1013	Cape Verde	illite, quartz	plagioclase, carbonate apatite, halite, kaolinite	hematite
S1014	China	quartz, plagioclase	kaolinite, muscovite (biotite), calcite, montmorillonite	
S1016	China	quartz	kaolinite, muscovite (biotite), plagioclase, calcite, montmorillonite	
S1017	China	quartz	plagioclase, kaolinite, calcite, muscovite (biotite)	sepiolite (serpentine), halite
S1018	China	plagioclase, quartz	muscovite (biotite)	halite, sepiolite (serpentine)
S1019	USA	plagioclase, calcite	quartz, muscovite (biotite), kaolinite, sepiolite (serpentine)	amphibole, halite
S1022	Namibia	calcite, sepiolite	halite, quartz, dolomite	
S1023	Namibia	halite, thenardite, quartz	dolomite	calcite
S1024	Namibia	thenardite, halite	dolomite, calcite	sepiolite (serpentine), analcime

Supplement S2.2 – Mineralogy on <38 µm, Sieved Powders by XRD

Sample	Locality	Mineralogy (semi-quantitative) by XRD, on < 38 µm sieved soil fractions		
	Country	Major 20-100%	Minor 5-20%	Trace <5%
S1025	Morocco	quartz, illite	calcite	kaolinite, dolomite
S1027	Spain - Las Canarias	quartz	illite, K-feldspar, plagioclase	
S1033	Spain - Las Canarias	quartz	illite, kaolinite, plagioclase, K-feldspar, calcite	
S1034	Spain - Las Canarias	quartz, illite	plagioclase, kaolinite, K-feldspar	amphibole, hematite
S1035	Spain - Las Canarias	quartz, illite	K-feldspar, kaolinite, plagioclase	calcite, amphibole
S1038	Botswana	calcite, illite	quartz, K-feldspar	sepiolite, halite
S1039	Botswana	calcite	illite, quartz	sepiolite, K-feldspar, halite
S1040	Botswana	halite, trona	quartz, calcite	sepiolite or smectite-illite or vermiculite-illite, dolomite
S1041	Botswana	sepiolite	calcite, quartz	
S1042	Chile	quartz, illite	anhydrite, plagioclase, amphibole	gypsum, montmorillonite (amorphous)
S1045	USA	illite	calcite, quartz, kaolinite, halite, K-feldspar, sepiolite, amphibole	plagioclase (stilbite), amorphous
S1049	Chad	amorphous, calcite	quartz, kaolinite	K-feldspar, halite
S1050	Chad	amorphous, calcite	quartz, kaolinite	halite
S1051	Chad	amorphous, illite, kaolinite, quartz	sepiolite	
S1052	USA	amorphous, plagioclase, illite	stilbite, montmorillonite, quartz, sepiolite	
S1053	USA	plagioclase, quartz	palygorskite, montmorillonite, amphibole, (zeolite)	amorphous
S1055	China	quartz	illite, calcite, kaolinite, plagioclase	K-feldspar, dolomite, hematite

Supplement S2.2 – Mineralogy on <38 µm, Sieved Powders by XRD

Sample	Locality	Mineralogy (semi-quantitative) by XRD, on < 38 µm sieved soil fractions		
	Country	Major 20-100%	Minor 5-20%	Trace <5%
S1056	Australia	quartz, illite	kaolinite, calcite	K-feldspar, palygorskite, gypsum, amorphous
S1057	Australia	quartz, amorphous, illite, kaolinite		(palygorskite, hematite, amorphous)
S1058	Australia	quartz, illite	kaolinite, halite, plagioclase, amorphous	dolomite, calcite
S1060	Serbia	quartz	montmorillonite/chlorite, muscovite (biotite), kaolinite, plagioclase	
S1062	Serbia	quartz	muscovite (biotite), kaolinite, dolomite, plagioclase, montmorillonite/chlorite	calcite
S1064	Serbia	quartz	muscovite (biotite), kaolinite, dolomite, plagioclase, montmorillonite/chlorite	calcite
S1065	USA	quartz, kaolinite	illite	hematite
S1066	USA	quartz		K-feldspar, plagioclase
S2001	Djibouti	plagioclase	montmorillonite, augite, ilmenite, magnetite, calcite, quartz	hematite, hornblende, amorphous, serpentine
S2002	Afghanistan	quartz	calcite, montmorillonite, plagioclase, muscovite (biotite), chlorite, amorphous	microcline, hornblende, dolomite, kaolinite, ankerite
S2003	Afghanistan	amorphous, quartz	chlorite, muscovite (biotite), plagioclase,	microcline, serpentine, hematite, hornblende, dolomite
S2004	Qatar	calcite	quartz, dolomite, illite, kaolinite, ankerite, amorphous	microcline, muscovite, hornblende, ilmenite, palygorskite, montmorillonite
S2005	UAE	calcite, quartz	plagioclase	muscovite (biotite), microcline, gypsum, chlorite, hematite
S2006	Iraq	calcite	quartz, muscovite (biotite), montmorillonite, chlorite, plagioclase, amorphous	dolomite, microcline, halite, kaolinite, gypsum, palygorskite, hematite
S2007	Iraq	calcite, quartz	kaolinite, plagioclase, dolomite,	amphibole, montmorillonite/chlorite, halite, palygorskite
S2008	Iraq	quartz, calcite	gypsum, plagioclase, montmorillonite, K-feldspar	chlorite, muscovite (biotite), hematite
S2009	Iraq	quartz, calcite	plagioclase, gypsum, microcline, montmorillonite	chlorite, muscovite (biotite), hornblende, kaolinite, dolomite, augite, bassanite, palygorskite

Supplement S2.2 – Mineralogy on <38 µm, Sieved Powders by XRD

Sample	Locality	Mineralogy (semi-quantitative) by XRD, on < 38 µm sieved soil fractions		
	Country	Major 20-100%	Minor 5-20%	Trace <5%
S2010	Iraq	quartz, calcite	plagioclase, montmorillonite, muscovite (biotite), microcline, chlorite	gypsum, hornblende, kaolinite, dolomite
S2011	Iraq	dolomite	calcite, gypsum, quartz	montmorillonite, muscovite (biotite), kaolinite, hematite, halite, plagioclase, palygorskite
S2012	Kuwait	quartz, calcite	plagioclase, montmorillonite, microcline, palygorskite	chlorite, dolomite, serpentine, hornblende, muscovite (biotite), gypsum
S2013	Kuwait	calcite, quartz	plagioclase, montmorillonite, illite, kaolinite	chlorite, microcline, muscovite (biotite), hornblende, hematite, gypsum, palygorskite
S2014	Kuwait	quartz	calcite, plagioclase, microcline	muscovite (biotite), hornblende, kaolinite, chlorite, palygorskite, hematite
S2015	Kuwait	quartz	calcite, montmorillonite, plagioclase, K-feldspar	chlorite, hornblende, serpentine, palygorskite, muscovite (biotite), amorphous
S2016	Afghanistan	quartz	calcite, kaolinite, illite, orthoclase	plagioclase, palygorskite, gypsum, dolomite, amphibole
S2017	Kuwait	quartz, calcite	kaolinite, dolomite, illite, lizardite, K-feldspar, plagioclase	palygorskite
S3003	USA	quartz, plagioclase	calcite, muscovite (biotite), kaolinite	dolomite, montmorillonite/chlorite, gypsum
S3004	USA	quartz, calcite	plagioclase, muscovite (biotite)	kaolinite, K-feldspar, dolomite
S3008	USA	quartz, plagioclase	muscovite (biotite), calcite, K-feldspar	kaolinite, amphibole, dolomite
S3011	USA	quartz, plagioclase	muscovite (biotite), dolomite, kaolinite	calcite
S3016	USA	quartz, dolomite	calcite, plagioclase, aragonite, muscovite (biotite)	K-feldspar, hematite
S3017	USA	quartz, calcite	dolomite, plagioclase, aragonite	muscovite (biotite), K-feldspar, hematite


Supplement S2.3 – Particle Size Analysis of <600 µm Sieved Samples as Volume Percentages

Sample	Country - Region	Locality	Particle Size Analysis (Vol. %)		
			Sand	Silt	Clay
S1005	Spain - Las Canarias - Lanzarote	La Mala	56.77	31.1	12.09
S1006	Spain - Las Canarias - Lanzarote	La Mala	84.88	8.9	6.18
S1007	Spain - Las Canarias - Lanzarote	Mirador del Rio	19.16	67.8	13.08
S1008	Spain - Las Canarias - Lanzarote	Vega de Femes	2.54	69.1	28.40
S1009	Mali	above Bamako	24.96	48.4	26.66
S1010	Mali	Bamako	32.68	52.3	14.99
S1011	Mali	West Bamako	24.62	49.7	25.68
S1013	Cabo Verde	Ponta Fiúra, Sal Island	52.21	30.9	16.87
S1014	China	NW China, 500 km north of Taklamakan	47.94	27.9	24.19
S1016	China	NW China, 530 km north of Taklamakan	9.75	58.9	31.37
S1017	China	Daemon City, Xinjiang, 650 km north of Taklamakan	19.73	71.3	8.93
S1018	China	Daemon City, Xinjiang, 650km north of Taklamakan	11.25	61.5	27.29
S1019	USA	Owens Lake, CA	56.70	36.6	6.70
S1022	Namibia	Etosha, Fischer Pan	48.61	37.6	13.83
S1023	Namibia	Etosha, Stinkwater	92.91	5.9	1.23
S1024	Namibia	Etosha, Lookout	8.36	51.7	39.92
S1025	Morocco	Lake Iriki	45.82	40.5	13.67
S1027	Spain - Las Canarias - Gran Canaria	Galdar	2.30	86.3	11.44
S1033	Spain - Las Canarias - Fuerteventura	Fuerteventura, Pozo Negro, off road FV-420	19.60	71.1	9.27
S1034	Spain - Las Canarias - Fuerteventura	Fuerteventura, Pozo Negro, off road FV-420	16.17	71.8	12.07
S1035	Spain - Las Canarias - Fuerteventura	La Ampuyenta, off FV-20	6.13	77.0	16.88
S1038	Botswana	Makgadikgadi Pan	53.27	40.6	6.17
S1039	Botswana	Makgadikgadi Pan	58.50	35.5	5.96
S1040	Botswana	Nxai Pan	73.03	24.5	2.44
S1041	Botswana	Nxai Pan	49.93	46.3	3.80
S1042	Chile	Atacama, Yungay (Rock Garden)	76.55	16.8	6.65
S1045	USA	Black Rock playa, Northern Nevada	3.23	59.4	37.37
S1049	Chad	Bodélé Depression	11.40	78.5	10.11
S1050	Chad	Bodélé Depression	6.11	81.3	12.64
S1051	Chad	Bodélé Depression	0.62	92.9	6.44
S1052	USA	Peavine, hillside outcrop, white diatomaceous shale	13.42	80.5	6.08
S1053	USA	Peavine, sedimentary outcrop, yellow limonite soil	19.29	62.0	18.69
S1055	China	Jiuzhoutai Mtn summit, 6.5 km NW of Lanzhou City	22.46	70.0	7.55
S1056	Australia	Cooper Creek, Lake Eyre, South Australia	46.75	36.2	17.05
S1057	Australia	Warburton River, Lake Eyre, South Australia	53.74	20.1	26.09
S1058	Australia	Lake Frome, South Australia	49.85	38.6	11.57
S1060	Serbia	Batajnica, Danube	17.13	73.5	9.36
S1062	Serbia	Kostolac, Lignite pit	14.31	75.9	9.75
S1064	Serbia	Stari Slankamen, Lowest Loess section	11.68	77.6	10.75
S2001	Djibouti	Lemonière, Site 1	72.95	23.5	3.51
S2002	Afghanistan	Bagram, Site 2	24.82	62.2	13.02
S2003	Afghanistan	Khowsht (Salerno), Site 3	29.54	57.8	12.66
S2004	Qatar	Al Udeid Air Base (Abu Nahlah Airport), Site 4	72.91	22.4	4.64
S2005	UAE	Al Dhafra, Site 5	96.20	2.9	0.93
S2006	Iraq	Joint Base Balad (Anaconda), Site 6	13.57	64.6	21.86
S2007	Iraq	Camp Victory, Site 7	14.21	60.4	25.43
S2008	Iraq	Tallil (Camp Adder), Site 8	80.27	17.8	1.91
S2009	Iraq	Tikrit (Contingency Operating Base Speicher), Site 9	53.95	38.4	7.67
S2010	Iraq	Taji, Site 10	69.57	24.3	6.17
S2011	Iraq	Al Asad, Site 11	69.92	21.5	8.60
S2012	Kuwait	Northern Kuwait (Camp Buehring), Site 12	75.70	19.5	4.79
S2013	Kuwait	Central Kuwait (Camp Ali Al Salem), Site 13	69.00	27.1	3.87
S2014	Kuwait	Coastal Kuwait (Ash Shu Ayabah), Site 14	87.28	10.3	2.45
S2015	Kuwait	Southern Kuwait (Camp Arifjan), Site 15	88.13	9.7	2.22
S2016	Afghanistan	Helmand Province (Camp Leatherneck), Site 16	55.33	37.5	7.14
S2017	Kuwait	Coastal Kuwait (Ash Shu Ayabah), Site 17	37.13	54.2	8.68
S3003	USA	Yuma Proving Ground (YPG), AZ, Area 3835Z	44.19	47.1	8.74
S3004	USA	Yuma Proving Ground (YPG), AZ, 26500R	60.80	33.5	5.66
S3008	USA	Roadrunner, Yuma Proving Ground, Yuma, AZ	52.34	38.5	9.20
S3011	USA	Ft. Carson, CO	55.46	35.7	8.79
S3016	USA	Dugway Proving Ground, UT	54.53	34.2	11.22
S3017	USA	Dugway Proving Ground, UT	46.97	39.2	13.86


Supplement S3.1 – Color Indices, Single Scattering Albedos

Sample	Color	Munsell Color Index		Single Scattering Albedo SSA		
		Hue	Value/Chroma	405 nm (blue)	532 nm (green)	781 nm (red)
S1000	Red	10R	4/8	0.407	0.487	0.976
S1005	Light brown	7.5YR	6/4	0.943	0.986	0.998
S1006	Very pale brown	10YR	7/3	0.964	0.992	0.999
S1007	Light reddish brown	5YR	6/4	0.936	0.982	0.998
S1008	Strong brown	7.5YR	4/4	0.868	0.963	0.995
S1009	Reddish brown	5YR	4/4	0.722	0.907	0.991
S1010	Reddish brown	5YR	4/3	0.729	0.889	0.981
S1011	Dusky red	2.5YR	4/4	0.689	0.876	0.988
S1013	Light brown	7.5YR	6/4	0.925	0.982	0.997
S1014	Light brownish gray	10YR	6/2	0.954	0.991	0.997
S1016	Pale brown	10YR	6/3	0.936	0.985	0.997
S1017	Weak red	2.5Y	6/3	0.955	0.991	0.996
S1018	Pinkish gray	5YR	7/2	0.953	0.993	0.997
S1019	Pinkish gray	5YR	6/2	0.948	0.988	0.995
S1022	White	2.5Y	8/1	0.991	0.997	0.999
S1023	White	2.5Y	8/1	0.984	0.993	0.997
S1024	White	2.5Y	8/1	0.989	0.996	0.999
S1025	Brown	7.5Y	5/4	0.905	0.975	0.996
S1027	Reddish brown	5YR	5/3	0.958	0.987	0.998
S1033	Brown	7.5YR	5/4	0.875	0.969	0.995
S1034	Brown	7.5YR	5/4	0.866	0.965	0.995
S1035	Yellowish red	5YR	4/6	0.916	0.979	0.997
S1038	Gray	10YR	6/1	0.945	0.975	0.994
S1039	Light brownish gray	10YR	6/2	0.965	0.987	0.997
S1040	Light gray	2.5Y	7/1	0.984	0.994	0.998
S1041	Grayish brown	10YR	5/2	0.962	0.981	0.995
S1042	Pinkish gray	7.5YR	7/2	0.945	0.986	0.998
S1045	Light gray	2.5Y	7/2	0.970	0.994	0.998
S1049	White	2.5Y	8/1	0.982	0.995	0.999
S1050	White	2.5Y	8/1	0.982	0.995	0.999
S1051	Light gray	10YR	7/2	0.972	0.991	0.998
S1052	White	10YR	8/1	0.982	0.995	0.999
S1053	Yellowish brown	10YR	5/4	0.923	0.989	0.998
S1055	Pale brown	10YR	6/3	0.912	0.978	0.995
S1056	Light brownish gray	2.5Y	6/2	0.969	0.992	0.998
S1057	Pale brown	10YR	6/3	0.965	0.991	0.998
S1058	Strong brown	7.5YR	5/6	0.870	0.962	0.992
S1060	Light yellowish brown	10YR	6/4	0.868	0.974	0.996
S1062	Light yellowish brown	10YR	6/4	0.893	0.981	0.996
S1064	Light yellowish brown	10YR	6/4	0.887	0.979	0.997
S1065	Yellowish red	5YR	5/6	0.629	0.864	0.991
S1066	White	7.5YR	8/1	0.957	0.983	0.994
S2001	Brown	7.5YR	4/3	0.871	0.963	0.995
S2002	Pale brown	10YR	6/3	0.848	0.952	0.993
S2003	Grayish brown	10YR	5/2	0.902	0.973	0.992
S2004	Very pale brown	10YR	7/3	0.932	0.984	0.997
S2005	Very pale brown	10YR	7/3	0.971	0.992	0.998
S2006	Yellowish brown	10YR	5/4	0.913	0.977	0.995
S2007	Pale brown	10YR	6/3	0.935	0.982	0.996
S2008	Very pale brown	10YR	7/3	0.958	0.988	0.997
S2009	Light yellowish brown	10YR	6/4	0.919	0.979	0.996
S2010	Dark yellowish brown	10YR	4/4	0.908	0.973	0.995
S2011	Very pale brown	10YR	8/1	0.948	0.988	0.997
S2012	Very pale brown	10YR	7/3	0.941	0.984	0.997
S2013	Pale brown	10YR	6/3	0.939	0.983	0.996
S2014	Very pale brown	10YR	7/3	0.942	0.983	0.994
S2015	Very pale brown	10YR	7/3	0.960	0.989	0.997
S2016	Light yellowish brown	10YR	6/4	0.928	0.982	0.996
S2017	Pinkish gray	7.5YR	6/2	0.914	0.973	0.988
S3003	Light brown	7.5YR	6/3	0.944	0.986	0.997
S3004	Light brown	7.5YR	6/4	0.940	0.986	0.998
S3008	Light brown	7.5YR	6/4	0.930	0.981	0.997
S3011	Brown	10YR	5/3	0.906	0.975	0.994
S3016	White	10YR	8/1	0.969	0.991	0.998
S3017	White	10YR	8/1	0.972	0.992	0.998


Sample S1000, Pure Hematite (Fe₂O₃)



SSA (405nm) = 0.407




SSA (532nm) = 0.487



SSA (781nm) = 0.976

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
0.8441	0.9556	0.8927	0.7234	1.4052


Teflon Filters				
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	620	610	570	600
PM _{2.5} /PM ₁₀	0.92	0.97	0.93	0.98
Average	0.95			
Betagaugue				
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu\text{g}/\text{m}^3$)	1173.9		1369.9	
PM _{2.5} /PM ₁₀	0.86			

Particle size distribution for PM_{2.5}, as well as Teflon filter and beta gauge mass measurements, together with PM_{2.5}/PM₁₀ mass ratios.

Sample S1005, Spain (Lanzarote, La Mala)



Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.293	1.430	1.291	1.483	1.550

	Teflon Filters			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	7310	6560	1130	1140
PM _{2.5} /PM ₁₀	0.15	0.16	0.17	0.17
Average	0.16			
	Betagaugue			
	PM2.5		PM10	
Mass (μg/m ³)	651.2		4531.4	
PM _{2.5} /PM ₁₀	0.14			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S1005	1395	1.000	3.754	1.456

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1006, Spain (La Mala, Lanzarote, Canary Islands)



SSA (405nm) = 0.964




SSA (532nm) = 0.992



SSA (781nm) = 0.999

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.128	1.261	1.158	0.953	1.493


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	11590	10580	2870	2960
PM _{2.5} /PM ₁₀	0.25	0.26	0.27	0.28
Average	0.26			
<u>Betagaugue</u>				
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	411.6	1396.8		
PM _{2.5} /PM ₁₀	0.29			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S1006	1349	1.000	3.875	1.457

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1007, Spain (Mirador del Rio, Lanzarote, Canary Islands)



SSA (405nm) = 0.936




SSA (532nm) = 0.982



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.162	1.323	1.197	0.957	1.535

<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	10710	9750	2230	2210
PM _{2.5} /PM ₁₀	0.21	0.21	0.23	0.23
Average	0.22			
<u>Betagaugue</u>				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	2164.5		10869.1	
PM _{2.5} /PM ₁₀	0.20			


<u>SEM Measured Aspect Ratio</u>				
Sample #	Number of Particles	Min	Max	Geom. Mean
S1007	1417	1.000	4.142	1.489

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1008, Spain (Lanzarote, Vega De Femes)



SSA (405nm) = 0.868




SSA (532nm) = 0.963



SSA (781nm) = 0.995

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.143	1.291	1.172	0.972	1.529

	Teflon Filters			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	5140	4580	1380	1350
PM _{2.5} /PM ₁₀	0.27	0.30	0.26	0.29
Average	0.28			
	Betagaugue			
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	300.2	888.2		
PM _{2.5} /PM ₁₀	0.34			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S1008	1396	1.000	5.286	1.460

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1009, Mali (above Bamako)



SSA (405nm) = 0.722




SSA (532nm) = 0.907



SSA (781nm) = 0.991

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
0.994	1.125	1.037	0.856	1.482


	<u>Teflon Filters</u>			
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	4100	3240	1330	1300
PM _{2.5} /PM ₁₀	0.32	0.32	0.41	0.40
Average	0.36			
	<u>Betagaugue</u>			
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu\text{g}/\text{m}^3$)	534		1447	
PM _{2.5} /PM ₁₀	0.37			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of</u>	<u>Min</u>	<u>Max</u>	<u>Geom</u>
	<u>Particles</u>			<u>Mean</u>
S1009	1263	1.000	5.300	1.507

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1010, Mali (Bamako)



SSA (405nm) = 0.729




SSA (532nm) = 0.889



SSA (781nm) = 0.981

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.004	1.128	1.041	0.849	1.481


<u>Teflon Filters</u>				
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	1350	1090	380	340
PM _{2.5} /PM ₁₀	0.28	0.25	0.35	0.31
Average	0.30			
<u>Betagaugue</u>				
	<u>PM2.5</u>	<u>PM10</u>		
Mass ($\mu\text{g}/\text{m}^3$)	514	1339		
PM _{2.5} /PM ₁₀	0.38			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1010	1275	1.004	3.922	1.469

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1011, Mali (West Bamako)



SSA (405nm) = 0.689




SSA (532nm) = 0.876



SSA (781nm) = 0.988

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
0.996	1.140	1.045	0.789	1.499


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	2510	2210	800	820
PM _{2.5} /PM ₁₀	0.32	0.33	0.36	0.37
Average	0.34			
<u>Betagaugue</u>				
	PM2.5	PM10		
Mass ($\mu g/m^3$)	409.9	1213.8		
PM _{2.5} /PM ₁₀	0.34			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S1011	1353	1.000	5.014	1.460

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1013, Cape Verde (Punta Fiure)



SSA (405nm) = 0.925




SSA (532nm) = 0.982



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.149	1.309	1.182	0.965	1.542


	<u>Teflon Filters</u>			
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	19130	16540	5420	5070
PM _{2.5} /PM ₁₀	0.28	0.33	0.27	0.31
Average	0.30			
	<u>Betagaugue</u>			
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu\text{g}/\text{m}^3$)	179		793.6	
PM _{2.5} /PM ₁₀	0.23			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1013	1392	1.008	4.160	1.415

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1014, Northwest China (Karamay)



SSA (405nm) = 0.954




SSA (532nm) = 0.991



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.117	1.224	1.133	1.030	1.474

	<u>Teflon Filters</u>			
	<u>PM2.5</u>	<u>PM2.5</u>	<u>PM10</u>	<u>PM10</u>
Mass (μg)	1880	1800	5630	5050
PM _{2.5} /PM ₁₀	0.33	0.32	0.37	0.36
Average	0.35			
	<u>Betagaugue</u>			
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu\text{g}/\text{m}^3$)	594		1840	
PM _{2.5} /PM ₁₀	0.32			


<u>SEM Measured Aspect Ratio</u>				
<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1014	2336	1.000	4.570	1.446

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1016, Northwest China (Karamay 2)



SSA (405nm) = 0.936




SSA (532nm) = 0.985



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.314	1.400	1.297	1.446	1.481


	<u>Teflon Filters</u>			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	5910	5320	1660	1610
PM _{2.5} /PM ₁₀	0.28	0.28	0.27	0.30
Average	0.28			
	<u>Betagaugue</u>			
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	700	3114		
PM _{2.5} /PM ₁₀	0.22			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S1016	2405	1.000	4.035	1.405

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1017, China (Xinjiang, Daemon City)



SSA (405nm) = 0.955




SSA (532nm) = 0.991



SSA (781nm) = 0.996

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.298	1.401	1.287	1.431	1.507


	<u>Teflon Filters</u>			
	<u>PM 10</u>	<u>PM 10</u>	<u>PM 2.5</u>	<u>PM 2.5</u>
Mass (μg)	1700	1900	450	390
PM _{2.5} /PM ₁₀	0.23	0.21	0.26	0.24
Average	0.23			
	<u>Betagaugue</u>			
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu g/m^3$)	577.9		2562.1	
PM _{2.5} /PM ₁₀	0.23			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of</u>	<u>Min</u>	<u>Max</u>	<u>Geom</u>
	<u>Particles</u>			<u>Mean</u>
S1017	1318	1.000	4.525	1.473

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1018, China (Xinjiang, Daemon City), 2nd sample



SSA (405nm) = 0.953




SSA (532nm) = 0.993



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.474	1.539	1.421	1.769	1.497

	<u>Teflon Filters</u>			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	1410	1490	290	260
PM _{2.5} /PM ₁₀	0.21	0.18	0.19	0.17
Average	0.19			
	<u>Betagaugue</u>			
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	588		2628	
PM _{2.5} /PM ₁₀	0.22			

<u>SEM Measured Aspect Ratio</u>				
Sample #	Number of Particles	Min	Max	Geom. Mean
S1018	2418	1.000	6.711	1.407

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.

Sample S1019, USA (Owens Lake, CA)




SSA (405nm) = 0.948

SSA (532nm) = 0.988

SSA (781nm) = 0.995

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.158	1.289	1.179	1.059	1.513


Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	6210	5190	1170	1150
PM _{2.5} /PM ₁₀	0.19	0.19	0.23	0.22
Average	0.21			
Betagaugue				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	369.1		1613.2	
PM _{2.5} /PM ₁₀	0.23			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S1019	1302	1.005	5.285	1.494

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1022, Namibia (Etosha, Fischer Pan)



SSA (405nm) = 0.991




SSA (532nm) = 0.997



SSA (781nm) = 0.999

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.044	1.199	1.092	0.880	1.515


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	14130	13030	5060	4870
PM _{2.5} /PM ₁₀	0.36	0.34	0.39	0.37
Average	0.37			
<u>Betagaugue</u>				
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	215.7	605.4		
PM _{2.5} /PM ₁₀	0.36			

SEM Measured Aspect Ratio

<u>Sample #</u>	<u>Number of</u>	<u>Min</u>	<u>Max</u>	<u>Geom</u>
	<u>Particles</u>			<u>Mean</u>
S1022	1331	1.000	3.833	1.510

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.

Sample S1023, Namibia (Etosha, Stinkwater)




SSA (405nm) = 0.984

SSA (532nm) = 0.993

SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



<u>Median</u>	<u>Mean</u>	<u>Geo. Mean</u>	<u>Mode</u>	<u>Geo. Std. Dev.</u>
(μm)	(μm)	(μm)	(μm)	(μm)
1.184	1.321	1.206	1.056	1.514


<u>Teflon Filters</u>				
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	2140	2250	580	650
PM _{2.5} /PM ₁₀	0.27	0.30	0.26	0.29
Average	0.28			
<u>Betagaugue</u>				
	<u>PM2.5</u>	<u>PM10</u>		
Mass ($\mu\text{g}/\text{m}^3$)	1119.6	4316.4		
PM _{2.5} /PM ₁₀	0.26			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of</u>	<u>Min</u>	<u>Max</u>	<u>Geom</u>
	<u>Particles</u>			<u>Mean</u>
S1023	1400	1.000	3.922	1.457

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1024, Namibia (Etosha, Lookout)



SSA (405nm) = 0.989




SSA (532nm) = 0.996



SSA (781nm) = 0.999

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.331	1.566	1.363	1.415	1.650

<u>Teflon Filters</u>				
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	11050	8550	1730	1570
PM _{2.5} /PM ₁₀	0.16	0.14	0.20	0.18
Average	0.17			
<u>Betagaugue</u>				
	<u>PM2.5</u>	<u>PM10</u>		
Mass ($\mu\text{g}/\text{m}^3$)	487.9	3052.8		
PM _{2.5} /PM ₁₀	0.16			


<u>SEM Measured Aspect Ratio</u>				
<u>Sample #</u>	<u>Number of</u>	<u>Min</u>	<u>Max</u>	<u>Geom</u>
	<u>Particles</u>			<u>Mean</u>
S1024	1389	1.000	4.024	1.514

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1025, Morocco (Lake Iriki)



SSA (405nm) = 0.905




SSA (532nm) = 0.975



SSA (781nm) = 0.996

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.029	1.159	1.068	0.883	1.481


	Teflon Filters			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	4460	3590	1320	1220
PM _{2.5} /PM ₁₀	0.30	0.27	0.37	0.34
Average	0.32			
	Betagaugue			
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	712		2590	
PM _{2.5} /PM ₁₀	0.27			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S1025	1328	1.008	5.461	1.493

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1027, Spain (Canary islands, Galdar, Gran Canaria)



SSA (405nm) = 0.958




SSA (532nm) = 0.987



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.010	1.131	1.047	0.876	1.470


	<u>Teflon Filters</u>			
	<u>PM 10</u>	<u>PM 10</u>	<u>PM 2.5</u>	<u>PM 2.5</u>
Mass (μg)	5460	4540	1410	1310
PM2.5/PM10	0.26	0.24	0.31	0.29
Average	0.27			
	<u>Betagaugue</u>			
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu\text{g}/\text{m}^3$)	478		1801.1	
PM2.5/PM10	0.27			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of</u>	<u>Min</u>	<u>Max</u>	<u>Geom</u>
	<u>Particles</u>			<u>Mean</u>
S1027	1383	1.000	3.691	1.506

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1033, Spain (Canary Islands, Fuerteventura, Pozo Negro)



SSA (405nm) = 0.875




SSA (532nm) = 0.969



SSA (781nm) = 0.995

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.189	1.323	1.205	1.151	1.525

	<u>Teflon Filters</u>			
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	4420	3720	800	890
PM _{2.5} /PM ₁₀	0.18	0.20	0.22	0.24
Average	0.21			
	<u>Betagaugue</u>			
	<u>PM2.5</u>	<u>PM10</u>		
Mass ($\mu\text{g}/\text{m}^3$)	419	2144		
PM _{2.5} /PM ₁₀	0.20			


<u>SEM Measured Aspect Ratio</u>				
<u>Sample #</u>	<u>Number of</u>	<u>Min</u>	<u>Max</u>	<u>Geom</u>
	<u>Particles</u>			<u>Mean</u>
S1033	1186	1.000	5.232	1.497

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1034, Spain (Canary Islands, Pozo Negro, Fuerteventura) 2nd Sample



SSA (405nm) = 0.866




SSA (532nm) = 0.965



SSA (781nm) = 0.994

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.147	1.275	1.167	1.030	1.512

	<u>Teflon Filters</u>			
	<u>PM 10</u>	<u>PM 10</u>	<u>PM 2.5</u>	<u>PM 2.5</u>
Mass (μg)	7890	6750	1530	1500
PM2.5/PM10	0.19	0.19	0.23	0.22
Average	0.21			
	<u>Betagaugue</u>			
	<u>PM2.5</u>	<u>PM10</u>		
Mass ($\mu\text{g}/\text{m}^3$)	453.7	2544.3		
PM2.5/PM10	0.18			


<u>SEM Measured Aspect Ratio</u>				
<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1034	1826	1.006	8.500	1.586

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1035, Spain (Fuerteventura, La Ampuyenta)



SSA (405nm) = 0.916




SSA (532nm) = 0.979



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
0.961	1.104	1.018	0.777	1.473


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	2210	2000	520	500
PM _{2.5} /PM ₁₀	0.24	0.23	0.26	0.25
Average	0.24			
<u>Betagaugue</u>				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	528.2		1638	
PM _{2.5} /PM ₁₀	0.32			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S1035	1355	1.000	6.771	1.464

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1038, Botswana (Makgadikgadi Pan, Mopipi)



SSA (405nm) = 0.945




SSA (532nm) = 0.975



SSA (781nm) = 0.994

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.085	1.228	1.121	0.918	1.511

Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	10630	9400	3160	3030
PM _{2.5} /PM ₁₀	0.30	0.29	0.34	0.32
Average	0.31			
Betagauge				
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	210.1	642.7		
PM _{2.5} /PM ₁₀	0.33			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S1038	1340	1.000	3.815	1.478

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagauge mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1039, Botswana (Makgadikgadi Pan, Rakops)



SSA (405nm) = 0.965




SSA (532nm) = 0.987



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (µg)	18290	25390	7380	7460
PM _{2.5} /PM ₁₀	0.40	0.41	0.29	0.29
Average	0.35			
Betagaugue				
	PM2.5		PM10	
Mass (µg/m ³)	97.6		256.3	
PM _{2.5} /PM ₁₀	0.38			

SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S1039	1279	1.000	5.333	1.522


Median (µm)	Mean (µm)	Geo. Mean (µm)	Mode (µm)	Geo. Std. Dev. (µm)
1.229	1.399	1.255	1.115	1.556

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1040, Botswana (Nxai Pan, Baines Baobabs)



SSA (405nm) = 0.984




SSA (532nm) = 0.994



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.040	1.204	1.095	0.836	1.516

<u>Teflon Filters</u>				
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	6320	5330	1370	1320
PM _{2.5} /PM ₁₀	0.22	0.21	0.26	0.25
Average	0.23			
<u>Betagaugue</u>				
	<u>PM2.5</u>	<u>PM10</u>		
Mass ($\mu\text{g}/\text{m}^3$)	377.2	1317.8		
PM _{2.5} /PM ₁₀	0.29			


<u>SEM Measured Aspect Ratio</u>				
<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1040	1392	1.000	4.227	1.447

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1041, Botswana (Nxai Pan)



SSA (405nm) = 0.962




SSA (532nm) = 0.981



SSA (781nm) = 0.995

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
0.967	1.119	1.024	0.777	1.494


<u>Teflon Filters</u>			
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>
Mass (μg)	5570	5170	1230
PM _{2.5} /PM ₁₀	0.22	0.22	0.24
Average	0.23		
<u>Betagaugue</u>			
	<u>PM2.5</u>	<u>PM10</u>	
Mass ($\mu\text{g}/\text{m}^3$)	190.6	806.5	
PM _{2.5} /PM ₁₀	0.24		

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1041	1324	1.002	4.848	1.436

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1042, Chile (Atacama, Rock Garden)



SSA (405nm) = 0.945




SSA (532nm) = 0.986



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
0.958	1.090	1.001	0.836	1.475

Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	11810	10730	4350	-
PM _{2.5} /PM ₁₀	0.37	0.41	-	-
Average	0.39			
Betagauge				
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	296.3	726.1		
PM _{2.5} /PM ₁₀	0.41			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S1042	1267	1.000	4.687	1.544

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagauge mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1045, USA (Black Rock, NV)



SSA (405nm) = 0.970




SSA (532nm) = 0.994



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.134	1.253	1.157	0.994	1.480


<u>Teflon Filters</u>				
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	5910	5450	2590	2660
PM _{2.5} /PM ₁₀	0.44	0.45	0.48	0.49
Average	0.46			
<u>Betagaugue</u>				
	<u>PM2.5</u>	<u>PM10</u>		
Mass ($\mu\text{g}/\text{m}^3$)	204.9	384.8		
PM _{2.5} /PM ₁₀	0.53			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1045	1408	1.000	3.713	1.443

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1049, Chad (Bodélé Depression, Sample 44)



SSA (405nm) = 0.982




SSA (532nm) = 0.995



SSA (781nm) = 0.999

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.099	1.226	1.126	0.955	1.495


	<u>Teflon Filters</u>			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	11450	na	2970	2920
PM _{2.5} /PM ₁₀	0.26	0.26	-	-
Average	0.26			
	<u>Betagaugue</u>			
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	238.2		822.4	
PM _{2.5} /PM ₁₀	0.29			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S1049	1162	1.000	5.213	1.622

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1050, Chad (Bodélé Depression, Sample 44B)



SSA (405nm) = 0.982




SSA (532nm) = 0.995



SSA (781nm) = 0.999

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.074	1.202	1.104	0.933	1.482


Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	17330	16190	4450	4500
PM _{2.5} /PM ₁₀	0.26	0.26	0.27	0.28
Average	0.27			
Betagauge				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	3887.2		12775.3	
PM _{2.5} /PM ₁₀	0.30			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S1050	1164	1.002	10.200	1.685

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagauge mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1051, Chad (Bodélé Depression, Sample 44C)



SSA (405nm) = 0.972




SSA (532nm) = 0.991



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.118	1.279	1.161	0.949	1.527


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	15580	13940	4120	4110
PM _{2.5} /PM ₁₀	0.26	0.30	0.26	0.29
Average	0.28			
<u>Betagaugue</u>				
	PM2.5		PM10	
Mass ($\mu g/m^3$)	166		508.4	
PM _{2.5} /PM ₁₀	0.33			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S1051	1157	1.000	7.859	1.698

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1052, USA (NW Reno, Peavine Mtn)



SSA (405nm) = 0.982




SSA (532nm) = 0.995



SSA (781nm) = 0.999

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.235	1.405	1.263	1.130	1.557


	<u>Teflon Filters</u>			
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	3600	5990	1520	1430
PM _{2.5} /PM ₁₀	0.42	0.40	0.25	0.24
Average	0.33			
	<u>Betagaugue</u>			
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu\text{g}/\text{m}^3$)	648		1942	
PM _{2.5} /PM ₁₀	0.33			

SEM Measured Aspect Ratio

<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1052	1132	1.000	7.222	1.630

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.

Sample S1053, USA (Peavine Mtn. Reno, NV)




SSA (405nm) = 0.923

SSA (532nm) = 0.989

SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.083	1.201	1.106	0.947	1.488

Teflon Filters				
	PM2.5	PM2.5	PM10	PM10
Mass (μg)	1860	2400	360	390
PM2.5/PM10	0.19	0.15	0.21	0.16
Average	0.18			
Betagauge				
	PM2.5		PM10	
Mass (μg/m3)	512.2		2302.9	
PM2.5/PM10	0.22			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S1053	2394	1.000	4.467	1.411

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagauge mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1055, China (Lanzhou, Loess Plateau)



SSA (405nm) = 0.912




SSA (532nm) = 0.978



SSA (781nm) = 0.995

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.232	1.363	1.241	1.231	1.523

<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	8800	7720	1830	1750
PM _{2.5} /PM ₁₀	0.21	0.24	0.20	0.23
Average	0.22			
<u>Betagaugue</u>				
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	467.7	2461.6		
PM _{2.5} /PM ₁₀	0.19			


<u>SEM Measured Aspect Ratio</u>				
Sample #	Number of Particles	Min	Max	Geom Mean
S1055	1316	1.000	6.889	1.495

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1056, Australia (Lake Eyre, Cooper Creek)



SSA (405nm) = 0.969




SSA (532nm) = 0.992



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.013	1.159	1.060	0.859	1.495


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	6300	5700	1490	1510
PM _{2.5} /PM ₁₀	0.24	0.24	0.26	0.26
Average	0.25			
<u>Betagaugue</u>				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	166.5		615.8	
PM _{2.5} /PM ₁₀	0.27			

SEM Measured Aspect Ratio

Sample #	Number of Particles	Min	Max	Geom. Mean
S1056	1365	1.000	5.133	1.476

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.

Sample S1057, Australia (Lake Eyre, Warburton River)




SSA (405nm) = 0.965

SSA (532nm) = 0.991

SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (µm)	Mean (µm)	Geo. Mean (µm)	Mode (µm)	Geo. Std. Dev. (µm)
1.011	1.149	1.058	0.881	1.480


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (µg)	2240	2040	680	680
PM _{2.5} /PM ₁₀	0.30	0.30	0.33	0.33
Average	0.32			
<u>Betagaugue</u>				
	PM2.5		PM10	
Mass (µg/m ³)	173.3		632.2	
PM _{2.5} /PM ₁₀	0.27			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S1057	1408	1.005	3.562	1.440

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1058, Australia (Lake Frome)



SSA (405nm) = 0.870




SSA (532nm) = 0.962



SSA (781nm) = 0.992

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.372	1.515	1.361	1.526	1.560


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	1740	1590	190	220
PM _{2.5} /PM ₁₀	0.11	0.13	0.12	0.14
Average	0.12			
<u>Betagauge</u>				
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	589.5	2325.6		
PM _{2.5} /PM ₁₀	0.25			

SEM Measured Aspect Ratio

<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1058	1431	1.000	4.671	1.439

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagauge mass measurements, together with PM_{2.5}/PM₁₀ ratios.

Sample S1060, Serbia (Danude R., Batajnica, Loess)




SSA (405nm) = 0.868

SSA (532nm) = 0.974

SSA (781nm) = 0.996

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.233	1.362	1.242	1.227	1.521


Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	12220	10150	2340	2140
PM _{2.5} /PM ₁₀	0.19	0.18	0.23	0.21
Average	0.20			
Betagaugue				
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	675.5	2201.2		
PM _{2.5} /PM ₁₀	0.31			

SEM Measured Aspect Ratio

Sample #	Number of Particles	Min	Max	Geom Mean
S1060	1357	1.000	3.414	1.466

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.

Sample S1062, Serbia (Kostolac, Loess)




SSA (405nm) = 0.893

SSA (532nm) = 0.981

SSA (781nm) = 0.996

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.177	1.338	1.205	1.103	1.546


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	12820	11410	2010	-
PM _{2.5} /PM ₁₀	0.16	0.18	-	-
Average	0.17			
<u>Betagaugue</u>				
	PM2.5	PM10		
Mass (μg/m ³)	474.7	1416.7		
PM _{2.5} /PM ₁₀	0.34			

SEM Measured Aspect Ratio

Sample #	Number of Particles	Min	Max	Geom Mean
S1062	1315	1.000	9.629	1.505

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.

Sample S1064, Serbia (Stari Slankamen, Loess)




SSA (405nm) = 0.887

SSA (532nm) = 0.979

SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.298	1.435	1.301	1.396	1.534


<u>Teflon Filters</u>				
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	14010	13670	2390	2440
PM _{2.5} /PM ₁₀	0.17	0.17	0.17	0.18
Average	0.17			
<u>Betagaugue</u>				
	<u>PM2.5</u>	<u>PM10</u>		
Mass ($\mu\text{g}/\text{m}^3$)	513.7	1826.7		
PM _{2.5} /PM ₁₀	0.28			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1064	1330	1.010	4.125	1.446

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1065, USA (Amador Cty, California), Carbondale Red clay



SSA (405nm) = 0.629




SSA (532nm) = 0.864



SSA (781nm) = 0.991

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.092	1.221	1.119	0.936	1.503


	<u>Teflon Filters</u>			
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	1260	1200	490	450
PM _{2.5} /PM ₁₀	0.39	0.36	0.41	0.38
Average	0.38			
	<u>Betagaugue</u>			
	<u>PM2.5</u>	<u>PM10</u>		
Mass ($\mu\text{g}/\text{m}^3$)	965	2331		
PM _{2.5} /PM ₁₀	0.41			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of</u>	<u>Min</u>	<u>Max</u>	<u>Geom</u>
	<u>Particles</u>			<u>Mean</u>
S1065	1318	1.000	4.200	1.478

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S1066, USA (Arizona Road Dust)



SSA (405nm) = 0.957




SSA (532nm) = 0.983



SSA (781nm) = 0.994

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.166	1.389	1.219	0.926	1.607


<u>Teflon Filters</u>				
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	30590	25650	4420	4210
PM _{2.5} /PM ₁₀	0.14	0.14	0.17	0.16
Average	0.15			
<u>Betagaugue</u>				
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu g/m^3$)	226.3		1101.1	
PM _{2.5} /PM ₁₀	0.21			

SEM Measured Aspect Ratio

<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S1066	1331	1.000	4.807	1.616

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.

Sample S2001, Djibouti (Camp Lemonnier)




SSA (405nm) = 0.871

SSA (532nm) = 0.963

SSA (781nm) = 0.995

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.213	1.339	1.223	1.210	1.523

	Teflon Filters			
	PM 10	PM 10	PM 2.5	PM 2.5
Mass (μg)	2990	2660	670	620
PM2.5/PM10	0.22	0.21	0.25	0.23
Average	0.23			
	Betagaugue			
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	736.4	3004.3		
PM2.5/PM10	0.25			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S2001	1382	1.000	4.208	1.442

Particle size distribution for $\text{PM}_{2.5}$, as well as Teflon filter and betagaugue mass measurements, together with $\text{PM}_{2.5}/\text{PM}_{10}$ ratios.


Sample S2002, Afghanistan (Bagram)



SSA (405nm) = 0.848




SSA (532nm) = 0.952



SSA (781nm) = 0.993

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.252	1.393	1.258	1.258	1.553


	<u>Teflon Filters</u>			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	2230	5430	980	960
PM _{2.5} /PM ₁₀	0.44	0.43	0.18	0.18
Average	0.31			
	<u>Betagaugue</u>			
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	730.3	4151.4		
PM _{2.5} /PM ₁₀	0.18			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S2002	506	1.016	2.822	1.368

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2003, Afghanistan (Khowst)



SSA (405nm) = 0.902




SSA (532nm) = 0.973



SSA (781nm) = 0.992

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.334	1.457	1.328	1.448	1.523


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	9880	na	na	na
PM _{2.5} /PM ₁₀				
Average				
<u>Betagaugue</u>				
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	522.3	1975.1		
PM _{2.5} /PM ₁₀	0.26			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom. Mean
S2003	437	1.027	4.450	1.379

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2004, Qatar (Al Udeid)



SSA (405nm) = 0.932




SSA (532nm) = 0.984



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.132	1.261	1.159	0.972	1.491

<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	14330	12660	3200	3230
PM _{2.5} /PM ₁₀	0.22	0.23	0.25	0.26
Average	0.24			
<u>Betagaugue</u>				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	380		1763.8	
PM _{2.5} /PM ₁₀	0.22			


<u>SEM Measured Aspect Ratio</u>				
Sample #	Number of Particles	Min	Max	Geom Mean
S2004	731	1.013	7.613	1.440

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2005, United Arab Emirates (Al Dhafra)



SSA (405nm) = 0.971




SSA (532nm) = 0.992



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.087	1.243	1.134	0.898	1.509

<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	11580	10280	2270	2220
PM _{2.5} /PM ₁₀	0.20	0.19	0.22	0.22
Average	0.21			
<u>Betagaugue</u>				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	207.7		1121.6	
PM _{2.5} /PM ₁₀	0.19			


<u>SEM Measured Aspect Ratio</u>				
Sample #	Number of Particles	Min	Max	Geom Mean
S2005	959	1.003	5.360	1.390

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2006, Iraq (Balad)



SSA (405nm) = 0.913




SSA (532nm) = 0.977



SSA (781nm) = 0.995

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.475	1.610	1.458	1.645	1.541


	Teflon Filters			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	8370	7410	1430	1490
PM _{2.5} /PM ₁₀	0.17	0.18	0.19	0.20
Average	0.19			
	Betagauge			
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	586.9		3836.4	
PM _{2.5} /PM ₁₀	0.15			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S2006	814	1.009	3.936	1.389

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagauge mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2007, Iraq (Baghdad, Camp Victory)



SSA (405nm) = 0.935




SSA (532nm) = 0.982



SSA (781nm) = 0.996

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.262	1.394	1.273	1.288	1.523


Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	10310	9330	3030	3030
PM _{2.5} /PM ₁₀	0.29	0.29	0.32	0.32
Average	0.31			
Betagauge				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	183.5		647.3	
PM _{2.5} /PM ₁₀	0.28			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom Mean
S2007	626	1.000	4.104	1.403

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagauge mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2008, Iraq (Tallil, Camp Adder)



SSA (405nm) = 0.958




SSA (532nm) = 0.988



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.066	1.230	1.118	0.889	1.519

Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	5290	4650	1170	1150
PM _{2.5} /PM ₁₀	0.22	0.22	0.25	0.25
Average	0.23			
Betagauge				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	383.6		2152.1	
PM _{2.5} /PM ₁₀	0.18			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S2008	754	1.010	3.661	1.389

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagauge mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2009, Iraq (Tikrit, Speicher)



SSA (405nm) = 0.919




SSA (532nm) = 0.979



SSA (781nm) = 0.996

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.168	1.313	1.195	1.007	1.530

Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	9190	8200	2170	2140
PM _{2.5} /PM ₁₀	0.24	0.23	0.26	0.26
Average	0.25			
Betagaugue				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	174.9		771.2	
PM _{2.5} /PM ₁₀	0.23			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S2009	783	1.014	4.201	1.436

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2010, Iraq (Taji)



SSA (405nm) = 0.908




SSA (532nm) = 0.973



SSA (781nm) = 0.995

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.437	1.568	1.415	1.665	1.557


	<u>Teflon Filters</u>			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	4520	4010	580	550
PM _{2.5} /PM ₁₀	0.13	0.12	0.14	0.14
Average	0.13			
	<u>Betagaugue</u>			
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	811.1		6116.4	
PM _{2.5} /PM ₁₀	0.13			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S2010	660	1.015	6.907	1.429

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2011, Iraq (Al Asad)



SSA (405nm) = 0.948




SSA (532nm) = 0.988



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.326	1.534	1.351	1.303	1.607

Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	14190	12610	1750	1750
PM _{2.5} /PM ₁₀	0.12	0.12	0.14	0.14
Average	0.13			
Betagauge				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	439.1		3639.8	
PM _{2.5} /PM ₁₀	0.12			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S2011	808	1.004	3.090	1.388

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagauge mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2012, Kuwait, (North, Camp Buehring)



SSA (405nm) = 0.941




SSA (532nm) = 0.984



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.121	1.258	1.151	0.936	1.510

Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	7690	7190	2150	2160
PM _{2.5} /PM ₁₀	0.28	0.28	0.30	0.30
Average	0.29			
Betagaugue				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	369.9		1070.2	
PM _{2.5} /PM ₁₀	0.35			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S2012	620	1.012	6.618	1.495

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2013, Kuwait, (Central, Camp Ali Al Salem)



SSA (405nm) = 0.939




SSA (532nm) = 0.983



SSA (781nm) = 0.996

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.171	1.336	1.204	1.009	1.544

Teflon Filters				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	13090	11930	2030	2070
PM _{2.5} /PM ₁₀	0.16	0.16	0.17	0.17
Average	0.16			
Betagaugue				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	282.4		877.9	
PM _{2.5} /PM ₁₀	0.32			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S2013	692	1.012	6.233	1.487

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2014, Kuwait, (Coastal, Ash Shu Ayabah)



SSA (405nm) = 0.942




SSA (532nm) = 0.983



SSA (781nm) = 0.994

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.188	1.324	1.209	1.037	1.522

<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	5850	5440	1100	1130
PM _{2.5} /PM ₁₀	0.19	0.19	0.20	0.21
Average	0.20			
<u>Betagaugue</u>				
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	651.5		2909.1	
PM _{2.5} /PM ₁₀	0.22			


<u>SEM Measured Aspect Ratio</u>				
Sample #	Number of Particles	Min	Max	Geom Mean
S2014	767	1.005	3.443	1.440

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2015, Kuwait, (South, Camp Arifjan)



SSA (405nm) = 0.960




SSA (532nm) = 0.989



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(um)	(um)	(um)	(um)	(um)
1.062	1.212	1.108	0.886	1.509

<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (µg)	5560	5040	880	850
PM _{2.5} /PM ₁₀	0.16	0.15	0.17	0.17
Average	0.16			
<u>Betagaugue</u>				
	PM2.5		PM10	
Mass (µg/m ³)	1417.3		6737.4	
PM _{2.5} /PM ₁₀	0.21			


<u>SEM Measured Aspect Ratio</u>				
Sample #	Number of Particles	Min	Max	Geom Mean
S2015	656	1.006	5.615	1.426

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2016, Afghanistan (Camp Leatherneck, Helmand Province)



SSA (405nm) = 0.928




SSA (532nm) = 0.982



SSA (781nm) = 0.996

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.335	1.473	1.332	1.478	1.551


	<u>Teflon Filters</u>			
	<u>PM2.5</u>	<u>PM2.5</u>	<u>PM10</u>	<u>PM10</u>
Mass (μg)	1510	1390	5170	5790
PM _{2.5} /PM ₁₀	0.29	0.26	0.26	0.24
Average	0.26			
	<u>Betagaugue</u>			
	<u>PM2.5</u>	<u>PM10</u>		
Mass ($\mu\text{g}/\text{m}^3$)	1481	5762		
PM _{2.5} /PM ₁₀	0.26			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S2016	1338	1.000	10.346	1.482

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S2017, Kuwait (Shuaiba Port)



SSA (405nm) = 0.914




SSA (532nm) = 0.973



SSA (781nm) = 0.988

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.468	1.540	1.420	1.736	1.498


	<u>Teflon Filters</u>			
	<u>PM2.5</u>	<u>PM2.5</u>	<u>PM10</u>	<u>PM10</u>
Mass (μg)	1510	1390	5170	5790
PM _{2.5} /PM ₁₀	0.29	0.26	0.26	0.24
Average	0.26			
	<u>Betagaugue</u>			
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu\text{g}/\text{m}^3$)	1481		5762	
PM _{2.5} /PM ₁₀	0.26			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S2017	2345	1.000	5.934	1.434

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S3003, USA (Yuma Proving Grounds, Area 3835Z)



SSA (405nm) = 0.944




SSA (532nm) = 0.986



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.157	1.278	1.175	1.065	1.494

	<u>Teflon Filters</u>			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	6620	5110	1080	1050
PM _{2.5} /PM ₁₀	0.16	0.21	0.16	0.21
Average	0.18			
	<u>Betagaugue</u>			
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	618.4		3299.5	
PM _{2.5} /PM ₁₀	0.19			


<u>SEM Measured Aspect Ratio</u>				
Sample #	Number of Particles	Min	Max	Geom Mean
S3003	1428	1.003	3.576	1.455

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S3004, USA (Yuma Proving Ground, Arizona, Area 26500R)



SSA (405nm) = 0.940




SSA (532nm) = 0.986



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.




Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.144	1.248	1.157	1.071	1.473

	Teflon Filters			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	7390	6490	2870	2760
PM _{2.5} /PM ₁₀	0.39	0.44	0.37	0.43
Average	0.41			
	Betagauge			
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	408.8		921.6	
PM _{2.5} /PM ₁₀	0.44			


SEM Measured Aspect Ratio				
Sample #	Number of Particles	Min	Max	Geom Mean
S3004	1393	1.000	3.479	1.469

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagauge mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S3008, USA (Yuma Proving Ground, Roadrunner Site)



SSA (405nm) = 0.930




SSA (532nm) = 0.981



SSA (781nm) = 0.997

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.201	1.336	1.218	1.156	1.518


	<u>Teflon Filters</u>			
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	24800	22330	5230	5190
PM2.5/PM10	0.21	0.21	0.23	0.23
Average	0.22			
	<u>Betagaugue</u>			
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu\text{g}/\text{m}^3$)	298.2		1024	
PM2.5/PM10	0.29			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of Particles</u>	<u>Min</u>	<u>Max</u>	<u>Geom Mean</u>
S3008	1418	1.000	6.300	1.499

Particle size distribution for $\text{PM}_{2.5}$, as well as Teflon filter and betagaugue mass measurements, together with $\text{PM}_{2.5}/\text{PM}_{10}$ ratios.


Sample S3011, USA (Ft Carson)



SSA (405nm) = 0.906




SSA (532nm) = 0.975



SSA (781nm) = 0.994

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.230	1.341	1.232	1.282	1.501


	<u>Teflon Filters</u>			
	<u>PM10</u>	<u>PM10</u>	<u>PM2.5</u>	<u>PM2.5</u>
Mass (μg)	8460	7570	1920	1900
PM _{2.5} /PM ₁₀	0.23	0.25	0.22	0.25
Average	0.24			
	<u>Betagaugue</u>			
	<u>PM2.5</u>		<u>PM10</u>	
Mass ($\mu\text{g}/\text{m}^3$)	378.6		1316.8	
PM _{2.5} /PM ₁₀	0.29			

SEM Measured Aspect Ratio


<u>Sample #</u>	<u>Number of</u>	<u>Min</u>	<u>Max</u>	<u>Geom</u>
	<u>Particles</u>			<u>Mean</u>
S3011	1405	1.000	6.573	1.456

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S3016, USA (Dugway PG, Lima Site)



SSA (405nm) = 0.969




SSA (532nm) = 0.991



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median (μm)	Mean (μm)	Geo. Mean (μm)	Mode (μm)	Geo. Std. Dev. (μm)
1.196	1.326	1.214	1.116	1.507


<u>Teflon Filters</u>				
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	14660	13780	4800	4830
PM _{2.5} /PM ₁₀	0.33	0.33	0.35	0.35
Average	0.34			
<u>Betagaugue</u>				
	PM2.5	PM10		
Mass ($\mu\text{g}/\text{m}^3$)	282	955.6		
PM _{2.5} /PM ₁₀	0.30			

SEM Measured Aspect Ratio


Sample #	Number of Particles	Min	Max	Geom. Mean
S3016	1361	1.000	5.121	1.546

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.


Sample S3017, USA (Dugway PG, UT, X-ray site)



SSA (405nm) = 0.972




SSA (532nm) = 0.992



SSA (781nm) = 0.998

Optical scattering, absorption and single scattering albedos (SSA) at three wavelengths, where $SSA = 1/(1 + 1/m)$ and m is the slope of the above plots.



Median	Mean	Geo. Mean	Mode	Geo. Std. Dev.
(μm)	(μm)	(μm)	(μm)	(μm)
1.188	1.318	1.207	1.083	1.507

	<u>Teflon Filters</u>			
	PM10	PM10	PM2.5	PM2.5
Mass (μg)	18600	17000	5780	6020
PM _{2.5} /PM ₁₀	0.31	0.32	0.34	0.35
Average	0.33			
	<u>Betagaugue</u>			
	PM2.5		PM10	
Mass ($\mu\text{g}/\text{m}^3$)	172.8		530.5	
PM _{2.5} /PM ₁₀	0.33			

<u>SEM Measured Aspect Ratio</u>				
Sample #	Number of Particles	Min	Max	Geom Mean
S3017	1324	1.000	5.115	1.536

Particle size distribution for PM_{2.5}, as well as Teflon filter and betagaugue mass measurements, together with PM_{2.5}/PM₁₀ ratios.

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1000				S1005				S1006				S1007			
	Unknown				Spain, Lanzarote, La Mala, Sample 1				Spain, Lanzarote, La Mala, Sample 2				Spain, Lanzarote, Mirador del Rio			
	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
Majors																
Si	0.247 ± 0.014		0.193 ± 0.013		4.896 ± 0.026		6.960 ± 0.058		2.586 ± 0.013		4.213 ± 0.021		5.877 ± 0.018		7.366 ± 0.036	
Ti	0.000 ± 0.008		0.000 ± 0.008		0.127 ± 0.005		0.152 ± 0.012		0.094 ± 0.002		0.123 ± 0.004		0.405 ± 0.004		0.420 ± 0.008	
Al	0.323 ± 0.028		0.275 ± 0.025		1.621 ± 0.031		2.584 ± 0.080		0.995 ± 0.018		1.692 ± 0.028		1.802 ± 0.019		2.363 ± 0.043	
Fe	60.662 ± 0.103		56.729 ± 0.095		1.606 ± 0.006		2.109 ± 0.014		1.061 ± 0.003		1.574 ± 0.006		3.010 ± 0.006		3.196 ± 0.011	
Mg	0.000 ± 0.012		0.000 ± 0.012		0.758 ± 0.010		1.496 ± 0.029		0.777 ± 0.004		1.517 ± 0.010		1.521 ± 0.007		3.078 ± 0.018	
Ca	0.090 ± 0.005		0.036 ± 0.005		14.291 ± 0.027		18.754 ± 0.045		19.751 ± 0.035		24.908 ± 0.045		11.153 ± 0.020		15.825 ± 0.031	
K	0.007 ± 0.007		0.016 ± 0.007		0.730 ± 0.006		0.916 ± 0.017		0.330 ± 0.004		0.497 ± 0.005		0.954 ± 0.004		1.056 ± 0.008	
Traces																
As	0.00356 ± 0.00162		0.00578 ± 0.00250		0.01150 ± 0.00096		0.03117 ± 0.00376		0.00412 ± 0.00026		0.00816 ± 0.00072		0.00479 ± 0.00031		0.01025 ± 0.00128	
Be	0.00001 ± 0.00041		0.00002 ± 0.00040		0.00007 ± 0.00024		0.00017 ± 0.00094		0.00004 ± 0.00007		0.00007 ± 0.00018		0.00010 ± 0.00008		0.00010 ± 0.00032	
Cd	0.00000 ± 0.00041		0.00000 ± 0.00040		0.00001 ± 0.00024		0.00001 ± 0.00094		0.00001 ± 0.00007		0.00002 ± 0.00018		0.00003 ± 0.00008		0.00002 ± 0.00032	
Cr	0.06455 ± 0.00081		0.07790 ± 0.00080		0.01954 ± 0.00048		0.04135 ± 0.00188		0.00592 ± 0.00013		0.01205 ± 0.00036		0.00965 ± 0.00015		0.01653 ± 0.00064	
Hg	0.00032 ± 0.00081		0.00016 ± 0.00080		0.00000 ± 0.00048		0.00043 ± 0.00188		0.00001 ± 0.00013		-0.00006 ± 0.00036		0.00005 ± 0.00015		0.00015 ± 0.00064	
Mn	0.01323 ± 0.00162		0.01460 ± 0.00161		0.03250 ± 0.00096		0.03346 ± 0.00376		0.01656 ± 0.00026		0.02132 ± 0.00072		0.02358 ± 0.00031		0.02480 ± 0.00128	
Ni	0.00324 ± 0.00162		0.00283 ± 0.00161		0.00497 ± 0.00096		0.00617 ± 0.00376		0.00382 ± 0.00026		0.00520 ± 0.00072		0.00629 ± 0.00031		0.00667 ± 0.00128	
Pb	0.00102 ± 0.00041		0.00106 ± 0.00040		0.00054 ± 0.00024		0.00087 ± 0.00094		0.00027 ± 0.00007		0.00046 ± 0.00018		0.00069 ± 0.00008		0.00063 ± 0.00032	
Sb	0.00043 ± 0.00041		0.00053 ± 0.00040		0.00012 ± 0.00024		0.00066 ± 0.00094		0.00006 ± 0.00007		0.00020 ± 0.00018		0.00010 ± 0.00008		0.00013 ± 0.00032	
Sr	0.00061 ± 0.00041		0.00170 ± 0.00040		0.08601 ± 0.00034		0.07686 ± 0.00094		0.11158 ± 0.00025		0.11456 ± 0.00018		0.04566 ± 0.00008		0.05347 ± 0.00036	
V	0.00460 ± 0.00041		0.00391 ± 0.00040		0.00297 ± 0.00024		0.00347 ± 0.00094		0.00206 ± 0.00007		0.00263 ± 0.00018		0.00849 ± 0.00008		0.00812 ± 0.00032	
Zn	0.03208 ± 0.00162		0.02968 ± 0.00161		0.00667 ± 0.00096		0.02293 ± 0.00376		0.00303 ± 0.00026		0.00512 ± 0.00072		0.00759 ± 0.00031		0.01742 ± 0.00128	
Ions																
CL ⁻	0.129 ± 0.009		0.208 ± 0.013		0.245 ± 0.014		0.676 ± 0.042		0.075 ± 0.004		0.208 ± 0.012		0.513 ± 0.026		0.709 ± 0.038	
NO ₃ ⁻	0.158 ± 0.017		0.107 ± 0.016		0.083 ± 0.009		0.384 ± 0.050		0.018 ± 0.002		0.076 ± 0.008		0.040 ± 0.004		0.286 ± 0.022	
PO ₄ ³⁻	0.000 ± 0.012		0.000 ± 0.013		0.113 ± 0.012		0.300 ± 0.053		0.036 ± 0.004		0.105 ± 0.011		0.096 ± 0.008		0.204 ± 0.020	
SO ₄ ²⁻	0.289 ± 0.025		0.277 ± 0.025		0.237 ± 0.017		0.558 ± 0.060		0.064 ± 0.005		0.212 ± 0.015		0.453 ± 0.025		0.507 ± 0.034	
NH ₄ ⁺	0.049 ± 0.004		0.071 ± 0.005		0.022 ± 0.002		0.071 ± 0.009		0.011 ± 0.001		0.022 ± 0.002		0.012 ± 0.001		0.043 ± 0.004	
Ca ²⁺	0.107 ± 0.147		0.136 ± 0.160		19.443 ± 0.359		27.136 ± 0.471		9.542 ± 0.025		22.647 ± 0.448		9.938 ± 0.037		14.927 ± 0.448	
K ⁺	0.026 ± 0.147		0.006 ± 0.160		0.208 ± 0.076		0.403 ± 0.471		0.084 ± 0.025		0.165 ± 0.071		0.241 ± 0.037		0.361 ± 0.126	
Mg ²⁺	0.021 ± 0.147		0.025 ± 0.160		0.986 ± 0.076		1.558 ± 0.471		0.605 ± 0.025		1.265 ± 0.071		1.454 ± 0.037		2.828 ± 0.126	
Na ⁺	0.046 ± 0.147		0.044 ± 0.160		0.144 ± 0.076		0.259 ± 0.471		0.090 ± 0.025		0.175 ± 0.071		0.546 ± 0.037		0.589 ± 0.126	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1008				S1009				S1010				S1011			
Locality	Spain, Lanzarote, Vega de Femes				Mali, above Bamako				Mali, Bamako				Mali, West Bamako			
Particle Size	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Majors																
Si	15.546 ± 0.035		17.999 ± 0.052		8.952 ± 0.028		10.586 ± 0.030		10.173 ± 0.037		11.378 ± 0.047		9.202 ± 0.026		11.180 ± 0.040	
Ti	1.028 ± 0.006		1.044 ± 0.010		0.422 ± 0.006		0.446 ± 0.006		0.512 ± 0.008		0.524 ± 0.011		0.543 ± 0.006		0.525 ± 0.009	
Al	5.569 ± 0.027		6.887 ± 0.050		7.968 ± 0.038		9.321 ± 0.039		7.042 ± 0.046		8.467 ± 0.062		7.970 ± 0.034		9.947 ± 0.055	
Fe	6.715 ± 0.012		6.911 ± 0.016		16.176 ± 0.028		13.965 ± 0.024		12.819 ± 0.025		12.659 ± 0.027		18.061 ± 0.030		18.256 ± 0.033	
Mg	0.064 ± 0.007		0.202 ± 0.013		0.000 ± 0.007		0.000 ± 0.007		0.000 ± 0.010		0.000 ± 0.015		0.000 ± 0.006		0.000 ± 0.012	
Ca	1.552 ± 0.004		1.598 ± 0.006		0.710 ± 0.003		0.582 ± 0.003		0.472 ± 0.003		0.473 ± 0.005		0.299 ± 0.002		0.357 ± 0.003	
K	2.718 ± 0.006		2.985 ± 0.010		0.253 ± 0.002		0.291 ± 0.002		0.502 ± 0.004		0.533 ± 0.006		0.291 ± 0.002		0.310 ± 0.004	
Traces																
As	0.00046 ± 0.00032		0.00076 ± 0.00093		0.00554 ± 0.00056		0.00008 ± 0.00047		0.01018 ± 0.00094		0.00015 ± 0.00146		0.00023 ± 0.00043		0.00043 ± 0.00097	
Be	0.00016 ± 0.00008		0.00017 ± 0.00023		0.00004 ± 0.00014		0.00005 ± 0.00012		0.00006 ± 0.00023		0.00010 ± 0.00036		0.00004 ± 0.00011		0.00003 ± 0.00024	
Cd	0.00005 ± 0.00008		0.00006 ± 0.00023		0.00003 ± 0.00014		0.00003 ± 0.00012		0.00047 ± 0.00023		0.00001 ± 0.00036		0.00001 ± 0.00011		0.00001 ± 0.00024	
Cr	0.01254 ± 0.00016		0.02618 ± 0.00046		0.08206 ± 0.00052		0.14291 ± 0.00095		0.08367 ± 0.00047		0.16385 ± 0.00146		0.05855 ± 0.00036		0.07403 ± 0.00049	
Hg	0.00006 ± 0.00016		0.00015 ± 0.00046		0.00000 ± 0.00028		0.00002 ± 0.00024		0.00000 ± 0.00047		-0.00002 ± 0.00073		0.00007 ± 0.00021		0.00012 ± 0.00049	
Mn	0.06110 ± 0.00040		0.07915 ± 0.00093		0.03303 ± 0.00056		0.04020 ± 0.00047		0.04337 ± 0.00094		0.05586 ± 0.00146		0.03399 ± 0.00043		0.03559 ± 0.00103	
Ni	0.00823 ± 0.00032		0.01039 ± 0.00093		0.00294 ± 0.00056		0.00995 ± 0.00047		0.00618 ± 0.00094		0.01281 ± 0.00146		0.00280 ± 0.00043		0.00343 ± 0.00097	
Pb	0.00109 ± 0.00008		0.00126 ± 0.00023		0.00956 ± 0.00014		0.00970 ± 0.00012		0.00208 ± 0.00023		0.00280 ± 0.00036		0.00154 ± 0.00011		0.00154 ± 0.00024	
Sb	0.00003 ± 0.00008		0.00006 ± 0.00023		0.00011 ± 0.00014		0.00011 ± 0.00012		0.00012 ± 0.00023		0.00014 ± 0.00036		0.00003 ± 0.00011		0.00005 ± 0.00024	
Sr	0.00654 ± 0.00008		0.00761 ± 0.00023		0.00198 ± 0.00014		0.00265 ± 0.00012		0.00192 ± 0.00023		0.00400 ± 0.00036		0.00213 ± 0.00011		0.00292 ± 0.00024	
V	0.00735 ± 0.00008		0.00772 ± 0.00023		0.00716 ± 0.00014		0.00711 ± 0.00012		0.00757 ± 0.00023		0.00829 ± 0.00036		0.00690 ± 0.00011		0.00623 ± 0.00024	
Zn	0.01082 ± 0.00032		0.01279 ± 0.00093		0.04341 ± 0.00056		0.04385 ± 0.00047		0.01079 ± 0.00094		0.02891 ± 0.00146		0.00511 ± 0.00043		0.00703 ± 0.00097	
Ions																
Cl ⁻	0.318 ± 0.017		0.836 ± 0.044		0.144 ± 0.008		0.108 ± 0.006		0.625 ± 0.033		0.135 ± 0.010		0.129 ± 0.007		0.240 ± 0.014	
NO ₃ ⁻	0.037 ± 0.005		0.087 ± 0.012		0.106 ± 0.010		0.045 ± 0.006		0.105 ± 0.012		0.142 ± 0.018		0.051 ± 0.006		0.074 ± 0.012	
PO ₄ ³⁻	0.047 ± 0.006		0.082 ± 0.014		0.000 ± 0.005		0.000 ± 0.004		0.054 ± 0.012		0.069 ± 0.017		0.108 ± 0.010		0.184 ± 0.020	
SO ₄ ²⁻	0.062 ± 0.006		0.107 ± 0.014		0.071 ± 0.008		0.084 ± 0.008		0.155 ± 0.015		0.161 ± 0.019		0.100 ± 0.009		0.152 ± 0.016	
NH ₄ ⁺	0.055 ± 0.003		0.246 ± 0.014		0.051 ± 0.003		0.082 ± 0.005		0.235 ± 0.013		0.102 ± 0.007		0.078 ± 0.005		0.098 ± 0.006	
Ca ²⁺	1.278 ± 0.046		1.519 ± 0.122		0.581 ± 0.066		0.576 ± 0.051		0.440 ± 0.111		0.640 ± 0.164		0.317 ± 0.054		0.476 ± 0.129	
K ⁺	0.186 ± 0.046		0.310 ± 0.122		0.096 ± 0.066		0.059 ± 0.051		0.100 ± 0.111		0.148 ± 0.164		0.057 ± 0.054		0.074 ± 0.129	
Mg ²⁺	0.223 ± 0.046		0.339 ± 0.122		0.082 ± 0.066		0.077 ± 0.051		0.097 ± 0.111		0.121 ± 0.164		0.066 ± 0.054		0.092 ± 0.129	
Na ⁺	0.143 ± 0.046		0.236 ± 0.122		0.036 ± 0.066		0.007 ± 0.051		0.057 ± 0.111		0.025 ± 0.164		0.026 ± 0.054		0.078 ± 0.129	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1013				S1014				S1016				S1017			
Locality	Cape Verde, Sala Is, Punta Fiure, Site A				China, Karamay 1				China, Karamay 2				China, Xinjiang Sample 1			
Particle Size	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Majors																
Si	7.231 ± 0.023		9.615 ± 0.035		14.634 ± 0.034		16.333 ± 0.052		15.556 ± 0.044		16.157 ± 0.069		13.026 ± 0.035		16.335 ± 0.045	
Ti	0.282 ± 0.003		0.300 ± 0.005		0.343 ± 0.004		0.360 ± 0.007		0.346 ± 0.006		0.344 ± 0.011		0.214 ± 0.004		0.227 ± 0.005	
Al	2.777 ± 0.025		3.865 ± 0.036		5.033 ± 0.027		6.042 ± 0.050		5.052 ± 0.038		5.609 ± 0.072		2.748 ± 0.029		3.469 ± 0.036	
Fe	3.020 ± 0.006		3.414 ± 0.009		4.510 ± 0.009		4.845 ± 0.013		4.045 ± 0.010		4.042 ± 0.015		3.185 ± 0.008		3.753 ± 0.010	
Mg	0.515 ± 0.006		1.033 ± 0.012		0.399 ± 0.008		0.709 ± 0.015		0.390 ± 0.011		0.663 ± 0.023		1.826 ± 0.011		2.648 ± 0.015	
Ca	12.816 ± 0.023		13.455 ± 0.025		4.114 ± 0.009		3.822 ± 0.011		2.332 ± 0.007		2.269 ± 0.011		4.979 ± 0.011		2.763 ± 0.008	
K	1.214 ± 0.005		1.474 ± 0.006		2.349 ± 0.006		2.594 ± 0.010		2.078 ± 0.007		2.081 ± 0.012		2.522 ± 0.007		2.996 ± 0.009	
Traces																
As	0.00057 ± 0.00016		0.00088 ± 0.00066		0.00156 ± 0.00034		0.00219 ± 0.00108		0.00104 ± 0.00070		0.00117 ± 0.00223		0.01098 ± 0.00054		0.00448 ± 0.00072	
Be	0.00009 ± 0.00004		0.00011 ± 0.00017		0.00016 ± 0.00008		0.00015 ± 0.00027		0.00015 ± 0.00018		0.00018 ± 0.00056		0.00011 ± 0.00014		0.00015 ± 0.00018	
Cd	0.00034 ± 0.00004		0.00033 ± 0.00017		0.00002 ± 0.00008		0.00002 ± 0.00027		0.00001 ± 0.00018		0.00002 ± 0.00056		0.00002 ± 0.00014		0.00002 ± 0.00018	
Cr	0.00562 ± 0.00008		0.01673 ± 0.00033		0.01463 ± 0.00017		0.04051 ± 0.00054		0.02869 ± 0.00035		0.08331 ± 0.00111		0.01418 ± 0.00027		0.02674 ± 0.00036	
Hg	0.00003 ± 0.00008		0.00009 ± 0.00033		0.00005 ± 0.00017		0.00030 ± 0.00054		0.00042 ± 0.00035		0.00101 ± 0.00111		0.00000 ± 0.00027		0.00114 ± 0.00036	
Mn	0.05099 ± 0.00023		0.06702 ± 0.00066		0.06808 ± 0.00054		0.08508 ± 0.00108		0.06785 ± 0.00070		0.08602 ± 0.00223		0.06873 ± 0.00054		0.06937 ± 0.00072	
Ni	0.00379 ± 0.00016		0.00500 ± 0.00066		0.00332 ± 0.00034		0.00455 ± 0.00108		0.00275 ± 0.00070		0.00351 ± 0.00223		0.00215 ± 0.00054		0.00237 ± 0.00072	
Pb	0.00173 ± 0.00004		0.00194 ± 0.00017		0.00206 ± 0.00008		0.00846 ± 0.00027		0.00230 ± 0.00018		0.00208 ± 0.00056		0.00105 ± 0.00014		0.00137 ± 0.00018	
Sb	0.00002 ± 0.00004		0.00004 ± 0.00017		0.00013 ± 0.00008		0.00037 ± 0.00027		0.00018 ± 0.00018		0.00033 ± 0.00056		0.00059 ± 0.00014		0.00063 ± 0.00018	
Sr	0.13159 ± 0.00057		0.14898 ± 0.00053		0.01515 ± 0.00008		0.01854 ± 0.00027		0.01321 ± 0.00018		0.01689 ± 0.00056		0.05076 ± 0.00017		0.02792 ± 0.00018	
V	0.00354 ± 0.00004		0.00349 ± 0.00017		0.00532 ± 0.00008		0.00744 ± 0.00027		0.00466 ± 0.00023		0.00462 ± 0.00056		0.00685 ± 0.00014		0.00603 ± 0.00018	
Zn	0.02238 ± 0.00016		0.02870 ± 0.00066		0.00940 ± 0.00034		0.01630 ± 0.00108		0.01041 ± 0.00070		0.01756 ± 0.00223		0.00953 ± 0.00054		0.01065 ± 0.00072	
Ions																
CL ⁻	1.190 ± 0.060		1.477 ± 0.075		0.200 ± 0.011		0.297 ± 0.017		0.507 ± 0.027		0.600 ± 0.034		0.518 ± 0.027		0.520 ± 0.027	
NO ₃ ⁻	0.022 ± 0.002		0.071 ± 0.009		0.030 ± 0.004		0.061 ± 0.010		0.106 ± 0.010		0.199 ± 0.025		0.081 ± 0.008		0.132 ± 0.011	
PO ₄ ³⁻	1.671 ± 0.085		6.252 ± 0.320		0.000 ± 0.003		0.088 ± 0.013		0.075 ± 0.009		0.000 ± 0.019		0.039 ± 0.007		0.000 ± 0.006	
SO ₄ ²⁻	1.115 ± 0.057		1.780 ± 0.095		0.164 ± 0.011		0.282 ± 0.021		0.141 ± 0.012		0.188 ± 0.025		0.551 ± 0.032		0.802 ± 0.045	
NH ₄ ⁺	0.031 ± 0.002		0.051 ± 0.004		0.019 ± 0.001		0.037 ± 0.003		0.036 ± 0.003		0.085 ± 0.007		0.000 ± 0.001		0.012 ± 0.001	
Ca ²⁺	2.042 ± 0.084		6.792 ± 0.222		3.888 ± 0.036		3.928 ± 0.107		2.227 ± 0.071		2.338 ± 0.232		3.463 ± 0.065		2.333 ± 0.102	
K ⁺	0.228 ± 0.020		0.381 ± 0.088		0.098 ± 0.036		0.223 ± 0.107		0.145 ± 0.071		0.220 ± 0.232		0.791 ± 0.062		1.279 ± 0.069	
Mg ²⁺	0.543 ± 0.020		0.991 ± 0.088		0.157 ± 0.036		0.281 ± 0.107		0.295 ± 0.071		0.377 ± 0.232		0.325 ± 0.062		0.340 ± 0.069	
Na ⁺	0.931 ± 0.020		1.331 ± 0.088		0.259 ± 0.036		0.399 ± 0.107		0.367 ± 0.071		0.364 ± 0.232		1.979 ± 0.062		2.360 ± 0.069	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1018				S1019				S1022				S1023			
Locality	China, Xinjiang Sample 2				USA, Owens Lake CA				Namibia, Etosha, Fischer Pan				Namibia, Etosha, Stinkwater			
Particle Size	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Majors																
Si	16.707 ± 0.042		18.592 ± 0.054		13.032 ± 0.030		17.571 ± 0.050		10.809 ± 0.027		14.302 ± 0.040		1.728 ± 0.010		2.833 ± 0.026	
Ti	0.378 ± 0.005		0.373 ± 0.007		0.262 ± 0.003		0.246 ± 0.006		0.046 ± 0.002		0.051 ± 0.003		0.020 ± 0.001		0.017 ± 0.004	
Al	4.912 ± 0.034		5.607 ± 0.048		2.637 ± 0.022		3.452 ± 0.042		0.202 ± 0.018		0.177 ± 0.028		0.342 ± 0.012		0.650 ± 0.034	
Fe	3.970 ± 0.009		3.997 ± 0.011		3.517 ± 0.007		3.968 ± 0.011		0.551 ± 0.002		0.669 ± 0.003		0.187 ± 0.001		0.265 ± 0.003	
Mg	0.066 ± 0.010		0.184 ± 0.014		1.639 ± 0.008		3.421 ± 0.018		5.745 ± 0.014		8.673 ± 0.022		0.789 ± 0.006		1.227 ± 0.018	
Ca	0.519 ± 0.003		0.416 ± 0.004		6.580 ± 0.012		3.225 ± 0.009		6.142 ± 0.012		5.487 ± 0.012		2.569 ± 0.005		2.225 ± 0.009	
K	2.379 ± 0.007		2.525 ± 0.009		2.762 ± 0.007		3.336 ± 0.010		0.501 ± 0.003		0.546 ± 0.004		0.492 ± 0.002		0.639 ± 0.006	
Traces																
As	0.00811 ± 0.00057		0.00171 ± 0.00101		0.00447 ± 0.00021		0.00629 ± 0.00089		0.00519 ± 0.00042		0.00735 ± 0.00069		0.00303 ± 0.00032		0.01247 ± 0.00143	
Be	0.00013 ± 0.00014		0.00018 ± 0.00025		0.00009 ± 0.00005		0.00013 ± 0.00022		0.00003 ± 0.00009		0.00004 ± 0.00017		0.00001 ± 0.00008		0.00001 ± 0.00036	
Cd	0.00000 ± 0.00014		0.00000 ± 0.00025		0.00003 ± 0.00005		0.00002 ± 0.00022		0.00001 ± 0.00009		0.00001 ± 0.00017		0.00000 ± 0.00008		-0.00001 ± 0.00036	
Cr	0.01524 ± 0.00029		0.03785 ± 0.00050		0.00706 ± 0.00011		0.02327 ± 0.00045		0.00719 ± 0.00018		0.00992 ± 0.00035		0.00519 ± 0.00016		0.02691 ± 0.00071	
Hg	0.00000 ± 0.00029		0.00006 ± 0.00050		0.00007 ± 0.00011		0.00019 ± 0.00045		0.00000 ± 0.00018		-0.00002 ± 0.00035		0.00006 ± 0.00016		-0.00001 ± 0.00071	
Mn	0.03405 ± 0.00057		0.03913 ± 0.00101		0.05881 ± 0.00040		0.07501 ± 0.00089		0.01189 ± 0.00036		0.01384 ± 0.00069		0.00515 ± 0.00032		0.00643 ± 0.00143	
Ni	0.00282 ± 0.00057		0.00248 ± 0.00101		0.00163 ± 0.00021		0.00236 ± 0.00089		0.00103 ± 0.00036		0.00134 ± 0.00069		0.00071 ± 0.00032		0.00128 ± 0.00143	
Pb	0.00260 ± 0.00014		0.00306 ± 0.00025		0.00112 ± 0.00005		0.00131 ± 0.00022		0.00082 ± 0.00009		0.00082 ± 0.00017		0.00040 ± 0.00008		0.00042 ± 0.00036	
Sb	0.00021 ± 0.00014		0.00026 ± 0.00025		0.00051 ± 0.00005		0.00069 ± 0.00022		0.00014 ± 0.00009		0.00010 ± 0.00017		0.00004 ± 0.00008		0.00021 ± 0.00036	
Sr	0.01578 ± 0.00014		0.02115 ± 0.00025		0.05371 ± 0.00010		0.03071 ± 0.00095		0.15095 ± 0.00061		0.13643 ± 0.00030		0.14974 ± 0.00082		0.09670 ± 0.00036	
V	0.00402 ± 0.00014		0.00357 ± 0.00036		0.00654 ± 0.00006		0.00771 ± 0.00022		0.00737 ± 0.00009		0.00820 ± 0.00017		0.00237 ± 0.00008		0.00259 ± 0.00036	
Zn	0.01055 ± 0.00057		0.01088 ± 0.00101		0.00664 ± 0.00021		0.01812 ± 0.00089		0.01076 ± 0.00036		0.01155 ± 0.00069		0.00254 ± 0.00032		0.00545 ± 0.00143	
Ions																
CL ⁻	1.067 ± 0.054		0.349 ± 0.019		0.732 ± 0.037		1.496 ± 0.077		2.842 ± 0.143		1.718 ± 0.087		2.398 ± 0.123		1.486 ± 0.077	
NO ₃ ⁻	0.585 ± 0.033		0.941 ± 0.053		0.082 ± 0.006		0.132 ± 0.013		0.043 ± 0.004		0.061 ± 0.007		0.541 ± 0.038		0.452 ± 0.031	
PO ₄ ³⁻	0.098 ± 0.010		0.000 ± 0.008		0.038 ± 0.004		0.121 ± 0.014		0.015 ± 0.003		0.023 ± 0.006		0.000 ± 0.013		0.000 ± 0.011	
SO ₄ ²⁻	1.124 ± 0.060		1.264 ± 0.070		0.698 ± 0.037		0.840 ± 0.049		1.500 ± 0.077		1.242 ± 0.066		47.268 ± 2.375		37.445 ± 1.882	
NH ₄ ⁺	0.318 ± 0.017		0.068 ± 0.005		0.004 ± 0.001		0.020 ± 0.002		0.006 ± 0.001		0.015 ± 0.002		0.000 ± 0.002		0.000 ± 0.002	
Ca ²⁺	0.252 ± 0.063		0.343 ± 0.095		5.114 ± 0.197		2.806 ± 0.253		6.356 ± 0.057		5.367 ± 0.066		4.482 ± 0.163		2.444 ± 0.136	
K ⁺	0.190 ± 0.063		0.175 ± 0.095		0.908 ± 0.027		1.321 ± 0.100		0.121 ± 0.031		0.150 ± 0.065		0.289 ± 0.163		0.226 ± 0.136	
Mg ²⁺	0.269 ± 0.063		0.336 ± 0.095		0.133 ± 0.027		0.539 ± 0.100		2.203 ± 0.031		3.396 ± 0.065		2.040 ± 0.163		1.260 ± 0.136	
Na ⁺	0.903 ± 0.063		1.205 ± 0.095		2.544 ± 0.028		2.683 ± 0.100		3.263 ± 0.031		2.383 ± 0.081		28.576 ± 0.934		22.155 ± 1.063	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1024				S1025				S1027				S1033				
	Namibia, Etosha, Lookout				Morocco, Lake Iriki				Spain, Gran Canaria, Galdar				Fuerteventura, Pozo Negro, Sample 1				
	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
Majors																	
Si	3.098 ± 0.012		4.638 ± 0.030		14.172 ± 0.033		15.156 ± 0.049		18.159 ± 0.045		17.560 ± 0.050		11.491 ± 0.028		13.885 ± 0.050		
Ti	0.027 ± 0.001		0.028 ± 0.004		0.459 ± 0.005		0.412 ± 0.008		0.936 ± 0.008		0.823 ± 0.009		0.471 ± 0.004		0.451 ± 0.009		
Al	0.531 ± 0.013		0.730 ± 0.036		6.141 ± 0.029		7.228 ± 0.054		5.969 ± 0.038		6.250 ± 0.047		4.442 ± 0.024		5.992 ± 0.053		
Fe	0.443 ± 0.002		0.589 ± 0.005		4.928 ± 0.010		4.860 ± 0.013		5.299 ± 0.011		4.856 ± 0.012		4.331 ± 0.008		4.464 ± 0.013		
Mg	1.296 ± 0.007		2.375 ± 0.019		0.457 ± 0.008		0.739 ± 0.016		0.262 ± 0.009		0.380 ± 0.013		0.823 ± 0.007		1.482 ± 0.017		
Ca	4.860 ± 0.009		3.189 ± 0.010		4.772 ± 0.010		3.057 ± 0.009		0.645 ± 0.003		0.595 ± 0.004		3.088 ± 0.007		3.258 ± 0.010		
K	0.472 ± 0.002		0.493 ± 0.006		2.664 ± 0.007		2.671 ± 0.010		2.531 ± 0.007		2.374 ± 0.008		2.051 ± 0.005		2.322 ± 0.010		
Traces																	
As	0.00031 ± 0.00023		0.00075 ± 0.00133		0.00119 ± 0.00034		0.00123 ± 0.00106		0.00528 ± 0.00058		0.00016 ± 0.00089		0.00031 ± 0.00031		0.00022 ± 0.00122		
Be	0.00002 ± 0.00006		0.00004 ± 0.00033		0.00015 ± 0.00009		0.00021 ± 0.00027		0.00026 ± 0.00014		0.00033 ± 0.00022		0.00015 ± 0.00008		0.00020 ± 0.00030		
Cd	0.00002 ± 0.00006		0.00001 ± 0.00033		0.00002 ± 0.00009		0.00002 ± 0.00027		0.00002 ± 0.00014		0.00002 ± 0.00022		0.00009 ± 0.00008		0.00011 ± 0.00030		
Cr	0.00605 ± 0.00011		0.01141 ± 0.00066		0.01600 ± 0.00017		0.02863 ± 0.00053		0.01385 ± 0.00029		0.03831 ± 0.00044		0.01496 ± 0.00016		0.05442 ± 0.00061		
Hg	0.00003 ± 0.00011		0.00020 ± 0.00066		0.00007 ± 0.00017		0.00006 ± 0.00053		0.00012 ± 0.00029		0.00010 ± 0.00044		0.00010 ± 0.00016		0.00006 ± 0.00061		
Mn	0.00611 ± 0.00023		0.00725 ± 0.00133		0.06818 ± 0.00034		0.08851 ± 0.00106		0.21091 ± 0.00058		0.18788 ± 0.00089		0.07137 ± 0.00031		0.10775 ± 0.00122		
Ni	0.00043 ± 0.00023		0.00071 ± 0.00133		0.00300 ± 0.00034		0.00397 ± 0.00106		0.00593 ± 0.00058		0.00639 ± 0.00089		0.00422 ± 0.00031		0.00606 ± 0.00122		
Pb	0.00038 ± 0.00006		0.00048 ± 0.00033		0.00217 ± 0.00009		0.00301 ± 0.00027		0.00156 ± 0.00014		0.00186 ± 0.00022		0.00119 ± 0.00008		0.00157 ± 0.00030		
Sb	0.00002 ± 0.00006		0.00004 ± 0.00033		0.00009 ± 0.00009		0.00015 ± 0.00027		0.00011 ± 0.00014		0.00015 ± 0.00022		0.00005 ± 0.00008		0.00013 ± 0.00030		
Sr	0.09180 ± 0.00069		0.06735 ± 0.00045		0.01137 ± 0.00018		0.01373 ± 0.00027		0.00412 ± 0.00014		0.00649 ± 0.00022		0.01102 ± 0.00008		0.01457 ± 0.00030		
V	0.00133 ± 0.00006		0.00148 ± 0.00033		0.00507 ± 0.00009		0.00772 ± 0.00039		0.00550 ± 0.00014		0.00482 ± 0.00022		0.00344 ± 0.00008		0.00353 ± 0.00030		
Zn	0.00211 ± 0.00023		0.00573 ± 0.00133		0.00811 ± 0.00034		0.12645 ± 0.00106		0.00579 ± 0.00058		0.01161 ± 0.00089		0.00834 ± 0.00031		0.02622 ± 0.00122		
Ions																	
CL ⁻	1.667 ± 0.084		1.604 ± 0.083		0.253 ± 0.013		0.326 ± 0.018		0.110 ± 0.007		0.088 ± 0.006		0.079 ± 0.005		0.120 ± 0.009		
NO ₃ ⁻	0.071 ± 0.006		0.212 ± 0.021		0.028 ± 0.004		0.065 ± 0.010		0.126 ± 0.010		0.074 ± 0.010		0.039 ± 0.004		0.075 ± 0.014		
PO ₄ ³⁻	0.022 ± 0.004		0.085 ± 0.017		0.145 ± 0.010		0.104 ± 0.014		0.000 ± 0.005		0.044 ± 0.011		0.147 ± 0.010		0.581 ± 0.041		
SO ₄ ²⁻	37.047 ± 1.855		41.492 ± 2.085		0.141 ± 0.010		0.000 ± 0.008		0.089 ± 0.009		0.179 ± 0.016		0.073 ± 0.006		0.201 ± 0.020		
NH ₄ ⁺	0.004 ± 0.001		0.028 ± 0.003		0.029 ± 0.002		0.052 ± 0.004		0.101 ± 0.006		0.143 ± 0.008		0.021 ± 0.001		0.047 ± 0.004		
Ca ²⁺	5.208 ± 0.191		4.239 ± 0.212		5.234 ± 0.078		3.070 ± 0.111		0.381 ± 0.061		0.426 ± 0.104		2.725 ± 0.151		3.706 ± 0.242		
K ⁺	0.126 ± 0.035		0.155 ± 0.157		0.252 ± 0.038		0.316 ± 0.111		0.371 ± 0.061		0.296 ± 0.104		0.275 ± 0.035		0.400 ± 0.151		
Mg ²⁺	2.058 ± 0.070		2.184 ± 0.157		0.626 ± 0.038		0.477 ± 0.111		0.318 ± 0.061		0.300 ± 0.104		0.339 ± 0.035		0.720 ± 0.151		
Na ⁺	18.809 ± 0.051		21.085 ± 0.256		0.248 ± 0.038		0.296 ± 0.111		0.080 ± 0.061		0.112 ± 0.104		0.127 ± 0.035		0.118 ± 0.151		

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1034				S1035				S1038				S1039			
Locality	Fuerteventura, Pozo Negro, Sample 2				Spain, Fuerteventura, La Ampuyenta				Botswana, Makgadikgadi, Mopipi				Botswana, Makgadikgadi, Rakops			
Particle Size	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Majors																
Si	13.208 ± 0.032		15.467 ± 0.058		11.033 ± 0.028		16.653 ± 0.057		11.739 ± 0.027		17.066 ± 0.038		8.251 ± 0.021		11.805 ± 0.031	
Ti	0.704 ± 0.006		0.668 ± 0.011		0.396 ± 0.004		0.519 ± 0.010		0.119 ± 0.002		0.133 ± 0.003		0.036 ± 0.002		0.043 ± 0.003	
Al	5.257 ± 0.027		6.820 ± 0.064		4.619 ± 0.026		7.327 ± 0.061		1.511 ± 0.015		2.373 ± 0.022		0.677 ± 0.017		0.881 ± 0.022	
Fe	5.327 ± 0.010		5.466 ± 0.016		3.870 ± 0.008		5.032 ± 0.014		1.988 ± 0.004		2.291 ± 0.005		0.991 ± 0.003		1.192 ± 0.004	
Mg	0.320 ± 0.007		0.641 ± 0.019		0.000 ± 0.007		0.071 ± 0.017		0.552 ± 0.004		1.252 ± 0.008		1.787 ± 0.005		3.383 ± 0.011	
Ca	1.277 ± 0.004		1.183 ± 0.007		1.711 ± 0.004		2.134 ± 0.009		8.062 ± 0.014		7.081 ± 0.013		13.299 ± 0.023		12.500 ± 0.023	
K	2.094 ± 0.006		2.302 ± 0.010		1.988 ± 0.005		2.686 ± 0.011		1.449 ± 0.004		1.810 ± 0.005		0.715 ± 0.004		0.909 ± 0.004	
Traces																
As	0.00041 ± 0.00036		0.00019 ± 0.00157		0.00454 ± 0.00042		0.01316 ± 0.00140		0.00014 ± 0.00009		0.00028 ± 0.00034		0.00125 ± 0.00014		0.00369 ± 0.00045	
Be	0.00017 ± 0.00009		0.00021 ± 0.00039		0.00020 ± 0.00009		0.00024 ± 0.00035		0.00007 ± 0.00002		0.00008 ± 0.00008		0.00006 ± 0.00003		0.00007 ± 0.00011	
Cd	0.00008 ± 0.00009		0.00009 ± 0.00039		0.00002 ± 0.00009		0.00001 ± 0.00035		0.00001 ± 0.00002		0.00001 ± 0.00008		0.00000 ± 0.00003		0.00000 ± 0.00011	
Cr	0.01781 ± 0.00018		0.05959 ± 0.00079		0.02490 ± 0.00022		0.03586 ± 0.00070		0.00406 ± 0.00005		0.00998 ± 0.00017		0.00292 ± 0.00007		0.00618 ± 0.00022	
Hg	0.00032 ± 0.00018		0.00029 ± 0.00079		0.00000 ± 0.00019		0.00011 ± 0.00070		0.00002 ± 0.00005		0.00006 ± 0.00017		0.00005 ± 0.00007		0.00004 ± 0.00022	
Mn	0.07208 ± 0.00042		0.09868 ± 0.00157		0.06527 ± 0.00038		0.06874 ± 0.00140		0.02774 ± 0.00009		0.03917 ± 0.00045		0.03738 ± 0.00014		0.04182 ± 0.00045	
Ni	0.00482 ± 0.00036		0.00607 ± 0.00157		0.01128 ± 0.00038		0.01271 ± 0.00140		0.00122 ± 0.00009		0.00176 ± 0.00034		0.00097 ± 0.00014		0.00124 ± 0.00045	
Pb	0.00156 ± 0.00009		0.00183 ± 0.00039		0.00117 ± 0.00009		0.00128 ± 0.00035		0.00085 ± 0.00002		0.00094 ± 0.00008		0.00031 ± 0.00003		0.00034 ± 0.00011	
Sb	0.00010 ± 0.00009		0.00015 ± 0.00039		0.00013 ± 0.00009		0.00149 ± 0.00035		0.00001 ± 0.00002		0.00002 ± 0.00008		0.00004 ± 0.00003		0.00005 ± 0.00011	
Sr	0.00823 ± 0.00009		0.00936 ± 0.00039		0.00751 ± 0.00009		0.00831 ± 0.00035		0.03843 ± 0.00009		0.03614 ± 0.00014		0.13219 ± 0.00013		0.12057 ± 0.00052	
V	0.00576 ± 0.00011		0.00419 ± 0.00039		0.00751 ± 0.00009		0.00759 ± 0.00035		0.00456 ± 0.00002		0.00498 ± 0.00008		0.00137 ± 0.00003		0.00151 ± 0.00011	
Zn	0.00971 ± 0.00036		0.01891 ± 0.00157		0.00521 ± 0.00038		0.00957 ± 0.00140		0.00225 ± 0.00009		0.00403 ± 0.00034		0.00189 ± 0.00014		0.00413 ± 0.00045	
Ions																
CL ⁻	0.051 ± 0.003		0.141 ± 0.011		0.158 ± 0.009		0.401 ± 0.023		0.076 ± 0.004		0.467 ± 0.024		0.201 ± 0.010		0.455 ± 0.024	
NO ₃ ⁻	0.022 ± 0.004		0.080 ± 0.017		0.049 ± 0.005		0.199 ± 0.019		0.026 ± 0.002		0.057 ± 0.006		0.069 ± 0.004		0.128 ± 0.009	
PO ₄ ³⁻	0.159 ± 0.011		0.441 ± 0.039		0.019 ± 0.004		0.057 ± 0.015		0.029 ± 0.003		0.068 ± 0.007		0.020 ± 0.002		0.044 ± 0.006	
SO ₄ ²⁻	0.035 ± 0.005		0.112 ± 0.020		0.194 ± 0.012		0.353 ± 0.028		0.320 ± 0.017		0.517 ± 0.029		0.186 ± 0.010		0.320 ± 0.019	
NH ₄ ⁺	0.042 ± 0.003		0.125 ± 0.009		0.048 ± 0.003		0.151 ± 0.009		0.017 ± 0.001		0.071 ± 0.004		0.000 ± 0.000		0.000 ± 0.001	
Ca ²⁺	0.893 ± 0.041		1.243 ± 0.207		1.590 ± 0.040		2.033 ± 0.146		4.633 ± 0.146		11.040 ± 0.264		3.836 ± 0.107		10.786 ± 0.156	
K ⁺	0.147 ± 0.041		0.261 ± 0.207		0.384 ± 0.040		0.672 ± 0.146		0.315 ± 0.015		0.458 ± 0.046		0.179 ± 0.016		0.315 ± 0.046	
Mg ²⁺	0.191 ± 0.041		0.387 ± 0.207		0.257 ± 0.040		0.415 ± 0.146		0.175 ± 0.015		0.267 ± 0.046		0.109 ± 0.016		0.436 ± 0.046	
Na ⁺	0.048 ± 0.041		0.000 ± 0.207		0.219 ± 0.040		0.385 ± 0.146		0.189 ± 0.015		0.346 ± 0.046		1.118 ± 0.030		1.563 ± 0.046	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1040				S1041				S1042				S1045			
Locality	Botswana, Nxai Pan, Baines Baobabs				Botswana, Nxai Pan				Chile, Atacama, Rock Garden				USA, Black Rock playa, NV			
Particle Size	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Majors																
Si	7.831 ± 0.018		12.789 ± 0.037		14.400 ± 0.043		18.741 ± 0.052		14.858 ± 0.037		16.578 ± 0.044		14.110 ± 0.033		16.332 ± 0.042	
Ti	0.081 ± 0.001		0.093 ± 0.003		0.059 ± 0.004		0.051 ± 0.004		0.271 ± 0.004		0.265 ± 0.005		0.255 ± 0.003		0.259 ± 0.005	
Al	0.773 ± 0.010		1.533 ± 0.028		0.205 ± 0.030		0.346 ± 0.034		5.275 ± 0.031		6.513 ± 0.041		3.991 ± 0.024		4.664 ± 0.035	
Fe	0.774 ± 0.002		0.908 ± 0.004		0.694 ± 0.004		0.799 ± 0.004		3.826 ± 0.008		4.291 ± 0.010		3.654 ± 0.008		3.820 ± 0.010	
Mg	0.704 ± 0.005		1.627 ± 0.012		5.621 ± 0.018		7.894 ± 0.023		0.562 ± 0.009		0.989 ± 0.013		0.439 ± 0.008		0.684 ± 0.011	
Ca	1.417 ± 0.003		1.220 ± 0.005		2.076 ± 0.007		2.748 ± 0.008		3.745 ± 0.008		3.120 ± 0.008		3.652 ± 0.008		3.600 ± 0.009	
K	2.119 ± 0.005		3.250 ± 0.009		0.730 ± 0.005		1.007 ± 0.006		1.912 ± 0.006		2.193 ± 0.007		2.175 ± 0.006		2.350 ± 0.007	
Traces																
As	0.00016 ± 0.00015		0.00031 ± 0.00068		0.00252 ± 0.00134		0.00754 ± 0.00090		0.00448 ± 0.00044		0.00494 ± 0.00064		0.00641 ± 0.00033		0.00951 ± 0.00061	
Be	0.00002 ± 0.00004		0.00003 ± 0.00017		0.00002 ± 0.00023		0.00003 ± 0.00022		0.00013 ± 0.00011		0.00016 ± 0.00016		0.00015 ± 0.00008		0.00017 ± 0.00015	
Cd	0.00000 ± 0.00004		0.00001 ± 0.00017		-0.00001 ± 0.00023		0.00001 ± 0.00022		0.00011 ± 0.00011		0.00013 ± 0.00016		0.00008 ± 0.00008		0.00007 ± 0.00015	
Cr	0.00445 ± 0.00008		0.01652 ± 0.00034		0.02997 ± 0.00046		0.01437 ± 0.00045		0.01058 ± 0.00022		0.01441 ± 0.00032		0.01365 ± 0.00017		0.01543 ± 0.00031	
Hg	0.00006 ± 0.00008		0.00009 ± 0.00034		0.00007 ± 0.00046		0.00001 ± 0.00045		0.00005 ± 0.00022		0.00006 ± 0.00032		0.00012 ± 0.00017		0.00006 ± 0.00031	
Mn	0.01858 ± 0.00020		0.02408 ± 0.00068		0.03065 ± 0.00093		0.04137 ± 0.00090		0.05553 ± 0.00044		0.06383 ± 0.00064		0.05551 ± 0.00033		0.05987 ± 0.00061	
Ni	0.00063 ± 0.00015		0.00103 ± 0.00068		0.00134 ± 0.00093		0.00201 ± 0.00090		0.00238 ± 0.00044		0.00281 ± 0.00064		0.00610 ± 0.00033		0.00468 ± 0.00061	
Pb	0.00025 ± 0.00004		0.00036 ± 0.00017		0.00032 ± 0.00023		0.00042 ± 0.00022		0.00387 ± 0.00011		0.00429 ± 0.00016		0.00131 ± 0.00008		0.00230 ± 0.00015	
Sb	0.00001 ± 0.00004		0.00002 ± 0.00017		0.00001 ± 0.00023		0.00009 ± 0.00022		0.00035 ± 0.00011		0.00041 ± 0.00016		0.00032 ± 0.00008		0.00036 ± 0.00015	
Sr	0.01876 ± 0.00024		0.01248 ± 0.00017		0.02548 ± 0.00023		0.02612 ± 0.00022		0.02845 ± 0.00064		0.02560 ± 0.00080		0.02525 ± 0.00008		0.02592 ± 0.00015	
V	0.00162 ± 0.00004		0.00188 ± 0.00017		0.00266 ± 0.00023		0.00315 ± 0.00022		0.00630 ± 0.00011		0.00727 ± 0.00016		0.00578 ± 0.00008		0.00624 ± 0.00015	
Zn	0.00169 ± 0.00015		0.00618 ± 0.00068		0.00219 ± 0.00093		0.00991 ± 0.00090		0.01286 ± 0.00044		0.01734 ± 0.00064		0.01013 ± 0.00033		0.01164 ± 0.00061	
Ions																
Cl ⁻	2.434 ± 0.122		1.714 ± 0.087		0.065 ± 0.005		0.180 ± 0.011		0.136 ± 0.007		0.392 ± 0.021		0.887 ± 0.045		0.608 ± 0.031	
NO ₃ ⁻	0.112 ± 0.007		0.182 ± 0.014		0.034 ± 0.007		0.083 ± 0.010		0.081 ± 0.006		0.112 ± 0.010		0.068 ± 0.006		0.074 ± 0.008	
PO ₄ ³⁻	0.000 ± 0.002		0.000 ± 0.006		0.000 ± 0.007		0.000 ± 0.008		0.121 ± 0.008		0.185 ± 0.015		0.046 ± 0.005		0.078 ± 0.009	
SO ₄ ²⁻	1.344 ± 0.069		1.479 ± 0.079		0.039 ± 0.008		0.390 ± 0.026		7.380 ± 0.371		6.212 ± 0.315		0.772 ± 0.041		0.560 ± 0.032	
NH ₄ ⁺	0.002 ± 0.000		0.017 ± 0.002		0.028 ± 0.002		0.030 ± 0.003		0.086 ± 0.005		0.220 ± 0.012		0.005 ± 0.001		0.000 ± 0.001	
Ca ²⁺	1.150 ± 0.059		1.064 ± 0.075		2.151 ± 0.217		2.849 ± 0.096		3.427 ± 0.059		3.010 ± 0.072		2.981 ± 0.062		3.173 ± 0.059	
K ⁺	0.713 ± 0.021		0.776 ± 0.075		0.055 ± 0.082		0.143 ± 0.096		0.136 ± 0.028		0.189 ± 0.069		0.334 ± 0.032		0.483 ± 0.059	
Mg ²⁺	0.971 ± 0.021		1.098 ± 0.075		0.796 ± 0.082		1.230 ± 0.096		0.092 ± 0.028		0.139 ± 0.069		0.221 ± 0.032		0.362 ± 0.059	
Na ⁺	13.685 ± 0.023		12.389 ± 0.075		0.026 ± 0.082		0.308 ± 0.096		0.101 ± 0.028		0.140 ± 0.069		1.976 ± 0.043		2.043 ± 0.059	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1049				S1050				S1051				S1052			
Locality	Chad, Bodélé Depression, Sample 44				Chad, Bodélé Depression, Sample 44B				Chad, Bodélé Depression, Sample 44C				USA, Reno NV, Peavine Mtn, white clay			
Particle Size	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Majors																
Si	7.854 ± 0.019		16.631 ± 0.047		12.059 ± 0.029		17.026 ± 0.046		26.503 ± 0.064		26.206 ± 0.089		23.743 ± 0.063		25.194 ± 0.068	
Ti	0.101 ± 0.002		0.181 ± 0.005		0.133 ± 0.002		0.152 ± 0.004		0.361 ± 0.006		0.323 ± 0.010		0.173 ± 0.005		0.176 ± 0.006	
Al	1.729 ± 0.014		3.547 ± 0.037		2.118 ± 0.020		2.995 ± 0.033		5.070 ± 0.042		5.300 ± 0.073		3.309 ± 0.040		3.857 ± 0.046	
Fe	1.065 ± 0.003		1.863 ± 0.006		1.504 ± 0.003		1.779 ± 0.006		2.853 ± 0.008		2.715 ± 0.012		1.650 ± 0.007		1.752 ± 0.007	
Mg	0.046 ± 0.003		0.007 ± 0.010		0.085 ± 0.004		0.029 ± 0.009		0.000 ± 0.011		0.000 ± 0.020		0.000 ± 0.011		0.000 ± 0.013	
Ca	7.986 ± 0.014		9.077 ± 0.018		12.575 ± 0.022		9.307 ± 0.018		0.176 ± 0.003		0.135 ± 0.007		0.442 ± 0.003		0.413 ± 0.004	
K	0.181 ± 0.002		0.318 ± 0.004		0.236 ± 0.002		0.267 ± 0.004		0.576 ± 0.004		0.499 ± 0.010		0.426 ± 0.004		0.381 ± 0.005	
Traces																
As	0.00358 ± 0.00023		0.00871 ± 0.00079		0.00232 ± 0.00022		0.00683 ± 0.00071		0.00000 ± 0.00084		0.00000 ± 0.00225		0.01085 ± 0.00101		0.00021 ± 0.00115	
Be	0.00009 ± 0.00006		0.00013 ± 0.00020		0.00006 ± 0.00005		0.00009 ± 0.00018		0.00014 ± 0.00021		0.00011 ± 0.00056		0.00006 ± 0.00025		0.00006 ± 0.00029	
Cd	0.00001 ± 0.00006		0.00001 ± 0.00020		0.00000 ± 0.00005		0.00000 ± 0.00018		0.00000 ± 0.00021		0.00001 ± 0.00056		0.00000 ± 0.00025		0.00000 ± 0.00029	
Cr	0.00609 ± 0.00012		0.01218 ± 0.00040		0.00360 ± 0.00011		0.00959 ± 0.00035		0.01140 ± 0.00042		0.05111 ± 0.00113		0.02238 ± 0.00051		0.04159 ± 0.00058	
Hg	0.00000 ± 0.00012		0.00000 ± 0.00040		0.00000 ± 0.00011		0.00000 ± 0.00035		0.00009 ± 0.00042		0.00017 ± 0.00113		0.00000 ± 0.00051		0.00045 ± 0.00058	
Mn	0.02698 ± 0.00023		0.02524 ± 0.00079		0.02259 ± 0.00022		0.03057 ± 0.00071		0.03802 ± 0.00084		0.03785 ± 0.00225		0.00618 ± 0.00101		0.00531 ± 0.00115	
Ni	0.00112 ± 0.00023		0.00131 ± 0.00079		0.00086 ± 0.00022		0.00125 ± 0.00071		0.00140 ± 0.00084		0.00143 ± 0.00225		0.00170 ± 0.00101		0.00139 ± 0.00115	
Pb	0.00049 ± 0.00006		0.00088 ± 0.00020		0.00033 ± 0.00005		0.00061 ± 0.00018		0.00056 ± 0.00021		0.00065 ± 0.00056		0.00069 ± 0.00025		0.00081 ± 0.00029	
Sb	0.00008 ± 0.00006		0.00009 ± 0.00020		0.00006 ± 0.00005		0.00007 ± 0.00018		0.00002 ± 0.00021		-0.00002 ± 0.00056		0.00013 ± 0.00025		0.00016 ± 0.00029	
Sr	0.04243 ± 0.00011		0.03150 ± 0.00020		0.03469 ± 0.00006		0.03346 ± 0.00018		0.00199 ± 0.00021		0.00167 ± 0.00056		0.00417 ± 0.00025		0.00697 ± 0.00029	
V	0.00186 ± 0.00006		0.00216 ± 0.00020		0.00132 ± 0.00005		0.00199 ± 0.00018		0.00303 ± 0.00021		0.00289 ± 0.00056		0.00283 ± 0.00025		0.00432 ± 0.00037	
Zn	0.00261 ± 0.00023		0.01036 ± 0.00079		0.00185 ± 0.00022		0.00357 ± 0.00071		0.00325 ± 0.00084		0.00631 ± 0.00225		0.01014 ± 0.00101		0.01461 ± 0.00115	
Ions																
CL ⁻	0.042 ± 0.003		0.249 ± 0.014		0.092 ± 0.005		0.104 ± 0.006		0.179 ± 0.011		0.274 ± 0.017		0.689 ± 0.037		0.143 ± 0.010	
NO ₃ ⁻	0.249 ± 0.014		0.353 ± 0.023		1.107 ± 0.057		1.289 ± 0.069		0.490 ± 0.031		0.654 ± 0.046		0.096 ± 0.013		0.130 ± 0.018	
PO ₄ ³⁻	0.015 ± 0.003		0.000 ± 0.006		0.020 ± 0.003		0.000 ± 0.006		0.000 ± 0.008		0.119 ± 0.022		0.101 ± 0.015		0.087 ± 0.018	
SO ₄ ²⁻	0.096 ± 0.006		0.131 ± 0.012		0.059 ± 0.005		0.073 ± 0.009		0.130 ± 0.013		0.186 ± 0.023		0.185 ± 0.018		0.184 ± 0.021	
NH ₄ ⁺	0.030 ± 0.002		0.114 ± 0.007		0.039 ± 0.002		0.046 ± 0.003		0.151 ± 0.009		0.183 ± 0.012		0.183 ± 0.011		0.180 ± 0.011	
Ca ²⁺	8.095 ± 0.092		9.644 ± 0.141		8.352 ± 0.115		9.041 ± 0.072		0.100 ± 0.095		0.149 ± 0.200		4.229 ± 0.121		0.283 ± 0.172	
K ⁺	0.020 ± 0.025		0.068 ± 0.081		0.023 ± 0.025		0.051 ± 0.072		0.106 ± 0.095		0.024 ± 0.200		0.389 ± 0.121		0.047 ± 0.172	
Mg ²⁺	0.397 ± 0.024		0.475 ± 0.081		0.417 ± 0.025		0.451 ± 0.072		0.076 ± 0.095		0.085 ± 0.200		0.600 ± 0.121		0.101 ± 0.172	
Na ⁺	0.090 ± 0.024		0.190 ± 0.081		0.156 ± 0.025		0.208 ± 0.072		0.330 ± 0.095		0.268 ± 0.200		0.247 ± 0.121		0.096 ± 0.172	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1053				S1055				S1056				S1057			
Locality	USA, Reno NV, Peavine Mtn, yellow soil				China, Lanzhou, Jiuzhoutai Mtn, loess				Australia, Lake Eyre, Cooper Creek				Australia, Lake Eyre, Warburton River			
Particle Size	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Majors																
Si	11.531 ± 0.032		16.871 ± 0.073		12.330 ± 0.029		13.611 ± 0.042		13.164 ± 0.028		16.591 ± 0.045		15.925 ± 0.043		18.895 ± 0.062	
Ti	0.401 ± 0.005		0.414 ± 0.012		0.335 ± 0.003		0.305 ± 0.006		0.368 ± 0.003		0.355 ± 0.006		0.477 ± 0.006		0.484 ± 0.009	
Al	4.602 ± 0.029		7.167 ± 0.079		4.237 ± 0.024		5.642 ± 0.043		5.182 ± 0.023		6.723 ± 0.042		6.753 ± 0.039		8.058 ± 0.064	
Fe	4.522 ± 0.010		6.080 ± 0.020		4.172 ± 0.008		4.149 ± 0.011		4.680 ± 0.009		4.728 ± 0.011		5.102 ± 0.012		5.436 ± 0.015	
Mg	0.000 ± 0.007		0.000 ± 0.022		0.449 ± 0.006		0.958 ± 0.013		0.007 ± 0.006		0.123 ± 0.012		0.000 ± 0.010		0.000 ± 0.018	
Ca	0.279 ± 0.002		0.339 ± 0.007		7.793 ± 0.014		8.392 ± 0.017		3.879 ± 0.007		3.459 ± 0.008		0.712 ± 0.003		0.675 ± 0.005	
K	0.704 ± 0.003		0.831 ± 0.011		2.168 ± 0.006		2.357 ± 0.008		1.419 ± 0.004		1.582 ± 0.006		1.231 ± 0.005		1.311 ± 0.007	
Traces																
As	0.00088 ± 0.00053		0.02618 ± 0.00245		0.00152 ± 0.00019		0.00224 ± 0.00080		0.00115 ± 0.00020		0.00143 ± 0.00068		0.00081 ± 0.00063		0.00110 ± 0.00142	
Be	0.00005 ± 0.00013		0.00005 ± 0.00061		0.00011 ± 0.00005		0.00015 ± 0.00020		0.00010 ± 0.00005		0.00009 ± 0.00017		0.00012 ± 0.00016		0.00010 ± 0.00035	
Cd	0.00003 ± 0.00013		0.00002 ± 0.00061		0.00003 ± 0.00005		0.00003 ± 0.00020		0.00001 ± 0.00005		0.00002 ± 0.00017		0.00001 ± 0.00016		0.00002 ± 0.00035	
Cr	0.02202 ± 0.00027		0.04981 ± 0.00122		0.00628 ± 0.00009		0.02031 ± 0.00048		0.01057 ± 0.00010		0.01469 ± 0.00034		0.02271 ± 0.00032		0.03445 ± 0.00071	
Hg	0.00004 ± 0.00027		0.00147 ± 0.00122		0.00003 ± 0.00009		0.00010 ± 0.00040		0.00004 ± 0.00010		0.00008 ± 0.00034		0.00008 ± 0.00031		0.00018 ± 0.00071	
Mn	0.03013 ± 0.00151		0.03215 ± 0.00245		0.06171 ± 0.00019		0.07614 ± 0.00080		0.04074 ± 0.00020		0.04243 ± 0.00068		0.07703 ± 0.00063		0.06893 ± 0.00142	
Ni	0.00155 ± 0.00053		0.00253 ± 0.00245		0.00315 ± 0.00019		0.00424 ± 0.00080		0.00390 ± 0.00020		0.00456 ± 0.00068		0.00495 ± 0.00063		0.00464 ± 0.00142	
Pb	0.00184 ± 0.00013		0.00157 ± 0.00061		0.00208 ± 0.00005		0.00261 ± 0.00020		0.00101 ± 0.00005		0.00114 ± 0.00017		0.00095 ± 0.00016		0.00102 ± 0.00035	
Sb	0.00017 ± 0.00013		0.00025 ± 0.00061		0.00010 ± 0.00005		0.00014 ± 0.00020		0.00003 ± 0.00005		0.00005 ± 0.00017		0.00003 ± 0.00016		0.00006 ± 0.00035	
Sr	0.00801 ± 0.00013		0.00324 ± 0.00061		0.03266 ± 0.00012		0.04704 ± 0.00099		0.04890 ± 0.00024		0.04883 ± 0.00243		0.01269 ± 0.00016		0.01233 ± 0.00057	
V	0.00684 ± 0.00020		0.00804 ± 0.00061		0.00409 ± 0.00005		0.00460 ± 0.00020		0.00882 ± 0.00005		0.00822 ± 0.00017		0.00873 ± 0.00016		0.00861 ± 0.00035	
Zn	0.01077 ± 0.00053		0.01434 ± 0.00245		0.00671 ± 0.00019		0.01201 ± 0.00080		0.00529 ± 0.00020		0.00847 ± 0.00068		0.01070 ± 0.00063		0.01341 ± 0.00142	
Ions																
Cl ⁻	0.068 ± 0.004		0.421 ± 0.026		0.401 ± 0.021		1.084 ± 0.056		0.439 ± 0.022		0.776 ± 0.040		0.629 ± 0.032		0.797 ± 0.042	
NO ₃ ⁻	0.040 ± 0.006		0.470 ± 0.040		0.036 ± 0.004		0.146 ± 0.014		0.031 ± 0.003		0.082 ± 0.009		0.059 ± 0.006		0.083 ± 0.013	
PO ₄ ³⁻	0.000 ± 0.005		0.000 ± 0.020		0.035 ± 0.004		0.167 ± 0.017		0.110 ± 0.007		0.159 ± 0.014		0.087 ± 0.009		0.109 ± 0.017	
SO ₄ ²⁻	0.053 ± 0.006		0.102 ± 0.022		0.691 ± 0.036		0.784 ± 0.047		0.989 ± 0.051		1.326 ± 0.071		0.331 ± 0.020		0.415 ± 0.030	
NH ₄ ⁺	0.131 ± 0.007		0.355 ± 0.021		0.027 ± 0.002		0.097 ± 0.006		0.025 ± 0.002		0.083 ± 0.005		0.094 ± 0.005		0.201 ± 0.012	
Ca ²⁺	0.086 ± 0.056		0.445 ± 0.250		7.658 ± 0.434		12.605 ± 0.868		3.407 ± 0.211		3.366 ± 0.073		0.446 ± 0.055		0.471 ± 0.138	
K ⁺	0.049 ± 0.056		0.149 ± 0.250		0.129 ± 0.027		0.238 ± 0.110		0.237 ± 0.023		0.312 ± 0.073		0.229 ± 0.055		0.221 ± 0.138	
Mg ²⁺	0.063 ± 0.056		0.186 ± 0.250		0.474 ± 0.027		1.147 ± 0.110		0.401 ± 0.023		0.541 ± 0.073		0.268 ± 0.055		0.250 ± 0.138	
Na ⁺	0.010 ± 0.056		0.056 ± 0.250		0.257 ± 0.027		0.479 ± 0.110		0.904 ± 0.023		1.093 ± 0.073		0.562 ± 0.055		0.599 ± 0.138	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1058				S1060				S1062				S1064			
	Australia, Lake Frome				Serbia, Batajnica, Danube R, loess				Serbia, Kostolac, Lignite pit, loess				Serbia, Stari Slankamen, loess			
	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	
Majors																
Si	8.109 ± 0.027		16.095 ± 0.085		14.169 ± 0.031		16.949 ± 0.050		14.047 ± 0.032		17.341 ± 0.052		14.189 ± 0.034		14.699 ± 0.051	
Ti	0.217 ± 0.004		0.377 ± 0.015		0.495 ± 0.004		0.422 ± 0.007		0.450 ± 0.004		0.454 ± 0.008		0.398 ± 0.004		0.329 ± 0.008	
Al	2.850 ± 0.027		5.740 ± 0.095		6.053 ± 0.024		7.761 ± 0.050		5.861 ± 0.027		7.732 ± 0.054		6.042 ± 0.030		6.404 ± 0.056	
Fe	2.591 ± 0.007		4.701 ± 0.021		6.628 ± 0.011		6.741 ± 0.015		5.665 ± 0.010		6.488 ± 0.016		5.697 ± 0.011		5.323 ± 0.014	
Mg	0.760 ± 0.010		2.136 ± 0.036		0.026 ± 0.006		0.159 ± 0.014		0.302 ± 0.007		0.538 ± 0.016		0.208 ± 0.007		0.359 ± 0.016	
Ca	0.549 ± 0.003		0.907 ± 0.011		0.737 ± 0.002		0.775 ± 0.004		1.411 ± 0.004		1.394 ± 0.006		3.794 ± 0.008		4.940 ± 0.013	
K	1.077 ± 0.005		1.887 ± 0.016		2.237 ± 0.005		2.234 ± 0.008		2.176 ± 0.005		2.419 ± 0.009		2.139 ± 0.006		1.939 ± 0.009	
Traces																
As	0.01044 ± 0.00061		0.00170 ± 0.00354		0.00150 ± 0.00018		0.00234 ± 0.00089		0.00161 ± 0.00032		0.00213 ± 0.00100		0.00166 ± 0.00038		0.00223 ± 0.00124	
Be	0.00011 ± 0.00015		0.00008 ± 0.00088		0.00016 ± 0.00005		0.00018 ± 0.00022		0.00016 ± 0.00008		0.00017 ± 0.00025		0.00013 ± 0.00009		0.00016 ± 0.00031	
Cd	0.00006 ± 0.00015		0.00002 ± 0.00088		0.00003 ± 0.00005		0.00004 ± 0.00022		0.00002 ± 0.00008		0.00004 ± 0.00025		0.00003 ± 0.00009		0.00003 ± 0.00031	
Cr	0.01924 ± 0.00031		0.08515 ± 0.00177		0.00849 ± 0.00009		0.02801 ± 0.00044		0.01169 ± 0.00016		0.02451 ± 0.00050		0.01147 ± 0.00019		0.02906 ± 0.00062	
Hg	0.00026 ± 0.00031		0.00038 ± 0.00177		0.00005 ± 0.00009		0.00012 ± 0.00044		0.00004 ± 0.00016		0.00011 ± 0.00050		0.00005 ± 0.00019		0.00012 ± 0.00062	
Mn	0.06269 ± 0.00061		0.13220 ± 0.00354		0.11513 ± 0.00056		0.15961 ± 0.00102		0.07738 ± 0.00032		0.09150 ± 0.00100		0.08833 ± 0.00038		0.09929 ± 0.00215	
Ni	0.00236 ± 0.00061		0.01094 ± 0.00354		0.00594 ± 0.00018		0.00778 ± 0.00089		0.00647 ± 0.00032		0.00759 ± 0.00100		0.00594 ± 0.00038		0.00663 ± 0.00124	
Pb	0.00247 ± 0.00015		0.00181 ± 0.00088		0.00275 ± 0.00005		0.00330 ± 0.00022		0.00250 ± 0.00008		0.00288 ± 0.00025		0.00226 ± 0.00009		0.00258 ± 0.00031	
Sb	0.00028 ± 0.00015		0.00028 ± 0.00088		0.00009 ± 0.00005		0.00013 ± 0.00022		0.00009 ± 0.00008		0.00012 ± 0.00025		0.00009 ± 0.00009		0.00012 ± 0.00031	
Sr	0.09034 ± 0.00018		0.01071 ± 0.00088		0.00399 ± 0.00005		0.00594 ± 0.00024		0.00409 ± 0.00008		0.00533 ± 0.00025		0.00508 ± 0.00009		0.00780 ± 0.00031	
V	0.00266 ± 0.00015		0.00554 ± 0.00088		0.00651 ± 0.00005		0.00731 ± 0.00022		0.00621 ± 0.00008		0.00652 ± 0.00025		0.00579 ± 0.00009		0.00588 ± 0.00031	
Zn	0.00982 ± 0.00061		0.01962 ± 0.00354		0.00908 ± 0.00018		0.01428 ± 0.00089		0.01068 ± 0.00032		0.01724 ± 0.00100		0.00918 ± 0.00038		0.01454 ± 0.00124	
Ions																
Cl ⁻	2.626 ± 0.132		4.136 ± 0.216		0.187 ± 0.010		0.616 ± 0.033		0.037 ± 0.002		0.785 ± 0.043		0.503 ± 0.026		0.577 ± 0.032	
NO ₃ ⁻	0.034 ± 0.005		0.445 ± 0.054		0.113 ± 0.007		0.228 ± 0.020		0.017 ± 0.003		0.114 ± 0.017		0.048 ± 0.005		0.097 ± 0.015	
PO ₄ ³⁻	0.050 ± 0.007		0.000 ± 0.040		0.035 ± 0.004		0.100 ± 0.015		0.024 ± 0.004		0.000 ± 0.015		0.039 ± 0.005		0.071 ± 0.017	
SO ₄ ²⁻	0.644 ± 0.036		1.251 ± 0.096		0.126 ± 0.008		0.225 ± 0.020		0.033 ± 0.004		0.112 ± 0.018		0.187 ± 0.012		0.242 ± 0.023	
NH ₄ ⁺	0.017 ± 0.002		0.340 ± 0.023		0.064 ± 0.004		0.266 ± 0.015		0.053 ± 0.003		0.342 ± 0.019		0.178 ± 0.009		0.231 ± 0.014	
Ca ²⁺	0.716 ± 0.056		1.440 ± 0.493		0.283 ± 0.027		0.564 ± 0.127		1.380 ± 0.120		1.933 ± 0.182		4.174 ± 0.044		7.074 ± 0.676	
K ⁺	0.079 ± 0.056		0.170 ± 0.493		0.076 ± 0.027		0.075 ± 0.127		0.072 ± 0.030		0.213 ± 0.182		0.088 ± 0.044		0.134 ± 0.162	
Mg ²⁺	0.598 ± 0.056		2.407 ± 0.493		0.171 ± 0.027		0.229 ± 0.127		0.573 ± 0.030		0.867 ± 0.182		0.535 ± 0.044		0.582 ± 0.162	
Na ⁺	2.308 ± 0.056		2.764 ± 0.493		0.091 ± 0.027		0.231 ± 0.127		0.033 ± 0.030		0.100 ± 0.182		0.121 ± 0.044		0.285 ± 0.162	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S1065				S1066				S2001				S2002			
Locality	USA, Carbondale, California, red clay				USA, Arizona Road Dust				Djibouti, Camp Lemonnier				Afghanistan, Bagram			
Particle Size	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Majors																
Si	13.119 ± 0.043		12.499 ± 0.046		24.352 ± 0.056		24.424 ± 0.049		8.701 ± 0.061		10.775 ± 0.083		8.409 ± 0.059		10.034 ± 0.079	
Ti	0.572 ± 0.009		0.532 ± 0.010		0.183 ± 0.004		0.223 ± 0.003		0.466 ± 0.002		0.461 ± 0.003		0.320 ± 0.001		0.351 ± 0.003	
Al	10.803 ± 0.056		11.267 ± 0.064		2.975 ± 0.031		4.022 ± 0.026		3.590 ± 0.027		4.754 ± 0.043		4.016 ± 0.030		5.381 ± 0.048	
Fe	9.912 ± 0.021		10.051 ± 0.021		1.384 ± 0.005		2.198 ± 0.005		4.969 ± 0.012		5.248 ± 0.016		4.183 ± 0.011		4.645 ± 0.015	
Mg	0.000 ± 0.011		0.000 ± 0.013		0.000 ± 0.008		0.000 ± 0.007		1.677 ± 0.037		2.534 ± 0.105		1.385 ± 0.036		1.889 ± 0.103	
Ca	0.180 ± 0.003		0.164 ± 0.003		1.309 ± 0.005		1.511 ± 0.004		12.530 ± 0.027		10.640 ± 0.025		15.144 ± 0.033		15.571 ± 0.035	
K	0.358 ± 0.004		0.364 ± 0.005		1.753 ± 0.006		2.209 ± 0.006		1.371 ± 0.004		1.531 ± 0.006		2.007 ± 0.006		2.274 ± 0.008	
Traces																
As	0.01175 ± 0.00093		0.00152 ± 0.00116		0.00000 ± 0.00064		0.00068 ± 0.00035		0.00034 ± 0.00008		0.00058 ± 0.00000		0.00132 ± 0.00006		0.00227 ± 0.00007	
Be	0.00010 ± 0.00023		0.00011 ± 0.00029		0.00006 ± 0.00016		0.00007 ± 0.00009		0.00010 ± 0.00002		0.00029 ± 0.00002		0.00009 ± 0.00002		0.00030 ± 0.00001	
Cd	0.00000 ± 0.00023		0.00001 ± 0.00029		0.00001 ± 0.00016		0.00002 ± 0.00009		0.00003 ± 0.00000		0.00012 ± 0.00001		0.00005 ± 0.00000		0.00544 ± 0.00009	
Cr	0.03260 ± 0.00046		0.05279 ± 0.00058		0.02284 ± 0.00032		0.00963 ± 0.00017		0.00000 ± 0.00006		0.00002 ± 0.00032		0.00001 ± 0.00009		0.00002 ± 0.00036	
Hg	0.00000 ± 0.00046		0.00003 ± 0.00058		0.00006 ± 0.00032		0.00006 ± 0.00017		0.00003 ± 0.00000		0.00012 ± 0.00001		0.00003 ± 0.00000		0.00012 ± 0.00001	
Mn	0.01252 ± 0.00093		0.01324 ± 0.00116		0.02540 ± 0.00064		0.03986 ± 0.00035		0.06199 ± 0.00007		0.14153 ± 0.00102		0.05296 ± 0.00017		0.08065 ± 0.00043	
Ni	0.00178 ± 0.00093		0.00112 ± 0.00116		0.00182 ± 0.00064		0.00154 ± 0.00035		0.00311 ± 0.00004		0.00642 ± 0.00015		0.00427 ± 0.00005		0.03606 ± 0.00005	
Pb	0.00144 ± 0.00023		0.00155 ± 0.00029		0.00095 ± 0.00016		0.00146 ± 0.00009		0.00076 ± 0.00000		0.00230 ± 0.00001		0.00413 ± 0.00003		0.00639 ± 0.00004	
Sb	0.00021 ± 0.00023		0.00018 ± 0.00029		0.00006 ± 0.00016		0.00009 ± 0.00009		0.00008 ± 0.00000		0.00029 ± 0.00000		0.00012 ± 0.00000		0.00030 ± 0.00001	
Sr	0.00899 ± 0.00023		0.00931 ± 0.00029		0.01017 ± 0.00016		0.01070 ± 0.00040		0.03524 ± 0.00026		0.06787 ± 0.00053		0.02374 ± 0.00032		0.03077 ± 0.00020	
V	0.03201 ± 0.00023		0.02395 ± 0.00029		0.00223 ± 0.00016		0.00261 ± 0.00009		0.00396 ± 0.00003		0.00813 ± 0.00010		0.00495 ± 0.00015		0.00695 ± 0.00013	
Zn	0.01576 ± 0.00093		0.01518 ± 0.00116		0.00449 ± 0.00064		0.00587 ± 0.00035		0.01252 ± 0.00031		0.04571 ± 0.00025		0.01568 ± 0.00008		0.04651 ± 0.00037	
Ions																
Cl ⁻	0.617 ± 0.033		0.081 ± 0.006		0.053 ± 0.004		0.271 ± 0.014		0.084 ± 0.018		0.115 ± 0.052		0.023 ± 0.018		0.040 ± 0.053	
NO ₃ ⁻	0.092 ± 0.011		0.061 ± 0.011		0.041 ± 0.006		0.035 ± 0.004		0.071 ± 0.019		0.070 ± 0.052		0.011 ± 0.018		0.010 ± 0.053	
PO ₄ ³⁻	0.000 ± 0.008		0.000 ± 0.010		0.030 ± 0.006		0.052 ± 0.006		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000	
SO ₄ ²⁻	0.289 ± 0.021		0.239 ± 0.020		0.159 ± 0.012		0.082 ± 0.007		2.740 ± 0.195		1.778 ± 0.136		0.342 ± 0.030		0.278 ± 0.057	
NH ₄ ⁺	0.278 ± 0.015		0.129 ± 0.008		0.021 ± 0.002		0.061 ± 0.004		0.053 ± 0.019		0.084 ± 0.053		0.043 ± 0.020		0.071 ± 0.055	
Ca ²⁺	0.270 ± 0.099		0.156 ± 0.124		0.857 ± 0.184		0.910 ± 0.039		15.331 ± 1.096		11.727 ± 0.843		15.605 ± 1.118		13.807 ± 0.996	
K ⁺	0.023 ± 0.099		0.038 ± 0.124		0.467 ± 0.059		0.146 ± 0.039		0.271 ± 0.019		0.391 ± 0.028		0.268 ± 0.019		0.387 ± 0.028	
Mg ²⁺	0.058 ± 0.099		0.053 ± 0.124		0.179 ± 0.059		0.115 ± 0.039		0.268 ± 0.019		0.451 ± 0.032		0.285 ± 0.020		0.399 ± 0.029	
Na ⁺	0.066 ± 0.099		0.025 ± 0.124		0.427 ± 0.059		0.138 ± 0.039		0.070 ± 0.005		0.083 ± 0.007		0.027 ± 0.002		0.037 ± 0.004	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S2003				S2004				S2005				S2006							
	Afghanistan, Khowst								Qatar, Al Udeid				UAE, Al Dhafra				Iraq, Balad			
	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}					
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc				
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%					
Majors																				
Si	14.263 ± 0.098		17.287 ± 0.133		10.831 ± 0.076		13.351 ± 0.103		3.470 ± 0.030		5.239 ± 0.058		9.393 ± 0.066		10.878 ± 0.098					
Ti	0.529 ± 0.002		0.690 ± 0.005		0.381 ± 0.002		0.438 ± 0.003		0.090 ± 0.001		0.135 ± 0.004		0.329 ± 0.001		0.336 ± 0.005					
Al	5.254 ± 0.038		7.989 ± 0.071		4.375 ± 0.034		5.641 ± 0.052		1.380 ± 0.016		2.117 ± 0.036		3.451 ± 0.026		4.348 ± 0.054					
Fe	6.357 ± 0.015		7.184 ± 0.023		4.446 ± 0.012		4.976 ± 0.017		1.233 ± 0.005		1.706 ± 0.012		3.656 ± 0.009		3.644 ± 0.018					
Mg	2.083 ± 0.041		3.291 ± 0.156		2.668 ± 0.055		3.487 ± 0.131		3.374 ± 0.074		3.823 ± 0.177		1.674 ± 0.039		2.323 ± 0.193					
Ca	4.328 ± 0.010		3.713 ± 0.012		11.592 ± 0.025		7.026 ± 0.018		21.264 ± 0.046		23.176 ± 0.053		9.733 ± 0.021		8.564 ± 0.024					
K	1.603 ± 0.005		2.257 ± 0.009		1.391 ± 0.004		1.486 ± 0.007		0.679 ± 0.003		0.867 ± 0.007		1.366 ± 0.004		1.448 ± 0.009					
Traces																				
As	0.00073 ± 0.00003		0.00089 ± 0.00042		0.00078 ± 0.00007		0.00091 ± 0.00009		0.00064 ± 0.00006		0.00120 ± 0.00003		0.00039 ± 0.00005		0.00148 ± 0.00025					
Be	0.00008 ± 0.00001		0.00044 ± 0.00005		0.00011 ± 0.00000		0.00035 ± 0.00002		0.00016 ± 0.00001		0.00050 ± 0.00005		0.00009 ± 0.00001		0.00059 ± 0.00007					
Cd	0.00003 ± 0.00000		0.00018 ± 0.00001		0.00005 ± 0.00000		0.00014 ± 0.00002		0.00006 ± 0.00000		0.00020 ± 0.00001		0.00003 ± 0.00000		0.00024 ± 0.00001					
Cr	0.00001 ± 0.00013		0.00004 ± 0.00022		0.00002 ± 0.00022		0.00003 ± 0.00026		0.00001 ± 0.00024		0.00004 ± 0.00046		0.00001 ± 0.00008		0.00004 ± 0.00009					
Hg	0.00003 ± 0.00000		0.00018 ± 0.00002		0.00005 ± 0.00001		0.00014 ± 0.00002		0.00006 ± 0.00000		0.00020 ± 0.00001		0.00003 ± 0.00000		0.00024 ± 0.00002					
Mn	0.08249 ± 0.00054		0.14103 ± 0.00073		0.06167 ± 0.00026		0.08286 ± 0.00041		0.02683 ± 0.00012		0.03527 ± 0.00027		0.03396 ± 0.00022		0.04964 ± 0.00016					
Ni	0.02201 ± 0.00024		0.03481 ± 0.00035		0.01101 ± 0.00013		0.01416 ± 0.00005		0.00701 ± 0.00018		0.00988 ± 0.00024		0.00676 ± 0.00004		0.01074 ± 0.00008					
Pb	0.00146 ± 0.00001		0.00291 ± 0.00002		0.00182 ± 0.00002		0.00234 ± 0.00001		0.00060 ± 0.00000		0.00080 ± 0.00000		0.00057 ± 0.00000		0.00122 ± 0.00001					
Sb	0.00059 ± 0.00000		0.00090 ± 0.00000		0.00011 ± 0.00000		0.00035 ± 0.00001		0.00016 ± 0.00000		0.00050 ± 0.00001		0.00009 ± 0.00000		0.00059 ± 0.00001					
Sr	0.01073 ± 0.00005		0.01476 ± 0.00027		0.03577 ± 0.00007		0.02960 ± 0.00031		0.12683 ± 0.00098		0.14810 ± 0.00149		0.03075 ± 0.00012		0.04727 ± 0.00026					
V	0.00443 ± 0.00002		0.00895 ± 0.00026		0.00704 ± 0.00007		0.00943 ± 0.00014		0.00279 ± 0.00004		0.00407 ± 0.00008		0.00372 ± 0.00008		0.00705 ± 0.00019					
Zn	0.01294 ± 0.00013		0.04139 ± 0.00030		0.01603 ± 0.00023		0.03159 ± 0.00043		0.01721 ± 0.00028		0.04168 ± 0.00072		0.01000 ± 0.00005		0.05178 ± 0.00046					
Ions																				
Cl ⁻	0.029 ± 0.017		0.072 ± 0.079		0.021 ± 0.024		0.038 ± 0.063		0.243 ± 0.038		0.357 ± 0.092		2.145 ± 0.156		1.784 ± 0.169					
NO ₃ ⁻	0.014 ± 0.017		0.031 ± 0.078		0.011 ± 0.024		0.090 ± 0.063		0.026 ± 0.034		0.000 ± 0.088		0.161 ± 0.026		0.138 ± 0.106					
PO ₄ ³⁻	0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000					
SO ₄ ²⁻	0.239 ± 0.024		0.342 ± 0.082		0.226 ± 0.029		0.173 ± 0.064		1.584 ± 0.118		1.490 ± 0.139		1.119 ± 0.082		1.783 ± 0.167					
NH ₄ ⁺	0.030 ± 0.018		0.084 ± 0.080		0.044 ± 0.026		0.093 ± 0.065		0.040 ± 0.035		0.071 ± 0.089		0.037 ± 0.019		0.139 ± 0.108					
Ca ²⁺	5.192 ± 0.372		3.316 ± 0.244		12.403 ± 0.898		6.979 ± 0.510		13.203 ± 0.953		20.539 ± 1.498		13.934 ± 1.000		10.719 ± 0.789					
K ⁺	0.124 ± 0.009		0.229 ± 0.018		0.142 ± 0.011		0.260 ± 0.020		0.070 ± 0.006		0.119 ± 0.012		0.202 ± 0.015		0.282 ± 0.023					
Mg ²⁺	0.256 ± 0.018		0.248 ± 0.018		0.491 ± 0.035		0.931 ± 0.067		1.942 ± 0.139		3.369 ± 0.243		0.611 ± 0.043		0.945 ± 0.069					
Na ⁺	0.035 ± 0.003		0.047 ± 0.006		0.021 ± 0.002		0.052 ± 0.006		0.145 ± 0.011		0.205 ± 0.017		0.223 ± 0.017		0.168 ± 0.014					

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S2007				S2008				S2009				S2010			
	Iraq, Baghdad, Camp Victory				Iraq, Tallil, Camp Adder				Iraq, Tikrit, Speicher				Iraq, Taji			
	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Majors																
Si	10.093 ± 0.071		12.120 ± 0.092		7.208 ± 0.056		10.135 ± 0.095		10.050 ± 0.072		12.654 ± 0.101		7.185 ± 0.052		6.528 ± 0.135	
Ti	0.366 ± 0.001		0.384 ± 0.003		0.257 ± 0.002		0.364 ± 0.005		0.354 ± 0.002		0.405 ± 0.004		0.268 ± 0.001		0.225 ± 0.014	
Al	4.044 ± 0.031		5.119 ± 0.045		2.569 ± 0.025		3.818 ± 0.052		4.152 ± 0.033		5.311 ± 0.051		2.557 ± 0.021		2.712 ± 0.102	
Fe	4.936 ± 0.013		5.342 ± 0.016		2.236 ± 0.008		3.125 ± 0.017		4.217 ± 0.011		4.769 ± 0.017		3.071 ± 0.008		2.088 ± 0.037	
Mg	2.227 ± 0.048		2.913 ± 0.105		1.489 ± 0.069		2.373 ± 0.205		1.775 ± 0.051		2.555 ± 0.136		1.464 ± 0.044		1.338 ± 0.544	
Ca	11.567 ± 0.025		9.329 ± 0.022		17.632 ± 0.039		16.919 ± 0.041		12.418 ± 0.027		10.171 ± 0.025		14.796 ± 0.032		15.677 ± 0.051	
K	1.147 ± 0.004		1.183 ± 0.005		0.932 ± 0.004		1.180 ± 0.009		1.362 ± 0.004		1.512 ± 0.007		1.032 ± 0.004		0.768 ± 0.019	
Traces																
As	0.00115 ± 0.00007		0.00140 ± 0.00010		0.00120 ± 0.00003		0.00174 ± 0.00019		0.00097 ± 0.00007		0.00152 ± 0.00012		0.00073 ± 0.00008		0.00360 ± 0.00112	
Be	0.00010 ± 0.00003		0.00028 ± 0.00002		0.00020 ± 0.00004		0.00063 ± 0.00002		0.00013 ± 0.00002		0.00039 ± 0.00004		0.00011 ± 0.00003		0.00180 ± 0.00015	
Cd	0.00004 ± 0.00001		0.00011 ± 0.00001		0.00008 ± 0.00000		0.00025 ± 0.00001		0.00006 ± 0.00000		0.00016 ± 0.00001		0.00006 ± 0.00000		0.00072 ± 0.00003	
Cr	0.00002 ± 0.00006		0.00002 ± 0.00002		0.00002 ± 0.00012		0.00004 ± 0.00026		0.00001 ± 0.00012		0.00003 ± 0.00020		0.00001 ± 0.00006		0.00008 ± 0.00036	
Hg	0.00004 ± 0.00001		0.00011 ± 0.00002		0.00008 ± 0.00001		0.00025 ± 0.00002		0.00005 ± 0.00000		0.00016 ± 0.00001		0.00004 ± 0.00000		0.00072 ± 0.00008	
Mn	0.07003 ± 0.00038		0.08213 ± 0.00113		0.05141 ± 0.00059		0.05392 ± 0.00078		0.04960 ± 0.00039		0.06667 ± 0.00037		0.04770 ± 0.00043		0.05086 ± 0.00026	
Ni	0.01801 ± 0.00013		0.02146 ± 0.00017		0.00665 ± 0.00012		0.00914 ± 0.00023		0.01112 ± 0.00006		0.01503 ± 0.00013		0.01038 ± 0.00013		0.01007 ± 0.00030	
Pb	0.00122 ± 0.00000		0.00144 ± 0.00002		0.00132 ± 0.00001		0.00175 ± 0.00003		0.00161 ± 0.00000		0.00233 ± 0.00004		0.00208 ± 0.00001		0.00314 ± 0.00003	
Sb	0.00010 ± 0.00000		0.00028 ± 0.00001		0.00020 ± 0.00000		0.00063 ± 0.00001		0.00014 ± 0.00000		0.00039 ± 0.00000		0.00011 ± 0.00000		0.00180 ± 0.00003	
Sr	0.04202 ± 0.00087		0.04146 ± 0.00025		0.12618 ± 0.00055		0.09418 ± 0.00028		0.02068 ± 0.00014		0.02201 ± 0.00011		0.05433 ± 0.00017		0.07410 ± 0.00009	
V	0.00780 ± 0.00002		0.01001 ± 0.00011		0.00713 ± 0.00007		0.01038 ± 0.00018		0.00637 ± 0.00006		0.00936 ± 0.00024		0.00459 ± 0.00005		0.00542 ± 0.00020	
Zn	0.01285 ± 0.00006		0.02090 ± 0.00027		0.02633 ± 0.00033		0.04456 ± 0.00107		0.01481 ± 0.00025		0.03066 ± 0.00023		0.01577 ± 0.00015		0.09281 ± 0.00195	
Ions																
CL ⁻	1.292 ± 0.096		1.150 ± 0.097		0.117 ± 0.043		0.111 ± 0.112		0.104 ± 0.028		0.107 ± 0.070		3.260 ± 0.239		2.237 ± 0.373	
NO ₃ ⁻	0.055 ± 0.022		0.054 ± 0.050		0.012 ± 0.042		0.000 ± 0.112		0.089 ± 0.029		0.106 ± 0.070		0.155 ± 0.030		0.141 ± 0.318	
PO ₄ ³⁻	0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000	
SO ₄ ²⁻	0.841 ± 0.064		0.696 ± 0.070		4.133 ± 0.297		1.561 ± 0.159		2.350 ± 0.168		2.603 ± 0.199		7.898 ± 0.567		10.249 ± 0.945	
NH ₄ ⁺	0.050 ± 0.023		0.091 ± 0.052		0.060 ± 0.043		0.138 ± 0.114		0.047 ± 0.028		0.115 ± 0.072		0.039 ± 0.025		0.451 ± 0.328	
Ca ²⁺	14.865 ± 1.071		9.874 ± 0.711		24.524 ± 1.760		7.304 ± 0.540		14.071 ± 1.004		9.810 ± 0.712		16.362 ± 1.185		14.656 ± 1.291	
K ⁺	0.160 ± 0.012		0.213 ± 0.016		0.127 ± 0.010		0.088 ± 0.013		0.127 ± 0.009		0.218 ± 0.017		0.090 ± 0.007		0.152 ± 0.034	
Mg ²⁺	0.639 ± 0.046		1.121 ± 0.080		0.482 ± 0.034		0.332 ± 0.025		0.132 ± 0.009		0.253 ± 0.018		0.524 ± 0.038		0.654 ± 0.058	
Na ⁺	0.534 ± 0.040		0.457 ± 0.035		0.103 ± 0.008		0.067 ± 0.008		0.062 ± 0.005		0.084 ± 0.008		0.222 ± 0.017		0.169 ± 0.024	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S2011				S2012				S2013				S2014			
	Iraq, Al Asad				Kuwait, North, Camp Buehring				Kuwait, Central, Camp Ali Al Salem				Kuwait, Coastal, Ash Shu Ayabah			
	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
%		%		%		%		%		%		%		%		
Majors																
Si	2.323 ± 0.020		3.918 ± 0.074		11.066 ± 0.077		13.782 ± 0.100		10.352 ± 0.072		12.695 ± 0.097		9.465 ± 0.066		11.832 ± 0.090	
Ti	0.092 ± 0.001		0.168 ± 0.007		0.368 ± 0.001		0.428 ± 0.003		0.287 ± 0.001		0.319 ± 0.003		0.305 ± 0.001		0.352 ± 0.003	
Al	1.095 ± 0.012		2.036 ± 0.057		4.252 ± 0.032		5.638 ± 0.046		4.222 ± 0.031		5.319 ± 0.047		3.474 ± 0.026		4.674 ± 0.042	
Fe	1.007 ± 0.004		1.543 ± 0.020		4.462 ± 0.011		5.023 ± 0.015		3.655 ± 0.009		3.930 ± 0.013		3.619 ± 0.009		3.954 ± 0.013	
Mg	3.393 ± 0.061		4.765 ± 0.317		2.282 ± 0.043		3.021 ± 0.090		1.665 ± 0.037		2.338 ± 0.107		2.168 ± 0.041		2.965 ± 0.105	
Ca	16.963 ± 0.037		17.258 ± 0.045		11.079 ± 0.024		8.371 ± 0.020		13.265 ± 0.029		10.044 ± 0.024		13.581 ± 0.029		12.950 ± 0.030	
K	0.692 ± 0.003		0.964 ± 0.012		1.401 ± 0.004		1.547 ± 0.006		1.262 ± 0.004		1.321 ± 0.006		1.265 ± 0.004		1.354 ± 0.006	
Traces																
As	0.00022 ± 0.00001		0.00190 ± 0.00012		0.00117 ± 0.00003		0.00137 ± 0.00011		0.00073 ± 0.00001		0.00063 ± 0.00004		0.00086 ± 0.00003		0.00099 ± 0.00011	
Be	0.00011 ± 0.00001		0.00095 ± 0.00007		0.00008 ± 0.00002		0.00023 ± 0.00002		0.00009 ± 0.00000		0.00030 ± 0.00006		0.00008 ± 0.00001		0.00028 ± 0.00001	
Cd	0.00004 ± 0.00001		0.00038 ± 0.00004		0.00003 ± 0.00000		0.00009 ± 0.00001		0.00009 ± 0.00001		0.00013 ± 0.00003		0.00005 ± 0.00000		0.00011 ± 0.00002	
Cr	0.00001 ± 0.00004		0.00006 ± 0.00603		0.00002 ± 0.00009		0.00003 ± 0.00018		0.00001 ± 0.00007		0.00002 ± 0.00015		0.00001 ± 0.00005		0.00002 ± 0.00007	
Hg	0.00004 ± 0.00001		0.00038 ± 0.00003		0.00003 ± 0.00000		0.00009 ± 0.00001		0.00003 ± 0.00000		0.00012 ± 0.00000		0.00003 ± 0.00000		0.00011 ± 0.00001	
Mn	0.01883 ± 0.00006		0.02449 ± 0.00012		0.06290 ± 0.00062		0.08315 ± 0.00060		0.05207 ± 0.00023		0.06058 ± 0.00004		0.04699 ± 0.00089		0.05458 ± 0.00038	
Ni	0.00268 ± 0.00002		0.00540 ± 0.00008		0.01372 ± 0.00005		0.01721 ± 0.00018		0.00720 ± 0.00002		0.00938 ± 0.00006		0.01216 ± 0.00001		0.01451 ± 0.00009	
Pb	0.00054 ± 0.00001		0.00126 ± 0.00002		0.00125 ± 0.00001		0.00157 ± 0.00001		0.00149 ± 0.00001		0.00184 ± 0.00001		0.00177 ± 0.00001		0.00227 ± 0.00001	
Sb	0.00011 ± 0.00003		0.00095 ± 0.00000		0.00008 ± 0.00000		0.00028 ± 0.00001		0.00469 ± 0.00002		0.00474 ± 0.00003		0.00024 ± 0.00000		0.00029 ± 0.00000	
Sr	0.03528 ± 0.00018		0.04905 ± 0.00002		0.05353 ± 0.00031		0.04393 ± 0.00013		0.02591 ± 0.00009		0.02837 ± 0.00012		0.03289 ± 0.00010		0.03795 ± 0.00030	
V	0.00324 ± 0.00005		0.00498 ± 0.00027		0.00746 ± 0.00003		0.00960 ± 0.00003		0.00781 ± 0.00010		0.00887 ± 0.00014		0.00714 ± 0.00003		0.00884 ± 0.00014	
Zn	0.00733 ± 0.00017		0.21103 ± 0.00254		0.00923 ± 0.00013		0.01848 ± 0.00027		0.02311 ± 0.00025		0.03930 ± 0.00018		0.01635 ± 0.00003		0.03337 ± 0.00031	
Ions																
CL ⁻	0.688 ± 0.056		1.073 ± 0.187		0.064 ± 0.018		0.067 ± 0.040		0.110 ± 0.019		0.099 ± 0.053		0.031 ± 0.017		0.037 ± 0.049	
NO ₃ ⁻	0.042 ± 0.024		0.084 ± 0.168		0.018 ± 0.018		0.014 ± 0.040		0.080 ± 0.020		0.060 ± 0.053		0.014 ± 0.017		0.013 ± 0.049	
PO ₄ ³⁻	0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000		0.000 ± 0.000	
SO ₄ ²⁻	1.470 ± 0.109		2.057 ± 0.229		1.528 ± 0.109		0.595 ± 0.058		0.466 ± 0.037		0.567 ± 0.067		0.799 ± 0.060		0.769 ± 0.074	
NH ₄ ⁺	0.042 ± 0.025		0.226 ± 0.172		0.033 ± 0.019		0.068 ± 0.042		0.081 ± 0.022		0.111 ± 0.057		0.040 ± 0.018		0.078 ± 0.051	
Ca ²⁺	11.161 ± 0.817		31.589 ± 2.409		13.298 ± 0.948		7.545 ± 0.543		14.778 ± 1.054		7.640 ± 0.552		11.464 ± 0.830		12.236 ± 0.891	
K ⁺	0.086 ± 0.007		0.222 ± 0.024		0.202 ± 0.014		0.264 ± 0.019		0.116 ± 0.008		0.133 ± 0.011		0.105 ± 0.008		0.128 ± 0.010	
Mg ²⁺	3.348 ± 0.242		13.953 ± 1.052		0.339 ± 0.024		0.433 ± 0.031		0.189 ± 0.013		0.284 ± 0.020		0.223 ± 0.016		0.784 ± 0.056	
Na ⁺	0.144 ± 0.011		0.202 ± 0.019		0.043 ± 0.003		0.042 ± 0.004		0.066 ± 0.005		0.057 ± 0.005		0.016 ± 0.002		0.021 ± 0.003	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S2015				S2016				S2017				S3003			
	Kuwait, South, Camp Arifjan				Afghanistan, Camp Leatherneck				Kuwait, Ash Shu Ayabah				USA, YPG, Yuma AZ, Area 3835Z			
	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}	
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc
%		%		%		%		%		%		%		%		
Majors																
Si	10.174 ± 0.071		12.260 ± 0.092		11.556 ± 0.027		14.603 ± 0.042		9.281 ± 0.027		12.744 ± 0.059		12.736 ± 0.035		16.144 ± 0.054	
Ti	0.295 ± 0.001		0.332 ± 0.003		0.254 ± 0.003		0.307 ± 0.006		0.207 ± 0.004		0.240 ± 0.009		0.224 ± 0.004		0.247 ± 0.007	
Al	3.561 ± 0.027		4.709 ± 0.042		3.884 ± 0.022		5.338 ± 0.041		2.725 ± 0.025		3.903 ± 0.062		4.048 ± 0.031		5.315 ± 0.054	
Fe	3.190 ± 0.008		3.631 ± 0.012		3.710 ± 0.007		4.311 ± 0.011		3.051 ± 0.007		3.736 ± 0.014		2.707 ± 0.007		3.143 ± 0.010	
Mg	2.159 ± 0.045		2.941 ± 0.103		0.968 ± 0.007		1.562 ± 0.014		1.124 ± 0.008		1.961 ± 0.023		0.530 ± 0.009		0.941 ± 0.017	
Ca	12.613 ± 0.027		12.814 ± 0.029		6.162 ± 0.012		4.132 ± 0.010		5.756 ± 0.012		5.311 ± 0.016		7.687 ± 0.015		4.080 ± 0.012	
K	1.309 ± 0.004		1.419 ± 0.006		1.566 ± 0.004		1.958 ± 0.007		0.942 ± 0.004		1.177 ± 0.009		1.843 ± 0.006		2.189 ± 0.010	
Traces																
As	0.00058 ± 0.00006		0.00054 ± 0.00011		0.00124 ± 0.00024		0.00181 ± 0.00075		0.00087 ± 0.00046		0.00051 ± 0.000210		0.00791 ± 0.00052		0.00161 ± 0.00127	
Be	0.00009 ± 0.00001		0.00027 ± 0.00002		0.00011 ± 0.00006		0.00016 ± 0.00019		0.00011 ± 0.00011		0.00015 ± 0.00052		0.00012 ± 0.00013		0.00016 ± 0.00032	
Cd	0.00004 ± 0.00000		0.00011 ± 0.00000		0.00001 ± 0.00006		0.00001 ± 0.00019		0.00005 ± 0.00011		0.00006 ± 0.00052		0.00007 ± 0.00013		0.00006 ± 0.00032	
Cr	0.00001 ± 0.00001		0.00002 ± 0.00016		0.01455 ± 0.00014		0.02473 ± 0.00037		0.02657 ± 0.00023		0.08785 ± 0.00105		0.01386 ± 0.00026		0.04553 ± 0.00064	
Hg	0.00004 ± 0.00000		0.00011 ± 0.00001		0.00002 ± 0.00012		0.00010 ± 0.00037		0.00015 ± 0.00023		0.00044 ± 0.00105		-0.00014 ± 0.00026		0.00000 ± 0.00064	
Mn	0.03936 ± 0.00006		0.04425 ± 0.00028		0.05816 ± 0.00024		0.08144 ± 0.00075		0.04822 ± 0.00046		0.06155 ± 0.00210		0.03995 ± 0.00052		0.05476 ± 0.00127	
Ni	0.01255 ± 0.00005		0.01443 ± 0.00025		0.00534 ± 0.00024		0.00772 ± 0.00075		0.01189 ± 0.00046		0.01525 ± 0.00210		0.00263 ± 0.00052		0.00314 ± 0.00127	
Pb	0.00182 ± 0.00001		0.00139 ± 0.00001		0.00177 ± 0.00006		0.00228 ± 0.00019		0.00373 ± 0.00011		0.00435 ± 0.00052		0.00173 ± 0.00013		0.00400 ± 0.00032	
Sb	0.00017 ± 0.00000		0.00027 ± 0.00000		0.00008 ± 0.00006		0.00013 ± 0.00019		0.00024 ± 0.00011		0.00375 ± 0.00052		0.00017 ± 0.00013		0.00021 ± 0.00032	
Sr	0.05793 ± 0.00007		0.07256 ± 0.00062		0.04076 ± 0.00020		0.03861 ± 0.00021		0.02441 ± 0.00013		0.02787 ± 0.00052		0.02627 ± 0.00015		0.02188 ± 0.00032	
V	0.00613 ± 0.00007		0.00743 ± 0.00015		0.00549 ± 0.00007		0.00821 ± 0.00019		0.00770 ± 0.00011		0.00946 ± 0.00052		0.00554 ± 0.00013		0.00511 ± 0.00032	
Zn	0.01051 ± 0.00005		0.01822 ± 0.00007		0.00730 ± 0.00024		0.01022 ± 0.00075		0.02809 ± 0.00046		0.04336 ± 0.00210		0.00799 ± 0.00052		0.01450 ± 0.00127	
Ions																
CL ⁻	0.070 ± 0.020		0.081 ± 0.048		0.126 ± 0.007		0.183 ± 0.011		0.106 ± 0.006		0.198 ± 0.013		0.729 ± 0.038		1.398 ± 0.074	
NO ₃ ⁻	0.042 ± 0.020		0.044 ± 0.048		0.024 ± 0.003		0.054 ± 0.008		0.050 ± 0.005		0.126 ± 0.018		0.116 ± 0.010		0.273 ± 0.030	
PO ₄ ³⁻	0.000 ± 0.000		0.000 ± 0.000		0.024 ± 0.004		0.057 ± 0.010		0.035 ± 0.005		0.000 ± 0.015		0.045 ± 0.007		0.103 ± 0.025	
SO ₄ ²⁻	1.461 ± 0.105		1.756 ± 0.134		0.298 ± 0.017		0.398 ± 0.026		0.204 ± 0.013		0.413 ± 0.033		1.443 ± 0.076		2.128 ± 0.123	
NH ₄ ⁺	0.043 ± 0.021		0.066 ± 0.049		0.021 ± 0.001		0.045 ± 0.003		0.074 ± 0.004		0.157 ± 0.010		0.076 ± 0.005		0.147 ± 0.010	
Ca ²⁺	12.623 ± 0.904		12.088 ± 0.873		6.613 ± 0.327		5.023 ± 0.340		6.757 ± 0.045		6.384 ± 0.183		7.012 ± 0.191		7.888 ± 0.246	
K ⁺	0.109 ± 0.008		0.125 ± 0.010		0.148 ± 0.029		0.342 ± 0.090		0.098 ± 0.040		0.154 ± 0.183		0.234 ± 0.063		0.318 ± 0.246	
Mg ²⁺	0.254 ± 0.018		0.877 ± 0.063		0.282 ± 0.029		0.734 ± 0.090		0.383 ± 0.040		0.726 ± 0.183		0.561 ± 0.063		1.119 ± 0.246	
Na ⁺	0.056 ± 0.004		0.053 ± 0.005		0.139 ± 0.029		0.184 ± 0.090		0.018 ± 0.040		0.022 ± 0.183		0.124 ± 0.063		0.236 ± 0.246	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

Sample #	S3004				S3008				S3011				S3016																			
	USA, YPG, Yuma, AZ, Area 26500R								USA, YPG, Yuma AZ, Roadrunner Site								USA, Ft Carson CO								USA, Dugway PG, Utah, Lima Site							
	PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}		PM ₁₀		PM _{2.5}													
	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc	Conc	Unc												
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%												
Majors																																
Si	14.229 ± 0.032		17.224 ± 0.047		13.278 ± 0.028		18.331 ± 0.043		18.052 ± 0.043		18.959 ± 0.066		8.267 ± 0.024		9.329 ± 0.035																	
Ti	0.255 ± 0.003		0.299 ± 0.006		0.365 ± 0.003		0.375 ± 0.005		0.399 ± 0.005		0.351 ± 0.009		0.140 ± 0.003		0.130 ± 0.005																	
Al	4.975 ± 0.024		6.195 ± 0.043		4.365 ± 0.019		6.381 ± 0.035		6.250 ± 0.035		6.727 ± 0.064		1.882 ± 0.022		2.508 ± 0.036																	
Fe	3.647 ± 0.007		3.897 ± 0.010		4.009 ± 0.007		4.458 ± 0.009		4.306 ± 0.009		3.954 ± 0.013		1.427 ± 0.004		1.659 ± 0.006																	
Mg	0.420 ± 0.007		0.658 ± 0.013		0.241 ± 0.005		0.566 ± 0.010		0.224 ± 0.009		0.378 ± 0.019		1.187 ± 0.007		1.852 ± 0.014																	
Ca	4.196 ± 0.008		1.967 ± 0.006		3.075 ± 0.006		2.239 ± 0.006		1.855 ± 0.005		1.594 ± 0.008		15.593 ± 0.028		17.691 ± 0.032																	
K	2.077 ± 0.005		2.353 ± 0.008		2.007 ± 0.005		2.350 ± 0.007		2.505 ± 0.007		2.277 ± 0.011		1.164 ± 0.005		1.297 ± 0.007																	
Traces																																
As	0.00067 ± 0.00028		0.00053 ± 0.00075		0.00053 ± 0.00013		0.00088 ± 0.00047		0.00094 ± 0.00050		0.00150 ± 0.00162		0.00450 ± 0.00031		0.00937 ± 0.00088																	
Be	0.00017 ± 0.00007		0.00020 ± 0.00019		0.00013 ± 0.00003		0.00018 ± 0.00012		0.00016 ± 0.00012		0.00017 ± 0.00040		0.00006 ± 0.00008		0.00018 ± 0.00022																	
Cd	0.00003 ± 0.00007		0.00003 ± 0.00019		0.00004 ± 0.00003		0.00004 ± 0.00012		0.00003 ± 0.00012		0.00003 ± 0.00040		0.00004 ± 0.00008		0.00000 ± 0.00022																	
Cr	0.01166 ± 0.00014		0.02794 ± 0.00038		0.00386 ± 0.00006		0.01188 ± 0.00024		0.01368 ± 0.00025		0.03786 ± 0.00081		0.00682 ± 0.00015		0.03178 ± 0.00044																	
Hg	0.00000 ± 0.00014		0.00000 ± 0.00038		0.00003 ± 0.00006		0.00008 ± 0.00024		0.00009 ± 0.00025		0.00032 ± 0.00081		0.00005 ± 0.00015		0.00003 ± 0.00044																	
Mn	0.05215 ± 0.00028		0.06545 ± 0.00075		0.03939 ± 0.00013		0.05436 ± 0.00047		0.03786 ± 0.00050		0.03965 ± 0.00162		0.04938 ± 0.00031		0.11912 ± 0.00088																	
Ni	0.00236 ± 0.00028		0.00292 ± 0.00075		0.00181 ± 0.00013		0.00260 ± 0.00047		0.00223 ± 0.00050		0.00252 ± 0.00162		0.00161 ± 0.00031		0.00846 ± 0.00088																	
Pb	0.00214 ± 0.00007		0.00269 ± 0.00019		0.00230 ± 0.00003		0.00247 ± 0.00012		0.00259 ± 0.00012		0.00279 ± 0.00040		0.00181 ± 0.00008		0.00157 ± 0.00022																	
Sb	0.00007 ± 0.00007		0.00016 ± 0.00019		0.00004 ± 0.00003		0.00007 ± 0.00012		0.00009 ± 0.00012		0.00027 ± 0.00040		0.00020 ± 0.00008		0.00011 ± 0.00022																	
Sr	0.01143 ± 0.00007		0.01155 ± 0.00019		0.00421 ± 0.00006		0.00596 ± 0.00012		0.00637 ± 0.00012		0.00771 ± 0.00040		0.06904 ± 0.00028		0.00738 ± 0.00022																	
V	0.00403 ± 0.00008		0.00465 ± 0.00019		0.00395 ± 0.00003		0.00422 ± 0.00012		0.00579 ± 0.00012		0.00604 ± 0.00040		0.00197 ± 0.00008		0.00664 ± 0.00022																	
Zn	0.00821 ± 0.00028		0.01892 ± 0.00075		0.00613 ± 0.00013		0.00965 ± 0.00047		0.01124 ± 0.00050		0.01571 ± 0.00162		0.00528 ± 0.00031		0.01868 ± 0.00088																	
Ions																																
CL ⁻	0.078 ± 0.005		0.149 ± 0.009		0.078 ± 0.004		0.428 ± 0.022		1.538 ± 0.078		2.523 ± 0.131		0.364 ± 0.019		0.493 ± 0.026																	
NO ₃ ⁻	0.038 ± 0.004		0.073 ± 0.010		0.015 ± 0.002		0.060 ± 0.006		0.145 ± 0.013		0.340 ± 0.035		0.023 ± 0.003		0.045 ± 0.008																	
PO ₄ ³⁻	0.033 ± 0.004		0.132 ± 0.014		0.034 ± 0.003		0.123 ± 0.010		0.070 ± 0.010		0.197 ± 0.032		0.049 ± 0.005		0.104 ± 0.013																	
SO ₄ ²⁻	0.087 ± 0.007		0.179 ± 0.015		0.020 ± 0.002		0.036 ± 0.005		0.172 ± 0.014		0.357 ± 0.037		0.149 ± 0.010		0.294 ± 0.021																	
NH ₄ ⁺	0.043 ± 0.003		0.085 ± 0.005		0.052 ± 0.003		0.191 ± 0.010		0.179 ± 0.010		0.365 ± 0.022		0.010 ± 0.001		0.020 ± 0.002																	
Ca ²⁺	3.653 ± 0.085		1.794 ± 0.092		2.592 ± 0.097		1.801 ± 0.051		1.831 ± 0.082		2.608 ± 0.280		10.967 ± 0.154		16.028 ± 0.226																	
K ⁺	0.205 ± 0.035		0.268 ± 0.092		0.111 ± 0.015		0.154 ± 0.051		0.191 ± 0.082		0.380 ± 0.280		0.200 ± 0.033		0.324 ± 0.093																	
Mg ²⁺	0.090 ± 0.035		0.131 ± 0.092		0.085 ± 0.015		0.131 ± 0.051		0.915 ± 0.082		1.310 ± 0.280		0.418 ± 0.033		0.698 ± 0.093																	
Na ⁺	0.184 ± 0.035		0.246 ± 0.092		0.135 ± 0.015		0.169 ± 0.051		0.053 ± 0.082		0.147 ± 0.280		0.312 ± 0.033		0.435 ± 0.093																	

Supplement S4.1 - Chemical Concentrations (mass %) of Grab Soil Samples Re-suspended onto Filters, for PM₁₀ and PM_{2.5} Fractions

<u>Sample #</u>	<u>S3017</u>			
<u>Locality</u>	<u>USA, Dugway PG, Utah, X-ray Site</u>			
<u>Particle Size</u>	<u>PM₁₀</u>		<u>PM_{2.5}</u>	
	<u>Conc</u>	<u>Unc</u>	<u>Conc</u>	<u>Unc</u>
	<u>%</u>	<u>%</u>	<u>%</u>	<u>%</u>
<u>Majors</u>				
Si	8.134 ± 0.022		9.952 ± 0.030	
Ti	0.141 ± 0.002		0.157 ± 0.004	
Al	1.982 ± 0.020		2.547 ± 0.029	
Fe	1.631 ± 0.004		1.837 ± 0.006	
Mg	0.978 ± 0.005		1.652 ± 0.010	
Ca	13.354 ± 0.024		14.881 ± 0.027	
K	1.221 ± 0.005		1.378 ± 0.006	
<u>Traces</u>				
As	0.00241 ± 0.00018		0.00617 ± 0.00056	
Be	0.00009 ± 0.00005		0.00009 ± 0.00014	
Cd	0.00006 ± 0.00005		0.00006 ± 0.00014	
Cr	0.00479 ± 0.00009		0.00987 ± 0.00028	
Hg	0.00001 ± 0.00009		0.00023 ± 0.00028	
Mn	0.04834 ± 0.00021		0.05520 ± 0.00056	
Ni	0.00194 ± 0.00018		0.00221 ± 0.00056	
Pb	0.00142 ± 0.00005		0.00161 ± 0.00014	
Sb	0.00013 ± 0.00005		0.00013 ± 0.00014	
Sr	0.07118 ± 0.00019		0.08853 ± 0.00063	
V	0.00337 ± 0.00005		0.00290 ± 0.00014	
Zn	0.00552 ± 0.00018		0.00799 ± 0.00056	
<u>Ions</u>				
CL ⁻	0.122 ± 0.007		0.241 ± 0.013	
NO ₃ ⁻	0.015 ± 0.002		0.053 ± 0.006	
PO ₄ ³⁻	0.050 ± 0.005		0.078 ± 0.008	
SO ₄ ²⁻	0.069 ± 0.005		0.117 ± 0.009	
NH ₄ ⁺	0.019 ± 0.001		0.041 ± 0.003	
Ca ²⁺	7.367 ± 0.067		11.221 ± 0.115	
K ⁺	0.186 ± 0.027		0.337 ± 0.046	
Mg ²⁺	0.338 ± 0.027		0.650 ± 0.046	
Na ⁺	0.114 ± 0.027		0.155 ± 0.046	

Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample #	S1000		S1005		S1006		S1007		S1008		S1009	
	Hematite		Spain, Lanzarote, La Mala, Sample 1		Spain, Lanzarote, La Mala, Sample 2		Spain, Lanzarote, Mirador del Rio		Spain, Lanzarote, Vega de Femes		Mali, above Bamako	
	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}
Particle Size	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %
Silicates												
Quartz, SiO ₂	0.349	0.260	9.571	13.452	4.979	8.070	11.570	14.442	30.158	34.671	14.715	17.458
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	0.360	0.306	1.805	2.877	1.108	1.884	2.007	2.631	6.201	7.669	8.871	10.379
Carbonates												
Calcite, CaCO ₃	0.000	0.000	31.262	39.764	46.537	56.526	21.299	27.071	2.873	2.452	1.439	1.134
Dolomite, CaMg(CO ₃) ₂	0.000	0.000	7.480	11.818	4.589	9.596	11.035	21.453	1.696	2.570	0.615	0.587
Magnesite, MgCO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Soda Ash, Na ₂ CO ₃	0.000	0.000	0.000	0.000	0.095	0.092	0.492	0.298	0.000	0.000	0.000	0.000
Potash, K ₂ CO ₃	0.000	0.000	0.323	0.175	0.148	0.291	0.426	0.638	0.198	0.338	0.000	0.095
Sulfate & Phosphate												
CaSO ₄ ·2H ₂ O	0.385	0.002	0.289	0.221	0.399	0.484	0.679	0.769	0.000	0.000	0.000	0.000
Apatite, Ca ₅ (PO ₄) ₃ (F)	0.000	0.000	0.201	0.531	0.063	0.186	0.170	0.360	0.083	0.146	0.000	0.000
Evaporites												
Halite, NaCl	0.116	0.111	0.367	0.659	0.123	0.343	0.845	1.169	0.364	0.600	0.090	0.017
Sylvite, KCl	0.050	0.012	0.047	0.580	0.000	0.000	0.000	0.000	0.141	0.226	0.182	0.009
CaCl ₂	0.000	0.097	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Bischofite, MgCl ₂ ·6H ₂ O	0.099	0.207	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.008	0.000
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MgSO ₄	0.047	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Ammonium Salts												
Amm Sulf, (NH ₄) ₂ SO ₄	0.181	0.260	0.082	0.261	0.041	0.081	0.044	0.156	0.108	0.128	0.116	0.078
Amm Nitr, NH ₄ NO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.067	0.824	0.000	0.211
Oxides												
Hematite, Fe ₂ O ₃	86.731	81.107	2.296	3.015	1.516	2.250	4.304	4.570	9.601	9.881	23.127	19.966
Rutile, TiO ₂	0.000	0.000	0.211	0.253	0.156	0.205	0.676	0.700	1.716	1.741	0.703	0.744
Pyrolusite, MnO ₂	0.021	0.023	0.051	0.053	0.026	0.034	0.037	0.039	0.097	0.125	0.052	0.064
Total	88.337	82.386	53.985	73.659	59.781	80.044	53.586	74.296	53.302	61.370	49.919	50.741

Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample # Locality	S1010		S1011		S1013		S1014		S1016		S1017	
	Mali, Bamako		Mali, West Bamako		Cape Verde, Sala Is, Ponta Fiere, Site A		China (far northwest), Karamay, Sample 1		China (far northwest), Karamay, Sample 2		China (far northwest), Xinjiang (Daemon City), Sample 1	
	Particle Size	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀
	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %
Silicates												
Quartz, SiO ₂	17.842	19.628	15.250	18.380	13.923	18.417	28.504	31.578	30.466	31.442	26.336	33.014
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	7.841	9.427	8.874	11.075	3.092	4.303	5.604	6.728	5.625	6.245	3.060	3.863
Carbonates												
Calcite, CaCO ₃	0.868	0.558	0.283	0.188	25.133	16.612	9.572	8.176	4.474	4.114	10.404	4.942
Dolomite, CaMg(CO ₃) ₂	0.395	0.921	0.504	0.700	4.121	7.516	1.190	2.131	2.241	2.859	2.465	2.578
Magnesite, MgCO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Soda Ash, Na ₂ CO ₃	0.000	0.000	0.006	0.017	0.368	0.861	0.298	0.475	0.088	0.000	3.787	4.662
Potash, K ₂ CO ₃	0.000	0.146	0.101	0.130	0.403	0.674	0.173	0.394	0.257	0.311	1.399	2.260
Sulfate & Phosphate												
CaSO ₄ ·2H ₂ O	0.000	0.000	0.000	0.000	2.922	3.317	0.097	0.100	0.000	0.000	1.071	0.963
Apatite, Ca ₅ (PO ₄) ₃ (F)	0.096	0.123	0.191	0.325	2.958	11.066	0.000	0.156	0.133	0.000	0.069	0.000
Evaporites												
Halite, NaCl	0.144	0.064	0.060	0.180	1.962	2.434	0.331	0.490	0.836	0.924	0.854	0.857
Sylvite, KCl	0.190	0.125	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.084	0.000	0.000
CaCl ₂	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Bischofite, MgCl ₂ ·6H ₂ O	0.374	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MgSO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Ammonium Salts												
Amm Sulf, (NH ₄) ₂ SO ₄	0.158	0.155	0.059	0.036	0.112	0.188	0.071	0.136	0.086	0.115	0.000	0.043
Amm Nitr, NH ₄ NO ₃	0.715	0.083	0.209	0.297	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Oxides												
Hematite, Fe ₂ O ₃	18.328	18.099	25.823	26.101	4.318	4.880	6.448	6.927	5.783	5.778	4.553	5.366
Rutile, TiO ₂	0.855	0.873	0.906	0.875	0.470	0.501	0.572	0.601	0.577	0.574	0.356	0.378
Pyrolusite, MnO ₂	0.069	0.088	0.054	0.056	0.081	0.106	0.108	0.135	0.107	0.136	0.109	0.110
Total	47.875	50.291	52.319	58.362	59.862	70.878	52.968	58.026	50.674	52.583	54.462	59.035

Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample #	S1018		S1019		S1022		S1023		S1024		S1025	
Locality	China (far northwest), Xinjiang (Daemon City), Sample 2		USA, Owens Lake CA		Namibia, Etosha, Fischer Pan		Namibia, Etosha, Stinkwater		Namibia, Etosha, Lookout		Morocco, Lake Iriki	
Particle Size	PM₁₀	PM_{2.5}	PM₁₀	PM_{2.5}	PM₁₀	PM_{2.5}	PM₁₀	PM_{2.5}	PM₁₀	PM_{2.5}	PM₁₀	PM_{2.5}
	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %
Silicates												
Quartz, SiO ₂	33.006	36.653	26.412	35.668	23.012	30.497	7.637	5.699	6.331	9.516	25.796	28.400
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	5.469	6.243	2.936	3.843	0.225	0.197	0.747	0.723	0.591	0.813	6.715	8.048
Carbonates												
Calcite, CaCO ₃	0.000	0.000	15.163	4.992	6.242	0.000	2.297	0.367	3.623	0.000	10.378	5.438
Dolomite, CaMg(CO ₃) ₂	1.140	0.121	1.006	4.090	16.712	25.169	13.122	9.561	15.614	14.396	0.000	3.616
Magnesite, MgCO ₃	0.413	1.112	0.000	0.000	0.000	0.272	0.000	0.000	0.000	0.994	0.000	0.000
Soda Ash, Na ₂ CO ₃	0.486	2.257	4.770	3.949	1.940	1.743	5.320	11.889	8.607	11.864	0.000	0.194
Potash, K ₂ CO ₃	0.335	0.310	1.605	2.335	0.215	0.265	0.273	0.399	0.222	0.274	0.000	0.559
Sulfate & Phosphate												
CaSO ₄ ·2H ₂ O	0.868	1.676	1.128	1.083	0.000	0.000	0.000	0.000	0.000	0.000	0.008	0.089
Apatite, Ca ₅ (PO ₄) ₃ (F)	0.173	0.000	0.068	0.214	0.026	0.041	0.000	0.000	0.040	0.151	0.000	0.184
Evaporites												
Halite, NaCl	1.760	0.575	1.206	2.466	4.685	2.832	3.811	2.449	2.748	2.644	0.056	0.538
Sylvite, KCl	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.065	0.000
CaCl ₂	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.037	0.000
Bischofite, MgCl ₂ ·6H ₂ O	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.159	0.000
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	1.787	1.585	37.165	49.536	43.233	46.027	0.000	0.000
MgSO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Ammonium Salts												
Amm Sulf, (NH ₄) ₂ SO ₄	1.163	0.249	0.014	0.073	0.021	0.055	0.082	0.000	0.015	0.104	0.242	0.190
Amm Nitr, NH ₄ NO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Oxides												
Hematite, Fe ₂ O ₃	5.676	5.714	5.028	5.673	0.787	0.957	0.601	0.379	0.633	0.842	6.382	6.949
Rutile, TiO ₂	0.630	0.622	0.438	0.410	0.077	0.085	0.089	0.028	0.045	0.047	0.666	0.687
Pyrolusite, MnO ₂	0.054	0.062	0.093	0.119	0.019	0.022	0.012	0.010	0.010	0.011	0.137	0.140
Total	51.173	55.594	59.867	64.916	55.747	63.720	71.157	81.040	81.712	87.684	50.642	55.032

Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample #	S1027		S1033		S1034		S1035		S1038		S1039	
	Spain, Gran Canaria, Galdar		Spain, Fuerteventura, Pozo Negro, Sample 1		Spain, Fuerteventura, Pozo Negro, Sample 2		Spain, Fuerteventura, La Ampuyenta		Botswana, Makgadikgadi, Mopipi		Botswana, Makgadikgadi, Rakops	
	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}
Particle Size	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %
Silicates												
Quartz, SiO ₂	35.524	34.086	22.109	26.368	25.329	29.292	21.033	31.546	24.272	35.188	17.275	24.764
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	6.647	6.959	4.946	6.671	5.854	7.594	5.143	8.158	1.683	2.642	0.753	0.981
Carbonates												
Calcite, CaCO ₃	0.301	0.176	5.956	4.079	2.095	0.588	3.159	3.521	19.097	16.229	32.456	29.043
Dolomite, CaMg(CO ₃) ₂	2.412	2.273	2.576	5.463	1.453	2.933	1.952	3.147	1.330	2.025	0.830	3.309
Magnesite, MgCO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Soda Ash, Na ₂ CO ₃	0.185	0.258	0.175	0.094	0.035	0.000	0.269	0.288	0.322	0.101	2.277	2.925
Potash, K ₂ CO ₃	0.655	0.524	0.486	0.707	0.259	0.349	0.680	1.188	0.557	0.810	0.317	0.557
Sulfate & Phosphate												
CaSO ₄ ·2H ₂ O	0.000	0.000	0.172	0.124	0.042	0.000	0.035	0.000	0.453	0.404	0.464	0.517
Apatite, Ca ₅ (PO ₄) ₃ (F)	0.000	0.077	0.260	1.028	0.282	0.780	0.033	0.101	0.051	0.120	0.035	0.078
Evaporites												
Halite, NaCl	0.000	0.000	0.130	0.197	0.084	0.000	0.260	0.661	0.125	0.769	0.331	0.749
Sylvite, KCl	0.000	0.000	0.000	0.000	0.000	0.121	0.000	0.000	0.000	0.000	0.000	0.000
CaCl ₂	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Bischofite, MgCl ₂ ·6H ₂ O	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MgSO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Ammonium Salts												
Amm Sulf, (NH ₄) ₂ SO ₄	0.015	0.058	0.077	0.174	0.155	0.219	0.177	0.354	0.062	0.261	0.000	0.000
Amm Nitr, NH ₄ NO ₃	0.248	0.198	0.000	0.000	0.000	0.189	0.000	0.000	0.000	0.000	0.000	0.000
Oxides												
Hematite, Fe ₂ O ₃	7.576	6.942	6.192	6.382	7.617	7.815	5.533	7.195	2.843	3.275	1.417	1.704
Rutile, TiO ₂	1.561	1.373	0.786	0.753	1.174	1.114	0.660	0.866	0.198	0.221	0.060	0.072
Pyrolusite, MnO ₂	0.334	0.297	0.113	0.171	0.114	0.156	0.103	0.109	0.044	0.062	0.059	0.066
Total	55.458	53.223	43.976	52.211	44.491	51.149	39.036	57.133	51.036	62.109	56.274	64.765

Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample #	S1040		S1041		S1042		S1045		S1049		S1050		
	Botswana, Nxai Pan, Baines Baobabs		Botswana, Nxai Pan		Chile, Atacama, Rock Garden		USA, Black Rock playa, NV		Chad, Bodélé Depression, Sample 44		Chad, Bodélé Depression, Sample 44B		
	Particle Size	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}
	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %
Silicates													
Quartz, SiO ₂	16.324	26.506	30.691	39.900	28.850	31.841	27.964	32.343	15.839	33.604	24.619	34.756	
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	0.860	1.707	0.229	0.386	5.873	7.252	4.444	5.194	1.925	3.949	2.358	3.335	
Carbonates													
Calcite, CaCO ₃	0.000	0.000	1.908	1.552	2.768	2.272	7.536	6.923	18.282	20.713	29.650	21.385	
Dolomite, CaMg(CO ₃) ₂	4.659	3.475	6.036	9.332	0.694	1.038	1.679	2.750	3.014	3.601	3.165	3.422	
Magnesite, MgCO ₃	1.238	2.222	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Soda Ash, Na ₂ CO ₃	27.909	25.997	0.000	0.442	0.029	0.000	3.229	3.801	0.145	0.066	0.223	0.324	
Potash, K ₂ CO ₃	1.261	1.372	0.048	0.253	0.240	0.000	0.591	0.854	0.036	0.120	0.040	0.091	
Sulfate & Phosphate													
CaSO ₄ ·2H ₂ O	1.735	1.997	0.000	0.422	10.311	7.966	1.015	0.752	0.000	0.000	0.000	0.000	
Apatite, Ca ₅ (PO ₄) ₃ (F)	0.000	0.000	0.000	0.000	0.214	0.328	0.082	0.138	0.026	0.000	0.035	0.000	
Evaporites													
Halite, NaCl	4.012	2.826	0.065	0.296	0.225	0.355	1.463	1.003	0.068	0.411	0.151	0.171	
Sylvite, KCl	0.000	0.000	0.053	0.000	0.000	0.361	0.000	0.000	0.000	0.000	0.000	0.000	
CaCl ₂	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Bischofite, MgCl ₂ ·6H ₂ O	0.000	0.000	0.000	0.000	0.000	0.016	0.000	0.000	0.000	0.000	0.000	0.000	
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
MgSO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Ammonium Salts													
Amm Sulf, (NH ₄) ₂ SO ₄	0.008	0.063	0.079	0.111	0.314	0.805	0.019	0.000	0.110	0.127	0.078	0.062	
Amm Nitr, NH ₄ NO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Oxides													
Hematite, Fe ₂ O ₃	1.107	1.298	0.992	1.143	5.471	6.136	5.224	5.462	1.522	2.664	2.150	2.544	
Rutile, TiO ₂	0.135	0.154	0.098	0.085	0.452	0.442	0.425	0.433	0.169	0.302	0.221	0.253	
Pyrolusite, MnO ₂	0.029	0.038	0.049	0.065	0.088	0.101	0.088	0.095	0.043	0.040	0.036	0.048	
Total	59.277	67.655	40.246	53.988	55.529	58.911	53.760	59.747	41.180	65.597	62.727	66.392	

Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample #	S1051		S1052		S1053		S1055		S1056		S1057	
	Chad, Bodélé Depression, Sample 44C		USA, Reno NV, Peavine Mtn, white clay		USA, Reno NV, Peavine Mtn, yellow soil		China, Lanzhou, Jiuzhoutai Mtn, loess		Australia, Lake Eyre, Cooper Creek		Australia, Lake Eyre, Warburton River	
	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}
Particle Size	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %
Silicates												
Quartz, SiO ₂	53.876	53.113	48.951	51.750	22.106	31.437	24.019	25.976	25.278	31.750	30.309	35.937
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	5.645	5.901	3.684	4.295	5.124	7.781	4.718	6.282	5.770	7.486	7.519	8.972
Carbonates												
Calcite, CaCO ₃	0.127	0.000	0.000	0.465	0.437	0.196	16.888	15.869	6.881	5.086	0.434	0.465
Dolomite, CaMg(CO ₃) ₂	0.574	0.234	1.707	0.763	0.479	1.084	3.598	8.366	3.045	4.105	2.032	1.895
Magnesite, MgCO ₃	0.000	0.188	1.300	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Soda Ash, Na ₂ CO ₃	0.494	0.208	0.000	0.220	0.022	0.199	0.000	0.000	1.427	1.359	0.355	0.323
Potash, K ₂ CO ₃	0.187	0.042	0.681	0.082	0.086	0.177	0.221	0.000	0.420	0.552	0.404	0.391
Sulfate & Phosphate												
CaSO ₄ ·2H ₂ O	0.000	0.000	0.000	0.000	0.000	0.000	0.960	0.436	1.651	1.798	0.154	0.000
Apatite, Ca ₅ (PO ₄) ₃ (F)	0.000	0.211	0.179	0.154	0.000	0.000	0.062	0.295	0.194	0.281	0.155	0.193
Evaporites												
Halite, NaCl	0.295	0.451	0.627	0.000	0.000	0.000	0.654	1.219	0.724	1.280	1.038	1.166
Sylvite, KCl	0.000	0.000	0.007	0.000	0.000	0.000	0.008	0.454	0.000	0.000	0.000	0.000
CaCl ₂	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Bischofite, MgCl ₂ ·6H ₂ O	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.368	0.000	0.000	0.000	0.000
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MgSO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Ammonium Salts												
Amm Sulf, (NH ₄) ₂ SO ₄	0.033	0.047	0.000	0.007	0.108	0.142	0.099	0.357	0.093	0.305	0.343	0.482
Amm Nitr, NH ₄ NO ₃	0.000	0.000	0.690	0.324	0.153	0.479	0.000	0.000	0.000	0.000	0.000	0.202
Oxides												
Hematite, Fe ₂ O ₃	4.079	3.882	2.359	2.504	6.466	8.123	5.965	5.931	6.691	6.759	7.295	7.771
Rutile, TiO ₂	0.602	0.538	0.289	0.294	0.670	0.667	0.558	0.509	0.614	0.593	0.795	0.808
Pyrolusite, MnO ₂	0.060	0.060	0.010	0.008	0.048	0.053	0.098	0.121	0.064	0.067	0.122	0.109
Total	65.974	64.876	60.484	60.867	35.699	50.338	57.847	66.183	52.851	61.420	50.954	58.715

Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample # Locality	S1058		S1060		S1062		S1064		S1065		S1066	
	Australia, Lake Frome		Serbia, Batajnica, Danube R, loess		Serbia, Kostolac, Lignite pit, loess		Serbia, Stari Slankamen, loess		USA, Carbondale, California, red clay		USA, Arizona Road Dust	
	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %
Silicates												
Quartz, SiO ₂	15.761	31.237	26.942	31.938	26.788	32.794	26.990	27.880	22.052	20.466	50.441	50.012
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	3.173	6.391	6.740	8.641	6.526	8.609	6.727	7.130	12.029	12.545	3.313	4.478
Carbonates												
Calcite, CaCO ₃	0.000	0.000	1.077	0.818	1.124	0.000	7.202	9.816	0.366	0.191	2.478	3.207
Dolomite, CaMg(CO ₃) ₂	1.721	4.173	1.295	1.735	4.344	6.413	4.062	4.415	0.153	0.402	1.360	0.874
Magnesite, MgCO ₃	1.287	6.442	0.000	0.000	0.000	0.074	0.000	0.000	0.000	0.000	0.000	0.000
Soda Ash, Na ₂ CO ₃	1.396	0.188	0.000	0.134	0.076	0.000	0.000	0.293	0.000	0.057	0.909	0.064
Potash, K ₂ CO ₃	0.140	0.301	0.044	0.133	0.126	0.329	0.069	0.237	0.000	0.067	0.826	0.259
Sulfate & Phosphate												
CaSO ₄ ·2H ₂ O	0.602	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Apatite, Ca ₅ (PO ₄) ₃ (F)	0.088	0.000	0.061	0.177	0.043	0.000	0.069	0.125	0.000	0.000	0.053	0.091
Evaporites												
Halite, NaCl	4.328	6.819	0.232	0.441	0.000	0.253	0.307	0.401	0.167	0.000	0.082	0.281
Sylvite, KCl	0.000	0.000	0.097	0.000	0.000	0.051	0.093	0.000	0.044	0.000	0.000	0.000
CaCl ₂	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Bischofite, MgCl ₂ ·6H ₂ O	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.318	0.000	0.000	0.000
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MgSO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Ammonium Salts												
Amm Sulf, (NH ₄) ₂ SO ₄	0.063	1.127	0.076	0.080	0.000	0.000	0.093	0.122	0.204	0.198	0.026	0.000
Amm Nitr, NH ₄ NO ₃	0.000	0.000	0.000	0.787	0.083	1.371	0.615	0.753	0.868	0.183	0.007	0.226
Oxides												
Hematite, Fe ₂ O ₃	3.705	6.720	9.476	9.638	8.099	9.276	8.145	7.610	14.172	14.370	1.979	3.142
Rutile, TiO ₂	0.362	0.629	0.825	0.703	0.750	0.757	0.663	0.549	0.955	0.888	0.304	0.372
Pyrolusite, MnO ₂	0.099	0.209	0.182	0.253	0.122	0.145	0.140	0.157	0.020	0.021	0.040	0.063
Total	32.725	64.237	47.048	55.477	48.082	60.071	55.176	59.488	51.347	49.388	61.819	63.069

Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample # Locality	S2001		S2001		S2002		S2003		S2004		S2005	
	Djibouti, Camp Lemonnier		Djibouti, Camp Lemonnier		Afghanistan, Bagram		Afghanistan, Khowst		Qatar, Al Udeid		United Arab Emirates, Al Dhafra	
	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %
Silicates												
Quartz, SiO ₂	18.059	23.390	16.616	20.404	15.753	18.471	27.587	32.534	20.735	25.423	6.655	10.029
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	3.394	4.513	3.998	5.293	4.471	5.992	5.851	8.895	4.871	6.281	1.537	2.357
Carbonates												
Calcite, CaCO ₃	22.138	18.815	28.636	23.866	36.627	37.243	9.677	8.211	26.927	13.713	43.806	42.944
Dolomite, CaMg(CO ₃) ₂	2.628	4.889	2.033	3.424	2.163	3.026	1.943	1.882	3.724	7.060	14.736	25.559
Magnesite, MgCO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Soda Ash, Na ₂ CO ₃	-0.432	-0.542	0.034	0.020	0.028	0.085	0.038	0.001	0.048	0.064	0.000	0.000
Potash, K ₂ CO ₃	0.000	0.000	0.479	0.691	0.474	0.685	0.220	0.404	0.252	0.460	0.086	0.128
Sulfate & Phosphate												
CaSO ₄ ·2H ₂ O	-0.179	-0.484	2.667	1.454	0.030	0.000	0.132	0.068	0.000	0.000	2.231	1.822
Apatite, Ca ₅ (PO ₄) ₃ (F)			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Evaporites												
Halite, NaCl	0.637	0.850	0.139	0.190	0.038	0.000	0.047	0.119	0.000	0.063	0.368	0.520
Sylvite, KCl	0.449	0.568	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.040	0.088
CaCl ₂	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Bischofite, MgCl ₂ ·6H ₂ O	-0.613	-0.775	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MgSO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Ammonium Salts												
Amm Sulf, (NH ₄) ₂ SO ₄	0.362	0.622	0.195	0.308	0.156	0.115	0.108	0.306	0.073	0.271	0.145	0.260
Amm Nitr, NH ₄ NO ₃	0.000	0.000	0.000	0.000	0.000	0.090	0.000	0.000	0.047	0.000	0.000	0.000
Oxides												
Hematite, Fe ₂ O ₃	6.384	6.734	7.104	7.503	5.980	6.641	9.089	10.271	6.357	7.114	1.763	2.439
Rutile, TiO ₂	0.639	0.591	0.777	0.769	0.533	0.586	0.883	1.151	0.636	0.731	0.150	0.225
Pyrolusite, MnO ₂	0.126	0.191	0.098	0.224	0.084	0.128	0.131	0.223	0.098	0.131	0.042	0.056
Total	53.592	59.362	62.777	64.145	66.338	73.060	55.705	64.066	63.768	61.309	71.560	86.427

Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample # Locality	S2006		S2007		S2008		S2009		S2010		S2011	
	Iraq, Balad		Iraq, Baghdad, Camp Victory		Iraq, Tallil, Camp Adder		Iraq, Tikrit, Speicher		Iraq, Taji		Iraq, Al Asad	
	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %	PM ₁₀ wt %	PM _{2.5} wt %
Silicates												
Quartz, SiO ₂	18.174	20.850	19.342	23.079	13.990	19.558	19.188	24.115	13.947	12.456	4.359	7.249
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	3.842	4.841	4.502	5.700	2.860	4.251	4.623	5.913	2.847	3.020	1.220	2.267
Carbonates												
Calcite, CaCO ₃	23.291	17.986	26.278	18.898	38.880	38.813	28.148	21.861	27.139	28.301	27.833	23.893
Dolomite, CaMg(CO ₃) ₂	0.429	3.873	4.003	7.846	3.655	2.519	0.999	1.920	0.000	0.184	24.393	34.692
Magnesite, MgCO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Soda Ash, Na ₂ CO ₃	0.000	0.000	0.000	0.000	0.063	0.000	0.000	0.035	0.000	0.000	0.000	0.000
Potash, K ₂ CO ₃	0.000	0.000	0.000	0.000	0.225	0.140	0.209	0.385	0.000	0.000	0.000	0.000
Sulfate & Phosphate												
CaSO ₄ ·2H ₂ O	1.347	2.231	0.746	0.241	5.451	3.562	3.993	4.291	13.701	18.490	2.215	0.646
Apatite, Ca ₅ (PO ₄) ₃ (F)	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Evaporites												
Halite, NaCl	0.568	0.428	1.357	1.160	0.193	0.170	0.158	0.176	0.565	0.430	0.366	0.514
Sylvite, KCl	0.385	0.538	0.305	0.406	0.000	0.017	0.017	0.000	0.171	0.290	0.165	0.423
CaCl ₂	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	2.045	0.000	0.000	0.000
Bischofite, MgCl ₂ ·6H ₂ O	4.637	3.638	0.929	0.725	0.000	0.000	0.000	0.000	4.385	5.269	1.112	1.605
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MgSO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Ammonium Salts												
Amm Sulf, (NH ₄) ₂ SO ₄	0.135	0.509	0.183	0.334	0.219	0.505	0.174	0.420	0.144	1.651	0.152	0.829
Amm Nitr, NH ₄ NO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Oxides												
Hematite, Fe ₂ O ₃	5.227	5.209	7.057	7.637	3.197	4.468	6.029	6.818	4.391	2.986	1.440	2.206
Rutile, TiO ₂	0.549	0.560	0.611	0.640	0.428	0.607	0.591	0.675	0.447	0.375	0.153	0.280
Pyrolusite, MnO ₂	0.054	0.079	0.111	0.130	0.081	0.085	0.078	0.106	0.075	0.080	0.030	0.039
Total	58.637	60.741	65.426	66.797	69.241	74.695	64.207	66.716	69.857	73.533	63.438	74.643


Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample #	S2012		S2013		S2014		S2015		S2016		S2017	
	Kuwait North, Camp Buehring		Kuwait Central, Camp Ali Al Salem		Kuwait Coastal, Ash Shu Ayabah		Kuwait South, Camp Arifjan		Afghanistan, Helmand Province, Camp Leatherneck		Kuwait, Ash Shu Ayabah	
	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}
Particle Size	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %
Silicates												
Quartz, SiO ₂	21.306	26.346	19.795	24.199	18.314	22.710	19.783	23.606	22.560	28.268	18.338	25.091
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	4.734	6.277	4.701	5.922	3.868	5.204	3.964	5.244	4.325	5.944	3.034	4.346
Carbonates												
Calcite, CaCO ₃	25.223	18.686	32.247	23.556	32.584	28.472	29.514	26.747	14.009	7.119	12.639	10.307
Dolomite, CaMg(CO ₃) ₂	2.572	3.288	1.435	2.152	1.690	5.945	1.929	6.655	2.136	5.570	2.905	5.447
Magnesite, MgCO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Soda Ash, Na ₂ CO ₃	0.004	0.000	0.000	0.000	0.000	0.000	0.024	0.001	0.130	0.152	0.000	0.000
Potash, K ₂ CO ₃	0.357	0.462	0.188	0.213	0.174	0.216	0.193	0.221	0.262	0.604	0.020	0.000
Sulfate & Phosphate												
CaSO ₄ ·2H ₂ O	1.803	0.745	0.174	0.615	0.710	1.100	1.613	2.821	0.303	0.131	0.166	0.000
Apatite, Ca ₅ (PO ₄) ₃ (F)	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.043	0.101	0.062	0.000
Evaporites												
Halite, NaCl	0.106	0.106	0.167	0.144	0.041	0.053	0.116	0.134	0.208	0.301	0.045	0.055
Sylvite, KCl	0.000	0.005	0.018	0.024	0.013	0.010	0.000	0.000	0.000	0.000	0.166	0.294
CaCl ₂	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Bischofite, MgCl ₂ ·6H ₂ O	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.070
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MgSO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Ammonium Salts												
Amm Sulf, (NH ₄) ₂ SO ₄	0.122	0.249	0.295	0.405	0.146	0.285	0.156	0.241	0.078	0.166	0.273	0.521
Amm Nitr, NH ₄ NO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Oxides												
Hematite, Fe ₂ O ₃	6.380	7.182	5.226	5.619	5.174	5.654	4.561	5.191	5.305	6.164	4.362	5.341
Rutile, TiO ₂	0.614	0.713	0.478	0.533	0.508	0.586	0.492	0.554	0.424	0.511	0.345	0.400
Pyrolusite, MnO ₂	0.100	0.132	0.082	0.096	0.074	0.086	0.062	0.070	0.092	0.129	0.076	0.097
Total	63.318	64.192	64.805	63.477	63.297	70.323	62.408	71.484	49.877	55.159	42.430	51.969


Supplement S4.2 – Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry

Sample #	S3003		S3004		S3008		S3011		S3016		S3017	
	USA, YPG, Yuma AZ, Area 3835Z		USA, YPG, Yuma, AZ, Area 26500R		USA, YPG, Yuma AZ, Roadrunner Site		USA, Ft Carson CO		USA, Dugway PG, Utah, Lima Site		USA, Dugway PG, Utah, X- ray Site	
	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}	PM ₁₀	PM _{2.5}
Particle Size	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %	wt %
Silicates												
Quartz, SiO ₂	24.989	31.578	27.670	33.399	25.975	35.664	35.139	36.814	16.637	18.562	16.298	19.873
Kaolinite, Al ₂ Si ₂ O ₅ (OH) ₄	4.537	5.918	5.540	6.897	4.860	7.105	6.959	7.491	2.096	2.793	2.207	2.836
Carbonates												
Calcite, CaCO ₃	16.366	5.943	10.049	4.141	7.270	4.836	2.289	0.373	36.928	40.851	31.781	34.252
Dolomite, CaMg(CO ₃) ₂	2.955	6.553	0.685	0.992	0.641	0.994	4.091	6.006	3.169	5.294	2.563	4.933
Magnesite, MgCO ₃	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Soda Ash, Na ₂ CO ₃	0.000	0.000	0.359	0.512	0.310	0.259	0.000	0.000	0.175	0.267	0.081	0.000
Potash, K ₂ CO ₃	0.000	0.000	0.362	0.474	0.195	0.272	0.000	0.000	0.354	0.573	0.329	0.593
Sulfate & Phosphate												
CaSO ₄ ·2H ₂ O	1.850	0.874	0.000	0.000	0.000	0.000	0.000	0.000	0.352	0.466	0.153	0.162
Apatite, Ca ₅ (PO ₄) ₃ (F)	0.065	0.182	0.058	0.234	0.060	0.217	0.123	0.349	0.087	0.184	0.088	0.139
Evaporites												
Halite, NaCl	0.326	0.601	0.073	0.061	0.000	0.143	0.135	0.374	0.600	0.812	0.201	0.395
Sylvite, KCl	0.318	0.606	0.000	0.000	0.000	0.000	0.364	0.724	0.000	0.000	0.000	0.003
CaCl ₂	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Bischofite, MgCl ₂ ·6H ₂ O	0.960	2.139	0.000	0.000	0.000	0.000	3.143	4.335	0.000	0.000	0.000	0.000
Thenardite, Na ₂ SO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MgSO ₄	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Ammonium Salts												
Amm Sulf, (NH ₄) ₂ SO ₄	0.159	0.538	0.053	0.028	0.000	0.000	0.154	0.153	0.037	0.074	0.069	0.150
Amm Nitr, NH ₄ NO ₃	0.000	0.000	0.075	0.251	0.175	0.771	0.421	0.994	0.000	0.000	0.000	0.000
Oxides												
Hematite, Fe ₂ O ₃	4.150	4.493	5.215	5.572	5.732	6.374	6.157	5.653	2.040	2.372	2.331	2.627
Rutile, TiO ₂	0.412	0.412	0.425	0.498	0.610	0.626	0.665	0.585	0.233	0.216	0.235	0.262
Pyrolusite, MnO ₂	0.060	0.087	0.083	0.104	0.062	0.086	0.060	0.063	0.078	0.189	0.077	0.087
Total	57.148	59.924	50.646	53.163	45.892	57.347	59.700	63.913	62.785	72.653	56.413	66.313


Supplement S4.3 – Plots of Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry, Normalized to 100%




Supplement S4.3 – Plots of Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry, Normalized to 100%




Supplement S4.3 – Plots of Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry, Normalized to 100%




Supplement S4.3 – Plots of Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry, Normalized to 100%




Supplement S4.3 – Plots of Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry, Normalized to 100%




Supplement S4.3 – Plots of Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry, Normalized to 100%




Supplement S4.3 – Plots of Normative Mineral Concentrations (mass %) Calculated from Filter Chemistry, Normalized to 100%




Supplement S4.4 – Scatter Plots of Major Chemical Mass Components




Supplement S4.4 – Scatter Plots of Major Chemical Mass Components



Supplement S4.4 – Scatter Plots of Major Chemical Mass Components



Supplement S4.5 – Relationships of SSA with Dust Chemical Mass Composition



Supplement S4.6 – Elemental Mass Ratios for PM10 & PM2.5

Sample Locality	Si/Al		Ti/Al		Fe/Al		Mg/Al		Ca/Al		K/Al	
	PM10	PM2.5	PM10	PM2.5	PM10	PM2.5	PM10	PM2.5	PM10	PM2.5	PM10	PM2.5
S1000 Unspecified	0.76	0.70	0.00	0.00	213.62	252.15	0.00	0.00	0.28	0.13	0.02	0.06
S1005 Spain, Lanzarote, La Mala, Sample 1	3.02	2.69	0.08	0.06	0.99	0.82	0.61	0.32	8.82	7.26	0.45	0.35
S1006 Spain, Lanzarote, La Mala, Sample 2	2.60	2.49	0.09	0.07	1.07	0.93	1.07	0.55	19.85	14.72	0.33	0.29
S1007 Spain, Lanzarote, Mirador del Rio	3.26	3.12	0.22	0.18	1.67	1.35	0.93	0.57	6.19	6.70	0.53	0.45
S1008 Spain, Lanzarote, Vega de Femes	2.79	2.61	0.18	0.15	1.21	1.00	0.22	0.15	0.28	0.23	0.49	0.43
S1009 Mali, above Bamako	1.12	1.14	0.05	0.05	2.03	1.50	0.25	0.16	0.09	0.06	0.03	0.03
S1010 Mali, Bamako	1.44	1.34	0.07	0.06	1.82	1.50	0.26	0.18	0.07	0.06	0.07	0.06
S1011 Mali, West Bomako	1.15	1.12	0.07	0.05	2.27	1.84	0.28	0.18	0.04	0.04	0.04	0.03
S1013 Cape Verde, Sala Is, Punta Fiure, Site A	2.60	2.49	0.10	0.08	1.09	0.88	0.39	0.23	4.62	3.48	0.44	0.38
S1014 China, Karamay 1	2.91	2.70	0.07	0.06	0.90	0.80	0.18	0.13	0.82	0.63	0.47	0.43
S1016 China, Karamay 2	3.08	2.88	0.07	0.06	0.80	0.72	0.16	0.13	0.46	0.40	0.41	0.37
S1017 China, Xinjiang Sample 1	4.74	4.71	0.08	0.07	1.16	1.08	0.42	0.31	1.81	0.80	0.92	0.86
S1018 China, Xinjiang Sample 2	3.40	3.32	0.08	0.07	0.81	0.71	0.16	0.13	0.11	0.07	0.48	0.45
S1019 USA, Owens Lake CA	4.94	5.09	0.10	0.07	1.33	1.15	0.51	0.33	2.50	0.93	1.05	0.97
S1022 Namibia, Etosha, Fischer Pan	53.39	80.76	0.23	0.29	2.72	3.78	13.43	21.35	30.34	30.98	2.48	3.08
S1023 Namibia, Etosha, Stinkwater	5.05	4.36	0.06	0.03	0.55	0.41	1.59	0.63	7.50	3.42	1.44	0.98
S1024 Namibia, Etosha, Lookout	5.83	6.35	0.05	0.04	0.83	0.81	1.57	1.11	9.15	4.37	0.89	0.68
S1025 Morocco, Lake Iriki	2.26	2.10	0.07	0.06	0.74	0.67	0.12	0.09	0.69	0.42	0.40	0.37
S1027 Spain, Gran Canaria, Galdar	3.04	2.81	0.16	0.13	0.89	0.78	0.15	0.12	0.11	0.10	0.42	0.38
S1033 Fuerteventura, Pozo Negro, Sample 1	2.59	2.32	0.11	0.08	0.98	0.74	0.22	0.12	0.70	0.54	0.46	0.39
S1034 Fuerteventura, Pozo Negro, Sample 2	2.51	2.27	0.13	0.10	1.01	0.80	0.19	0.12	0.24	0.17	0.40	0.34
S1035 Spain, Fuerteventura, La Ampuyenta	2.39	2.27	0.09	0.07	0.84	0.69	0.18	0.09	0.37	0.29	0.43	0.37
S1038 Botswana, Makgadikgadi, Mopipi	7.77	7.19	0.08	0.06	1.32	0.97	0.87	0.41	5.33	2.98	0.96	0.76
S1039 Botswana, Makgadikgadi, Rakops	12.20	13.40	0.05	0.05	1.47	1.35	2.17	1.54	19.66	14.19	1.06	1.03
S1040 Botswana, Nxai Pan, Baines Baobabs	10.14	8.34	0.10	0.06	1.00	0.59	1.30	0.39	1.83	0.80	2.74	2.12
S1041 Botswana, Nxai Pan	70.13	54.13	0.29	0.15	3.38	2.31	16.45	6.67	10.11	7.94	3.56	2.91
S1042 Chile, Atacama, Rock Garden	2.82	2.55	0.05	0.04	0.73	0.66	0.14	0.10	0.71	0.48	0.36	0.34
S1045 USA, Black Rock playa, NV	3.54	3.50	0.06	0.06	0.92	0.82	0.23	0.18	0.91	0.77	0.54	0.50
S1049 Chad, Bodélé Depression, Sample 44	4.54	4.69	0.06	0.05	0.62	0.53	0.36	0.15	4.62	2.56	0.10	0.09
S1050 Chad, Bodélé Depression, Sample 44B	5.69	5.68	0.06	0.05	0.71	0.59	0.34	0.20	5.94	3.11	0.11	0.09
S1051 Chad, Bodélé Depression, Sample 44C	5.23	4.94	0.07	0.06	0.56	0.51	0.11	0.10	0.03	0.03	0.11	0.09
S1052 USA, Reno NV, Peavine Mtn, white clay	7.18	6.53	0.05	0.05	0.50	0.45	0.15	0.12	0.13	0.11	0.13	0.10
S1053 USA, Reno NV, Peavine Mtn, yellow soil	2.47	2.35	0.08	0.06	0.94	0.85	0.22	0.12	0.06	0.05	0.14	0.12
S1055 China, Lanzhou, Jiuzhoutai Mtn, loess	2.91	2.41	0.08	0.05	0.98	0.74	0.23	0.13	1.84	1.49	0.51	0.42
S1056 Australia, Lake Eyre, Cooper Creek	2.54	2.47	0.07	0.05	0.90	0.70	0.17	0.10	0.75	0.51	0.27	0.24
S1057 Australia, Lake Eyre, Warburton River	2.36	2.34	0.07	0.06	0.76	0.67	0.11	0.08	0.11	0.08	0.18	0.16
S1058 Australia, Lake Frome	2.85	2.80	0.08	0.07	0.91	0.82	0.32	0.14	0.19	0.16	0.38	0.33
S1060 Serbia, Batajnica, Danube R, loess	2.34	2.18	0.08	0.05	1.09	0.87	0.18	0.11	0.12	0.10	0.37	0.29
S1062 Serbia, Kostolac, Lignite pit, loess	2.40	2.24	0.08	0.06	0.97	0.84	0.16	0.11	0.24	0.18	0.37	0.31
S1064 Serbia, Stari Slankamen, loess	2.35	2.30	0.07	0.05	0.94	0.83	0.16	0.13	0.63	0.77	0.35	0.30
S1065 USA, Carbondale, California, red clay	1.21	1.11	0.05	0.05	0.92	0.89	0.08	0.08	0.02	0.01	0.03	0.03
S1066 USA, Arizona Road Dust	8.19	6.07	0.06	0.06	0.47	0.55	0.16	0.14	0.44	0.38	0.59	0.55
S2001 Djibouti, Camp Lemonnier	2.42	2.27	0.13	0.10	1.38	1.10	0.39	0.23	3.49	2.24	0.38	0.32
S2002 Afghanistan, Bagram	2.09	1.86	0.08	0.07	1.04	0.86	0.26	0.16	3.77	2.89	0.50	0.42
S2003 Afghanistan, Khowst	2.71	2.16	0.10	0.09	1.21	0.90	0.23	0.11	0.82	0.46	0.31	0.28
S2004 Qatar, Al Udeid	2.48	2.37	0.09	0.08	1.02	0.88	0.23	0.16	2.65	1.25	0.32	0.26
S2005 UAE, Al Dhafra	2.51	2.47	0.07	0.06	0.89	0.81	0.65	0.38	15.41	10.95	0.49	0.41
S2006 Iraq, Balad	2.72	2.50	0.10	0.08	1.06	0.84	0.31	0.19	2.82	1.97	0.40	0.33
S2007 Iraq, Baghdad, Camp Victory	2.50	2.37	0.09	0.07	1.22	1.04	0.30	0.20	2.86	1.82	0.28	0.23
S2008 Iraq, Tallil, Camp Adder	2.81	2.65	0.10	0.10	0.87	0.82	0.34	0.21	6.86	4.43	0.36	0.31
S2009 Iraq, Tikrit, Speicher	2.42	2.38	0.09	0.08	1.02	0.90	0.24	0.17	2.99	1.92	0.33	0.28
S2010 Iraq, Taji	2.81	2.41	0.10	0.08	1.20	0.77	0.47	0.28	5.79	5.78	0.40	0.28
S2011 Iraq, Al Asad	2.12	1.92	0.08	0.08	0.92	0.76	0.84	0.37	15.48	8.48	0.63	0.47
S2012 Kuwait, North, Camp Buehring	2.60	2.44	0.09	0.08	1.05	0.89	0.25	0.16	2.61	1.48	0.33	0.27
S2013 Kuwait, Central, Camp Ali Al Salem	2.45	2.39	0.07	0.06	0.87	0.74	0.21	0.14	3.14	1.89	0.30	0.25
S2014 Kuwait, Coastal, Ash Shu Ayabah	2.72	2.53	0.09	0.08	1.04	0.85	0.30	0.18	3.91	2.77	0.36	0.29
S2015 Kuwait, South, Camp Arifjan	2.86	2.60	0.08	0.07	0.90	0.77	0.25	0.16	3.54	2.72	0.37	0.30
S2016 Afghanistan, Camp Leatherneck	2.98	2.74	0.07	0.06	0.96	0.81	0.25	0.15	1.59	0.77	0.40	0.37
S2017 Kuwait, Shuaiba Port	3.41	3.27	0.08	0.06	1.12	0.96	0.41	0.25	2.11	1.36	0.35	0.30
S3003 USA, YPG, Yuma AZ, Area 3835Z	3.15	3.04	0.06	0.05	0.67	0.59	0.17	0.11	1.90	0.77	0.46	0.41
S3004 USA, YPG, Yuma, AZ, Area 26500R	2.86	2.78	0.05	0.05	0.73	0.63	0.15	0.10	0.84	0.32	0.42	0.38
S3008 USA, YPG, Yuma AZ, Roadrunner Site	3.04	2.87	0.08	0.06	0.92	0.70	0.21	0.11	0.70	0.35	0.46	0.37
S3011 USA, Ft Carson CO	2.89	2.82	0.06	0.05	0.69	0.59	0.11	0.09	0.30	0.24	0.40	0.34
S3016 USA, Dugway PG, Utah, Lima Site	4.39	3.72	0.07	0.05	0.76	0.66	0.40	0.26	8.28	7.05	0.62	0.52
S3017 USA, Dugway PG, Utah, X-ray Site	4.10	3.91	0.07	0.06	0.82	0.72	0.41	0.28	6.74	5.84	0.62	0.54
Minimum	0.76	0.70	0.00	0.00	0.47	0.41	0.00	0.00	0.02	0.01	0.02	0.03
Maximum	70.13	80.76	0.29	0.29	213.62	252.15	16.45	21.35	30.34	30.98	3.56	3.08
Geometric Mean	3.31	3.11	0.07	0.06	1.08	0.92	0.28	0.18	1.21	0.83	0.37	0.32
Arithmetic Mean	5.21	5.19	0.09	0.07	4.33	4.77	0.83	0.65	3.80	2.77	0.54	0.47
Relative differences in PM10 vs PM2.5		6		19		15		36		31		13

Supplement S5.1 – SEM-based Individual Particle Analysis – Summary Tables – 29 Chemical Categories

29 Chemical categories																				
Average weight percentage of approximately 1,000 individual particles per sample																				
	S1005	S1006	S1007	S1008	S1009	S1010	S1011	S1013	S1014	S1016	S1017	S1018	S1019	S1022	S1023	S1024	S1025	S1027	S1033	S1034
Si-rich	0.8	1.2	1.1	2.4	1.9	1.8	0.0	1.6	2.9	2.8	1.2	4.2	1.5	0.0	0.0		4.0	1.2	1.0	1.9
Si/Al(Ca,Mg)	1.3	3.9	2.5	0.0		0.0	0.0	7.1	0.4	0.2	0.2	0.0	0.3	0.4	2.0	1.5	0.1		4.1	0.1
Si/Al(Ca,Mg,Fe)	0.3	1.5	1.2	0.2	0.2	0.0		6.3	0.8	1.0	0.3	0.6	1.1	2.6		0.1	0.0	0.2	0.9	1.9
Si/Al(Ca,Mg,K,Fe)	8.8	1.9	17.1	3.2				8.2	6.2	1.8	1.4	0.0	0.4			0.0	4.5	1.6	7.6	1.6
Si/Al(K,Fe)				10.3	2.2	0.1	2.4	0.2	1.7	1.0	0.3	1.5	0.0				2.1	2.6	0.3	2.6
Si/Al(Mg,Fe)	0.4	0.6	0.9	0.8	0.6	1.3	0.2	1.3	8.2	6.8	5.6	10.6	0.4	0.0	0.1	0.0	2.2	5.6	2.0	4.6
Si/Al(Mg,K)	0.3	0.3	2.3	0.3	0.0	0.0	0.1	1.4	4.7	7.2	6.0	4.1	5.9	2.6	0.6	0.3	8.3	1.3	8.4	6.0
Si/Al(Mg,K,Fe)	2.1	0.8	9.3	44.7	0.2	1.1	0.1	3.7	28.6	32.7	24.7	27.6	23.1	0.0		0.1	28.1	70.9	26.3	29.1
Si/Al/Ca	8.3	0.7	5.0	1.6	0.1	1.6	0.0	7.5	1.1	1.6	1.1	0.2	0.5	0.0	0.0	0.0	1.8	0.0	4.3	1.7
Si/Al/Fe	2.1	0.3	0.7	3.9	49.2	45.5	50.5	0.2	0.6	0.9	0.5	0.5	0.1			0.2	2.6	0.9	0.7	7.6
Si/Al/K	4.8	0.0	1.1	11.0	0.4	0.3	1.0	2.3	13.0	10.9	5.6	16.2	5.1	0.9	0.7	0.5	13.8	3.5	4.2	6.5
Si/Al/Mg	5.6	4.2	3.7	1.1	0.5	0.5	0.1	2.4	6.2	5.6	22.9	5.1	32.1	0.6	7.9	6.0	5.8	2.2	22.2	9.0
Si/Al/Na	0.6	0.2	0.1	1.2	0.0	0.0	0.0	2.5	7.3	5.7	3.5	12.5	3.8	0.1	1.3	1.2	0.7	0.5	1.5	3.6
Si/Al	0.8	0.0	0.4	6.1	6.6	10.2	11.7	0.6	3.0	4.7	1.2	3.8	0.2		0.0	0.0	4.3	1.9	1.3	5.4
Mixed Clays	0.4	0.4	1.4	4.7	2.4	4.3	2.3	1.1	7.5	8.4	8.0	10.6	3.1	0.0	1.0	1.5	5.0	6.9	3.4	5.3
Si/Mg						0.0	0.0		0.0	0.0	11.6	0.0	10.8	54.8	1.7	3.7	0.0		0.0	0.4
Si/Mg/Ca		0.0	0.3			0.0		0.0	0.0	0.0	0.5	0.0	0.1	14.3	0.0	2.9			0.2	0.0
Ca/Mg/Si	2.8	3.9	20.6				0.0	0.2	0.0	0.2	0.2		1.0	8.4	3.1	9.9	2.8		0.6	0.1
Ca-rich	15.7	49.5	4.3	0.4	0.7	0.0			2.0	0.4	2.4	0.1	2.9	2.6	0.6	4.6	2.3		1.5	0.2
Ca/Mg	2.0	5.1	14.0			0.0		0.0	0.0	0.0		0.4		0.5	6.0	7.5	0.0		0.0	0.0
Ca/Si/Al	17.6	8.2	2.4	0.1	0.1	0.8	0.1	5.1	1.5	3.2	0.0	0.1	0.0	0.0	0.0	0.0	5.6		3.6	0.3
Ca/Si	23.8	13.4	4.4	0.6	0.0	0.0	0.1	6.4	2.9	3.0	1.7	0.0	3.8	5.9	0.4	1.9	1.8	0.1	3.5	0.1
Ca/P	0.0	1.5	0.0	0.0			0.0	39.9	0.1	0.2	0.5	0.1			0.0	0.0	0.0		0.0	0.1
Fe/Si	0.4	2.1	3.5	5.9	33.3	30.4	27.1	0.5	1.1	1.4	0.0	0.3	1.8	0.0		0.1	1.2	0.5	1.8	3.3
Fe-rich	0.6	0.3	1.8	0.4	0.5	1.3	3.2	0.0	0.0	0.0		0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9
Na/S										0.0	0.3	0.4	1.5	2.7	69.8	54.4				
Na-rich						0.0							0.3	1.0	3.2	1.9			0.0	0.0
C-rich	0.0	0.0	0.0						0.1	0.0	0.1	0.0			0.1	0.0	0.0		0.0	0.0
Misc.	0.3	0.3	2.0	1.1	1.1	0.5	1.1	1.5	0.1	0.4	0.5	1.0	0.0	2.6	1.5	1.6	2.7	0.2	0.4	0.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Country \ Region	Spain \ Lanzarote	Spain \ Lanzarote	Spain \ Lanzarote	Spain \ Lanzarote	Mali \ Bamako	Mali \ Bamako	Mali \ Bamako	Cape Verde \ Sal	China \ Karamay	China \ Karamay	China \ Xinjiang	China \ Xinjiang	USA \ California	Namibia \ Etosha	Namibia \ Etosha	Namibia \ Etosha	Morocco \ Iriki	Spain \ Gran Canaria	Spain \ Fuerteventura	Spain \ Fuerteventura

Supplement S5.1 – SEM-based Individual Particle Analysis – Summary Tables – 29 Chemical Categories

29 Chemical categories																							
Average weight percentage of approximately 1,000 individual particles per sample																							
	S1035	S1038	S1039	S1040	S1041	S1042	S1045	S1049	S1050	S1051	S1052	S1053	S1055	S1056	S1057	S1058	S1060	S1062	S1064	S1065	S1066	S2001	
Si-rich	1.0	2.7	4.0	2.1	0.8	0.3	1.7	16.8	4.9	17.0	25.6	1.7	4.5	1.9	1.5	4.1	1.3	4.2	2.2	0.1	36.9	0.5	
Si/Al(Ca,Mg)	0.3	9.2	7.8		0.4	8.4	0.4	0.4	0.0	0.0		0.0	0.4	0.3	0.1	0.0	0.0	0.0	0.0		0.1	0.8	
Si/Al(Ca,Mg,Fe)	0.0	2.1			0.0	4.1	0.5	0.6	6.9			0.3	1.5	0.2	0.1	0.1	0.1	1.4	6.4		0.3	7.3	
Si/Al(Ca,Mg,K,Fe)	2.2	3.4	0.1	0.0		9.6	6.0	1.1					4.9	2.2		1.3	0.0	3.2	9.0		1.8	7.9	
Si/Al(K,Fe)	5.0					1.8	0.4	0.2	1.8	0.2			5.8	0.1	6.6	9.1	0.3	13.6	3.1	6.1	2.0	0.2	0.4
Si/Al(Mg,Fe)	1.9	0.2	0.1	0.0	0.0	1.5	3.2	0.7	0.3	0.7	0.2	0.2	2.7	1.6	7.2	4.5	7.8	13.2	9.9	10.0	0.4	1.5	10.6
Si/Al(Mg,K)	1.2	7.5	0.4	10.4	1.7	5.1	3.9	0.5	0.0	0.0	0.0	0.6	7.2	0.3	0.0	5.1	4.5	1.7	0.9	0.0	0.2	1.7	
Si/Al(Mg,K,Fe)	53.4	4.3	0.1	3.1		16.8	44.8	0.6		4.9		4.2	13.8	29.2	21.2	24.9	33.7	42.6	24.7	0.0	2.5	14.0	
Si/Al/Ca	5.3	8.5	0.3	0.2	0.4	4.9	3.7	14.2	15.6	0.1	0.0	0.0	7.8	7.3	0.2	0.1	0.3	0.4	4.5		3.8	3.0	
Si/Al/Fe	4.0	0.0	0.0			0.6	0.7	5.8	6.4	29.0	1.1	34.0	3.8	7.2	33.4	0.4	7.2	6.9	3.2	65.5	0.3	2.8	
Si/Al/K	6.1	1.3	0.1	15.1	5.9	3.6	4.7	1.1	2.7	2.2	2.3	6.7	12.6	2.6	2.8	4.8	16.2	10.3	4.8	0.3	15.6	0.7	
Si/Al/Mg	2.0	27.3	27.9	6.3	5.4	22.0	6.7	2.7	1.8	1.1	1.2	1.3	4.7	2.4	1.9	38.8	1.7	1.2	3.1	0.2	0.6	18.6	
Si/Al/Na	2.8	0.3	0.0	4.0		3.3	1.8	0.5	1.8	1.0	2.9	6.0	5.9	0.3	1.3	1.8	0.7	2.4	0.5	0.1	13.9	0.2	
Si/Al	4.8	3.4	0.1	0.3	0.0	2.7	3.4	15.4	21.9	38.8	64.5	18.9	0.7	7.4	6.5	1.3	2.9	4.3	4.7	20.8	2.6	0.7	
Mixed Clays	3.2	9.7	0.7	2.6	0.1	4.1	8.6	12.2	4.8	3.2	1.8	11.5	5.1	12.7	15.4	2.9	3.5	1.7	6.1	2.9	15.0	8.7	
Si/Mg	0.1	0.2	12.7	19.6	67.8		0.1	0.0	0.3	0.0			0.0			0.1	0.0	0.0		0.0	0.1	0.7	
Si/Mg/Ca			8.9	0.0	10.3	0.0	0.1		0.0								0.0			1.1		0.3	
Ca/Mg/Si	0.0	0.0	4.2	0.0	2.2		1.6	0.1	0.0	0.0		0.0	0.7	0.3		0.3	0.0			0.0	0.0	0.1	
Ca-rich	0.2	3.5	14.1	7.3	1.9	2.5	0.4	11.9	8.5			0.0	5.3	2.0	0.0	0.1	0.0	1.3	3.3		0.4	7.0	
Ca/Mg		0.0	1.7	0.0	0.0			0.1	0.0				1.1	0.1	0.0	0.3		0.1	0.2		0.0	0.3	
Ca/Si/Al	3.5	1.9	0.0	0.0	0.0	5.3	2.2	6.6	5.1	1.0		0.1	3.9	5.1	0.1	0.4	0.0	2.3	2.1		0.0	1.7	
Ca/Si	1.4	14.4	16.5	5.3	2.9	0.0	4.6	8.4	16.3	0.0		0.0	10.6	4.6	0.0	1.1	0.1	0.4	2.9	0.0	1.2	10.4	
Ca/P						0.0	0.0	0.1	0.0				0.2			0.1		0.1	0.1		0.0	0.1	
Fe/Si	1.0	0.1	0.0	0.0	0.0	1.4	0.0		0.0	0.5		2.8	2.3	0.0	1.2	1.9	0.6	2.1	2.8	7.1	0.6	1.5	
Fe-rich	0.0		0.0			0.0		0.0	0.0			0.0	1.1		0.0	0.8	0.0	0.1	0.1	0.4	0.9	0.1	
Na/S	0.2	0.0	0.4	3.1	0.4		0.2					0.0				0.0		0.0					
Na-rich				19.0												0.0							
C-rich			0.0					0.0	0.0	0.0	0.0	0.0	3.0			0.0		0.0	0.6	0.0		0.0	
Misc.	0.2	0.0	0.1	1.5	0.0	1.9	0.3	0.1	0.8	0.3	0.2	0.4	0.3	0.1	0.5	1.1	0.3	0.3	0.4	0.2	0.9	0.3	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Country \ Region	Spain \ Fuerteventura	Botswana \ Makgadikgadi	Botswana \ Makgadikgadi	Botswana \ Baines	Botswana \ Xkai	Chile \ Atacama	USA \ Nevada	Chad \ Bodélé	Chad \ Bodélé	Chad \ Bodélé	USA \ Nevada	USA \ Nevada	China \ Lanzhou	Australia \ Eyre	Australia \ Eyre	Australia \ Frome	Serbia \ Batajnica	Serbia \ Kostolac	Serbia \ Stari Sankamen	USA \ California	USA \ Arizona	Djibouti \ Lemonnier	

Supplement S5.1 – SEM-based Individual Particle Analysis – Summary Tables – 29 Chemical Categories

29 Chemical categories																							
Average weight percentage of approximately 1,000 individual particles per sample																							
	S2001	S2002	S2003	S2004	S2005	S2006	S2007	S2008	S2009	S2010	S2011	S2012	S2013	S2014	S2015	S2016	S2017	S3003	S3004	S3008	S3011	S3016	S3017
Si-rich	1.3	4.0	12.0	1.2	0.5	3.5	1.2	2.5	4.8	5.2	1.2	1.3	1.5	2.2	5.5	2.2	1.7	3.2	1.0	3.6	4.2	1.3	4.1
Si/Al(Ca,Mg)	0.6	0.8	0.1	1.4	1.1	1.4	1.2	0.8		0.3	2.1	2.1	1.8	2.2	4.2	0.4	0.9	0.8	0.0	0.4	0.9	3.0	2.3
Si/Al(Ca,Mg,Fe)	2.7	3.4	0.4	3.6	2.9	3.2	12.2	1.5	2.0	7.7	1.0	2.7	15.1	9.2	11.7	1.6	4.1	0.3	1.1	1.2	0.6	1.2	1.1
Si/Al(Ca,Mg,K,Fe)	5.4	14.3	0.5	7.3	0.2	11.9	11.4	3.8	1.3	5.9	1.5	5.1	6.7	9.9	11.5	5.0	1.4	4.5	1.7	3.3	5.0	2.2	5.8
Si/Al(K,Fe)	0.1	3.3	1.6	0.1		0.0		0.0	0.3			0.7	0.1	0.0			1.2	0.3	2.1	0.5	5.5	0.0	0.0
Si/Al(Mg,Fe)	5.6	3.3	14.3	1.9	0.3	1.9	5.5	1.9	9.3	2.3	0.0	4.7	3.3	2.1	0.4	18.1	12.5	3.4	2.6	4.7	6.1	0.9	0.3
Si/Al(Mg,K)	0.8	1.3	0.6	2.8	0.6	3.9	0.2	1.9	2.5	0.8	1.9	3.4	1.1	0.7	1.1	10.5	2.4	14.9	8.5	5.6	1.5	2.6	2.8
Si/Al(Mg,K,Fe)	14.0	6.7	23.5	9.8	0.9	13.3	6.7	2.1	13.8	4.0	1.1	6.1	9.9	5.2	1.6	17.2	12.9	16.4	40.6	29.8	27.9	1.6	1.0
Si/Al/Ca	9.7	7.5	0.8	1.7	0.3	4.9	5.5	3.7	1.4	2.6	1.3	5.1	6.0	6.4	8.0	1.0	3.2	1.3	2.4	1.1	1.2	14.9	6.3
Si/Al/Fe	1.4	1.0	1.6	0.7		0.4	0.2	0.2	1.9	0.1		0.5	1.2	0.7	0.1	1.7	1.6	0.8	0.5	0.8	3.4	0.0	0.0
Si/Al/K	3.9	12.9	18.3	3.6	3.3	5.3	3.1	8.1	5.5	3.9	1.7	2.3	4.6	2.3	5.2	2.9	3.8	7.6	4.9	9.0	18.7	2.9	3.5
Si/Al/Mg	15.5	3.8	7.8	35.2	5.8	18.0	15.0	17.3	36.5	11.1	4.2	37.4	19.6	14.9	9.2	22.3	24.3	19.8	13.6	18.5	3.3	5.0	11.5
Si/Al/Na	1.2	1.1	3.5	1.0	0.1	1.1	0.2	1.4	0.8	2.2	0.5	2.6	1.2	1.4	2.4	1.9	1.4	3.9	1.7	0.8	2.6	0.3	0.5
Si/Al	0.2	4.8	4.7	1.1	0.0	2.0	0.6	0.6	2.7	1.4		0.3	0.8	0.7	0.8	1.2	1.6	2.8	5.7	6.5	7.3	0.4	0.5
Mixed Clays	8.8		2.9	2.7	2.1	0.2	4.0	2.6	1.6	3.2	1.6	0.1	2.7	4.0	3.0	2.8	12.0	7.1	10.8	7.7	6.6	1.5	5.2
Si/Mg	0.6	0.0	3.2	3.1	3.8	0.1	1.3	0.3	0.8	1.8	0.0	0.9	0.5	2.6	3.9	0.2	1.9	0.0				0.0	0.1
Si/Mg/Ca	0.1	0.3	0.0	0.3	1.3	0.1	0.5	0.4	0.1	0.3	1.8	0.4	0.4	2.1	1.4	0.0	0.2		0.0			0.0	0.0
Ca/Mg/Si	0.9	0.2	0.3	5.1	11.8	2.5	2.6	1.5	0.0	1.5	15.4	0.2	0.5	5.0	3.5	0.0	1.7	0.0			0.4	11.5	6.6
Ca-rich	7.8	2.9	0.6	1.4	23.0	3.7	3.3	27.7	4.1	26.2	8.3	2.7	5.8	7.0	5.6	3.2	3.0	5.8	0.2	0.4	0.8	17.7	15.9
Ca/Mg	0.2	0.0	0.0	0.4	32.9	0.4	0.4	0.1	0.4	1.4	54.1			2.4	1.2	0.0	1.6				1.8	6.0	0.5
Ca/Si/Al	3.4	9.4	0.7	1.4		1.4	6.3	2.4	0.9	1.7	0.1	1.7	2.6	1.1	1.8	1.4	0.8	3.0	0.9	2.7	0.6	4.6	2.1
Ca/Si	13.8	14.4	0.4	14.5	8.8	15.2	19.7	18.2	7.2	14.1	2.6	14.2	12.3	17.8	17.7	5.0	3.7	2.9	1.1	2.3	0.1	21.3	29.2
Ca/P	0.3		0.0	0.1	0.0	0.1	0.0	0.4	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.1	0.2	0.8	0.1
Fe/Si	0.9	1.0	1.7	0.2	0.8	0.8	0.1	0.1	0.3	0.6	0.6	0.4	0.4	0.1	0.3	1.1	0.5	0.8	0.3	0.3	0.8	0.1	0.1
Fe-rich	0.4		0.0	0.1				0.1	0.0	0.1	0.0			0.5		0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Na/S	0.0															0.0	0.0						
Na-rich																							
C-rich	0.0	0.0	0.5		0.1	0.0		0.0	0.1	0.1	0.0	0.2		0.0		0.0	0.0				0.0	0.0	
Misc.	0.2	0.5	0.4	0.1	1.0	0.8	0.1	1.5	0.1	3.1	0.4	2.2	0.4	0.4	0.6	0.4	1.7	0.3	0.0	0.8	0.6	0.0	0.3
Total	100.0	97.1	100.2	100.6	101.8	96.2	101.4	101.0	98.4	101.6	101.5	97.4	98.7	101.0	100.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Country\Region	Djibouti\Lemmonier	Afghanistan\Bagram	Afghanistan\Khowst	Qatar\Doha	UAE\Al Udeid	Iraq\Balad	Iraq\Baghdad	Iraq\Trailil	Iraq\Tikrit	Iraq\Taji	Iraq\Al Asad	Kuwait\Buehring	Kuwait\Al Salem	Kuwait\Shu Ayabah	Kuwait\Arifan	Afghanistan\Leatherneck	Kuwait\Shu Ayabah	USA\Arizona	USA\Arizona	USA\Arizona	USA\Colorado	USA\Utah	USA\Utah

Supplement S5.2 – SEM-based Individual Particle Analysis – Summary Tables – 15 Chemical Categories (Mineral names inferred)

15 Chemical categories																							
Average weight percentage of approximately 1,000 individual particles per sample																							
	S1005	S1006	S1007	S1008	S1009	S1010	S1011	S1013	S1014	S1016	S1017	S1018	S1019	S1022	S1023	S1024	S1025	S1027	S1033	S1034	S1035	S1038	
Si-rich (quartz)	2	0	1	6	0	2	0	1	7	8	3	10	2	0	0		5	3	4	5	2	2	
K-Al-Si (K feldspar/mica)	2	0	1	8	0	1	1	2	14	12	8	19	7	1	3	2	10	7	5	6	13	4	
Na-Al-Si (Na feldspar)	1	0	0	2	0	0	0	1	12	9	7	20	6	0	3	2	2	2	2	3	2	1	
Ca-Al-Si (Ca feldspar)	5	2	3	3	0	1	0	7	3	2	3	1	3	0		0	2	1	4	1	1	5	
Si-Al-Mg (clay)	15	7	14	70	64	56	58	31	52	57	58	41	59	9	14	13	58	86	71	72	67	64	
Ca-Si	27	19	8	2	1	1	1	6	6	6	2	1	1	4	1	1	6	0	5	1	3	11	
Si-Mg		0	0			0	0	0	0	0	14	0	16	67	3	7	0		0	0	0	0	
Ca-rich (calcite)	36	51	10	1	0	0	0	45	3	2	4	1	4	4	2	3	5		2	1	1	9	
Ca-Mg (dolomite)	10	18	55			0	0	0	0	0	0	0	0	0	11	4	13	1		1	0	1	
Ca-S (sulfates)	0							0	0	0	0		0									0	
Fe-rich (oxides)	1	1	4	6	30	35	33	2	2	2	0	3	1	0	0	0	8	1	3	4	6	0	
Salts	1	1	1		0	0	0	1	0	0	1	1	3	2	68	58	0	0	1	1	0	1	
Pb-bearing																							
C-rich			0						1	0	0	0			0	0	0		1	0			
Misc.	1	1	2	2	2	3	6	5	1	1	1	3		1	2	1	3	1	1	3	4	0	
Totals	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Site PM	S1005 LaMaia1 PM2.5	S1006 LaMaia2 PM2.5	S1007 Mirador PM2.5	S1008 DeFernes PM2.5	S1009 aBamako PM2.5	S1010 Bamako PM2.5	S1011 wBamako PM2.5	S1013 cVerde PM2.5	S1014 Karamay1 PM2.5	S1016 Karamay2 PM2.5	S1017 Daemon1 PM2.5	S1018 Daemon2 PM2.5	S1019 OwensL PM2.5	S1022 EtoshaF PM2.5	S1023 EtoshaS PM2.5	S1024 EtoshaL PM2.5	S1025 Liriki PM2.5	S1027 Galdar PM2.5	S1033 PozoNegro1 PM2.5	S1034 PozoNegro2 PM2.5	S1035 Ampuyenta PM2.5	S1038 Mopipi PM2.5	
Country\Region	Spain\Lanzarote	Spain\Lanzarote	Spain\Lanzarote	Spain\Lanzarote	Mali\Bamako	Mali\Bamako	Mali\Bamako	Cape Verde\Sai	China\Karamay	China\Karamay	China\Xinjiang	China\Xinjiang	USA\California	Namibia\Etosha	Namibia\Etosha	Namibia\Etosha	Morocco\Liriki	Spain\Gran Canaria	Spain\Fuerteventura	Spain\Fuerteventura	Spain\Fuerteventura	Botswana\Makgadikgadi	


Supplement S5.2 – SEM-based Individual Particle Analysis – Summary Tables – 15 Chemical Categories (Mineral names inferred)

15 Chemical categories																							
Average weight percentage of approximately 1,000 individual particles per sample																							
	S1039	S1040	S1041	S1042	S1045	S1049	S1050	S1051	S1052	S1053	S1055	S1056	S1057	S1058	S1060	S1062	S1064	S1065	S1066	S2001	S2001	S2002	
Si-rich (quartz)	2	8	3	1	5	19	16	28	21	4	6	4	2	8	3	11	7	0	32	2	1.3	4.0	
K-Al-Si (K feldspar/mica)	1	38	15	3	7	2	1	2	2	6	7	5	4	5	10	8	6	1	18	2	3.9	12.9	
Na-Al-Si (Na feldspar)	0	1		3	3	1	1	1	4	5	6	2	3	2	1	2	1	0	12	1	1.2	1.1	
Ca-Al-Si (Ca feldspar)	1	0	0	4	3	6	6	0	1	1	6	3	1	0	1	1	2		6	2	9.9	8.9	
Si-Al-Mg (clay)	34	22	22	77	74	48	53	61	72	73	30	71	86	73	77	65	47	75	20	64	54.9	44.4	
Ca-Si	13	2	3	6	5	11	9	0	0	1	17	7	0	1	1	3	10	0	2	10	17.3	23.8	
Si-Mg	24	9	49	0	0	0	1	1	0		0	0	0	0	0	0	0		1	0	0.7	0.3	
Ca-rich (calcite)	21	3	4	0	2	9	7			0	19	4	0	1	0	2	16		2	12	8.1	2.9	
Ca-Mg (dolomite)	4	0	2			1	1	0		0	4	2	0	1	0	1	0		0	0	1.1	0.2	
Ca-S (sulfates)				3							0	0	0	0								0.0	0.0
Fe-rich (oxides)	0	0	0	2	0	0	0	0	0	8	3	0	1	5	5	5	8	20	4	5	1.3	1.0	
Salts	0	14	1		0	0	1	1	0	0	0	1	0	1	0	0	0	0		0	0.0	0.0	
Pb-bearing																						0.0	0.0
C-rich						0	2	4		0						0	0	0		0	0.0	0.0	
Misc.	0	2	0	1	1	2	2	1		2	2	1	2	2	2	3	1	2	2	1	0.2	0.5	
Totals	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
Site PM	S1039 Rakops PM2.5	S1040 Baines PM2.5	S1041 Nxai PM2.5	S1042 AtacamaRG PM2.5	S1045 Black Rock PM2.5	S1049 Bodélé44 PM2.5	S1050 Bodélé44b PM2.5	S1051 Bodélé44c PM2.5	S1052 PeavineW PM2.5	S1053 PeavineY PM2.5	S1055 Lanzhou PM2.5	S1056 CooperC PM2.5	S1057 WarburtonR PM2.5	S1058 LFrome PM2.5	S1060 Batajnica PM2.5	S1062 Kostolac PM2.5	S1064 Slankamen PM2.5	S1065 Carbondale PM2.5	S1066 Arizona PM2.5	S2001 Djibouti PM2.5	S2001 Djibouti PM10	S2002 Bagram PM10	
Country\Region	Botswana\Maikadikgadi	Botswana\Baines	Botswana\Nxai	Chile\Atacama	USA\Nevada	Chad\Bodélé	Chad\Bodélé	Chad\Bodélé	USA\Nevada	USA\Nevada	China\Lanzhou	Australia\Eyre	Australia\Eyre	Australia\Frome	Serbia\Batajnica	Serbia\Kostolac	Serbia\Stari Slankamen	USA\California	USA\Arizona	Djibouti\Lemonnier	Djibouti\Lemonnier	Afghanistan\Bagram	


Supplement S5.2 – SEM-based Individual Particle Analysis – Summary Tables – 15 Chemical Categories (Mineral names inferred)


15 Chemical categories																					
Average weight percentage of approximately 1,000 individual particles per sample																					
	S2003	S2004	S2005	S2006	S2007	S2008	S2009	S2010	S2011	S2012	S2013	S2014	S2015	S2016	S2017	S3003	S3004	S3008	S3011	S3016	S3017
Si-rich (quartz)	12.0	1.2	0.5	3.5	1.2	2.5	4.8	5.2	1.2	1.3	1.5	2.2	5.5	6	5	10	7	9	14	4	6
K-Al-Si (K feldspar/mica)	18.3	3.6	3.3	5.3	3.1	8.1	5.5	3.9	1.7	2.3	4.6	2.3	5.2	4	5	10	8	9	15	3	3
Na-Al-Si (Na feldspar)	3.5	1.0	0.1	1.1	0.2	1.4	0.8	2.2	0.5	2.6	1.2	1.4	2.4	4	2	4	2	1	6	1	1
Ca-Al-Si (Ca feldspar)	1.5	2.2	0.6	5.9	5.8	4.1	1.6	2.8	2.6	5.2	6.6	7.5	9.4	2	2	2	2	2	2	4	4
Si-Al-Mg (clay)	56.8	65.4	11.8	59.0	55.3	31.3	73.2	34.0	10.6	65.6	62.9	47.6	41.5	64	62	60	76	69	52	16	20
Ca-Si	1.1	15.9	9.2	17.3	26.8	24.1	8.0	18.0	3.6	16.4	15.1	19.0	20.4	8	7	5	1	3	1	33	35
Si-Mg	3.3	3.4	5.2	0.2	1.8	0.6	0.9	2.2	1.8	1.3	0.9	4.7	5.3	1	3	0	0			0	1
Ca-rich (calcite)	0.6	1.6	21.5	3.0	2.6	20.7	4.3	11.4	4.3	2.5	5.8	6.8	5.0	5	5	5	1	1	3	26	22
Ca-Mg (dolomite)	0.3	5.4	44.8	2.9	3.0	1.6	0.4	3.0	67.7	0.2	0.5	7.4	4.6	0	3	0			2	10	6
Ca-S (sulfates)	0.0	0.0	2.0	0.6	0.0	4.5	0.0	14.6	3.4	0.0	0.0	0.4	0.0	0	0	1			0	0	
Fe-rich (oxides)	1.7	0.3	0.8	0.8	0.1	0.2	0.3	0.2	0.6	0.4	0.4	0.6	0.3	4	3	2	2	3	3	1	0
Salts	0.0	0.0	0.1	0.1	0.0	0.0	0.0	1.7	2.1	0.0	0.0	0.0	0.0	0	1	1	0	1	0	1	0
Pb-bearing	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								
C-rich	0.5	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.0	0.0	0.0		0					0	
Misc.	0.4	0.1	0.2	0.2	0.1	0.7	0.1	0.7	0.1	1.8	0.4	0.2	0.2	2	2	1	1	1	2	0	0
Totals	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Country \ Region	Afghanistan \ Khowst	Qatar \ Doha	UAE \ Al Udeid	Iraq \ Balad	Iraq \ Baghdad	Iraq \ Tallil	Iraq \ Tikrit	Iraq \ Taji	Iraq \ Al Asad	Kuwait \ Buehring	Kuwait \ Ali Al Salem	Kuwait \ Shu Ayabah	Kuwait \ Arifjan	Afghanistan \ Leatherneck	Kuwait \ Shu Ayabah	USA \ Arizona	USA \ Arizona	USA \ Arizona	USA \ Colorado	USA \ Utah	USA \ Utah
Site PM	S2003 Khowst PM10	S2004 Qatar PM10	S2005 UAE PM10	S2006 Balad PM10	S2007 Baghdad PM10	S2008 Tallil PM10	S2009 Tikrit PM10	S2010 Taji PM10	S2011 AlAsad PM10	S2012 Kuwait PM10	S2013 KuwaitCe PM10	S2014 KuwaitCo PM10	S2015 KuwaitS PM10	S2016 Helmand PM2.5	S2017 KuwaitPort PM2.5	S3003 Yuma3835 PM2.5	S3004 Yuma26500 PM2.5	S3008 YumaRoadr PM2.5	S3011 FCarson PM2.5	S3016 DugwayLima PM2.5	S3017 DugwayXray PM2.5


Supplement S5.3 – SEM-based Individual Particle Analysis, 15 Chemical Categories – Summary Mineral Plots




Supplement S5.3 – SEM-based Individual Particle Analysis, 15 Chemical Categories – Summary Mineral Plots







Individual Particle Analysis (≈1000 per filter) by CCSEM




Supplement S5.4 – Statistics of SEM-based measurements of particle Aspect Ratios on PM_{2.5} sample sets


Scanning Electron Microscopically (SEM) measured Aspect Ratios on PM_{2.5} samples

Sample #	Country-Region	Number of Particles	Min	Max	Ave	Median	Mode	Geom Mean	Std Dev
S1005	Spain - Las Canarias - Lanzarote	1395	1.000	3.754	1.496	1.402	1.333	1.456	0.381
S1006	Spain - Las Canarias - Lanzarote	1349	1.000	3.875	1.492	1.408	1.500	1.457	0.350
S1007	Spain - Las Canarias - Lanzarote	1417	1.000	4.142	1.538	1.428	1.333	1.489	0.427
S1008	Spain - Las Canarias - Lanzarote	1396	1.000	5.286	1.505	1.399	1.167	1.460	0.420
S1009	Mali	1263	1.000	5.300	1.555	1.459	1.333	1.507	0.426
S1010	Mali	1275	1.004	3.922	1.510	1.426	1.500	1.469	0.383
S1011	Mali	1353	1.000	5.014	1.501	1.408	1.250	1.460	0.380
S1013	Cape Verde	1392	1.008	4.160	1.448	1.366	1.500	1.415	0.336
S1014	China	2336	1.000	4.570	1.499	1.419	1.500	1.446	0.364
S1016	China	2405	1.000	4.035	1.458	1.372	1.125	1.405	0.352
S1017	China	1318	1.000	4.525	1.518	1.425	2.000	1.473	0.411
S1018	China	2418	1.000	6.711	1.460	1.366	1.333	1.407	0.394
S1019	USA	1302	1.005	5.285	1.547	1.431	1.172	1.494	0.462
S1022	Namibia	1331	1.000	3.833	1.561	1.449	1.333	1.510	0.434
S1023	Namibia	1400	1.000	3.922	1.498	1.398	1.500	1.457	0.384
S1024	Namibia	1389	1.000	4.024	1.562	1.465	1.156	1.514	0.427
S1025	Morocco	1328	1.008	5.461	1.542	1.441	1.500	1.493	0.445
S1027	Spain - Las Canarias - Gran Canaria	1383	1.000	3.691	1.552	1.454	1.500	1.506	0.411
S1033	Spain - Las Canarias - Fuerteventura	1186	1.000	5.232	1.569	1.411	1.500	1.497	0.571
S1034	Spain - Las Canarias - Fuerteventura	1826	1.006	8.500	1.699	1.458	2.000	1.586	0.771
S1035	Spain - Las Canarias - Fuerteventura	1355	1.000	6.771	1.513	1.404	1.200	1.464	0.460
S1038	Botswana	1340	1.000	3.815	1.521	1.432	1.333	1.478	0.400
S1039	Botswana	1279	1.000	5.333	1.574	1.476	1.333	1.522	0.453
S1040	Botswana	1392	1.000	4.227	1.491	1.379	1.500	1.447	0.402
S1041	Botswana	1324	1.002	4.848	1.479	1.365	1.167	1.436	0.400
S1042	Chile	1267	1.000	4.687	1.604	1.473	1.333	1.544	0.482
S1045	USA	1408	1.000	3.713	1.481	1.395	1.500	1.443	0.362
S1049	Chad	1162	1.000	5.213	1.692	1.571	2.000	1.622	0.536
S1050	Chad	1164	1.002	10.200	1.791	1.580	2.000	1.685	0.753
S1051	Chad	1157	1.000	7.859	1.826	1.580	2.000	1.698	0.833
S1052	USA	1132	1.000	7.222	1.726	1.550	1.333	1.630	0.688
S1053	USA	2394	1.000	4.467	1.464	1.375	1.250	1.411	0.358
S1055	China	1316	1.000	6.889	1.548	1.441	2.000	1.495	0.477
S1056	Australia	1365	1.000	5.133	1.525	1.406	1.286	1.476	0.433
S1057	Australia	1408	1.005	3.562	1.473	1.405	1.500	1.440	0.332
S1058	Australia	1431	1.000	4.671	1.478	1.377	1.333	1.439	0.376
S1060	Serbia	1357	1.000	3.414	1.508	1.413	1.333	1.466	0.385
S1062	Serbia	1315	1.000	9.629	1.568	1.442	1.333	1.505	0.542
S1064	Serbia	1330	1.010	4.125	1.489	1.387	1.250	1.446	0.396
S1065	USA	1318	1.000	4.200	1.523	1.429	1.667	1.478	0.416
S1066	USA	1331	1.000	4.807	1.679	1.569	2.000	1.616	0.502
S2001	Djibouti	1382	1.000	4.208	1.484	1.374	1.500	1.442	0.392
S2002	Afghanistan	506	1.016	2.822	1.391	1.339	1.383	1.368	0.271
S2003	Afghanistan	437	1.027	4.450	1.407	1.353	1.191	1.379	0.320
S2004	Qatar	731	1.013	7.613	1.486	1.370	1.333	1.440	0.458
S2005	UAE	959	1.003	5.360	1.426	1.335	1.129	1.390	0.367
S2006	Iraq	814	1.009	3.936	1.421	1.334	1.196	1.389	0.340
S2007	Iraq	626	1.000	4.104	1.436	1.368	1.200	1.403	0.346
S2008	Iraq	754	1.010	3.661	1.424	1.335	1.445	1.389	0.344
S2009	Iraq	783	1.014	4.201	1.470	1.398	1.277	1.436	0.340
S2010	Iraq	660	1.015	6.907	1.469	1.369	1.194	1.429	0.412
S2011	Iraq	808	1.004	3.090	1.418	1.329	1.278	1.388	0.316
S2012	Kuwait	620	1.012	6.618	1.563	1.421	1.160	1.495	0.559
S2013	Kuwait	692	1.012	6.233	1.534	1.427	1.426	1.487	0.434
S2014	Kuwait	767	1.005	3.443	1.474	1.410	1.248	1.440	0.338
S2015	Kuwait	656	1.006	5.615	1.460	1.390	1.197	1.426	0.365
S2016	Afghanistan	1338	1.000	10.346	1.539	1.415	1.500	1.482	0.522
S2017	Kuwait	2345	1.000	5.934	1.476	1.384	1.500	1.434	0.406
S3003	USA	1428	1.003	3.576	1.496	1.394	1.500	1.455	0.386
S3004	USA	1393	1.000	3.479	1.510	1.420	2.000	1.469	0.383
S3008	USA	1418	1.000	6.300	1.554	1.440	1.250	1.499	0.477
S3011	USA	1405	1.000	6.573	1.501	1.394	1.250	1.456	0.424
S3016	USA	1361	1.000	5.121	1.601	1.483	1.333	1.546	0.462
S3017	USA	1324	1.000	5.115	1.593	1.479	1.250	1.536	0.474
Average		1285	1.00	5.14	1.52	1.42	1.42	1.48	0.43
Min		437	1.00	2.82	1.39	1.33	1.13	1.37	0.27
Max		2418	1.03	10.35	1.83	1.58	2.00	1.70	0.83


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1005: Las Canarias, Lanzarote Island. Composite particle of clay (illite) (Mg, Al, Si, K, Fe) on calcite (Ca)



Sample S1006: Las Canarias: Lanzarote Island. Calcite (Ca) particle with some dolomite (Ca, Mg) and trace of a silicate (Si) mineral




Sample S1007: Las Canarias: Lanzarote Island. Dolomite (Mg, Ca) particle with traces of silicate mineral (Si)




Sample S1008: Las Canarias: Lanzarote Island. Alkaline feldspar (Na, Al, Si, K, Ca, Fe), (albite plagioclase) particle


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1009: Mali, Bamako. Particle of polycrystalline kaolinite (Al, Si) with trace of iron (Fe), possible goethite or hematite



Sample S1009: Mali, Bamako. Composite particle of kaolinite (Al, Si) and iron oxide (Fe), possibly goethite or hematite




Sample S1010: Mali, Bamako. Composite particle of several possible minerals, including kaolinite (Al, Si), calcite (Ca), apatite (Ca, P), gypsum (Ca, S), iron oxide (Fe), possibly goethite or hematite, and manganese oxides (Mn)




Sample S1010: Mali, Bamako. Composite particle of kaolinite (Al, Si) and iron oxide (Fe), possibly goethite or hematite, with traces of titanium (Ti) and chromium (Cr)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1011: Mali, West Bamako. Particle of kaolinite (Al, Si) with minor amounts of iron oxide (Fe), possibly goethite or hematite and montmorillonite (Mg, Al, Si)



Sample S1011: Mali, West Bamako. Composite particle of kaolinite (Al, Si), possibly a bauxite mineral gibbsite (Al), and iron oxide (Fe), goethite or hematite, with traces of titanium (Ti) and chromium (Cr)











Sample S1013: Cape Verde. Composite particle of apatite (Ca, P), with possible minor amounts of illite clay (Mg, Al, Si, K, Fe), gypsum (Ca, S), and halite (Na, Cl)




Sample S1014: NW China. Calcite (Ca) with surface coating of illite (Mg, Al, Si, K)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra

	
<p>Sample S1014: NW China. Particle of the clay mineral illite (Mg, Al, Si, K, Fe) and trace of halite (Na)</p>	
	
<p>Sample S1014: NW China. Particle of the quartz (Si) with the clay mineral illite (Mg, Al, Si, K, Fe) and trace amounts of calcite (Ca) and halite (Na)</p>	
	
<p>Sample S1016: NW China: Particle, possibly of the amphibole (hornblende) (Na, Mg, Al, Si, K, Ca, Ti, Fe) mixed with illite clay (Mg, Al, Si, K, Fe)</p>	
	
<p>Sample S1016: NW China: Quartz (Si) particle with small amount of clay (Al, Si, K) attached</p>	


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1017: NW China. Plagioclase feldspar (Na, Al, Si) with needles of undetermined phase



Sample S1018: NW China. Quartz particle (Si) with small amount of clay (Al)



Sample S1019: USA, Owens Lake. Sepiolite or serpentine (Mg, Si) particle with traces of halite (Na, Cl) and illite clay (Mg, Al, Si, K, Fe)




Sample S1022: Namibia, Etosha: Composite particle of sepiolite or serpentine (Mg, Si) and calcite (Ca), and/or dolomite (Mg, Ca) with traces of halite (Na) and clay (Al, Si)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra

<p>Sample S1023: Namibia, Etosha. Particle of thenardite (Na, S) with trace of quartz (Si)</p>	
<p>Sample S1023: Namibia, Etosha: Particle of dolomite (Mg, Ca) with traces of halite (Na, Cl) and of quartz (Si)</p>	
<p>Sample S1024: Namibia, Etosha: Rhombohedral particle of dolomite (Mg, Ca) with traces of thenardite (Na, S) and quartz (Si)</p>	
<p>Sample S1025: Morocco, Iriki: Particle of possibly amphibole (hornblende) (Na, Mg, Al, Si, K, Ca, Fe)</p>	


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1025: Morocco, Iriki: Cluster of illite (Mg, Al, Si, K, Fe) or palygorskite clay particles



Sample S1027: Spain, Gran Canaria: Particle of illite clay (Mg, Al, Si, K, Fe)




Sample S1033: Spain, Fuerteventura: Cluster of illite (Mg, Al, Si, K, Fe) or palygorskite clay particles




Sample S1033: Spain, Fuerteventura: Particle of plagioclase (Na, Al, Si, Ca) with coating of clay (Mg, Al, Si, K, Fe)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1034: Spain, Fuerteventura: Cleavage flake of potassium feldspar (orthoclase) (Al, Si, K) with traces of clay (Mg, Al)



Sample S1034: Spain, Fuerteventura: Particle of kaolinite clay (Al, Si) with trace amounts of other clays and possibly mica (K, Mg, K, Fe)




Sample S1035: Spain, Fuerteventura: Calcite particle (Ca) with illite (Mg, Al, Si, K, Fe) clay coating and trace of halite (Cl)




Sample S1038: Botswana, Makgadikgadi: Calcite particle (Ca) with small amounts of illite (Mg, Al, Si, K, Fe) clay attached


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1038: Botswana, Makgadikgadi: Quartz particle (Si) with small amounts of clay (Mg, Al, Si) and traces of halite (Cl) and calcite/dolomite (Ca, Mg) attached



Sample S1039: Botswana, Makgadikgadi: Rounded calcite particle (Ca) with small attachments of clay (Mg, Al, Si)




Sample S1039: Botswana, Makgadikgadi: Rounded quartz particle (Si) with small attachments of clay (Mg, Al, Si, K, Fe) and trace of halite (Na)




Sample S1040: Botswana, Makgadikgadi: Angular cleavage flake of potassium feldspar (K, Al, Si, Na) completely coated by clay (Mg, Al, Si), possibly palygorskite. Smaller well rounded particle of halite to the lower right of feldspar


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1041: Botswana, Nxai Pan: Clusters of finger shaped sepiolite (Mg, Si) crystals, with a trace of clay (Mg, Al, Si)



Sample S1042: Chile, Atacama: Clusters quartz grains (Si) with a trace of clay (Al)



Sample S1042: Chile, Atacama: Illite clay particle (Mg, Al, Si, K, Fe)




Sample S1045: USA, Nevada: Potassium feldspar (Na, Al, Si, K, Fe) with coating of halite (Na, Cl) and illite clay (Mg, Al, Si, K, Fe)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra

<p>Sample S1045: USA, Nevada: Quartz (Si) with coating of illite clay (Mg, Al, Si, K) and trace of halite (Na)</p>	
<p>Sample S1049: Chad, Bodélé: Diatom (Si) with coating of possibly kaolinite clay (Al, Si) and trace of calcite (Ca)</p>	
<p>Sample S1049: Chad, Bodélé: Smooth quartz (Si) particle with coating of possibly kaolinite clay (Al, Si)</p>	
<p>Sample S1050: Chad, Bodélé: Diatom (Si) particle with traces of kaolinite clay (Al, Si) and calcite (Ca)</p>	


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1052: USA, Nevada: Particle of biotite (Na, Mg, Al, Si, K, Ti, Fe)



Sample S1053: USA, Nevada: Particle of possibly albite feldspar (Na, Al, Si)




Sample S1053: USA, Nevada: Particle of kaolinite clay (Al, Si) with impurity of iron oxide/hydroxide (Fe)




Sample S1055: China, Lanzhou: Particle of illite clay (Mg, Al, Si, K, Fe)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1055: China, Lanzhou: Composite particle of illite clay (Mg, Al, Si, K, Fe) and calcite (Ca) with impurities of halite (Na, Cl)



Sample S1055: China, Lanzhou: Wedge shaped quartz (Si) particle with small amount clay (Mg, Al) attached



Sample S1056: Australia, Lake Eyre: Rounded illite clay (Mg, Al, Si, K, Fe) particle with trace of halite (Na)




Sample S1056: Australia, Lake Eyre: Irregular shaped gypsum (Ca, S) particle with trace of clay (Al, Si)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra

<p>EDS spectrum for Sample S1057. The y-axis is labeled 'cps/eV' and ranges from 0 to 24. The x-axis is labeled 'keV' and ranges from 0 to 10. Peaks are labeled: C (~0.28 keV), O (~0.51 keV), Si (~1.74 keV), Al (~1.55 keV), Mg (~1.30 keV), Fe (~0.71 keV), and Na (~1.04 keV).</p>	<p>SEM image of a round quartz particle. The image shows a spherical, textured particle. A scale bar at the bottom right indicates 1.00um. Metadata: S-5500 15.0kV 0.0mm x40.0k SE.</p>
<p>Sample S1057: Australia, Lake Eyre: Round quartz (Si) particle with small amounts of clay (Mg, Al), halite (Na) and iron oxide (Fe)</p>	
<p>EDS spectrum for Sample S1057. The y-axis is labeled 'cps/eV' and ranges from 0 to 18. The x-axis is labeled 'keV' and ranges from 0 to 10. Peaks are labeled: O (~0.51 keV), Si (~1.74 keV), Al (~1.55 keV), Mg (~1.30 keV), K (~3.96 keV), and Fe (~0.71 keV).</p>	<p>SEM image of a kaolinite particle. The image shows a cluster of irregular, layered particles. A scale bar at the bottom right indicates 1.00um. Metadata: S-5500 15.0kV 0.0mm x50.0k SE.</p>
<p>Sample S1057: Australia, Lake Eyre: Kaolinite (Al, Si) particle with traces of illite (Mg, Al, Si) halite (Na) and iron oxides (Fe)</p>	
<p>EDS spectrum for Sample S1058. The y-axis is labeled 'cps/eV' and ranges from 0 to 50. The x-axis is labeled 'keV' and ranges from 0 to 10. Peaks are labeled: O (~0.51 keV), Si (~1.74 keV), Al (~1.55 keV), and Na (~1.04 keV).</p>	<p>SEM image of a quartz particle. The image shows a large, angular, faceted particle. A scale bar at the bottom right indicates 1.00um. Metadata: S-5500 30.0kV -0.1mm x30.0k SE.</p>
<p>Sample S1058: Australia, Lake Frome: Quartz (Si) particle with trace of clay (Al, Si)</p>	
<p>EDS spectrum for Sample S1058. The y-axis is labeled 'cps/eV' and ranges from 0 to 24. The x-axis is labeled 'keV' and ranges from 0 to 10. Peaks are labeled: O (~0.51 keV), Na (~1.04 keV), Cl (~2.64 keV), and Si (~1.74 keV).</p>	<p>SEM image of a halite cube attached to a clay flake. The image shows a large, angular, faceted particle (halite) attached to a smaller, layered particle (illite clay). A scale bar at the bottom right indicates 1.00um. Metadata: S-5500 30.0kV -0.1mm x45.0k SE.</p>
<p>Sample S1058: Australia, Lake Frome: Cube of halite (Na, Cl) (to the right of particle) attached to a flake of illite clay</p>	


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S1060: Serbia, Batajnica: Quartz (Si) particle with trace amounts of clay (Al) and iron oxide (Fe)



Sample S1062: Serbia, Kostolac: Particle composed of kaolinite (Al, Si) with small amount of illite (Mg, Al, Si, K, Fe, Mn)




Sample S1062: Serbia, Kostolac: Rounded quartz (Si) particle




Sample S1064: Serbia, Stari Slankamen: Particle of apatite (Ca, P) with small amount of clay (Mg, Al, Si) and halite (Na)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S2001: Djibouti, Lemonnier: Illite clay (Mg, Al, Si, K, Fe) encapsulating a calcite (Ca) particle



Sample S2001: Djibouti, Lemonnier: Plagioclase feldspar (Na, Al, Si) with small amount of surface clay (Mg, Al, Si)




Sample S2002: Afghanistan, Bagram: Orthoclase feldspar (K, Na, Al, Si)




Sample S2002: Afghanistan, Bagram: Pseudo rhomb of dolomite (Mg, Ca)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S2003: Afghanistan, Khowst. Quartz (Si) particle with clay (Al) attached



Sample S2003: Afghanistan, Khowst. Calcite (Ca) particle with finger shaped clay (Mg, Al, Si) particles on surface, possibly montmorillonite, illite or palygorskite




Sample S2004: Qatar, Al Udeid. Calcite (Ca) cleavage flake with trace amounts of clay (Mg)




Sample S2005: UAE, Al Dhafra. Calcite (Ca) with small amounts of clay (Mg, Al, Si), and trace amounts of gypsum (Ca, S) and halite (Cl)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S2006: Iraq, Balad. Particle largely of kaolinite (Al, Si) with needles of possible palygorskite attached



Sample S2007: Iraq, Baghdad. Rhomb of calcite (Ca) with small attachments of clay (Mg, Al, Si, Fe)




Sample S2008: Iraq, Tallil. Flake of possible illite (Mg, Al, Si, K, Fe) or mica (Mg, Al, Si, K, Ti, Fe) with small amount of calcite (Ca)




Sample S2009: Iraq, Tikrit. Composite flake of illite (Mg, Al, Si, K, Fe)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S2009: Iraq, Tikrit. Rounded particle of gypsum ((S, Ca) with finger shaped particles of clay, possibly palygorkite (Mg, Al, Si) on the surface



Sample S2010: Iraq, Taji. Cluster of illite (Mg, Al, Si, K, Fe) clay particles with a trace of calcite (Ca)




Sample S2011: Iraq, Al Asad. Flake of illite (Mg, Al, Si, K, Fe) with finger shaped palygorskite particles on the surface



Sample S2011: Iraq, Al Asad. Cluster of dolomite crystals (Mg, Ca) small amounts of clay (Mg, Al, Si, Fe) and trace of gypsum (Ca, S)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S2012: Kuwait, Buehring. Particle of illite (Mg, Al, Si, K, Fe) clay and trace of gypsum (S)



Sample S2013: Kuwait, Ali Al Salem. Particle of calcite (Ca) with coating of finger shaped clay particles, possibly palygorskite (Mg, Al, Si)




Sample S2014: Kuwait, Ash Shu Ayabah. Kaolinite (Al, Si) with smaller particles of other clay minerals attached




Sample S2015: Kuwait, Arifjan. Particle of potassium feldspar (orthoclase) (Al, Si, K)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S2015: Kuwait, Arifjan. Particle of calcite (Ca) with finger shaped particles of palygorskite (Mg, Al, Si) clay on surface



Sample S2016: Afghanistan, Leatherneck. Particle of potassium feldspar (orthoclase) (Al, Si, K)











Sample S2016: Afghanistan, Leatherneck. Particle of possibly palygorskite (Mg, Al, Si) and iron oxide (Fe)




Sample S2016: Afghanistan, Leatherneck. Round quartz (Si) grain with coating of clay (Mg, Al, Si, Fe)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra

 <p>EDS spectrum for Sample S2016. The y-axis is labeled 'cps/eV' and ranges from 0.0 to 1.4. The x-axis is labeled 'keV' and ranges from 0 to 10. Peaks are labeled: C (~0.28), O (~0.51), Fe (~0.71), Mg (~1.30), Al (~1.55), Si (~1.74), K (~3.32), and Fe (~6.40).</p>	 <p>SEM image of micro-sheets of biotite. Scale bar: 2.00µm. Metadata: S-5500 15.0kV 0.1mm x25.0k SE.</p>
<p>Sample S2016: Afghanistan, Leatherneck. Micro-sheets of biotite (Mg, Al, Si, K, Fe)</p>	
 <p>EDS spectrum for Sample S2017. The y-axis is labeled 'cps/eV' and ranges from 0.0 to 2.2. The x-axis is labeled 'keV' and ranges from 0 to 10. Peaks are labeled: C (~0.28), O (~0.51), Al (~1.55), Si (~1.74), K (~3.32), and K (~3.91).</p>	 <p>SEM image of a crystal of orthoclase feldspar. Scale bar: 500nm. Metadata: S-5500 15.0kV 0.0mm x60.0k SE.</p>
<p>Sample S2017: Kuwait, Ash Shu Ayabah. Crystal of orthoclase feldspar (Al, Si, K)</p>	
 <p>EDS spectrum for Sample S2017. The y-axis is labeled 'cps/eV' and ranges from 0.0 to 1.8. The x-axis is labeled 'keV' and ranges from 0 to 10. Peaks are labeled: C (~0.28), O (~0.51), Mg (~1.30), Al (~1.55), Si (~1.74), Ca (~3.69), and Ca (~3.91).</p>	 <p>SEM image of an eroded crystal of calcite. Scale bar: 1.00µm. Metadata: S-5500 15.0kV 0.0mm x35.0k SE.</p>
<p>Sample S2017: Kuwait, Ash Shu Ayabah. Eroded crystal of calcite (Ca) with trace of attached clay (Mg, Al, Si)</p>	
 <p>EDS spectrum for Sample S3003. The y-axis is labeled 'cps/eV' and ranges from 0 to 10. The x-axis is labeled 'keV' and ranges from 0 to 10. Peaks are labeled: C (~0.28), O (~0.51), Mg (~1.30), Al (~1.55), and Si (~1.74).</p>	 <p>SEM image of a well rounded quartz particle. Scale bar: 500nm. Metadata: S-5500 15.0kV 0.1mm x80.0k SE.</p>
<p>Sample S3003: USA, Arizona, Yuma. Well rounded quartz particle with trace of attached (coating) clay (Mg, Al, Si)</p>	


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S3003: USA, Arizona, Yuma. Biotite (Mg, Al, Si, K, Fe) flakes with trace of calcite (Ca)



Sample S3004: USA, Arizona, Yuma. Irregularly shaped quartz (Si) particle with trace coating of illite (Mg, Al, Si, K)




Sample S3004: USA, Arizona, Yuma. Particle of kaolinite (Al, Si) with trace amounts of illite (Mg, Al, Si, K) and calcite




Sample S3008: USA, Arizona, Yuma. Composite particle of apatite (P, Ca) with small amounts of clay (Mg, Al, Si, Fe) and traces of gypsum (S, Ca) and halite (Cl)


Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Supplement S5.5 - SEM-based Secondary Electron Images and EDS Spectra




Sample S3016: USA, Utah, Dugway. Oblong-shaped particle of calcite (Ca) possibly of biogenetic origin with a coating of clay (Mg, Al, Si)



Sample S3016: USA, Utah, Dugway. Rounded particle of palygorskite or serpentine (Mg, Si) with coating of illite clay (Mg, Al, Si, Fe) and trace of halite (Cl)



Sample S3017: USA, Utah, Dugway. Irregularly shaped particle of quartz (Si) with trace of clay (Mg, Al, Si) and calcite (Ca)



Sample S3017: USA, Utah, Dugway. Composite particle of calcite (Ca) with component (coating) of illite (Mg, Al, Si) clay