

compound	total lifetime $\tau$ (a)	$\tau_{\text{OH}}$ (a)	GWP
CFC-11	52	—	6900
CFC-12	102	—	10800
HCFC-22	12	10.8	218
HFC-134a	14	14.5	3710
HFC-227ea	36	45.3	5360
HFC-245fa	7.9	7.8	2920
Dichloromethane	0.43		33