

Supplement of Atmos. Chem. Phys., 19, 12569–12585, 2019
<https://doi.org/10.5194/acp-19-12569-2019-supplement>
© Author(s) 2019. This work is distributed under
the Creative Commons Attribution 4.0 License.



Supplement of

Enhanced heterogeneous uptake of sulfur dioxide on mineral particles through modification of iron speciation during simulated cloud processing

Zhenzhen Wang et al.

Correspondence to: Hongbo Fu (fuhb@fudan.edu.cn) and Jianmin Chen (jmchen@fudan.edu.cn)

The copyright of individual parts of the supplement might differ from the CC BY 4.0 License.

Table S1. Properties of the standard clay and ATD samples

	IMt-2	NAu-2	SWy-2	ATD
Total Iron Content (% mass from Source Clays Repository Website)	5.55	26.19	2.58	-
Total Iron Content (% mass from XRF)	5.57	27.32	3.88	1.80
Total Iron Content (% mass from ICP-AES)	5.45 ± 0.04	26.30 ± 0.57	2.36 ± 0.56	1.48 ± 0.56
Specific Surface Area (m^2/g from N_2 -BET)	20.1 ± 1.5	19.8 ± 1.3	22.6 ± 2.3	4.3 ± 0.3

Table S2. Chemical composition of the standard clay and ATD samples

Sample	SiO₂	Al₂O₃	Fe₂O₃	FeO	MgO	CaO	Na₂O	K₂O	TiO₂	P₂O₅	Total	Total Fe
IMt-2	59.57	19.47	7.95	0.05	2.42	0.37	0.08	8.72	0.99	0.07	99.75	5.57
NAu-2	54.99	2.81	39.03	n.d.	0.95	1.45	0.19	0.14	0.23		99.79	27.32
SWy-2	67.61	19.27	5.55	0.32	3.08	1.77	1.30	0.77	0.21	0.05	100.12	3.88
ATD	78.11	7.19	2.57		1.22	3.03	1.39	2.06	0.46		99.21	1.80

Table S3. Parameters of the Mössbauer spectra for the samples

		IS (mm/s)	QS (mm/s)	H _f (T)	LW (mm/s)	A (%)	Fe species
IMt-2	D ₁	0.24	0.85	-	0.56	66.03	Al/Si, poor oct-Fe ³⁺
	D ₂	1.30	2.40	-	0.44	33.97	Al/Si -Fe ²⁺
IMt-2 after CP	D ₁	0.36	0.63	-	0.56	68.55	Al/Si, poor oct-Fe ³⁺
	D ₂	1.13	2.78	-	0.46	31.45	Al/Si -Fe ²⁺
NAu-2	D ₁	0.36	0.26	-	0.54	87.15	Al/Si, oct-Fe ³⁺
	D ₂	0.41	1.22	-	0.21	12.85	Al/Si, X-Fe _x O
NAu-2 after CP	D ₁	0.36	0.29	-	0.53	88.44	Al/Si, oct-Fe ³⁺
	D ₂	0.41	1.20	-	0.26	11.56	Al/Si, X-Fe _x O
SWy-2	D ₁	1.05	2.46	-	0.74	18.34	Al/Si-Fe ²⁺
	D ₂	0.39	0.70	-	0.57	81.66	Al/Si-Fe ³⁺
SWy-2 after CP	D ₁	0.88	2.34	-	0.82	17.09	Al/Si-Fe ²⁺
	D ₂	0.36	0.61	-	0.58	82.91	Al/Si-Fe ³⁺
ATD	D ₁	0.36	0.65	-	0.51	38.96	Al/Si-Fe ³⁺
	D ₂	0.99	2.25	-	1.21	29.20	Al/Si-Fe ²⁺
	S ₁	0.39	-0.13	51.1	0.47	31.84	α-Fe ₂ O ₃
ATD after CP	D ₁	1.06	2.54	-	0.50	10.91	Al/Si -Fe ²⁺
	D ₂	0.37	0.61	-	0.44	32.95	Al/Si-Fe ³⁺
	D ₃	0.67	1.21	-	1.23	23.81	Fe ³⁺
	S ₁	0.37	-0.21	51.0	0.52	32.33	α-Fe ₂ O ₃