



Supplement of

Size-segregated characteristics of organic carbon (OC), elemental carbon (EC) and organic matter in particulate matter (PM) emitted from different types of ships in China

Fan Zhang et al.

Correspondence to: Hai Guo (hai.guo@polyu.edu.hk) and Yingjun Chen (yjchenfd@fudan.edu.cn)

The copyright of individual parts of the supplement might differ from the CC BY 4.0 License.

Table S1 Technical parameters of test vessels

Vessel ID	Engine power (kW)	Vessel type	Length × width (m)	Material	Vessel age (year)	Rated speed (rpm)	Engine type	Fuel type	Classified Type
GB1	91	Gillnet	20×4.3	Wooden	10	1500	4-stroke	Diesel	
GB2	178	Gillnet	27×5.6	Wooden	7	1500	4-stroke	Diesel	
AB1	129	Angling boat	21×4.3	Wooden	6	1500	4-stroke	Diesel	
AB2	176	Angling boat	22.7×4.8	Wooden	5	1800	4-stroke	Diesel	
TB1	88	Trawler	13×3.5	Wooden	8	1500	4-stroke	Diesel	4-LDF
TB2	132	Trawler	13×3.5	Wooden	5	1500	4-stroke	Diesel	
TB5	265	Trawler	29×5.4	Metal	10	1800	4-stroke	Diesel	
TB6	265	Trawler	29×5.4	Metal	10	1800	4-stroke	Diesel	
HH	350×2	Engineering vessel	44×13	Metal	4	1200	4-stroke	Marine Diesel	
DFH	1600×2	Research vessel	96×15	Metal	18	900	4-stroke	Marine Diesel	4-HMV
XYH	600	Research vessel	55×9	Metal	5	1000	4-stroke	Marine Diesel	
YK	4440	Training vessel	116×18	Metal	11	173	2-stroke	HFO	2-HHV

Table S2 Results of the fuel quality analysis

Vessel ID	Carbon (C) %	Hydrogen (H) %	Oxygen (O) %	Nitrogen (N) %	Sulfur (S) %	Gross calorific value MJ/kg	Net calorific value MJ/kg	Kinematical viscosity (40°C) mm ² /s
GB1	85.96	12.76	<0.3	0.49	0.022	45.83	42.79	4.517
GB2	86.09	12.67	0.6	0.61	0.169	45.32	42.41	2.639
AB1	86.35	12.73	<0.3	0.49	0.111	45.79	42.75	2.430
AB2	85.72	12.73	<0.3	0.49	0.046	45.42	42.48	2.782
TB1/TB2	86.21	11.50	2.03	0.05	0.066	45.01	42.42	4.125
TB5/TB6	85.92	12.49	<0.3	0.41	0.284	45.26	42.37	2.646
HH	86.66	13.32	<0.4	<0.2	0.080	45.44	42.51	N.A.
DFH	86.40	13.22	<0.4	<0.2	0.046	45.40	42.48	N.A.
XYH	86.49	13.44	<0.4	<0.2	0.130	45.50	42.55	N.A.
YK	84.12	10.38	4.26	0.79	0.448	43.50	41.10	N.A.

N.A., Not Analyzed.

Table S3 Size-resolved particle samples collected in this study

Vessel ID	Operating mode	Quantity	Dilution ratio	Vessel ID	Operating mode	Quantity	Dilution ratio
YK	Manoeuvering	2	1.7-1.8	TB5	Trawling	1	2.8
	Cruise	3	2.2-2.6	TB6	Trawling	1	2.1
GB1	Placing/drawing in net	1	4.2		High speed	1	2.4
	cruise	1	3.6	HH	Low speed	1	1.0
GB2	Idling	1	2.6		Cruise	2	1.0
	High speed	1	2.8	XYH	Idling	1	1.0
AB1	High speed	1	3.0		Cruise	1	1.0
AB2	Idling/angling	2	2.8-3.0	DFH	Idling	1	1.0
TB1	Idling	1	2.0		Acceleration	2	1.0
	Medium speed	1	2.0		Cruise	1	1.0
TB2	Idling	1	2.0				
	Medium speed	1	2.0				

Table S4 Particle size fractions of 8 Stage Andersen Cascade Impactor

Stage	Particle size range (μm)	Sampling spot number
0	>9.0	96
1	5.8-9.0	96
2	4.7-5.8	400
3	3.3-4.7	400
4	2.1-3.3	400
5	1.1-2.1	400
6	0.65-1.1	400
7	0.43-0.65	201
8	<0.43	--

--, the sampling area in this stage is a circle with diameter of 7.94 cm.

Table S5 16 priority PAHs and their abbreviations

	Abbreviation	Number of rings
Naphthalene	Nap	2
Acenaphthylene	Acy	2
Acenaphthene	Ace	2
Fluorene	Flu	3
Phenanthrene	Phe	3
Anthracene	Ant	3
Fluoranthene	Flua	4
Pyrene	Pyr	4
Benzo[a]anthracene	BaA	4
Chrysene	Chr	4
Benzo[b]fluoranthene	BbF	5
Benzo[k]fluoranthene	BkF	5
Benzo[a]pyrene	BaP	5
Indeno[1,2,3-cd]pyrene	IcdP	6
Dibenzo[a,h]anthracene	DahA	5
Benzo[ghi]perylene	BghiP	6

Table S6 average recoveries of the deuterium surrogates

D-PAHs	Average recovery±SD	D-n-alkanes	Average recovery±SD
D8- Naphthalene	84.3±10.5	D-C16	95.0±7.48
D10- acenaphthene	101±11.8	D-C20	96.1±14.2
D10- phenanthrene	99.5±8.24	D-C24	97.2±15.5
D12- chrysene	95.1±14.2	D-C30	92.0±14.9
D12-perylene	84.8±16.4		

Table S7 OC and EC distributions in different particle size bins (%)

	Particle size (μm)	2-HHV	4-HMV	4-LDF
OC	<0.43	74.7 \pm 4.84	22.9 \pm 11.2	42.6 \pm 14.6
	0.43-0.65	7.10 \pm 1.80	15.9 \pm 3.52	21.5 \pm 9.64
	0.65-1.1	4.61 \pm 1.55	14.0 \pm 2.93	9.62 \pm 2.50
	1.1-2.1	3.48 \pm 1.56	11.0 \pm 2.23	7.12 \pm 3.52
	2.1-3.3	3.18 \pm 1.91	8.73 \pm 2.27	4.96 \pm 3.19
	3.3-4.7	2.24 \pm 0.67	8.39 \pm 2.67	4.89 \pm 3.50
	4.7-5.8	2.15 \pm 0.87	9.42 \pm 5.83	4.85 \pm 3.78
	5.8-9.0	1.34 \pm 0.63	3.99 \pm 0.94	2.08 \pm 1.50
	>9.0	1.18 \pm 0.55	5.64 \pm 2.32	2.33 \pm 1.87
EC	<0.43	65.9 \pm 9.87	27.3 \pm 8.86	31.7 \pm 13.3
	0.43-0.65	14.7 \pm 6.65	22.0 \pm 6.50	32.2 \pm 11.1
	0.65-1.1	6.93 \pm 1.76	18.8 \pm 5.37	14.2 \pm 6.11
	1.1-2.1	3.71 \pm 1.68	16.3 \pm 5.59	9.10 \pm 4.58
	2.1-3.3	1.99 \pm 2.42	4.92 \pm 2.99	4.15 \pm 2.29
	3.3-4.7	2.14 \pm 2.08	3.45 \pm 2.08	3.18 \pm 2.90
	4.7-5.8	2.09 \pm 1.89	2.03 \pm 1.98	3.30 \pm 3.22
	5.8-9.0	1.86 \pm 2.47	1.02 \pm 0.93	1.16 \pm 1.21
	>9.0	0.71 \pm 0.67	4.22 \pm 6.24	1.07 \pm 0.88

Table S8 The distribution of total PAHs and total n-alkanes in different particle size

		bins (%)	
	Particle size (μm)	2-HHV	4-HMV
PAHs	<0.43	78.6 \pm 2.78	37.6 \pm 12.8
	0.43-0.65	4.90 \pm 1.54	14.7 \pm 8.72
	0.65-1.1	4.51 \pm 0.81	14.0 \pm 6.65
	1.1-2.1	2.32 \pm 1.48	10.9 \pm 7.14
	2.1-3.3	3.22 \pm 1.43	7.52 \pm 3.49
	3.3-4.7	2.27 \pm 1.88	5.22 \pm 2.26
	4.7-5.8	3.12 \pm 0.75	5.58 \pm 2.76
	5.8-9.0	0.49 \pm 0.28	1.97 \pm 1.55
	>9.0	0.55 \pm 0.25	2.47 \pm 3.94
			1.11 \pm 2.10
N-alkanes	<0.43	90.2 \pm 2.99	54.4 \pm 23.5
	0.43-0.65	2.05 \pm 0.77	11.9 \pm 6.47
	0.65-1.1	2.35 \pm 0.79	12.7 \pm 8.51
	1.1-2.1	1.39 \pm 0.83	7.20 \pm 6.47
	2.1-3.3	1.28 \pm 0.43	5.65 \pm 8.00
	3.3-4.7	0.80 \pm 0.74	2.96 \pm 3.42
	4.7-5.8	1.25 \pm 0.44	3.27 \pm 4.07
	5.8-9.0	0.32 \pm 0.07	0.87 \pm 1.38
	>9.0	0.40 \pm 0.09	1.02 \pm 1.57
			0.74 \pm 1.00




Figure S1 Size-segregated particle mass distribution of auxiliary engines

45




Figure S2 Ratio of high molecular weight PAH to low molecular weight PAH