



Supplement of

Gas-particle partitioning of toluene oxidation products: an experimental and modeling study

Victor Lannuque et al.

Correspondence to: Victor Lannuque (victor.lannuque@enpc.fr) and Barbara D’Anna (barbara.danna@univ-amu.fr)

The copyright of individual parts of the supplement might differ from the article licence.

Part 1: Instrumentation and experiments

Part 2: Modeling and chemical mechanisms

Part 3: Experimental and modeling speciation data

Part 1: Instrumentation and experiments

The PTR-ToF-MS drift tube was operated in the H₃O⁺ mode with the same parameters for the gas phase and particle phase (CHARON) measurements: 2.35 mbar absolute pressure, 120°C temperature, and a reduced electric field strength of 105 Td (1 Td = 10⁻¹⁷ V cm²). With the chosen instrumental parameters, ion hydration in the drift tube was still efficiently suppressed. Typical mass resolving power (FWHM) and mass accuracy values were 4000 and 13 ppm, respectively. A multicomponent calibration gas standard (Apel Riemer Environmental Inc., Miami, FL, USA) was used for characterizing the instrumental response to low molecular weight analytes (*m/z* < 200). Typically, 99.5% of the signals in were below *m/z* 200. The instrumental background was determined by periodically diverting the sampling flow through a High-Efficiency Particulate Air filter (HC01-5N-B miniature HEPA capsule filter) placed upstream of the CHARON inlet. The CHARON enrichment factor was 25 for particles above 250 nm, 20 for particles of 200 nm and 8 for particles around 150 nm (Fig S1). Enrichment factors were determined using size selected ammonium nitrate particles as described by Eichler et al (2015).

PTR-MS ionization of organic analytes (with the exception of a few small hydrocarbons) occurs at the collisional rate, which can be accurately predicted by ion–molecule collision theories. (Ellis et al. 2013) We used the Langevin–Gioumousis–Stevenson theory (Langevin, 1903; Gioumousis and Stevenson 1958) instrumental response factors to pure hydrocarbons. The Su and Chesnavich parametrized capture rate theory (Su and Chesnavich, 1982) was used for calculating instrumental sensitivities of heteroatom-containing hydrocarbons. This means that instrumental response factor can be calculated from the molecular weight, isotropic molecular polarizability, and dipole moment of an analyte molecule. We used the observed *m/z* (−1 to account for the added proton) as a proxy for the molecular weight, assuming that analyte molecules do not fragment upon protonation. Isotropic molecular polarizabilities were determined from the analyte ions' elemental composition using the parametrization proposed by Bosque and Sales. (Bosque and Sales, 2002). Dipole moments cannot be predicted solely from the molecular sum formula, and a constant value of 2.75 D was used for all heteroatom-containing analyte ions. This value represents an average of typical dipole moments of oxygenated hydrocarbons (1–4.5 D). This introduces a maximum quantification uncertainty of ±40%. The major primary reaction product, methylglyoxal, has a very low dipole moment (μ D = 0.992 D) and does not react with protonated water clusters (H₂O)_nH⁺ (*n* > 1). Ion chemistry kinetics is thus similar to benzene and benzene sensitivities were used for methylglyoxal quantification. Expected uncertainties are ± 20 % for methylglyoxal. Signals with unknown elemental composition were quantified using the acetone sensitivity as a proxy, the maximum uncertainty in the response factor being −30/+60%. The total mass concentration of SOA was calculated by summing the mass concentrations associated with all detected *m/z* peaks.

The HR-ToF-AMS data were analyzed using the standard software SQUIRREL v1.60E and PIKA v1.6C (Sueper, 2011) with Igor Pro 6.37 (Wavemetrics Inc.). A high efficiency particulate air (HEPA) filter installed in front of the instrument to sample ambient air for 15-30 minutes was used to evaluate the instruments detection limits calculated as three times the standard deviation of the measured chemical species. The ionization efficiency (IE) with respect to nitrate anions was calculated at the beginning and at the end of the campaign using nebulised 350 nm mobility diameter ammonium nitrate particles (BFSP software was used and values varied between $2.2 \times 10^{-7} - 2.5 \times 10^{-7}$). The relative IE (RIE) of ammonium was 3.7 based on the mass spectrum of ammonium nitrate data from IE calibrations. The RIE of sulfate was determined by comparing the theoretical and the measured concentration of a solution of ammonium nitrate and ammonium sulfate and was determined to be 1.3. For the organic fraction the default value of 1.4 was used. The AMS data were corrected by collection efficiency (CE) calculated by comparison to the SMPS volume using densities of 1.7 g/cm³ for ammonium sulphate and 1.4 g/cm³ for organics. The CE values varied from 0.35 for pure ammonium sulphate particles to 0.70 after SOA formation (above 8 µg/m³). Size calibrations were conducted once using polystyrene latex spheres (PSL). The instrument resolution varied from 1200-1400.

CHARON PTR-ToF-MS compound selection and interpretation

Saturation mass concentration $\log(C_i^*)$ values are here used to discriminate between parent and fragment ions (fig. S4). The procedure (Gkatzelis et al., 2018b) suggests that if the volatility of a specific ion $(M+H)^+$ is similar to that of the ion $(M+H-FG)^+$, where FG is a functional group, then this latter is considered a possible ion fragment. If the volatility of the ion $(M+H)^+$ is considerably lower than the one of $(M+H-FG)^+$ then this latter is considered a possible parent ion. Figure S4 in the supplementary document shows some of the $(M+H-H_2O)^+$ ions considered fragments (blue) close to the 1:1 line. While in red are shown $(M+H-H_2O)^+$ ions having higher volatility therefore considered as possible parent ions. The gray lines indicate the ± 0.3 change in $\log(C_i^*)$. Error bars correspond to the error of the average (1σ).




Figure S1: Enrichment factor calibration carried out with monodisperse particles of ammonium nitrate.




Figure S2: SOA yield derived as a function of seed concentration at 280K and 295K, respectively.




Figure S3: Fragment identification method from the toluene photo-oxidation experiments: correlation of the saturation concentration of identified $(M+H)^+$ ions to compounds with the same chemical formula subtracting water $(M+H-H_2O)^+$. For correlation close to the 1:1 line then the $(M+H-H_2O)^+$ compound is considered a fragment (blue). If the $(M+H-H_2O)^+$ ion shows a higher volatility, it is considered as a possible parent ion (red). The gray lines indicate the ± 0.3 change in $\log(C_i^*)$. Error bars correspond to the error of the average (1σ).




Figure S4: Mass products fraction (y-axis) distribution based on the number of carbon atoms (x-axis) for an experiment with 112 ppbv toluene at 295 K. Detected ions in the (a) gas phase and (b) particle phase. Pie charts correspond to the molecular weight contribution to the overall mass.




Figure S5: Comparison of the organic particle mass concentrations measured with CHARON/PTR-ToF-MS and HR-ToF-AMS for all experiments (a), and for experiments where particle mobility diameter was below 150 nm (b). Markers correspond to the different experiments. HR-ToF-AMS data are here corrected by collection efficiency determined by comparison with SMPS volume data.




Figure S6: The oxidation state for the detected ions (OSc), versus the averaged saturation concentration in terms of $\log_{10}C_i^*$. The area of the dots denotes the oxygen atoms number. In light violet are represented the ions fragments identified for an experiment carried out at 280 K and in magenta those at 295 K. Errors bars correspond to $\pm 1\sigma$ of the experimental average.

Table S1: List of the experimental conditions, SOA concentrations and yields calculated for HR-ToF-AMS and CHARON/PTR-ToF-MS measurements.

No.	Temp. (K)	RH (%)	Initial Toluene (ppbv)	OH conc. (10^7 cm^{-3})	Seed mass ($\mu\text{g}/\text{m}^3$)	Seed Dp* (nm)	SOA ¹ ($\mu\text{g}/\text{m}^3$)	SOA Yield ¹ (%)	SOA ² ($\mu\text{g}/\text{m}^3$)	SOA Yield ² (%)
1	295	41	162	9.2	2.5	113	3.3	0.93	1.9	0.54
2	295	41	162	10.0	4.8	117	4.6	1.28	2.7	0.75
3	295	38	131	9.1	4.5	113	1.5	0.68	0.6	0.36
4	295	43	128	10.0	3.8	115	3.0	1.10	2.1	0.75
5	295	30	112	12.0	7.0	135	8.0	3.38	5.3	2.50
6	295	30	112	9.0	9.0	163	6.7	3.57	4.2	2.23
7	295	24	112	9.0	9.0	169	8.2	4.30	4.9	2.56
8	295	35	84	12.0	6.0	120	3.2	1.64	2.4	1.52
9	295	30	66	10.8	20.0	141	6.6	5.10	4.0	3.09
10	295	30	23	8.4	7.1	163	1.7	4.34	0.8	2.03
11	289	37	128	12.0	5.0	115	4.6	1.60	1.9	0.66
12	285	36	130	11.4	7.5	116	18.0	6.37	11.2	4.09
13	285	23	112	11.0	8.0	169	7.8	3.51	5.4	2.43
14	285	24	112	8.3	6.0	169	6.5	3.36	4.7	2.43
15	285	50	112	9.0	11.5	163	17.0	8.98	15.2	7.50
16	285	28	80	10.0	8.5	116	4.5	2.51	3.5	2.12
17	285	50	66	9.2	11.5	163	14.5	11.90	12.0	10.10
18	285	30	66	11.0	12.0	116	5.8	5.80	3.5	2.67
19	285	24	8	12.0	6.3	169	1.8	10.40	0.9	5.26
20	280	31	130	7.4	7.0	116	14.0	5.14	11.3	4.34
21	280	24	112	8.7	9.0	169	15.7	8.00	12.4	6.32
22	280	24	66	8.1	9.0	169	10.0	9.10	7.2	6.55
23	280	32	62	9.8	7.0	116	6.3	4.50	4.9	3.51
24	280	24	8	10.0	9.0	169	2.5	15.90	1.5	9.36

*Mobility diameter (mode)

¹ Values calculated from HR-ToF-AMS data analysis

² Values calculated from CHARON/PTR-ToF-MS data analysis

Table S2: Reference compounds ion distribution at 100 Td drift conditions, drift temperature 393 K and pressure 2.2 Torr. CHARON PTR-ToF-MS reference experiments were carried out by dissolving (when possible) the target reference compound in water then nebulized.

Compound	Molecular formula	MW (g/mol)	PTR-MS		CHARON	
			m/z	% Yield	m/z	% Yield
Formic acid	HCOOH	46.03	47.01	100	47.01	100
Methyl glyoxal	C ₃ H ₄ O ₂	72.06	n.d.	n.d.	73.03 45.03	87 13
Butanal	C ₄ H ₈ O	72.11	73.06 55.05	16 84	n.d.	n.d.
Pentanal	C ₅ H ₁₀ O	86.13	87.08 69.06	14 86	n.d.	n.d.
Furaldehyde	C ₅ H ₄ O ₂	96.08	97.03	100	n.d.	n.d.
Maleic Anhydride	C ₄ H ₃ O ₂	98.06	99.01	100	99.01 117.02	95 5 (hydrate)
Benzaldehyde	C ₇ H ₆ O	106.12	107.05	100	n.d.	n.d.
Benzoquinone	C ₆ H ₄ O ₂	108.09	109.03	100	109.03	100
Cresol	C ₇ H ₈ O	108.14	109.06	100	n.d.	n.d.
5-Methylfurfural	C ₆ H ₆ O ₂	110.11	111.04	100	111.04	100
Succinic acid	C ₄ H ₆ O ₄	118.09	n.d.	n.d.	119.03 101.02	2 98
5-Hydroxymethyl furfural	C ₆ H ₆ O ₃	126.11	127.04 109.03	80 20	n.d.	n.d.
4-Nitrotoluene	C ₇ H ₇ NO ₂	137.14	138.06	100	n.d.	n.d.
4-Nitrophenol	C ₆ H ₅ NO ₃	139.11	140.04	100	140.04	100
4-Nitrocatechol	C ₆ H ₅ NO ₄	155.11	156.03	100	156.03 125.03	91 9

Table S3.1: Derived logCi values and ion major identified parent and fragment ions.

Carbon number	Identified <i>m/z</i> and protonated molecular formula	Log Ci* at 295 K	Log Ci* at 280 K	ΔLog Ci*
7	107.049 ($\text{C}_7\text{H}_6\text{O}$) H^+	4.28±0.08	3.09±0.11	0.37
7	123.046 ($\text{C}_7\text{H}_6\text{O}_2$) H^+	3.46±0.11	2.88±0.14	0.59
7	139.040 ($\text{C}_7\text{H}_6\text{O}_3$) H^+	2.19±0.07	1.75±0.11	0.47
7	141.054 ($\text{C}_7\text{H}_8\text{O}_3$) H^+	1.88±0.14	1.33±0.10	0.55
7	155.034 ($\text{C}_7\text{H}_6\text{O}_4$) H^+	1.62±0.14	0.90±0.11	0.70
7	157.050 ($\text{C}_7\text{H}_8\text{O}_4$) H	1.37±0.50	1.08±0.17	0.29
7	171.029($\text{C}_7\text{H}_6\text{O}_5$) H^+	1.45±0.60	0.70±0.10	0.75
6	127.041 ($\text{C}_6\text{H}_6\text{O}_3$) H^+	1.46±0.25	0.83±0.05	0.63
6	143.034 ($\text{C}_6\text{H}_6\text{O}_4$) H^+	1.26±0.03	0.93±0.02	0.33
6	125.029 ($\text{C}_6\text{H}_4\text{O}_2$) H^+	1.40±0.30	1.10±0.30	0.30
6	129.057 ($\text{C}_6\text{H}_8\text{O}_3$) H^+	1.62±0.13	1.07±0.02	0.55
6	111.045 ($\text{C}_6\text{H}_6\text{O}_2$) H^+	2.10±0.03	1.56±0.05	0.55
6	140.039 ($\text{C}_6\text{H}_5\text{NO}_3$) H^+	3.10±0.24	2.70±0.15	0.40
6	113.057($\text{C}_6\text{H}_8\text{O}_2$) H^+	2.71±0.35	1.64±0.25	1.07
6	141.019 ($\text{C}_6\text{H}_4\text{O}_4$) H^+	1.75±0.13	1.38±0.03	0.37
6	95.050 ($\text{C}_6\text{H}_6\text{O}$) H^+	2.60±0.20	2.08±0.05	0.52
6	109.030 ($\text{C}_6\text{H}_4\text{O}_2$) H^+	3.04±0.16	2.72±0.10	0.32
5	115.042 ($\text{C}_5\text{H}_6\text{O}_3$) H^+	1.81±0.34	1.43±0.02	0.39
5	101.060 ($\text{C}_5\text{H}_8\text{O}_2$) H^+	4.75±0.94	4.25±0.34	0.50
5	113.025 ($\text{C}_5\text{H}_4\text{O}_3$) H^+	2.69±0.36	2.41±0.14	0.28
5	99.046 ($\text{C}_5\text{H}_6\text{O}_2$) H^+	2.62±0.13	2.19±0.05	0.43
4	117.021 ($\text{C}_4\text{H}_4\text{O}_4$) H^+	2.50±0.60	1.89±0.05	0.65
4	103.042 ($\text{C}_4\text{H}_6\text{O}_3$) H^+	1.69±0.02	1.21±0.04	0.47
4	85.031 ($\text{C}_4\text{H}_4\text{O}_2$) H^+	2.66±0.12	2.29±0.05	0.38
4	87.046 ($\text{C}_4\text{H}_6\text{O}_2$) H^+	2.59±0.11	2.03±0.03	0.56
4	101.026 ($\text{C}_4\text{H}_4\text{O}_3$) H^+	2.35±0.24	1.87±0.04	0.48
4	83.014 ($\text{C}_4\text{H}_2\text{O}_2$) H^+	2.30±0.61	1.78±0.22	0.52
3	89.026 ($\text{C}_3\text{H}_4\text{O}_3$) H^+	2.24±0.11	1.83±0.02	0.42
3	71.015($\text{C}_3\text{H}_2\text{O}_2$) H^+	1.99±0.27	1.83±0.02	0.16
3	75.043 ($\text{C}_3\text{H}_6\text{O}_2$) H^+	4.40±0.52	2.55±0.19	0.85
3	73.030 ($\text{C}_3\text{H}_4\text{O}_2$) H^+	2.85±0.02	2.55±0.08	0.30
2	77.025 ($\text{C}_2\text{H}_4\text{O}_3$) H^+	3.88±0.18	3.52±0.06	0.36
2	61.028 ($\text{C}_2\text{H}_4\text{O}_2$) H^+	3.76±0.49	3.04±0.06	0.72
1	47.013 (CH_2O_2) H^+	3.63±0.32	3.32±0.09	0.31

Table S3.2: Derived K_{pi} values and ion major identified parent and fragment ions.

Carbon number	Identified <i>m/z</i> and protonated molecular formula	K _{pi} × 10 ⁻³ at 295 K	K _{pi} × 10 ⁻³ at 280 K
7	107.049 (C ₇ H ₆ O)H ⁺	0.05	0.12
7	123.046 (C ₇ H ₆ O ₂)H ⁺	0.34	1.33
7	139.040 (C ₇ H ₆ O ₃)H ⁺	6.5	19.3
7	141.054 (C ₇ H ₈ O ₃)H ⁺	13.1	46.0
7	155.034 (C ₇ H ₆ O ₄)H ⁺	24.2	120
7	157.050 (C ₇ H ₈ O ₄)H	42.8	82.5
7	171.029(C ₇ H ₆ O ₅)H ⁺	84.9	160.0
6	127.041 (C ₆ H ₆ O ₃)H ⁺	55.9	128.0
6	143.034 (C ₆ H ₆ O ₄) H ⁺	54.5	116.0
6	125.029 (C ₆ H ₄ O ₂) H ⁺	39.8	61.7
6	129.057 (C ₆ H ₈ O ₃)H ⁺	23.9	84.1
6	111.045 (C ₆ H ₆ O ₂)H ⁺	7.9	28.1
6	140.039 (C ₆ H ₅ NO ₃)H ⁺	0.83	1.96
6	113.057(C ₆ H ₈ O ₂)H ⁺	3.9	22.5
6	141.019 (C ₆ H ₄ O ₄)H ⁺	17.6	40.3
6	95.050 (C ₆ H ₆ O)H ⁺	2.4	8.1
6	109.030 (C ₆ H ₄ O ₂)H ⁺	0.9	1.8
5	115.042 (C ₅ H ₆ O ₃)H ⁺	15.4	36.4
5	113.025 (C ₅ H ₄ O ₃)H ⁺	2.3	3.8
5	99.046 (C ₅ H ₆ O ₂)H ⁺	2.4	6.4
4	117.021 (C ₄ H ₄ O ₄)H ⁺	3.1	13.8
4	103.042 (C ₄ H ₆ O ₃)H ⁺	20.4	60.5
4	85.031 (C ₄ H ₄ O ₂)H ⁺	2.2	5.2
4	87.046 (C ₄ H ₆ O ₂)H ⁺	2.6	9.4
4	101.026 (C ₄ H ₄ O ₃)H ⁺	6.9	13.3
4	83.014 (C ₄ H ₂ O ₂)H ⁺	20.2	16.4
3	89.026 (C ₃ H ₄ O ₃)H ⁺	5.5	14.7
3	71. 015(C ₃ H ₂ O ₂)H ⁺	5.6	24.5
3	75.043 (C ₃ H ₆ O ₂)H ⁺	3.4	2.7
3	73.030 (C ₃ H ₄ O ₂)H ⁺	1.4	2.1
2	77.025 (C ₂ H ₄ O ₃)H ⁺	0.1	0.3
2	61.028 (C ₂ H ₄ O ₂)H ⁺	0.8	0.9
1	47.013 (CH ₂ O ₂)H ⁺	0.4	0.5

Part 2: Modeling and chemical mechanisms

Wall losses

A wall loss parameterization of gaseous organic compounds is implemented in SSH-aerosol for the modeling partitioning study of this work. In the absence of wall loss studies in Pyrex AFT, this parameterization follows the approach developed for Teflon chamber studies (Zhang et al., 2015; Huang et al., 2018; Krechmer et al., 2016). The parametrization represents an irreversible first-order process whose kinetics $k_{wall,i}$ (in s^{-1}) for the species i is calculated according to Eq. (S1):

$$k_{wall,i} = \left(\frac{A}{V} \right) \left(\frac{\pi}{2} \frac{1}{\sqrt{k_e D_g}} + \frac{4}{\alpha_{w,i} \bar{c}_i} \right)^{-1}, \quad (\text{S1})$$

where A and V are the area (in m^2) and volume (in m^3) of the AFT, $\alpha_{w,i}$ and \bar{c}_i are the wall accommodation coefficient and the mean molecular velocity (in $m s^{-1}$) of the species i and k_e and D_g are the eddy diffusivity coefficient (in s^{-1}) and the diffusivity in the gas phase (in $m^2 s^{-1}$). D_g is taken equal to $5 \times 10^{-6} s^{-1}$, k_e depends on the volume of the AFT and is calculated as:

$$k_e = 0.004 + 10^{-2.25} (V)^{0.74}, \quad (\text{S2})$$

and \bar{c}_i depends on the molar mass M_i ($kg mol^{-1}$) of species i :

$$\bar{c}_i = \sqrt{\frac{8RT}{\pi M_i}}, \quad (\text{S3})$$

where R is the gas constant ($R = 8,314 \text{ kg m}^2 \text{ s}^{-2} \text{ K}^{-1} \text{ mol}^{-1}$), T is the temperature (in K). $\alpha_{w,i}$ depends on the saturation concentration C_i^* (in $\mu\text{g m}^{-3}$) of the species i according to the Eq. (S4) and Eq. (S5) do the link between C_i^* and P_i^{sat} :

$$\alpha_{w,i} = 10^a (C_i^*)^b, \quad (\text{S4})$$

$$C_i^* = \frac{M_i \gamma_i P_i^{sat} \times 10^9}{RT}, \quad (\text{S5})$$

with P_i^{sat} in Pa and where γ_i is the activity coefficient of the species i in the condensed phase (considered equal to 1 for this equation). a and b are tuning parameters. a is set to -2.744 as in Huang et al. (2018) for teflon chambers. b is here set to -1.407 so that the parameterization correctly reproduces the final SOA concentration of the studied case and allows the analysis of wall losses on the speciation and distribution of secondary organic compounds.

Irreversible partitioning of methylglyoxal

The oxidation of methylglyoxal in or at the surface of the aqueous phase can be considered as an irreversible gas-particle partitioning pathway as opposed to the reversible processes that are self-oligomerization and hydration (Hu et al., 2022). A simplified parametrization to represent the irreversible gas-particle partitioning of methylglyoxal depending on RH is also tested in the modeling partitioning study of this work. This empiric parameterization is based on effective uptake rates ($k_{eff,uptake}$) calculated with atmospheric observation values by Hu et al. (2022) for high RH cases ($RH >$

40%) and with experimental values by De Haan et al. (2018) for low RH cases ($\text{RH} < 5\%$). A third-degree polynomial is fitted on experimental $k_{\text{eff,uptake}}$ to establish the RH dependency used in this study. The empiric fit is here used to roughly estimate the $k_{\text{eff,uptake}}$ for the intermediate RH value of 24% of the simulated experiment. Polynomial and experimental $k_{\text{eff,uptake}}$ are presented in Fig. S7.




Figure S7: Experimental RH dependence of irreversible uptake rate of methylglyoxal. Blue points are from De Haan et al. (2018) and black points are from Hu et al. (2022).

Results and figures




Figure S8: Mass spectra of gaseous (blue) and condensed (red) secondary compounds formed after 13 minutes of toluene oxidation under experimental conditions (see sect. 2.2.4) according to

MG-Cr-Al mechanism for the different partitioning tests. Yellow fraction of spectra represents recalculated mass after removing of functional groups with nitrogen for aliphatic compounds.




Figure S9: Mass spectra of gaseous (blue) and condensed (red) secondary compounds formed after 13 minutes of toluene oxidation under experimental conditions (see sect. 2.2.4) according to MG-Cr-Al mechanism considering partitioning both organic and aqueous phases with interactions between uncharged organic molecules in both condensed phases and interactions of organic molecules with inorganic ions in aqueous one only, wall losses of gaseous organic compounds and irreversible transfer to aqueous phase for methylglyoxal. Yellow fraction of spectra represents recalculated mass after removing of functional groups with nitrogen for aliphatic compounds.




Figure S10: Temporal evolution of the SOA concentrations during toluene oxidation under experimental conditions (see sect. 2.2.3) simulated with MG-Cr-Al mechanism at 295 K considering mass transfer through an ideal organic phase (T1, black line), ideal organic and aqueous phases (T2, blue line), organic and aqueous phases with interactions between organic molecules (T3, green line), organic and aqueous phases with interactions between organic molecules and inorganic ions (T4, purple line), organic and aqueous phases with interactions between organic molecules and inorganic ions and wall losses (T5, dark red line) and organic and aqueous phases with interactions between organic molecules and inorganic ions, wall losses and irreversible pathway for methylglyoxal condensation (T6, orange line). The red point represents the experimental SOA concentration measured by AMS.

Detailed Chemical mechanisms













Figure S11: First oxidation step of MG-Cr-Al toluene + OH oxidation mechanism.

Table S4: Species list of MG-Cr-Al chemical mechanism.

name	molecule (or position isomer)	name	molecule (or position isomer)
ID4000		2D5002	
ID4001		2D5003	
ID5000		2D6000	
ID5001		2D6001	
ID5003		2D7000	
ID6000		2G5006	
ID6001		2P5000	
ID7000		2P5006	
IP5006		2P500A	
1P500A		2U6000	
IU6000		2U7000	
IU7000		3H5000	
2D4000		3H5004	
2D5000		3H5009	
2D5001		3K2000	

name	molecule (or position isomer)	name	molecule (or position isomer)
3K5003		AK5000	
3P4000		AR0010	
3P400X		AR0013	
3U5000		AR0020	
3U5001		AR0027	
3U5002		AR0028	
3U7000		AR0035	
A02000		AR0038	
AA2000		AR0039	
AA4000		AR0040	
AD2000		AR0042	
AD4000		AR0043	
AD4001		AR0048	
AD5000		AR0080	
AK3000		AR0085	

name	molecule (or position isomer)	name	molecule (or position isomer)
AR0086		AR0101	
AR0087		AR0102	
AR0088		AR0104	
AR0089		AR0105	
AR0090		AR0106	
AR0091		AR0107	
AR0092		AR0108	
AR0093		AR0109	
AR0094		AR0110	
AR0095		AR0111	
AR0096		AR0112	
AR0097		AR0113	
AR0098		AR0114	
AR0099		AR0115	
AR0100		AR0116	

name	molecule (or position isomer)	name	molecule (or position isomer)
AR0117		AR0134	
AR0118		AR0138	
AR0119		AR0140	
AR0120		AR014010	
AR0121		AR0140OOH	
AR0124		AR0141	
AR0125		AR0142	
AR0126		AR0144	
AR0127		AR0152	
AR0128		AR0153	
AR0129		AU4000	
AR0130		AU5000	
AR0131		AU5002	
AR0132		AU50DN	
AR0133		AU6000	

name	molecule (or position isomer)	name	molecule (or position isomer)
AU7000		D02000	
BTOL2OH1O		DD2000	
BTOL3OH1O		DD3000	
BTOL3OH2O		DD3001	
BTOL3OOH		DD5002	
BTOL4OH1O		DK3000	
BTOL4OH2O		DK4000	
BTOL4OOH		DK4001	
BTOL5OH1O		DK5000	
BTOL5OH2O		ED4001	
BTOL5OOH		ED5000	
BZALDOH		ED5000OOH	
C73K1OH2O		ED5002OOH	
C73K1OOH		FUROH	
CH2O		FURON	

name	molecule (or position isomer)	name	molecule (or position isomer)
FURR3		MALAHY	
FURR5		MBQN1K1OH	
FURR6		MBQN1OH	
FURR6OOH		MBQN2OH	
GH5002		MBQN3OH	
GU5002		Me6CylU3K	
HD2000		MFUR	
HD5000		NTOL	
HD5001		P02000	
HOM1O		PD5002	
HOM1ONO2		PH5000	
HOM1OOH		PH5002	
HOM2O		PH5004	
HOM2ONO2		PK5001	
HOM2OOH		PK5003	

name	molecule (or position isomer)	name	molecule (or position isomer)
PP4000		TOL3OH	
PP4004		TOL3OH1NO2	
PU5000		TOL3OH1O	
PU5001		TOL3OH2O	
PU5002		TOL3OOHOOH	
radED4001		TOL4OH	
radED5000		TOL4OH1NO2	
radED5002		TOL5OH	
radFURR6		UD4000	
radHOM7O		UD5000	
radHOM9O		UD5001	
TOL		UD5002	
TOL2OH1O		UD6000	
TOL2OH2O		UD7000	
TOL2OOHOOH		UU7000	

Table S5: MG-Cr-Al chemical mechanism.

reaction ID	reaction		kinetic type	kinetic values
BLOC 0 : TOLUENE				
B0-001	TOL + HO	$\rightarrow 0.60 \text{ AR0086} + 0.07 \text{ AR0085} + 0.1674 \text{ AR0088} + 0.05 \text{ AR0087} + 0.10 \text{ UU7000} + 0.0126 \text{ NTOL}$	ARR2	1.814E-12 -338.
BLOC 1 : METHYL ATTACK PATHWAY				
B1-001	AR0085 + NO	$\rightarrow 0.89 \text{ AR0089} + 0.11 \text{ AR0090}$	ARR2	2.537E-12 -360.
B1-002	AR0085 + NO3	$\rightarrow \text{AR0089}$	ARR1	0.250E-11
B1-003	AR0085 + HO2	$\rightarrow \text{AR0091}$	ARR2	0.239E-12 -1300.
B1-004	AR0089	$\rightarrow \text{AR0102}$	ARR2(O2)	0.370E-13 460.
B1-005	AR0090	$\rightarrow \text{AR0089}$	PHOTO	2.2176E-06
B1-006	AR0090 + HO	$\rightarrow \text{AR0102}$	ARR1	0.603E-11
B1-007	AR0091	$\rightarrow \text{AR0089}$	PHOTO	6.3472E-06
B1-008	AR0091 + HO	$\rightarrow \text{AR0102}$	ARR1	0.205E-10
B1-009	AR0102 + HO	$\rightarrow \text{AR0120}$	ARR1	0.129E-10
B1-010	AR0102 + NO3	$\rightarrow \text{AR0120}$	ARR1	0.240E-14
B1-011	AR0102	$\rightarrow \text{AR0028}$	PHOTO	1.0557E-05
B1-012	AR0102	$\rightarrow \text{AR0120}$	PHOTO	1.0556E-05
B1-013	AR0120 + NO	$\rightarrow \text{AR0028}$	ARR2	0.810E-11 -270.
B1-014	AR0120 + NO3	$\rightarrow \text{AR0028}$	ARR1	0.400E-11
B1-015	AR0120 + NO2	$\rightarrow \text{AR0130}$	TROE5	0.270E-27 7.1 0.120E-10 0.9 0.3
B1-016	AR0120 + HO2	$\rightarrow 0.71 \text{ AR0131} + 0.29 \text{ AR0132}$	ARR2	0.430E-12 -1040.
B1-017	AR0130	$\rightarrow \text{AR0120}$	TROE7	0.328E-02 12100. 0.0 0.268E+17 13600. 0.0 0.3
B1-018	AR0130 + HO	$\rightarrow \text{AR0043}$	ARR1	0.106E-11
B1-019	AR0131	$\rightarrow \text{AR0028}$	PHOTO	6.3472E-06
B1-020	AR0131 + HO	$\rightarrow \text{AR0120}$	ARR1	0.466E-11
B1-021	AR0028 + NO	$\rightarrow \text{AR0013}$	ARR2	0.254E-11 -360.
B1-022	AR0028 + NO3	$\rightarrow \text{AR0013}$	ARR1	0.250E-11
B1-023	AR0028 + HO2	$\rightarrow \text{AR0043}$	ARR1	0.224E-12 -1300.
B1-024	AR0043	$\rightarrow \text{AR0013}$	PHOTO	6.3472E-06
B1-025	AR0043 + HO	$\rightarrow \text{AR0028}$	ARR1	0.360E-11
B1-026	AR0013 + NO2	$\rightarrow \text{AR0027}$	ARR1	0.208E-11
B1-027	AR0013 + O3	$\rightarrow \text{AR0028}$	ARR1	0.286E-12
B1-028	AR0027 + HO	$\rightarrow \text{AR0042}$	ARR1	0.900E-12
B1-029	AR0027 + NO3	$\rightarrow \text{AR0042}$	ARR1	0.900E-13
B1-030	AR0132 + HO	$\rightarrow \text{AR0028}$	ARR1	0.110E-11
BLOC 2 : CRESOL PATHWAY				
B2-001	AR0088 + HO	$\rightarrow 0.068 \text{ AR0098} + 0.186 \text{ AR0099} + 0.676 \text{ AR0100} + 0.07 \text{ BZALDOH}$	ARR1	4.649E-11
B2-002	AR0088 + NO3	$\rightarrow 0.39 \text{ AR0098} + 0.10 \text{ AR0099} + 0.51 \text{ AR0101}$	ARR1	1.250E-11
B2-003	AR0098 + O3	$\rightarrow \text{AR0112}$	ARR1	0.286E-12
B2-004	AR0098 + NO2	$\rightarrow \text{AR0113}$	ARR1	0.208E-11
B2-005	AR0099 + NO	$\rightarrow \text{AR0114}$	ARR2	0.254E-11 -360.
B2-006	AR0099 + NO3	$\rightarrow \text{AR0114}$	ARR1	0.250E-11
B2-007	AR0099 + HO2	$\rightarrow 0.35 \text{ AR0115} + 0.65 \text{ AR0114}$	ARR2	0.239E-12 -1300.
B2-008	AR0112 + NO	$\rightarrow \text{AR0098}$	ARR2	0.254E-11 -360.
B2-009	AR0112 + NO3	$\rightarrow \text{AR0098}$	ARR1	0.250E-11
B2-010	AR0112 + HO2	$\rightarrow \text{AR0125}$	ARR2	0.239E-12 -1300.
B2-011	AR0125 + HO	$\rightarrow \text{AR0112}$	ARR1	0.465E-10

B2-012	AR0125	→ AR0098	PHOTO	6.3472E-06
B2-013	AR0113 + NO3	→ AR0126	ARR1	0.313E-12
B2-014	AR0113 + HO	→ AR0126	ARR1	0.153E-11
B2-015	AR0126 + NO2	→ AR0138	ARR1	0.208E-11
B2-016	AR0114	→ 0.32 AR0127 + 0.68 BTOL2OH10	ARR1	1.0E+06
B2-017	BTOL2OH10	→ 0.350 AU5002 + 0.350 DD2000 + 0.140 UD5002 + 0.140 DD2000 + 0.250 UD5000 + 0.250 AD2000 + 0.095 UD4000 + 0.095 AK3000 + 0.090 AU5000 + 0.090 DD2000 + 0.075 AU4000 + 0.075 DK3000	ARR1	1.0E+07
B2-018	AR0115 + HO	→ AR0099	ARR1	0.115E-09
B2-019	AR0115	→ AR0114	PHOTO	6.3472E-06
B2-020	AR0101 + NO	→ AR0118	ARR2	0.254E-11 -360.
B2-021	AR0101 + NO3	→ AR0118	ARR1	0.250E-11
B2-022	AR0101 + HO2	→ AR01192	ARR2	0.239E-12 -1300.
B2-023	AR0119	→ AR0118	PHOTO	6.3472E-06
B2-024	AR0119 + HO	→ AR0101	ARR1	0.107E-09
B2-025	AR0119	→ AR0114	PHOTO	1.0401E-06
B2-026	AR0118	→ DD2000 + AU5002	ARR1	0.100E+07
B2-027	AR0127 + HO	→ 0.93 AR0140 + 0.07 Me6Cy1U3K	ARR1	0.235E-10
B2-028	AR0140 + HO2	→ AR014000H	ARR2	0.239E-12 -1300.
B2-029	AR0140 + NO	→ AR014010	ARR2	0.270E-11 -360.
B2-030	AR014000H + HO	→ MBQN1K1OH	ARR1	1.42E-10
B2-031	AR014010	→ C73K1OH20	ARR1	1.00E+6
B2-032	C73K1OH20 + HO2	→ 0.44 DD5002 + 0.56 C73K1OHOOH	ARR2	5.20E-13 -980.
B2-033	C73K1OHOOH + HO	→ C73K1OH20	ARR1	9.29E-11
B2-034	C73K1OH20 + NO	→ DD5002	ARR2	7.50E-12 -290.
B2-035	AR0100 + HO	→ 0.07 AR0116 + 0.065 MBQN1OH + 0.73 TOL3OH + 0.135 BTOL3OH20	ARR1	0.205E-09
B2-036	AR0100 + NO3	→ AR0116	ARR1	0.201E-09
B2-037	AR0100 + O3	→ AR0117	ARR1	0.281E-16
B2-038	AR0116 + NO2	→ AR0128	ARR1	0.208E-11
B2-039	AR0116 + O3	→ AR0129	ARR1	0.286E-12
B2-040	AR0128 + HO	→ AR0142	ARR1	0.683E-11
B2-041	AR0128 + NO3	→ AR0142	ARR1	0.503E-11
B2-042	AR0129 + HO2	→ AR01442	ARR2	0.239E-12 -1300.
B2-043	AR0129 + NO	→ AR0116	ARR2	0.254E-11 -360.
B2-044	AR0129 + NO3	→ AR0116	ARR1	0.250E-11
B2-045	AR0144	→ AR0116	PHOTO	6.3472E-06
B2-046	AR0144 + HO	→ AR0129	ARR1	0.205E-09
B2-047	AR0142 + NO	→ AR0152	ARR2	0.254E-11 -360.
B2-048	AR0142 + NO3	→ AR0152	ARR1	0.250E-11
B2-049	AR0142 + HO2	→ AR01532	ARR2	0.239E-12 -1300.
B2-050	AR0153	→ AR0152	PHOTO	6.3472E-06
B2-051	AR0153 + HO	→ AR0142	ARR2	0.190E-11 -190.
B2-052	AR0152	→ AD2000 + AU50DN	ARR1	1.00E+6
B2-053	AU50DN + HO	→ FURR6	ARR2	0.190E-11 -190.
B2-054	FURR6 + HO	→ radFURR6	ARR1	0.150E-11
B2-055	radFURR6 + HO2	→ FURR6OHOOH	ARR2	0.204E-12 -1300.
B2-056	radFURR6 + NO	→ DK3000	ARR2	0.270E-11 -360.
B2-057	radFURR6 + NO3	→ DK3000	ARR1	0.230E-11
B2-058	FURR6OHOOH + HO	→ radFURR6	ARR1	1.700E-11

B2-059	TOL3OH + HO	→ 0.07 TOL2OH1O + 0.07 MBQN2OH + 0.73 TOL4OH + 0.13 BTOL4OH2O	ARR1	2.5E-10
B2-060	TOL4OH + HO	→ 0.07 TOL3OH1O + 0.07 MBQN3OH + 0.73 TOL5OH + 0.13 BTOL5OH2O	ARR1	2.5E-10
B2-061	TOL2OH1O + NO2	→ TOL3OH1NO2	ARR1	0.208E-11
B2-062	TOL2OH1O + O3	→ TOL2OH2O	ARR1	0.286E-12
B2-063	TOL2OH2O + HO2	→ TOL2OHOOH2	ARR2	0.239E-12 -1300.
B2-064	TOL2OH2O + NO	→ TOL2OH1O	ARR2	0.254E-11 -360.
B2-065	TOL2OH2O + NO3	→ TOL2OH1O	ARR1	0.250E-11
B2-066	TOL2OHOOH	→ TOL2OH1O	PHOTO	6.3472E-06
B2-067	TOL2OHOOH + HO	→ TOL2OH2O	ARR1	0.205E-09
B2-068	TOL3OH1O + NO2	→ TOL4OH1NO2	ARR1	0.208E-11
B2-069	TOL3OH1O + O3	→ TOL3OH2O	ARR1	0.286E-12
B2-070	TOL3OH2O + HO2	→ TOL3OHOOH2	ARR2	0.239E-12 -1300.
B2-071	TOL3OH2O + NO	→ TOL3OH1O	ARR2	0.254E-11 -360.
B2-072	TOL3OH2O + NO3	→ TOL3OH1O	ARR1	0.250E-11
B2-073	TOL3OHOOH	→ TOL3OH1O	PHOTO	6.3472E-06
B2-074	TOL3OHOOH + HO	→ TOL3OH2O	ARR1	0.205E-09
B2-075	BTOL3OH2O + HO2	→ 0.65 BTOL3OH1O + 0.35 BTOL3OHOOH	ARR2	0.239E-12 -1300.
B2-076	BTOL3OH2O + NO3	→ BTOL3OH1O	ARR1	0.250E-11
B2-077	BTOL3OH2O + NO	→ BTOL3OH1O	ARR2	0.254E-11 -360.
B2-078	BTOL3OH1O	→ 0.165 AD5000 + 0.165 DD2000 + 0.165 UD5000 + 0.165 AA2000 + 0.165 AU5000 + 0.165 AD2000 + 0.165 DK5000 + 0.165 DD2000 + 0.165 AD4000 + 0.165 DK3000 + 0.165 AU4000 + 0.165 AK3000	ARR1	1.0E+06
B2-079	BTOL3OHOOH	→ BTOL3OH1O	PHOTO	6.3472E-06
B2-080	BTOL3OHOOH + HO	→ BTOL3OH2O	ARR1	0.205E-09
B2-081	BTOL4OH2O + HO2	→ 0.65 BTOL4OH1O + 0.35 BTOL4OHOOH	ARR2	0.239E-12 -1300.
B2-082	BTOL4OH2O + NO3	→ BTOL4OH1O	ARR1	0.250E-11
B2-083	BTOL4OH2O + NO	→ BTOL4OH1O	ARR2	0.254E-11 -360.
B2-084	BTOL4OH1O	→ 0.250 AD4001 + 0.250 DK3000 + 0.250 AD5000 + 0.250 AD2000 + 0.250 AU5000 + 0.250 AA2000 + 0.250 AK5000 + 0.250 DD2000	ARR1	1.0E+06
B2-085	BTOL4OHOOH	→ BTOL4OH1O	PHOTO	6.3472E-06
B2-086	BTOL4OHOOH + HO	→ BTOL4OH2O	ARR1	0.205E-09
B2-087	BTOL5OH2O + HO2	→ 0.65 BTOL5OH1O + 0.35 BTOL5OHOOH	ARR2	0.239E-12 -1300.
B2-088	BTOL5OH2O + NO3	→ BTOL5OH1O	ARR1	0.250E-11
B2-089	BTOL5OH2O + NO	→ BTOL5OH1O	ARR2	0.254E-11 -360.
B2-090	BTOL5OH1O	→ 0.250 AD5000 + 0.250 AA2000 + 0.250 AA4000 + 0.250 DK3000 + 0.250 AD4001 + 0.250 AK3000 + 0.250 AK5000 + 0.250 AD2000	ARR1	1.0E+06
B2-091	BTOL5OHOOH	→ BTOL5OH1O	PHOTO	6.3472E-06
B2-092	BTOL5OHOOH + HO	→ BTOL5OH2O	ARR1	0.205E-09

BLOC 3 : BICYCLIC COMPOUND PATHWAY

B3-001	AR0086 + NO	→ 0.89 AR0092 + 0.11 AR0093	ARR2	2.542E-12 -360.
B3-002	AR0086 + NO3	→ AR0092	ARR1	0.250E-11
B3-003	AR0086 + HO2	→ AR00942	ARR2	0.239E-12 -1300.
B3-004	AR0086	→ radHOM70	ARR2	1.297E+03 3920.
B3-005	radHOM70	→ radHOM90	ARR1	0.5
B3-006	radHOM70 + NO	→ 0.80 HOM1O + 0.20 HOM1ONO2	ARR2	2.7E-12 360.

B3-007	radHOM70 + HO2	→ HOM100H	ARR2	2.6E-13 1300.
B3-008	radHOM90 + NO	→ 0.80 HOM20 + 0.20 HOM2ON02	ARR2	2.7E-12 360.
B3-009	radHOM90 + HO2	→ HOM2OOH	ARR2	2.6E-13 1300.
B3-010	AR0092	→ 0.15 UD5001 + 0.15 DD2000 + 0.15 UD5000 + 0.15 DD2000 + 0.05 MFUR + 0.05 DD2000 + 0.20 UD4000 + 0.20 DK3000 + 0.30 FURR5 + 0.30 CH2O + 0.15 FURR3 + 0.15 D02000	ARR1	1.00E+06
B3-011	FURR5 + HO	→ FUROH	ARR1	1.570E-10
B3-012	AR0094	→ AR0092	PHOTO	6.3472E-06
B3-013	AR0094 + HO	→ AR0104	ARR1	0.964E-10
B3-014	AR0093	→ AR0092	PHOTO	1.0401E-06
B3-015	AR0093 + HO	→ AR0104	ARR1	0.716E-10
B3-016	AR0104	→ DD2000 + 3U5002	PHOTO	1.0291E-06
B3-017	AR0104 + HO	→ DD2000 + 3U5002	ARR1	0.900E-10
B3-018	MFUR + HO	→ AR0121	ARR1	0.690E-10
B3-019	MFUR + NO3	→ AR0121	ARR1	0.100E-11
B3-020	MFUR + O3	→ AR0121	ARR1	0.800E-18
B3-021	FURON + HO	→ AR0035	ARR1	0.445E-10
B3-022	FURON + NO3	→ AR0035	ARR1	0.300E-12
B3-023	FURON + O3	→ AR0035	ARR1	0.220E-18
B3-024	AR0121 + NO	→ ED5000	ARR2	0.254E-11 -360.
B3-025	AR0121 + NO3	→ ED5000	ARR1	0.250E-11
B3-026	AR0121 + HO2	→ AR01342	ARR2	0.205E-12 -1300.
B3-027	AR0134	→ ED5000	PHOTO	6.3472E-06
B3-028	AR0134 + HO	→ AR0121	ARR1	0.253E-10
B3-029	ED5000 + HO	→ radED5000	ARR1	0.344E-10
B3-030	radED5000 + NO	→ radED5002	ARR2	0.750E-11 -290.
B3-031	radED5000 + HO2	→ 0.56 ED5000OOH + 0.44 radED5002	ARR2	5.2E-13 -980.
B3-032	ED5000OOH + HO	→ radED5000	ARR1	3.59E-12
B3-033	radED5002 + NO	→ 3K2000 + CH2O	ARR2	0.270E-11 -360.
B3-034	radED5002 + HO2	→ ED5002OOH2	ARR2	0.182E-12 -1300.
B3-035	ED5002OOH + HO	→ radED5002	ARR1	3.59E-12
B3-036	AR0035 + NO	→ ED4001	ARR2	0.254E-11 -360.
B3-037	AR0035 + NO3	→ ED4001	ARR1	0.250E-11
B3-038	AR0035 + HO2	→ AR0048	ARR2	0.205E-12 -1300.
B3-039	AR0048	→ ED4001	PHOTO	6.3472E-06
B3-040	AR0048 + HO	→ AR0035	ARR1	0.368E-10
B3-041	ED4001 + HO	→ radED4001	ARR1	0.344E-10
B3-042	radED4001 + NO	→ CH2O	ARR2	0.270E-11 -360.
B3-043	radED4001 + HO2	→ HD2000	ARR2	1.126E-13 -1300.
B3-044	HD2000 + HO	→ DD2000	ARR1	2.91E-11

BLOC 4 : RING OPENING PATHWAY (EPOX)

B4-001	AR0087	→ AR0010 + 3K2000	PHOTO	7.565E-04
B4-002	AR0087	→ 2U6000	PHOTO	7.565E-04
B4-003	AR0087 + NO3	→ AR0095	ARR2	0.396E-11 1862.
B4-004	AR0087 + HO	→ 0.69 AR0096 + 0.31 AR0095	ARR1	0.800E-10
B4-005	AR0087 + O3	→ AR0010 + AR0097	ARR1	0.500E-17
B4-006	AR0095 + NO	→ 2U6000	ARR2	0.810E-11 -270.
B4-007	AR0095 + NO2	→ AR0105	TROE5	0.270E-27 7.1 0.120E-10 0.9 0.3
B4-008	AR0095 + NO3	→ 2U6000	ARR1	0.400E-11
B4-009	AR0095 + HO2	→ 0.71 AR0106 + 0.29 AR01072	ARR2	0.430E-12 -1040.

B4-010	AR0105	→ AR0095	TROE7	0.490E-02 12100. 0.0 0.540E+17 13830. 0.0 0.3
B4-011	AR0105 + HO	→ UD5000	ARR1	0.596E-10
B4-012	AR0106	→ 2U6000	PHOTO	6.3472E-06
B4-013	AR0106	→ 2U6000	PHOTO	1.0557E-05
B4-014	AR0106	→ 2U6000	PHOTO	1.0556E-05
B4-015	AR0106 + HO	→ AR0095	ARR1	0.629E-10
B4-016	AR0107	→ 2U6000	PHOTO	1.0557E-05
B4-017	AR0107	→ 2U6000	PHOTO	1.0556E-05
B4-018	AR0107 + HO	→ 2U6000	ARR1	0.598E-10
B4-019	AR0096 + NO	→ 0.89 AR0108 + 0.11 AR0109	ARR2	2.537E-12 -360.
B4-020	AR0096 + NO3	→ AR0108	ARR1	0.250E-11
B4-021	AR0096 + HO2	→ AR01102	ARR2	0.239E-12 -1300.
B4-022	AR0108	→ 0.5 DK4000 + 0.5 DK3000 + 0.5 AR0010	ARR1	1.000E+06
B4-023	AR0109 + HO	→ AR0124	ARR1	0.306E-10
B4-024	AR0109	→ AR0010 + 3K2000	PHOTO	2.2690E-05
B4-025	AR0109	→ AR0010	PHOTO	1.0291E-06
B4-026	AR0110	→ AR0108	PHOTO	6.3472E-06
B4-027	AR0110	→ AR0108	PHOTO	2.2690E-05
B4-028	AR0110	→ AR0108	PHOTO	1.0291E-06
B4-029	AR0110 + HO	→ AR0124	ARR1	0.704E-10
B4-030	AR0010 + HO	→ AR0020	ARR1	0.432E-10
B4-031	AR0010 + NO3	→ AR0020	ARR2	0.115E-10 1862.
B4-032	AR0124	→ AR0010 + 3K2000	PHOTO	2.2690E-05
B4-033	AR0124	→ AR0010 + 3K2000	PHOTO	3.3377E-04
B4-034	AR0124 + HO	→ AR0010 + 3K2000	ARR1	0.406E-10
B4-035	AR0020 + NO2	→ AR0038	TROE5	0.270E-27 7.1 0.120E-10 0.9 0.3
B4-036	AR0020 + HO2	→ 0.71 AR0039 + 0.29 AR00402	ARR2	0.430E-12 -1040.
B4-037	AR0038	→ AR0020	TROE7	0.490E-02 12100. 0.0 0.540E+17 13830. 0.0 0.3
B4-038	AR0038 + HO	→ DD3001	ARR1	0.229E-10
B4-039	AR0039 + HO	→ AR0020	ARR1	0.262E-10
B4-040	AR0097	→ 0.18 AR0111 + .125 D02000 + 3K2000	ARR1	1.000E+06
B4-041	AR0111 + SO2	→ SULF + DK3000	ARR1	0.700E-13
B4-042	AR0111 + CO	→ DK3000	ARR1	0.120E-14
B4-043	AR0111 + NO	→ DK3000	ARR1	0.100E-13
B4-044	AR0111 + NO2	→ DK3000	ARR1	0.100E-14
B4-045	AR0111	→ .375 DK3000 + .625 AK3000	ARR1	1.600E-17

BLOC 5 : RING OPENING PATHWAY (ALCENE)

B5-001	UU7000 + HO	→ 0.32 3U7000 + 0.68 2U7000	ARR1	0.644E-10
B5-002	UU7000 + NO3	→ 0.08 3U7000 + 0.92 2U7000	ARR1	2.0E-13
B5-003	UU7000	→ 0.5 1U6000 + 0.5 3U7000	PHOTO	5.1086E-05
B5-004	2U7000 + NO	→ 1U7000	ARR2	0.270E-11 -360.
B5-005	2U7000 + NO3	→ 1U7000	ARR1	0.230E-11
B5-006	1U7000	→ 0.125 UD7000 + 0.500 UD6000 + 0.125 UD4000 + 0.125 DK3000 + 0.125 UD5000 + 0.125 DD2000 + 0.125 UD5001 + 0.125 A02000	ARR3	0.112E+10 1.7 2851.
B5-007	3U7000 + NO	→ 1U6000	ARR2	0.810E-11 -270.
B5-008	3U7000 + NO3	→ 1U6000	ARR1	0.500E-11
B5-009	UD7000 + HO	→ 2D7000	ARR1	0.426E-10
B5-010	AU7000 + HO	→ 2D7000	ARR1	8.73E-11
B5-011	2D7000 + NO	→ 1D7000	ARR2	0.270E-11 -360.
B5-012	2D7000 + HO2	→ AU70002	ARR2	0.281E-12 -1250.

B5-013	2D7000 + NO3	→ 1D7000		ARR1	0.230E-11
B5-014	1D7000	→ 0.05 AU5002 + 0.05 AD2000 + 0.35 AU4000 + 0.35 AK3000 + 0.35 DK4000 + 0.35 DK3000 + 0.25 DD3000 + 0.25 DK4001		ARR3	0.112E+10 1.7 2851.
B5-015	AU6000 + HO	→ 2D6000		ARR1	2.89E-11
B5-016	UD6000 + HO	→ 2D6001		ARR1	1.09E-10
B5-017	2D6000 + NO	→ 1D6000		ARR2	2.703E-11 -360.
B5-018	2D6000 + HO2	→ DK4000 + AD20002		ARR2	0.264E-12 -1250.
B5-019	2D6000 + NO3	→ 1D6000		ARR1	0.230E-11
B5-020	2D6001 + NO	→ 1D6001		ARR2	2.703E-11 -360.
B5-021	2D6001 + HO2	→ AU60002		ARR2	0.264E-12 -1250.
B5-022	2D6001 + NO3	→ 1D6001		ARR1	0.230E-11
B5-023	1D6000	→ AD2000 + DK4000		ARR3	0.112E+10 1.7 2451.
B5-024	1D6001	→ DK3000 + DD3000		ARR3	0.112E+10 1.7 2451.

BLOC 6 : OTHER MAJOR GAS COMPOUND FORMATION PATHWAY

B6-001	UD4000 + HO	→ .144 2D4000		ARR1	5.207E-11
B6-002	UD4000 + O3	→ DD2000		ARR1	1.600E-18
B6-003	UD4000	→ FURON	PHOTO		8.7754E-04
B6-004	UD4000	→ MALAHY	PHOTO		8.7754E-04
B6-005	2U6000 + NO	→ 0.90 1U6000		ARR2	2.703E-11 -360.
B6-006	2U6000 + NO3	→ 1U6000		ARR1	0.230E-11
B6-007	2U6000 + MO2	→ 0.34 1U6000 + 0.33 UD6000		ARR2	0.565E-13 -845.
B6-008	2U6000 + AC03	→ 0.65 1U6000		ARR1	0.100E-10
B6-009	1U6000	→ UD5000		ARR3	0.112E+10 1.7 2451.
B6-010	UD6000	→ UD5000	PHOTO		2.7986E-06
B6-011	UD5000 + HO	→ 0.54 3U5002 + 0.23 FURR6 + 0.23 2D5003		ARR1	0.558E-10
B6-012	UD5000 + O3	→ 0.50 DD2000 + 0.50 DK3000 + 3K2000		ARR1	0.480E-17
B6-013	UD5000 + NO3	→ 3U5002		ARR1	0.107E-13
B6-014	UD5000	→ MFUR	PHOTO		1.1953E-03
B6-015	UD5000	→ MALAHY	PHOTO		1.1953E-03
B6-016	UD5001 + HO	→ 0.40 3U5000 + 0.40 3U5001 + 0.10 2D5000 + 0.10 2D5001		ARR1	5.168E-11
B6-017	UD5001 + O3	→ 0.30 DK3000 + 0.70 DD2000 + 3K2000		ARR1	1.600E-18
B6-018	UD5001 + NO3	→ 0.50 3U5000 + 0.50 3U5001		ARR1	0.222E-13
B6-019	UD5001	→ FURON	PHOTO		8.7754E-04
B6-020	UD5001	→ MALAHY	PHOTO		8.7754E-04
B6-021	MALAHY + HO	→ AR0080		ARR1	0.150E-11
B6-022	3U5001 + NO	→ 1D4001		ARR2	0.810E-11 -270.
B6-023	3U5001 + NO2	→ PU5001		ARR3	0.330E-08 -1.0 0.
B6-024	3U5001 + NO3	→ 1D4001		ARR1	0.500E-11
B6-025	3U5001 + MO2	→ 0.68 1D4001 + 0.31 AU5002		ARR1	0.100E-10
B6-026	3U5001 + AC03	→ 1D4001		ARR2	0.500E-11 -500.
B6-027	1D4001	→ DK3000		ARR3	0.224E+10 1.7 2567.
B6-028	2D5001 + NO	→ .967 1D5001		ARR2	0.270E-11 -360.
B6-029	2D5001 + HO2	→ HD50012		ARR2	0.242E-12 -1250.
B6-030	2D5001 + NO3	→ 1D5001		ARR1	0.230E-11
B6-031	1D5001	→ DK3000 + DD2000		ARR3	0.112E+10 1.7 1890.
B6-032	2D5000 + NO	→ .967 1D5000		ARR2	0.270E-11 -360.
B6-033	2D5000 + HO2	→ HD5000		ARR2	0.242E-12 -1250.
B6-034	2D5000 + NO3	→ 1D5000		ARR1	0.230E-11
B6-035	2D5000 + MO2	→ 0.69 1D5000		ARR2	0.338E-12 415.

B6-036	2D5000 + AC03	→ 1D5000	ARR1	0.100E-10
B6-037	1D5000	→ DK3000 + DD2000	ARR3	0.112E+10 1.7 1734.
B6-038	DK3000	→ 3K2000	PHOTO	9.5613E-05
B6-039	DK3000 + NO3	→ 3K2000	ARR2	3.76E-12 1900.0
B6-040	DK3000 + HO	→ 3K2000	ARR2	9.26E-13 -830.
B6-041	PU5001	→ 3U5001	ARR2	0.200E+16 12800.
B6-042	PU5001 + O3	→ 0.30 DK3000 + 3K2000	ARR1	0.480E-17
B6-043	PU5001	→ 3U5001	PHOTO	5.9784E-07
B6-044	3K2000 + NO2	→ P02000	TROE5	0.850E-28 6.5 0.110E-10 1.0 0.6
B6-045	P02000	→ 3K2000	TROE7	0.190E-02 12175. 0.0 0.280E+17 13580. 0.0 0.6
B6-046	P02000	→ 3K2000	PHOTO	5.9784E-07
B6-047	1D4000	→ 3K2000 + DD2000	ARR3	0.112E+10 1.7 2768.
B6-048	2D5003 + NO	→ 1D5003	ARR2	0.261E-11 -360.
B6-049	2D5003 + NO3	→ 1D5003	ARR1	0.230E-11
B6-050	1D5003	→ 3K2000	ARR3	0.112E+10 1.7 2158.
B6-051	1D5003	→ DK3000 + DD2000	ARR3	0.112E+10 1.7 3197.

BLOC 7 : OTHER SOA MAJOR CONTRIBUTORS FORMATION PATHWAY

B7-001	3U5002 + NO2	→ PU5002	ARR3	0.330E-08 -1.0 0.
B7-002	3U5002 + HO2	→ 0.80 GU5002 + 0.20 AU50022	ARR2	0.640E-12 -925.
B7-003	3U5002 + NO	→ 1D4000	ARR2	0.810E-11 -270.
B7-004	3U5002 + NO3	→ 1D4000	ARR1	0.500E-11
B7-005	PU5002	→ 3U5002	ARR2	0.200E+16 12800.
B7-006	PU5002 + HO	→ 0.5 2P5006	ARR1	1.364E-11
B7-007	PU5002 + O3	→ 0.50 DK3000 + 0.50 3K2000	ARR1	0.360E-17
B7-008	PU5002	→ 3K2000	PHOTO	1.0009E-06
B7-009	PU5002	→ 3U5002	PHOTO	5.9784E-07
B7-010	2P5006 + HO2	→ PH50022	ARR2	0.242E-12 -1250.
B7-011	2P5006 + NO	→ .967 1P5006	ARR2	0.270E-11 -360.
B7-012	2P5006 + NO3	→ 1P5006	ARR1	0.230E-11
B7-013	PH5002	→ 3H5004	ARR2	0.200E+16 12800.
B7-014	PH5002 + HO	→ .926 PK5001	ARR1	7.439E-11
B7-015	PH5002	→ 3H5004	PHOTO	5.9784E-07
B7-016	PH5002	→ 3K2000	PHOTO	2.0118E-06
B7-017	PH5002	→ 1P5006	PHOTO	6.3472E-06
B7-018	1P5006	→ 2P500A	ARR2	0.120E+12 3936.
B7-019	1P5006	→ PK5001	ARR2(O2)	0.250E-13 300.
B7-020	1P5006	→ DK3000	ARR3	0.112E+10 1.7 5234.
B7-021	PK5001	→ 3K2000	PHOTO	2.0118E-06
B7-022	2P500A + HO2	→ PH50042	ARR2	0.242E-12 -1250.
B7-023	2P500A + NO	→ .967 1P500A	ARR2	0.270E-11 -360.
B7-024	2P500A + NO3	→ 1P500A	ARR1	0.230E-11
B7-025	3H5004 + NO2	→ PH5002	ARR3	0.330E-08 -1.0 0.
B7-026	3H5004 + HO2	→ 0.80 GH50022	ARR2	0.640E-12 -925.
B7-027	3H5004 + NO	→ DK4000	ARR2	0.810E-11 -270.
B7-028	3H5004 + NO3	→ DK4000	ARR1	0.500E-11
B7-029	3H5009 + NO2	→ PH5004	ARR3	0.330E-08 -1.0 0.
B7-030	PH5004	→ 3H5009	ARR2	0.200E+16 12800.
B7-031	PH5004 + HO	→ .266 PD5002	ARR1	3.708E-11
B7-032	PH5004 + HO	→ 2P500A	ARR2	0.191E-11 -190.
B7-033	PH5004	→ 3H5009	PHOTO	5.9784E-07
B7-034	PH5004	→ 1P500A	PHOTO	6.3472E-06

B7-035	3U5000 + NO2	→ PU5000		ARR3	0.330E-08	-1.0	0.
B7-036	3U5000 + NO	→ 1D4000		ARR2	0.810E-11	-270.	
B7-037	3U5000 + NO3	→ 1D4000		ARR1	0.500E-11		
B7-038	PU5000 + HO	→ 0.13 2P5000		ARR1	0.283E-11		
B7-039	PU5000	→ 3U5000		ARR2	0.200E+16	12800.	
B7-040	PU5000 + O3	→ 0.70 DD2000		ARR1	0.480E-17		
B7-041	PU5000	→ 3U5000		PHOTO	5.9784E-07		
B7-042	2P5000 + HO2	→ PH50002		ARR2	0.242E-12	-1250.	
B7-043	3H5000 + NO2	→ PH5000		ARR3	0.330E-08	-1.0	0.
B7-044	3H5000 + NO	→ DK4000		ARR2	0.810E-11	-270.	
B7-045	3H5000 + NO3	→ DK4000		ARR1	0.500E-11		
B7-046	PH5000	→ 3H5000		ARR2	0.200E+16	12800.	
B7-047	PH5000 + HO	→ 2P5000		ARR2	0.192E-11	-190.	
B7-048	PH5000	→ 3H5000		PHOTO	5.9784E-07		
B7-049	GU5002 + HO	→ 0.39 2G5006		ARR1	1.744E-11		
B7-050	GU5002 + O3	→ 0.5 DK3000 + 0.5 3K2000		ARR1	0.360E-17		
B7-051	GU5002	→ 3K2000		PHOTO	1.0009E-06		
B7-052	GU5002	→ 1D4000		PHOTO	6.3472E-06		
B7-053	2G5006 + HO2	→ GH50022		ARR2	0.242E-12	-1250.	
B7-054	GH5002	→ 3K2000		PHOTO	2.0118E-06		
B7-055	GH5002	→ DK4000		PHOTO	6.3472E-06		
B7-056	AU5002 + O3	→ 0.5 DK3000 + 0.5 3K2000		ARR1	0.360E-17		
B7-057	1P500A	→ 3P4000 +CH2O		ARR3	0.112E+10	1.7	3065.
B7-058	1P500A	→ PK5003		ARR2	0.400E+11	1661.	
B7-059	PK5003	→ 3K5003		ARR2	0.200E+16	12800.	
B7-060	3K5003 + NO2	→ PK5003		ARR3	0.330E-08	-1.00.	
B7-061	PD5002 + HO	→ 0.43 3P4000		ARR1	0.481E-10		
B7-062	PD5002 + NO3	→ 0.64 3P4000		ARR1	1.005E-14		
B7-063	PD5002	→ 3P4000		PHOTO	8.1954E-05		
B7-064	3P4000 + NO2	→ PP4000		ARR3	0.330E-08	-1.0	0.
B7-065	PP4000	→ 3P4000		ARR2	0.400E+16	12800.	
B7-066	PP4000 + HO	→ PP4004		ARR1	0.273E-10		
B7-067	PP4000	→ 3P4000		PHOTO	1.20E-06		
B7-068	PP4004	→ 3P400X		ARR2	0.400E+16	12800.	
B7-069	3P400X + NO2	→ PP4004		ARR3	0.330E-08	-1.0	0.
B7-070	PP4004	→ 3P400X		PHOTO	5.9784E-07		

BLOC 8 : LOSS REACTIONS

B8-001	NTOL + HO	→		ARR1	1.0E-12		
B8-002	AR0027	→		PHOTO	1.23E-4		
B8-003	BZALDOH + HO	→		ARR1	2.03E-11		
B8-004	AR0113	→		PHOTO	5.0E-04		
B8-005	AR0126 + O3	→		ARR1	0.286E-12		
B8-006	AR0138 + HO	→		ARR1	5.10E-14		
B8-007	AR0138 + NO3	→		ARR1	7.83E-15		
B8-008	Me6Cy1U3K + HO	→		ARR1	4.78E-11		
B8-009	AR0128	→		PHOTO	5.0E-04		
B8-010	TOL3OH1NO2 + HO	→		ARR1	0.683E-11		
B8-011	TOL3OH1NO2 + NO3	→		ARR1	0.503E-11		
B8-012	TOL4OH1NO2 + HO	→		ARR1	0.683E-11		
B8-013	TOL4OH1NO2 + NO3	→		ARR1	0.503E-11		

B8-014	MBQN1OH + HO	→		<i>ARR1</i>	0.235E-10
B8-015	MBQN2OH + HO	→		<i>ARR1</i>	0.235E-10
B8-016	MBQN3OH + HO	→		<i>ARR1</i>	0.235E-10
B8-017	MBQN1OH + NO3	→		<i>ARR1</i>	0.100E-11
B8-018	MBQN2OH + NO3	→		<i>ARR1</i>	0.100E-11
B8-019	MBQN3OH + NO3	→		<i>ARR1</i>	0.100E-11
B8-020	TOL5OH + HO	→		<i>ARR1</i>	2.5E-10
B8-021	AU5000 + HO	→		<i>ARR1</i>	4.51E-11
B8-022	AU5000 + O3	→		<i>ARR1</i>	4.80E-18
B8-023	AU5000 + NO3	→		<i>ARR1</i>	1.91E-14
B8-024	UD5002 + HO	→		<i>ARR1</i>	4.51E-11
B8-025	UD5002 + O3	→		<i>ARR1</i>	4.80E-18
B8-026	UD5002 + NO3	→		<i>ARR1</i>	1.91E-14
B8-027	DD5002 + HO	→		<i>ARR1</i>	1.84E-11
B8-028	AD5000 + HO	→		<i>ARR1</i>	3.82E-11
B8-029	AD5000 + O3	→		<i>ARR1</i>	3.60E-18
B8-030	AD5000 + NO3	→		<i>ARR1</i>	8.35E-12
B8-031	DK5000 + HO	→		<i>ARR1</i>	3.82E-11
B8-032	DK5000 + O3	→		<i>ARR1</i>	3.60E-18
B8-033	DK5000 + NO3	→		<i>ARR1</i>	8.35E-12
B8-034	MBQN1K1OH + HO	→		<i>ARR1</i>	6.33E-11
B8-035	HOM1O + HO	→		<i>ARR1</i>	1.68E-10
B8-036	HOM2O + HO	→		<i>ARR1</i>	2.16E-10
B8-037	HOM1OOH + HO	→		<i>ARR1</i>	2.50E-10
B8-038	HOM2OOH + HO	→		<i>ARR1</i>	3.00E-10
B8-039	HOM1ONO2 + HO	→		<i>ARR1</i>	1.72E-10
B8-040	HOM2ONO2 + HO	→		<i>ARR1</i>	1.76E-10
B8-041	FURR5 + NO3	→		<i>ARR1</i>	4.500E-12
B8-042	FURR5 + O3	→		<i>ARR1</i>	7.000E-15
B8-043	FURR3 + HO	→		<i>ARR1</i>	1.330E-10
B8-044	FURR3 + NO3	→		<i>ARR1</i>	4.800E-12
B8-045	FURR3 + O3	→		<i>ARR1</i>	7.000E-15
B8-046	FUROH + HO	→		<i>ARR1</i>	1.570E-10
B8-047	FUROH + NO3	→		<i>ARR1</i>	4.500E-12
B8-048	FUROH + O3	→		<i>ARR1</i>	7.000E-15
B8-049	AR0104 + O3	→		<i>ARR1</i>	3.23E-17
B8-050	AR0104 + NO3	→		<i>ARR1</i>	4.27E-14
B8-051	AR0010	→		<i>PHOTO</i>	2.2690E-05
B8-052	AR0020 + NO	→		<i>ARR2</i>	0.810E-11 -270.
B8-053	AR0020 + NO3	→		<i>ARR1</i>	0.400E-11
B8-054	AR0039	→		<i>PHOTO</i>	6.3472E-06
B8-055	AR0039	→		<i>PHOTO</i>	2.2690E-05
B8-056	2U7000 + HO2	→		<i>ARR2</i>	0.281E-12 -1250.
B8-057	3U7000 + HO2	→		<i>ARR2</i>	0.640E-12 -925.
B8-058	AU5002 + HO	→		<i>ARR1</i>	2.19E-11
B8-059	AU4000 + HO	→		<i>ARR1</i>	3.28E-11
B8-060	A02000 + HO	→		<i>ARR2</i>	4.00E-14 -850.
B8-061	AK3000 + HO	→		<i>ARR2</i>	4.90E-14 -276.
B8-062	DK4000 + HO	→		<i>ARR1</i>	2.60E-11
B8-063	DD3000 + HO	→		<i>ARR1</i>	3.10E-11
B8-064	DK4001 + HO	→		<i>ARR1</i>	1.30E-11

B8-065	AD2000 + HO	→		<i>ARR1</i>	1.34E-11
B8-066	UD4000 + NO3	→		<i>ARR1</i>	0.149E-13
B8-067	2U6000 + HO2	→		<i>ARR2</i>	0.264E-12 -1250.
B8-068	HD5000 + HO	→		<i>ARR1</i>	0.510E-10
B8-069	HD5000 + NO3	→		<i>ARR1</i>	0.579E-12
B8-070	HD5001 + HO	→		<i>ARR1</i>	1.111E-10
B8-071	HD5001 + NO3	→		<i>ARR1</i>	0.683E-13
B8-072	CH20	→		<i>PHOTO</i>	6.10E-05
B8-073	CH20 + HO	→		<i>ARR2</i>	0.860E-11 -20.
B8-074	CH20 + NO3	→		<i>ARR1</i>	0.580E-15
B8-075	PU5002 + NO3	→		<i>ARR1</i>	0.680E-14
B8-076	PU5002	→		<i>PHOTO</i>	1.0009E-05
B8-077	PK5001	→		<i>ARR2</i>	0.200E+16 12800.
B8-078	PK5001 + HO	→		<i>ARR1</i>	0.342E-11
B8-079	PK5001	→		<i>PHOTO</i>	8.1954E-05
B8-080	3H5009 + HO2	→		<i>ARR2</i>	0.640E-12 -925.
B8-081	3H5009 + NO	→		<i>ARR2</i>	0.810E-11 -270.
B8-082	3H5009 + NO3	→		<i>ARR1</i>	0.500E-11
B8-083	PH5004	→		<i>PHOTO</i>	2.0118E-06
B8-084	3U5000 + HO2	→		<i>ARR2</i>	0.640E-12 -925.
B8-085	PU5000 + NO3	→		<i>ARR1</i>	0.941E-13
B8-086	PU5000	→		<i>PHOTO</i>	1.9E-05
B8-087	2P5000 + NO	→		<i>ARR2</i>	0.270E-11 -360.
B8-088	2P5000 + NO3	→		<i>ARR1</i>	0.230E-11
B8-089	3H5000 + HO2	→		<i>ARR2</i>	0.640E-12 -925.
B8-090	PH5000 + HO	→		<i>ARR1</i>	2.626E-11
B8-091	PH5000 + NO3	→		<i>ARR1</i>	0.558E-12
B8-092	PH5000	→		<i>PHOTO</i>	9.14E-06
B8-093	GU5002 + NO3	→		<i>ARR1</i>	0.680E-14
B8-094	GU5002	→		<i>PHOTO</i>	1.0009E-05
B8-095	2G5006 + NO	→		<i>ARR2</i>	0.270E-11 -360.
B8-096	2G5006 + NO3	→		<i>ARR1</i>	0.230E-11
B8-097	GH5002 + HO	→		<i>ARR1</i>	7.795E-11
B8-098	GH5002	→		<i>PHOTO</i>	6.3472E-06
B8-099	AU5002 + NO3	→		<i>ARR1</i>	0.680E-14
B8-100	PK5003 + HO	→		<i>ARR1</i>	0.550E-11
B8-101	PK5003	→		<i>PHOTO</i>	8.40E-05
B8-102	3K5003 + HO2	→		<i>ARR2</i>	0.640E-12 -925.
B8-103	3K5003 + NO	→		<i>ARR2</i>	0.810E-11 -270.
B8-104	3K5003 + NO3	→		<i>ARR1</i>	0.500E-11
B8-105	PD5002	→		<i>ARR2</i>	0.200E+16 12800.
B8-106	PD5002	→		<i>PHOTO</i>	9.70E-06
B8-107	3P4000 + HO2	→		<i>ARR2</i>	0.640E-12 -925.
B8-108	3P4000 + NO	→		<i>ARR2</i>	0.810E-11 -270.
B8-109	3P4000 + NO3	→		<i>ARR1</i>	0.500E-11
B8-110	PP4004 + HO	→		<i>ARR1</i>	0.331E-11
B8-111	PP4004	→		<i>PHOTO</i>	8.1954E-05
B8-112	DD2000	→		<i>PHOTO</i>	8.0674E-05
B8-113	DD2000	→		<i>PHOTO</i>	4.1198E-06
B8-114	DD2000	→		<i>PHOTO</i>	7.6161E-06
B8-115	DD2000 + NO3	→		<i>ARR2</i>	2.90E-12 1900.0

B8-116	DD2000 + HO	→	<i>ARR1</i>	1.10E-11
B8-117	PU5001 + HO	→	<i>ARR1</i>	0.283E-10
B8-118	PU5001 + NO3	→	<i>ARR1</i>	0.941E-13
B8-119	PU5001	→	<i>PHOTO</i>	6.4685E-06
B8-120	PU5001	→	<i>PHOTO</i>	6.2783E-06
B8-121	PU5001	→	<i>PHOTO</i>	6.2783E-06
B8-122	3K2000 + HO2	→	<i>ARR2</i>	0.640E-12 -925.
B8-123	3K2000 + NO	→	<i>ARR2</i>	0.810E-11 -270.
B8-124	3K2000 + NO3	→	<i>ARR1</i>	0.500E-11
B8-125	P02000 + HO	→	<i>ARR1</i>	0.102E-12
B8-126	2D5003 + HO2	→	<i>ARR2</i>	0.242E-12 -1250.
B8-127	AA2000 + HO	→	<i>ARR2</i>	5.740E-14 -880.
B8-128	AD4000 + HO	→	<i>ARR1</i>	2.58E-11
B8-129	AD4000 + NO3	→	<i>ARR1</i>	3.40E-13
B8-130	AD4001 + HO	→	<i>ARR1</i>	2.58E-11
B8-131	AD4001 + NO3	→	<i>ARR1</i>	3.40E-13
B8-132	AK5000 + HO	→	<i>ARR1</i>	4.69E-11
B8-133	AK5000 + NO3	→	<i>ARR1</i>	8.03E-15
B8-134	AA4000 + HO	→	<i>ARR1</i>	2.58E-11
B8-135	AA4000 + NO3	→	<i>ARR1</i>	3.40E-13

Table S6 : kinetics.

kinetic type	formula
<i>ARR1</i>	$k = x_1$
<i>ARR2</i>	$k = x_1 e^{\frac{-x_2}{T}}$
<i>ARR2(O2)</i>	$k = x_1 e^{\frac{-x_2}{T}} [O_2]$
<i>ARR3</i>	$k = x_1 T^{x_2} e^{\frac{-x_3}{T}}$
<i>TROE5</i>	$r = \frac{k_0 [M]}{k_{inf}}$ $k = \frac{k_0 [M]}{1 + r} \times x_5^{\left(\frac{1}{1 + (\log(r))^2}\right)}$ $k_0 = x_1 e^{\frac{-x_2}{T}}$ $k_{inf} = x_3 e^{\frac{-x_4}{T}}$
<i>TROE7</i>	$r = \frac{k_0 [M]}{k_{inf}}$ $k = \frac{k_0 [M]}{1 + r} \times x_7^{\left(\frac{1}{1 + (\log(r))^2}\right)}$ $k_0 = x_1 T^{x_2} e^{\frac{-x_3}{T}}$ $k_{inf} = x_4 T^{x_5} e^{\frac{-x_6}{T}}$
<i>PHOTO</i>	$k = x_1$ (value associated to experimental UV lamps see table S7 for atmospheric values depending on zenithal angles)

Table S7: atmospheric photolysis rates of MG-Cr-Al mechanism.

reaction ID	reaction		atmospheric photolysis rates at sea level for the following zenithal angles: 0, 10, 20, 30, 40, 50, 60, 70, 78, 86, 90.														
B1-005	AR0090	→	AR0089	2.3428E-06	2.2921E-06	2.1428E-06	1.9015E-06	1.5810E-06	1.2023E-06	7.9880E-07	4.2341E-07	1.9324E-07	5.2977E-08	0.0000E+00			
B1-007	AR0091	→	AR0089	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B1-011	AR0102	→	AR0028	4.9477E-06	4.8766E-06	4.6626E-06	4.2997E-06	3.7803E-06	3.0985E-06	2.2631E-06	1.3382E-06	6.6756E-07	2.0257E-07	0.0000E+00			
B1-012	AR0102	→	AR0120	4.9470E-06	4.8759E-06	4.6620E-06	4.2992E-06	3.7800E-06	3.0984E-06	2.2630E-06	1.3382E-06	6.6755E-07	2.0257E-07	0.0000E+00			
B1-019	AR0131	→	AR0028	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B1-024	AR0043	→	AR0013	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B2-012	AR0125	→	AR0098	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B2-019	AR0115	→	AR0114	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B2-023	AR0119	→	AR0118	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B2-025	AR0119	→	AR0114	2.6247E-06	2.5603E-06	2.3712E-06	2.0683E-06	1.6725E-06	1.2176E-06	7.5613E-07	3.6238E-07	1.4906E-07	3.4614E-08	0.0000E+00			
B2-045	AR0144	→	AR0116	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B2-050	AR0153	→	AR0152	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B2-066	TOL2OHOOH	→	TOL2OH10	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B2-073	TOL3OHOOH	→	TOL3OH10	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B2-079	BTOL3OHOOH	→	BTOL3OH10	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B2-085	BTOL4OHOOH	→	BTOL4OH10	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B2-091	BTOL5OHOOH	→	BTOL5OH10	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B3-012	AR0094	→	AR0092	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B3-014	AR0093	→	AR0092	2.6247E-06	2.5603E-06	2.3712E-06	2.0683E-06	1.6725E-06	1.2176E-06	7.5613E-07	3.6238E-07	1.4906E-07	3.4614E-08	0.0000E+00			
B3-016	AR0104	→	DD2000 + 3U5002	3.5040E-06	3.4163E-06	3.1587E-06	2.7458E-06	2.2064E-06	1.5881E-06	9.6628E-07	4.4655E-07	1.7521E-07	3.7601E-08	0.0000E+00			
B3-027	AR0134	→	ED5000	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B3-039	AR0048	→	ED4001	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B4-001	AR0087	→	AR0010 + 3K2000	4.2133E-03	4.1616E-03	4.0054E-03	3.7377E-03	3.3478E-03	2.8206E-03	2.1419E-03	1.3273E-03	6.7405E-04	2.0948E-04	0.0000E+00			
B4-002	AR0087	→	2U6000	4.2133E-03	4.1616E-03	4.0054E-03	3.7377E-03	3.3478E-03	2.8206E-03	2.1419E-03	1.3273E-03	6.7405E-04	2.0948E-04	0.0000E+00			
B4-012	AR0106	→	2U6000	5.0785E-06	4.9861E-06	4.7112E-06	4.2564E-06	3.6304E-06	2.8533E-06	1.9717E-06	1.0900E-06	5.1457E-07	1.4442E-07	0.0000E+00			
B4-013	AR0106	→	2U6000	4.9477E-06	4.8766E-06	4.6626E-06	4.2997E-06	3.7803E-06	3.0985E-06	2.2631E-06	1.3382E-06	6.6756E-07	2.0257E-07	0.0000E+00			

B4-014	AR0106	→	2U6000	4.9470E-06 4.8759E-06 4.6620E-06 4.2992E-06 3.7800E-06 3.0984E-06 2.2630E-06 1.3382E-06 6.6755E-07 2.0257E-07 0.0000E+00
B4-016	AR0107	→	2U6000	4.9477E-06 4.8766E-06 4.6626E-06 4.2997E-06 3.7803E-06 3.0985E-06 2.2631E-06 1.3382E-06 6.6756E-07 2.0257E-07 0.0000E+00
B4-017	AR0107	→	2U6000	4.9470E-06 4.8759E-06 4.6620E-06 4.2992E-06 3.7800E-06 3.0984E-06 2.2630E-06 1.3382E-06 6.6755E-07 2.0257E-07 0.0000E+00
B4-024	AR0109	→	AR0010 + 3K2000	4.7518E-05 4.6558E-05 4.3706E-05 3.9012E-05 3.2618E-05 2.4837E-05 1.6330E-05 8.3723E-06 3.6409E-06 8.8371E-07 0.0000E+00
B4-025	AR0109	→	AR0010	3.5040E-06 3.4163E-06 3.1587E-06 2.7458E-06 2.2064E-06 1.5881E-06 9.6628E-07 4.4655E-07 1.7521E-07 3.7601E-08 0.0000E+00
B4-026	AR0110	→	AR0108	5.0785E-06 4.9861E-06 4.7112E-06 4.2564E-06 3.6304E-06 2.8533E-06 1.9717E-06 1.0900E-06 5.1457E-07 1.4442E-07 0.0000E+00
B4-027	AR0110	→	AR0108	4.7518E-05 4.6558E-05 4.3706E-05 3.9012E-05 3.2618E-05 2.4837E-05 1.6330E-05 8.3723E-06 3.6409E-06 8.8371E-07 0.0000E+00
B4-028	AR0110	→	AR0108	3.5040E-06 3.4163E-06 3.1587E-06 2.7458E-06 2.2064E-06 1.5881E-06 9.6628E-07 4.4655E-07 1.7521E-07 3.7601E-08 0.0000E+00
B4-032	AR0124	→	AR0010 + 3K2000	4.7518E-05 4.6558E-05 4.3706E-05 3.9012E-05 3.2618E-05 2.4837E-05 1.6330E-05 8.3723E-06 3.6409E-06 8.8371E-07 0.0000E+00
B4-033	AR0124	→	AR0010 + 3K2000	2.3733E-04 2.3449E-04 2.2592E-04 2.1124E-04 1.8985E-04 1.6085E-04 1.2324E-04 7.7278E-05 3.9313E-05 1.2097E-05 0.0000E+00
B5-003	UU7000	→	0.5 1U6000 + 0.5 3U7000	6.1120E-05 5.9787E-05 5.5856E-05 4.9496E-05 4.1040E-05 3.1045E-05 2.0431E-05 1.0667E-05 4.8105E-06 1.2849E-06 0.0000E+00
B6-003	UD4000	→	FURON	4.8875E-04 4.8275E-04 4.6463E-04 4.3358E-04 3.8835E-04 3.2719E-04 2.4847E-04 1.5397E-04 7.8188E-05 2.4300E-05 0.0000E+00
B6-004	UD4000	→	MALAHY	4.8875E-04 4.8275E-04 4.6463E-04 4.3358E-04 3.8835E-04 3.2719E-04 2.4847E-04 1.5397E-04 7.8188E-05 2.4300E-05 0.0000E+00
B6-010	UD6000	→	UD5000	9.4770E-06 9.2366E-06 8.5314E-06 7.4036E-06 5.9347E-06 4.2580E-06 2.5810E-06 1.1880E-06 4.6507E-07 9.9632E-08 0.0000E+00
B6-014	UD5000	→	MFUR	6.6571E-04 6.5754E-04 6.3285E-04 5.9056E-04 5.2896E-04 4.4566E-04 3.3843E-04 2.0971E-04 1.0650E-04 3.3098E-05 0.0000E+00
B6-015	UD5000	→	MALAHY	6.6571E-04 6.5754E-04 6.3285E-04 5.9056E-04 5.2896E-04 4.4566E-04 3.3843E-04 2.0971E-04 1.0650E-04 3.3098E-05 0.0000E+00
B6-019	UD5001	→	FURON	4.8875E-04 4.8275E-04 4.6463E-04 4.3358E-04 3.8835E-04 3.2719E-04 2.4847E-04 1.5397E-04 7.8188E-05 2.4300E-05 0.0000E+00
B6-020	UD5001	→	MALAHY	4.8875E-04 4.8275E-04 4.6463E-04 4.3358E-04 3.8835E-04 3.2719E-04 2.4847E-04 1.5397E-04 7.8188E-05 2.4300E-05 0.0000E+00
B6-038	DK3000	→	3K2000	7.6968E-05 7.5838E-05 7.2455E-05 6.6780E-05 5.8776E-05 4.8426E-05 3.5847E-05 2.1662E-05 1.0736E-05 3.1607E-06 0.0000E+00
B6-043	PU5001	→	3U5001	8.0298E-07 7.8532E-07 7.3328E-07 6.4911E-07 5.3727E-07 4.0517E-07 2.6517E-07 1.3707E-07 6.0989E-08 1.5874E-08 0.0000E+00
B6-046	P02000	→	3K2000	8.0298E-07 7.8532E-07 7.3328E-07 6.4911E-07 5.3727E-07 4.0517E-07 2.6517E-07 1.3707E-07 6.0989E-08 1.5874E-08 0.0000E+00
B7-008	PU5002	→	3K2000	4.7467E-07 4.6782E-07 4.4722E-07 4.1230E-07 3.6239E-07 2.9696E-07 2.1687E-07 1.2826E-07 6.3971E-08 1.9414E-08 0.0000E+00
B7-009	PU5002	→	3U5002	8.0298E-07 7.8532E-07 7.3328E-07 6.4911E-07 5.3727E-07 4.0517E-07 2.6517E-07 1.3707E-07 6.0989E-08 1.5874E-08 0.0000E+00
B7-015	PH5002	→	3H5004	8.0298E-07 7.8532E-07 7.3328E-07 6.4911E-07 5.3727E-07 4.0517E-07 2.6517E-07 1.3707E-07 6.0989E-08 1.5874E-08 0.0000E+00
B7-016	PH5002	→	3K2000	3.2931E-06 3.2172E-06 2.9944E-06 2.6364E-06 2.1655E-06 1.6171E-06 1.0461E-06 5.3456E-07 2.3663E-07 6.1208E-08 0.0000E+00
B7-017	PH5002	→	1P5006	5.0785E-06 4.9861E-06 4.7112E-06 4.2564E-06 3.6304E-06 2.8533E-06 1.9717E-06 1.0900E-06 5.1457E-07 1.4442E-07 0.0000E+00
B7-021	PK5001	→	3K2000	3.2931E-06 3.2172E-06 2.9944E-06 2.6364E-06 2.1655E-06 1.6171E-06 1.0461E-06 5.3456E-07 2.3663E-07 6.1208E-08 0.0000E+00
B7-033	PH5004	→	3H5009	8.0298E-07 7.8532E-07 7.3328E-07 6.4911E-07 5.3727E-07 4.0517E-07 2.6517E-07 1.3707E-07 6.0989E-08 1.5874E-08 0.0000E+00
B7-034	PH5004	→	1P500A	5.0785E-06 4.9861E-06 4.7112E-06 4.2564E-06 3.6304E-06 2.8533E-06 1.9717E-06 1.0900E-06 5.1457E-07 1.4442E-07 0.0000E+00
B7-041	PU5000	→	3U5000	8.0298E-07 7.8532E-07 7.3328E-07 6.4911E-07 5.3727E-07 4.0517E-07 2.6517E-07 1.3707E-07 6.0989E-08 1.5874E-08 0.0000E+00
B7-048	PH5000	→	3H5000	8.0298E-07 7.8532E-07 7.3328E-07 6.4911E-07 5.3727E-07 4.0517E-07 2.6517E-07 1.3707E-07 6.0989E-08 1.5874E-08 0.0000E+00

B7-051	GU5002	→	3K2000	4.7467E-07 4.6782E-07 4.4722E-07 4.1230E-07 3.6239E-07 2.9696E-07 2.1687E-07 1.2826E-07 6.3971E-08 1.9414E-08 0.0000E+00
B7-052	GU5002	→	1D4000	5.0785E-06 4.9861E-06 4.7112E-06 4.2564E-06 3.6304E-06 2.8533E-06 1.9717E-06 1.0900E-06 5.1457E-07 1.4442E-07 0.0000E+00
B7-054	GH5002	→	3K2000	3.2931E-06 3.2172E-06 2.9944E-06 2.6364E-06 2.1655E-06 1.6171E-06 1.0461E-06 5.3456E-07 2.3663E-07 6.1208E-08 0.0000E+00
B7-055	GH5002	→	DK4000	5.0785E-06 4.9861E-06 4.7112E-06 4.2564E-06 3.6304E-06 2.8533E-06 1.9717E-06 1.0900E-06 5.1457E-07 1.4442E-07 0.0000E+00
B7-063	PD5002	→	3P4000	7.6968E-05 7.5838E-05 7.2455E-05 6.6780E-05 5.8776E-05 4.8426E-05 3.5847E-05 2.1662E-05 1.0736E-05 3.1607E-06 0.0000E+00
B7-067	PP4000	→	3P4000	1.6060E-06 1.5710E-06 1.4670E-06 1.3000E-06 1.0740E-06 8.1000E-07 5.3030E-07 2.7400E-07 1.2200E-07 3.1750E-08 0.0000E+00
B7-070	PP4004	→	3P400X	8.0298E-07 7.8532E-07 7.3328E-07 6.4911E-07 5.3727E-07 4.0517E-07 2.6517E-07 1.3707E-07 6.0989E-08 1.5874E-08 0.0000E+00
B8-002	AR0027	→		7.6968E-05 7.5838E-05 7.2455E-05 6.6780E-05 5.8776E-05 4.8426E-05 3.5847E-05 2.1662E-05 1.0736E-05 3.1607E-06 0.0000E+00
B8-004	AR0113	→		2.3733E-04 2.3449E-04 2.2592E-04 2.1124E-04 1.8985E-04 1.6085E-04 1.2324E-04 7.7278E-05 3.9313E-05 1.2097E-05 0.0000E+00
B8-009	AR0128	→		2.3733E-04 2.3449E-04 2.2592E-04 2.1124E-04 1.8985E-04 1.6085E-04 1.2324E-04 7.7278E-05 3.9313E-05 1.2097E-05 0.0000E+00
B8-051	AR0010	→		4.7518E-05 4.6558E-05 4.3706E-05 3.9012E-05 3.2618E-05 2.4837E-05 1.6330E-05 8.3723E-06 3.6409E-06 8.8371E-07 0.0000E+00
B8-054	AR0039	→		5.0785E-06 4.9861E-06 4.7112E-06 4.2564E-06 3.6304E-06 2.8533E-06 1.9717E-06 1.0900E-06 5.1457E-07 1.4442E-07 0.0000E+00
B8-055	AR0039	→		4.7518E-05 4.6558E-05 4.3706E-05 3.9012E-05 3.2618E-05 2.4837E-05 1.6330E-05 8.3723E-06 3.6409E-06 8.8371E-07 0.0000E+00
B8-072	CH20	→		6.8710E-05 6.7475E-05 6.3788E-05 5.766E-05 4.9187E-05 3.8601E-05 2.6545E-05 1.4525E-05 6.7686E-06 1.8278E-06 0.0000E+00
B8-076	PU5002	→		4.7467E-06 4.6782E-06 4.4722E-06 4.1230E-06 3.6239E-06 2.9696E-06 2.1687E-06 1.2826E-06 6.3971E-07 1.9414E-07 0.0000E+00
B8-079	PK5001	→		7.6968E-05 7.5838E-05 7.2455E-05 6.6780E-05 5.8776E-05 4.8426E-05 3.5847E-05 2.1662E-05 1.0736E-05 3.1607E-06 0.0000E+00
B8-083	PH5004	→		3.2931E-06 3.2172E-06 2.9944E-06 2.6364E-06 2.1655E-06 1.6171E-06 1.0461E-06 5.3456E-07 2.3663E-07 6.1208E-08 0.0000E+00
B8-086	PU5000	→		8.6282E-06 8.5040E-06 8.1303E-06 7.4964E-06 6.5900E-06 5.4009E-06 3.9442E-06 2.3329E-06 1.1651E-06 3.5431E-07 0.0000E+00
B8-092	PH5000	→		2.3927E-05 1.4130E-05 1.3153E-05 1.1576E-05 9.4902E-06 7.0482E-06 4.5048E-06 2.2484E-06 9.6452E-07 2.3922E-07 0.0000E+00
B8-094	GU5002	→		4.7467E-06 4.6782E-06 4.4722E-06 4.1230E-06 3.6239E-06 2.9696E-06 2.1687E-06 1.2826E-06 6.3971E-07 1.9414E-07 0.0000E+00
B8-098	GH5002	→		5.0785E-06 4.9861E-06 4.7112E-06 4.2564E-06 3.6304E-06 2.8533E-06 1.9717E-06 1.0900E-06 5.1457E-07 1.4442E-07 0.0000E+00
B8-101	PK5003	→		8.0261E-05 7.9055E-05 7.5449E-05 6.9416E-05 6.0941E-05 5.0043E-05 3.6893E-05 2.2197E-05 1.0973E-05 3.2219E-06 0.0000E+00
B8-106	PD5002	→		8.5400E-06 8.4200E-06 8.0500E-06 7.4200E-06 6.5300E-06 5.4000E-06 4.0000E-06 2.4000E-06 1.1900E-06 3.5000E-07 0.0000E+00
B8-111	PP4004	→		7.6968E-05 7.5838E-05 7.2455E-05 6.6780E-05 5.8776E-05 4.8426E-05 3.5847E-05 2.1662E-05 1.0736E-05 3.1607E-06 0.0000E+00
B8-112	DD2000	→		4.4037E-06 4.3088E-06 4.0280E-06 3.5702E-06 2.9552E-06 2.2207E-06 1.4365E-06 7.2308E-07 3.1019E-07 7.4586E-08 0.0000E+00
B8-113	DD2000	→		3.2716E-05 3.2197E-05 3.0644E-05 2.8043E-05 2.4392E-05 1.9722E-05 1.4180E-05 8.2364E-06 3.9854E-06 1.1449E-06 0.0000E+00
B8-114	DD2000	→		1.8343E-05 1.7972E-05 1.6870E-05 1.5061E-05 1.2604E-05 9.6214E-06 6.3626E-06 3.2994E-06 1.4538E-06 3.6451E-07 0.0000E+00
B8-119	PU5001	→		2.9336E-06 2.8914E-06 2.7643E-06 2.5488E-06 2.2406E-06 1.8363E-06 1.3410E-06 7.9317E-07 3.9615E-07 1.2047E-07 0.0000E+00
B8-120	PU5001	→		2.8473E-06 2.8063E-06 2.6830E-06 2.4738E-06 2.1747E-06 1.7823E-06 1.3016E-06 7.6984E-07 3.8450E-07 1.1692E-07 0.0000E+00
B8-121	PU5001	→		2.8473E-06 2.8063E-06 2.6830E-06 2.4738E-06 2.1747E-06 1.7823E-06 1.3016E-06 7.6984E-07 3.8450E-07 1.1692E-07 0.0000E+00

Table S8: list of changes between MG, MG-Cr and MG-Cr-Al mechanism (not including loss reactions).

reaction ID	MG		MG-Cr		MG-Cr-Al	
B0-001	TOL + HO → 0.65 AR0086 + 0.07 AR0085 + 0.18 AR0088 + 0.10 AR0087		TOL + HO → 0.65 AR0086 + 0.07 AR0085 + 0.18 AR0088 + 0.10 AR0087		TOL + HO → 0.60 AR0086 + 0.07 AR0085 + .1674 AR0088 + 0.05 AR0087 + 0.10 UU7000 + .0126 NTOL	
B2-001	AR0088 + HO → 0.073 AR0098 + 0.20 AR0099 + 0.727 AR0100	AR0088 + HO → 0.073 AR0098 + 0.20 AR0099 + 0.727 AR0100	AR0088 + HO → 0.35 AR0115 + 0.65 AR0114	AR0088 + HO → 0.35 AR0115 + 0.65 AR0114	AR0088 + HO → 0.068 AR0098 + 0.186 AR0099 + 0.676 AR0100 + 0.07 BZALDOH	
B2-007	AR0099 + HO2 → AR0115		AR0114 → 0.32 AR0127 + 0.68 AU5002 + 0.68 DD2000	AR0114 → 0.32 AR0127 + 0.68 BTOL2OH10	AR0114 → 0.32 AR0127 + 0.68 BTOL2OH10	
B2-016			BTOL2OH10 → 0.350 AU5002 + 0.350 DD2000 + 0.140 UD5002 + 0.140 DD2000 + 0.250 UD5000 + 0.250 AD2000 + 0.095 UD4000 + 0.095 AK3000 + 0.090 AU5000 + 0.090 DD2000 + 0.075 AU4000 + 0.075 DK3000	BTOL2OH10 → 0.350 AU5002 + 0.350 DD2000 + 0.140 UD5002 + 0.140 DD2000 + 0.250 UD5000 + 0.250 AD2000 + 0.095 UD4000 + 0.095 AK3000 + 0.090 AU5000 + 0.090 DD2000 + 0.075 AU4000 + 0.075 DK3000		
B2-017			AR0127 + HO → AR0140	AR0127 + HO → AR0140	AR0127 + HO → 0.93 AR0140 + 0.07 Me6Cy1U3K	
B2-027	AR0127 + HO → AR0140		AR0100 + HO → 0.07 AR0116 + 0.065 MBQN1OH + 0.73 TOL3OH + 0.135 BTOL3OH20	AR0100 + HO → 0.07 AR0116 + 0.065 MBQN1OH + 0.73 TOL3OH + 0.135 BTOL3OH20	AR0100 + HO → 0.07 AR0116 + 0.065 MBQN1OH + 0.73 TOL3OH + 0.135 BTOL3OH20	
B2-035	AR0100 + HO → AR0116		AR0152 → AD2000	AR0152 → AD2000	AR0152 → AD2000 + AU50DN	
B2-052	AR0152 → AD2000				AU50DN + HO → FURR6	
B2-053					FURR6 + HO → radFURR6	
B2-054					radFURR6 + HO2 → FURR6OHOOH	
B2-055					radFURR6 + NO → DK3000	
B2-056					radFURR6 + NO3 → DK3000	
B2-057					FURR6OHOOH + HO → radFURR6	
B2-058					TOL3OH + HO → 0.07 TOL2OH10 + 0.07 MBQN2OH + 0.73 TOL4OH + 0.13 BTOL4OH20	
B2-059			TOL3OH + HO → 0.07 TOL2OH10 + 0.07 MBQN2OH + 0.73 TOL4OH + 0.13 BTOL4OH20	TOL3OH + HO → 0.07 TOL2OH10 + 0.07 MBQN2OH + 0.73 TOL4OH + 0.13 BTOL4OH20	TOL3OH + HO → 0.07 TOL2OH10 + 0.07 MBQN2OH + 0.73 TOL4OH + 0.13 BTOL4OH20	
B2-060			TOL4OH + HO → 0.07 TOL3OH10 + 0.07 MBQN3OH + 0.73 TOL5OH + 0.13 BTOL5OH20	TOL4OH + HO → 0.07 TOL3OH10 + 0.07 MBQN3OH + 0.73 TOL5OH + 0.13 BTOL5OH20	TOL4OH + HO → 0.07 TOL3OH10 + 0.07 MBQN3OH + 0.73 TOL5OH + 0.13 BTOL5OH20	
B2-061			TOL2OH10 + NO2 → TOL3OH1NO2	TOL2OH10 + NO2 → TOL3OH1NO2	TOL2OH10 + NO2 → TOL3OH1NO2	
B2-062			TOL2OH10 + O3 → TOL2OH20	TOL2OH10 + O3 → TOL2OH20	TOL2OH10 + O3 → TOL2OH20	
B2-063			TOL2OH20 + HO2 → TOL2OHOOH	TOL2OH20 + HO2 → TOL2OHOOH	TOL2OH20 + HO2 → TOL2OHOOH2	
B2-064			TOL2OH20 + NO → TOL2OH10	TOL2OH20 + NO → TOL2OH10	TOL2OH20 + NO → TOL2OH10	
B2-065			TOL2OH20 + NO3 → TOL2OH10	TOL2OH20 + NO3 → TOL2OH10	TOL2OH20 + NO3 → TOL2OH10	

reaction ID	MG	MG-Cr	MG-Cr-Al
B2-066		TOL2OHOOH → TOL2OH10	TOL2OHOOH → TOL2OH10
B2-067		TOL2OHOOH + HO → TOL2OH20	TOL2OHOOH + HO → TOL2OH20
B2-068		TOL3OH10 + NO2 → TOL4OH1NO2	TOL3OH10 + NO2 → TOL4OH1NO2
B2-069		TOL3OH10 + O3 → TOL3OH20	TOL3OH10 + O3 → TOL3OH20
B2-070		TOL3OH20 + HO2 → TOL3OHOOH	TOL3OH20 + HO2 → TOL3OHOOH2
B2-071		TOL3OH20 + NO → TOL3OH10	TOL3OH20 + NO → TOL3OH10
B2-072		TOL3OH20 + NO3 → TOL3OH10	TOL3OH20 + NO3 → TOL3OH10
B2-073		TOL3OHOOH → TOL3OH10	TOL3OHOOH → TOL3OH10
B2-074		TOL3OHOOH + HO → TOL3OH20	TOL3OHOOH + HO → TOL3OH20
B2-075		BTOL3OH20 + HO2 → 0.65 BTOL3OH10 + 0.35 BTOL3OHOOH	BTOL3OH20 + HO2 → 0.65 BTOL3OH10 + 0.35 BTOL3OHOOH
B2-076		BTOL3OH20 + NO3 → BTOL3OH10	BTOL3OH20 + NO3 → BTOL3OH10
B2-077		BTOL3OH20 + NO → BTOL3OH10	BTOL3OH20 + NO → BTOL3OH10
B2-078		BTOL3OH10 → 0.165 AD5000 + 0.165 DD2000 + 0.165 UD5000 + 0.165 AA2000 + 0.165 AU5000 + 0.165 AD2000 + 0.165 DK5000 + 0.165 DD2000 + 0.165 AD4000 + 0.165 DK3000 + 0.165 AU4000 + 0.165 AK3000	BTOL3OH10 → 0.165 AD5000 + 0.165 DD2000 + 0.165 UD5000 + 0.165 AA2000 + 0.165 AU5000 + 0.165 AD2000 + 0.165 DK5000 + 0.165 DD2000 + 0.165 AD4000 + 0.165 DK3000 + 0.165 AU4000 + 0.165 AK3000
B2-079		BTOL3OHOOH → BTOL3OH10	BTOL3OHOOH → BTOL3OH10
B2-080		BTOL3OHOOH + HO → BTOL3OH20	BTOL3OHOOH + HO → BTOL3OH20
B2-081		BTOL4OH20 + HO2 → 0.65 BTOL4OH10 + 0.35 BTOL4OHOOH	BTOL4OH20 + HO2 → 0.65 BTOL4OH10 + 0.35 BTOL4OHOOH
B2-082		BTOL4OH20 + NO3 → BTOL4OH10	BTOL4OH20 + NO3 → BTOL4OH10
B2-083		BTOL4OH20 + NO → BTOL4OH10	BTOL4OH20 + NO → BTOL4OH10
B2-084		BTOL4OH10 → 0.250 AD4001 + 0.250 DK3000 + 0.250 AD5000 + 0.250 AD2000 + 0.250 AU5000 + 0.250 AA2000 + 0.250 AK5000 + 0.250 DD2000	BTOL4OH10 → 0.250 AD4001 + 0.250 DK3000 + 0.250 AD5000 + 0.250 AD2000 + 0.250 AU5000 + 0.250 AA2000 + 0.250 AK5000 + 0.250 DD2000
B2-085		BTOL4OHOOH → BTOL4OH10	BTOL4OHOOH → BTOL4OH10
B2-086		BTOL4OHOOH + HO → BTOL4OH20	BTOL4OHOOH + HO → BTOL4OH20
B2-087		BTOL5OH20 + HO2 → 0.65 BTOL5OH10 + 0.35 BTOL5OHOOH	BTOL5OH20 + HO2 → 0.65 BTOL5OH10 + 0.35 BTOL5OHOOH
B2-088		BTOL5OH20 + NO3 → BTOL5OH10	BTOL5OH20 + NO3 → BTOL5OH10
B2-089		BTOL5OH20 + NO → BTOL5OH10	BTOL5OH20 + NO → BTOL5OH10

reaction ID	MG	MG-Cr	MG-Cr-Al
B2-090		BTOL5OH1O → 0.250 AD5000 + 0.250 AA2000 + 0.250 AA4000 + 0.250 DK3000 + 0.250 AD4001 + 0.250 AK3000 + 0.250 AK5000 + 0.250 AD2000	BTOL5OH1O → 0.250 AD5000 + 0.250 AA2000 + 0.250 AA4000 + 0.250 DK3000 + 0.250 AD4001 + 0.250 AK3000 + 0.250 AK5000 + 0.250 AD2000
B2-091		BTOL5OHOH → BTOL5OH1O	BTOL5OHOH → BTOL5OH1O
B2-092		BTOL5OHOH + HO → BTOL5OH2O	BTOL5OHOH + HO → BTOL5OH2O
B3-004			AR0086 → radHOM70
B3-005			radHOM70 → radHOM90
B3-006			radHOM70 + NO → 0.80 HOM10 + 0.20 HOM1ONO2
B3-007			radHOM70 + HO2 → HOM1OOH
B3-008			radHOM90 + NO → 0.80 HOM2O + 0.20 HOM2ONO2
B3-009			radHOM90 + HO2 → HOM2OOH
B3-010	AR0092 → 0.60 DD2000 + 0.40 DK3000 + 0.20 UD5000 + 0.20 UD5001 + 0.20 FURON + 0.20 MFUR + 0.20 UD4000	AR0092 → 0.60 DD2000 + 0.40 DK3000 + 0.20 UD5000 + 0.20 UD5001 + 0.20 FURON + 0.20 MFUR + 0.20 UD4000	AR0092 → 0.15 UD5001 + 0.15 DD2000 + 0.15 UD5000 + 0.15 DD2000 + 0.05 MFUR + 0.05 DD2000 + 0.20 UD4000 + 0.20 DK3000 + 0.30 FURR5 + 0.30 CH2O + 0.15 FURR3 + 0.15 D02000
B3-011	FURR5 + HO → FUROH	FURR5 + HO → FUROH	FURR5 + HO → FUROH
B3-019	MFUR + NO3 → AR0121	MFUR + NO3 → AR0121	MFUR + NO3 → AR0121
B3-020	MFUR + O3 → AR0121	MFUR + O3 → AR0121	MFUR + O3 → AR0121
B3-029	ED5000 + HO →	ED5000 + HO →	ED5000 + HO → radED5000
B3-030			radED5000 + NO → radED5002
B3-031			radED5000 + HO2 → 0.56 ED5000OOH + 0.44 radED5002
B3-032			ED5000OOH + HO → radED5000
B3-033			radED5002 + NO → 3K2000 + CH2O
B3-034			radED5002 + HO2 → ED5002OOH2
B3-035			ED5002OOH + HO → radED5002
B3-041	ED4001 + HO →	ED4001 + HO →	ED4001 + HO → radED4001
B3-042			radED4001 + NO → CH2O
B3-043			radED4001 + HO2 → HD2000
B3-044			HD2000 + HO → DD2000

reaction ID	MG	MG-Cr	MG-Cr-Al
B5-001			UU7000 + HO → 0.32 3U7000 + 0.68 2U7000
B5-002			UU7000 + NO3 → 0.08 3U7000 + 0.92 2U7000
B5-003			UU7000 → 0.5 1U6000 + 0.5 3U7000
B5-004			2U7000 + NO → 1U7000
B5-005			2U7000 + NO3 → 1U7000
B5-006			1U7000 → 0.125 UD7000 + 0.500 UD6000 + 0.125 UD4000 + 0.125 DK3000 + 0.125 UD5000 + 0.125 DD2000 + 0.125 UD5001 + 0.125 A02000
B5-007			3U7000 + NO → 1U6000
B5-008			3U7000 + NO3 → 1U6000
B5-009			UD7000 + HO → 2D7000
B5-010			AU7000 + HO → 2D7000
B5-011			2D7000 + NO → 1D7000
B5-012			2D7000 + HO2 → AU70002
B5-013			2D7000 + NO3 → 1D7000
B5-014			1D7000 → 0.05 AU5002 + 0.05 AD2000 + 0.35 AU4000 + 0.35 AK3000 + 0.35 DK4000 + 0.35 DK3000 + 0.25 DD3000 + 0.25 DK4001
B5-015			AU6000 + HO → 2D6000
B5-016			UD6000 + HO → 2D6001
B5-017			2D6000 + NO → 1D6000
B5-018			2D6000 + HO2 → DK4000 + AD20002
B5-019			2D6000 + NO3 → 1D6000
B5-020			2D6001 + NO → 1D6001
B5-021			2D6001 + HO2 → AU60002
B5-022			2D6001 + NO3 → 1D6001
B5-023			1D6000 → AD2000 + DK4000
B5-024			1D6001 → DK3000 + DD3000
B6-011	UD5000 + HO → 0.54 3U5002 + 0.23 2D5003	UD5000 + HO → 0.54 3U5002 + 0.23 2D5003	UD5000 + HO → 0.54 3U5002 + 0.23 FURR6 + 0.23 2D5003

Part 3: Experimental and modeling speciation data

Table S9: Gas and particle chemical composition measured by CHARON/PTR-ToF-MS for a subset of six experiments.

N° exp	6	7	13	14	21	22
Toluene init. (ppbv)	112	112	112	112	112	66
Toluene fin. (ppbv)	61	59	59	60	63	38
Temperature (K)	295	295	285	285	280	280
Ammonium sulf. (µg/m3)	9.0	9.0	8.0	6.0	9.0	9.0
RH (%)	30	24	23	24	24	24
SOA AMS (µg/m3)	6.7	8.2	7.8	6.5	15.7	10.0

CHARON/PTR-ToF-MS data (µg/m3)												
SOA CHARON (µg/m3)	4.2		4.9		5.4		4.7		12.4		7.2	
SOA CHARON/SOA AMS	0.63		0.59		0.70		0.73		0.79		0.72	
m/z	gas	part.										
31.019	1.770		2.472		2.634		1.935		2.858		2.784	
44.019	0.303	0.005	0.248	0.002	0.170	0.004	0.203	0.002	0.250	0.010	0.236	0.005
44.024	0.296		0.446		0.366		0.289		0.393		0.395	
45.034	4.769	0.108	7.737		6.715		4.047		5.862		5.632	
47.010	14.417	0.152	16.111	0.070	9.429	0.115	11.836	0.102	12.671	0.205	11.673	0.108
57.05	1.685		1.508		1.112		1.431		1.224		0.970	
61.030	14.709	0.391	19.382	0.062	13.230	0.183	10.236	0.094	15.114	0.440	14.574	0.281
62.031	0.373	0.086	0.644	0.002	0.353	0.004	0.233	0.005	0.367	0.010	0.396	0.005
63.044	0.393	0.000	0.451	0.001	0.350	0.001	0.258	0.001	0.305	0.000	0.328	0.003
63.045	0.060	0.001	0.520	0.000	0.420	0.003	0.318	0.001	0.373	0.001	0.379	0.000
64.010	0.176	0.001	0.409	0.000	0.329	0.003	0.058	0.000	0.372	0.001	0.259	0.001
65.041	2.276	0.014	0.322	0.013	0.051	0.023	0.200	0.024	0.078	0.028	0.133	0.018
69.035		0.005		0.009		0.015		0.019		0.040		0.018

71.015	0.185	0.002	0.258	0.050	0.130	0.059	0.155	0.041	0.146	0.106	0.121	0.070
71.050	0.355	0.026	0.428	0.009	0.233	0.017	0.330	0.015	0.264	0.041	0.149	0.021
73.030	11.316	0.273	11.133	0.284	9.000	0.391	10.363	0.323	10.411	0.563	6.863	0.389
74.028	0.796	0.008	1.024	0.014	0.462	0.017	0.713	0.014	0.628	0.033	0.444	0.022
75.008	0.163	0.022		0.040		0.035		0.032		0.065		0.054
75.043	0.606	0.064	1.058	0.008	0.662	0.018	0.616	0.008	0.710	0.069	0.645	0.033
77.025	2.450	0.004	3.467	0.011	2.378	0.010	2.244	0.010	2.580	0.023	2.335	0.014
77.058	1.065	0.004	2.643		2.770		1.184		2.725		2.919	
79.040	0.694	0.003	0.753	0.010	0.416	0.015	0.310	0.012	0.409	0.016	0.456	0.015
79.071	0.529	0.023	0.539		0.287		0.446		0.414		0.235	
81.035	0.079	0.003	0.189	0.001	0.112	0.002	0.167	0.003	0.143	0.012	0.134	0.005
83.014	0.021	0.012	0.324	0.030	0.101	0.045	0.045	0.031	0.131	0.070	0.133	0.046
83.050	0.136	0.023	0.225	0.033	0.094	0.048	0.133	0.039	0.157	0.111	0.087	0.058
85.032	2.697	0.116	3.580	0.116	1.754	0.135	3.021	0.151	2.024	0.309	1.453	0.177
85.065	0.146	0.017	0.144		0.022		0.087		0.034		0.030	
87.013	0.415	0.014	0.552	0.011	0.311	0.010	0.405	0.009	0.431	0.020	0.332	0.015
87.045	1.352	0.068	1.471	0.057	0.480	0.085	0.692	0.077	0.592	0.172	0.493	0.103
89.025	1.614	0.151	1.927	0.193	0.746	0.217	1.015	0.202	0.843	0.379	0.761	0.253
89.060	0.129	0.034	0.362		0.358		0.525		0.317		0.333	
90.021	0.149	0.005	0.247	0.015	0.090	0.013	0.082	0.013	0.105	0.022	0.080	0.015
91.040	1.062	0.025	1.316	0.024	0.906	0.042	0.907	0.039	0.901	0.058	0.583	0.041
91.057	1.600		3.134		2.757		3.343		3.432		2.133	
93.028		0.051		0.019		0.026		0.018		0.028		0.020
95.050	0.206	0.010	0.427	0.014	0.275	0.020	0.376	0.010	0.348	0.092	0.235	0.040
95.081			0.285	0.000	0.259	0.006	0.324	0.007	0.310	0.001	0.142	0.000
97.029	0.091	0.067	1.282	0.090	0.174	0.103	0.361	0.094	0.283	0.207	0.270	0.122
97.064	0.241	0.026	0.290	0.021	0.071	0.000	0.095	0.000	0.115	0.151	0.094	0.056
98.027		0.014		0.024		0.022		0.015		0.049		0.030
99.009	20.597	0.090	20.724		11.176		17.307		14.180	0.055	12.553	0.021

99.045	2.540	0.122	5.022	0.177	2.489	0.235	3.106	0.192	2.803	0.493	1.811	0.293
100.014	0.899	0.000	0.897	0.001	0.528	0.004	0.792	0.002	0.632	0.006	0.557	0.001
100.047	0.195	0.009	0.355	0.022	0.150	0.026	0.189	0.024	0.167	0.049	0.111	0.030
101.026	1.291	0.199	1.982	0.161	0.571	0.181	0.725	0.163	0.804	0.312	0.675	0.214
101.060	0.417	0.020	2.219	0.001	1.961	0.000	1.156	0.003	2.114	0.003	1.991	0.000
102.024		0.008		0.018		0.018		0.017		0.032		0.022
103.039	0.361	0.118	0.423	0.163	0.178	0.214	0.210	0.178	0.204	0.337	0.149	0.228
104.039		0.003		0.010		0.010		0.010		0.022		0.013
105.036	2.216	0.003	2.217	0.019	1.335	0.013	1.160	0.016	1.500	0.024	1.377	0.016
107.048	7.169	0.006	7.154	0.007	6.001	0.003	6.531	0.004	6.523	0.028	4.022	0.010
108.059	0.839		0.881		0.713		0.794		0.814		0.494	
109.030	1.054	0.014	0.926		0.382		0.546		0.551		0.520	
109.064	5.562		5.238		3.210		4.164		3.484		2.171	
110.071	0.454		0.450		0.257		0.363		0.303		0.189	
111.016		0.009		0.010		0.010		0.010		0.027		0.017
111.046	0.410	0.051	0.767	0.115	0.203	0.141	0.385	0.125	0.390	0.349	0.297	0.181
111.057			0.168		0.057		0.102		0.046		0.036	
112.045		0.002		0.011		0.015		0.008		0.040		0.020
113.025	3.200	0.178	5.239	0.121	1.480	0.145	2.408	0.127	2.108	0.294	2.582	0.183
113.057	0.328	0.031	0.481	0.018	0.056	0.023	0.156	0.024	0.095	0.086	0.125	0.043
114.023	0.273	0.003	0.455	0.027	0.146	0.015	0.237	0.013	0.195	0.044	0.221	0.030
115.017	0.172	0.001	0.207	0.003	0.102	0.021	0.134	0.009	0.092	0.028	0.091	0.016
115.041	0.338	0.127	1.139	0.163	0.250	0.185	0.356	0.175	0.316	0.345	0.266	0.224
115.074			0.289		0.112		0.130		0.085		0.089	
116.039		0.006		0.013		0.013		0.013		0.029		0.018
117.020	1.517	0.030	1.461	0.136	0.528	0.151	0.906	0.111	0.675	0.277	0.605	0.196
117.053	0.674	0.018	0.699	0.007	0.450	0.009	0.455	0.011	0.451	0.023	0.463	0.011
119.036		0.007		0.016		0.019		0.020		0.037		0.025
122.014			0.392		0.347		0.359		0.407		0.327	

122.035	0.670		0.733		0.519		0.652		0.687		0.591	
123.046	5.600	0.027	5.433	0.040	2.446	0.064	2.994	0.050	3.048	0.147	2.885	0.069
124.048	0.669	0.011	0.659	0.019	0.315	0.018	0.440	0.011	0.423	0.052	0.319	0.025
125.028	0.126		0.186		0.079		0.112		0.115		0.092	
127.042	0.202	0.257	0.503	0.320	0.108	0.380	0.166	0.320	0.204	0.780	0.165	0.490
127.069			0.138		0.097		0.150		0.092		0.087	
128.040	0.000	0.032	0.000	0.029	0.000	0.020	0.000	0.019	0.000	0.081	0.000	0.043
129.019	0.063	0.050	0.176	0.100	0.034	0.080	0.049	0.071	0.077	0.179	0.064	0.120
129.054	0.117	0.056	0.187	0.065	0.050	0.085	0.099	0.081	0.084	0.212	0.057	0.111
130.054		0.002		0.007		0.005		0.008		0.022		0.009
131.036		0.036		0.088		0.101		0.101		0.220		0.149
133.050		0.003		0.016		0.021		0.016		0.033		0.022
136.039	1.821		2.796	0.002	2.449	0.002	2.407	0.002	2.855	0.008	1.978	0.002
138.054	4.729		7.419		2.759		3.604		3.391		2.890	
139.044	1.044	0.125	1.412	0.150	0.476	0.171	0.642	0.130	0.672	0.454	0.634	0.235
139.061	0.467		0.681		0.179		0.301		0.350		0.307	
139.074		0.005		0.001		0.002		0.002		0.008		0.006
140.039	1.249	0.010	1.416	0.041	1.018	0.031	1.262	0.031	1.385	0.090	1.134	0.046
140.067	0.150		0.251		0.134		0.176		0.200		0.139	
141.019	0.057	0.019	0.144	0.042	0.044	0.029	0.058	0.032	0.057	0.067	0.049	0.047
141.054	0.207	0.034	0.266	0.079	0.130	0.093	0.158	0.074	0.191	0.305	0.163	0.146
141.087		0.012	0.403	0.003	0.210	0.003	0.229	0.006	0.231	0.009	0.207	0.003
142.056	0.070	0.008		0.018		0.015		0.010		0.054		0.025
143.037	0.115	0.152	0.308	0.166	0.051	0.166	0.104	0.141	0.091	0.327	0.083	0.219
143.072	0.077	0.011	0.271	0.007	0.214	0.004	0.229	0.005	0.209	0.019	0.205	0.007
144.035		0.003		0.025		0.019		0.023		0.049		0.039
145.052		0.027		0.039		0.048		0.091		0.096		0.058
147.029		0.008		0.015		0.008		0.010		0.023		0.012
149.027		0.009		0.004		0.005		0.022		0.006		0.006

152.034		0.001		0.010		0.001		0.006		0.040		0.014
153.056		0.001		0.000		0.001		0.004		0.007		0.002
154.052	3.226	0.009	6.944	0.034	5.548	0.033	4.204	0.015	5.945	0.118	4.715	0.052
136.044	0.500	0.156	0.542	0.293	0.122	0.276	0.079	0.211	0.219	0.643	0.117	0.386
155.058	0.158		0.407		0.460		0.505		0.483		0.368	
156.029	0.413	0.000		0.047		0.029		0.024		0.093		0.050
157.031	0.079	0.056		0.037		0.054		0.035		0.033		0.044
157.053	0.050	0.056	0.529	0.170	0.035	0.163	0.237	0.132	0.204	0.638	0.210	0.294
158.051		0.005		0.026		0.022		0.018		0.078		0.041
159.031		0.034		0.055		0.036		0.041		0.082		0.053
159.060		0.000		0.010		0.006		0.010		0.046		0.020
161.043		0.003		0.026		0.022		0.034		0.056		0.036
168.034	0.257	0.002	0.444	0.011	0.038	0.012	0.049	0.008	0.135	0.032	0.129	0.016
169.048		0.000		0.006		0.004		0.008		0.014		0.007
170.048		0.004		0.031		0.063		0.060		0.200		0.037
171.034	0.016	0.035	0.207	0.125	0.010	0.034	0.020	0.035	0.047	0.188	0.023	0.098
171.077	0.003	0.009	0.027	0.006	0.003	0.002	0.028	0.007	0.009	0.007	0.001	0.003
173.050		0.034		0.113		0.087		0.059		0.302		0.162
174.056		0.003		0.012		0.009		0.008		0.034		0.019
175.029				0.009		0.005		0.014		0.005		0.005
175.061		0.004		0.015		0.007		0.012		0.050		0.024
184.030				0.012		0.002		0.007		0.020		0.011
185.036				0.009		0.004		0.009		0.014		0.008
186.034		0.004		0.024		0.012		0.007		0.057		0.030
186.052		0.004		0.004		0.008		0.009		0.022		0.010
187.023		0.003		0.014		0.003		0.005		0.022		0.011
187.044		0.002		0.009		0.003		0.020		0.007		0.007
189.037		0.016		0.019		0.014		0.012		0.029		0.017
189.054		0.002		0.010		0.004		0.012		0.015		0.009

Table S10: Final concentrations of simulated secondary species - mechanism development section (in $\mu\text{g}/\text{m}^3$).

m/z	species	MG				MG-Cr				MG-Cr-Al			
		280 K		295 K		280 K		295 K		280 K		295 K	
		gas	part.	gas	part.	gas	part.	gas	part.	gas	part.	gas	part.
31	CH20	0.115	0	0.136	0	0.117	0	0.137	0	4.326	0	4.321	0
45	D02000	0	0	0	0	0	0	0	0	4.271	0	4.33	0
59	DD2000	39.062	0	39.445	0	39.283	0	39.524	0	30.804	0	31.045	0
61	A02000	0	0	0	0	0	0	0	0	0.526	0	0.543	0
73	DK3000	11.905	0	13	0	12.268	0	13.464	0	8.098	0	8.995	0
75	AD2000	0.224	0	0.703	0	0.73	0	0.885	0	0.711	0	0.84	0
76	3K2000	0.022	0	0.028	0	0.023	0	0.028	0	0.018	0	0.023	0
76	radED4001	0	0	0	0	0	0	0	0	0.003	0	0.003	0
77	HD2000	0	0	0	0	0	0	0	0	0.062	0	0.062	0
85	FURON	3.273	0	3.057	0	3.283	0	3.067	0	0.668	0	0.606	0
85	UD4000	1.485	0	1.419	0	1.531	0	1.466	0	1.528	0	1.458	0
87	DD3001	0.721	0	0.897	0	0.719	0	0.888	0	0.359	0	0.443	0
89	AK3000	0	0	0	0	0.665	0	0.738	0	0.681	0	0.794	0
89	DD3000	0	0	0	0	0	0	0	0	1.102	0.017	1.09	0.004
91	AA2000	0	0	0	0	0.575	0.003	0.741	0.001	0.535	0.002	0.659	0.001
93	TOL	245.9	0	243.416	0	245.9	0	243.416	0	245.9	0	243.416	0
94	AR0013	0.015	0	0.017	0	0.015	0	0.017	0	0.015	0	0.017	0
97	FURR3	0	0	0	0	0	0	0	0	0.382	0	0.363	0
99	MALAHY	4.88	0	4.651	0.025	5.051	0	4.824	0.025	4.535	0	4.332	0.022
99	MFUR	2.322	0	2.171	0	2.36	0	2.208	0	0.928	0	0.858	0
99	UD5000	2.184	0	2.092	0	2.361	0	2.266	0	2.257	0	2.154	0
99	UD5001	1.743	0	1.666	0	1.743	0	1.666	0	1.345	0	1.282	0
101	AR0010	1.293	0	1.454	0	1.283	0	1.389	0	0.641	0	0.689	0
101	AU4000	0	0	0	0	0.224	0.004	0.221	0.001	0.236	0.004	0.256	0.001
101	DK4001	0	0	0	0	0	0	0	0	0.05	0	0.078	0
102	1D4000	0	0	0	0	0	0	0	0	0	0	0	0
102	1D4001	0	0	0	0	0	0	0	0	0	0	0	0
103	DK4000	1.158	0.002	1.131	0	1.158	0.002	1.131	0.001	0.673	0.002	0.693	0
107	AR0102	6.519	0	6.478	0	6.52	0	6.478	0	6.52	0	6.478	0
108	AR0089	0	0	0	0	0	0	0	0	0	0	0	0
108	AR0098	0.011	0	0.011	0	0.011	0	0.011	0	0.01	0	0.01	0
109	AR0088	7.479	0.001	6.95	0	7.479	0.001	6.95	0	6.956	0	6.463	0
110	AR0028	0.025	0	0.032	0	0.025	0	0.032	0	0.025	0	0.032	0

111	AR0043		0.085	0	0.105	0	0.085	0	0.105	0	0.085	0	0.105	0
111	FURR5		0	0	0	0	0	0	0	0	0.777	0	0.738	0
113	FURR6		0	0	0	0	0	0	0	0	2.688	0.136	2.95	0.023
115	AU5000		0	0	0	0	0.285	0.015	0.323	0.002	0.262	0.011	0.282	0.002
115	AU5002		1.928	0.006	2.146	0.001	1.112	0.003	1.135	0.001	1.001	0.002	1.023	0
115	UD5002		0	0	0	0	0.147	0.001	0.146	0	0.127	0.001	0.126	0
117	AD4000		0	0	0	0	0.078	0.229	0.159	0.057	0.069	0.2	0.138	0.052
117	AR0040		0.085	0	0.097	0	0.085	0	0.095	0	0.042	0	0.048	0
117	ED4001		3.947	0	4.29	0	3.947	0	4.177	0	0.636	0	0.636	0
122	P02000		25.798	0	26.647	0	26.246	0	27.052	0	20.833	0	21.61	0
123	AR0127		0.704	0	0.801	0	0.883	0	0.894	0	0.766	0	0.772	0
123	AR0132		0.103	0	0.112	0	0.103	0	0.112	0	0.103	0	0.112	0
123	BZALDOH		0	0	0	0	0	0	0	0	1.068	0.001	1.045	0
124	AR0085		0.023	0	0.025	0	0.023	0	0.025	0	0.023	0	0.025	0
124	AR0112		0.009	0	0.011	0	0.009	0	0.011	0	0.008	0	0.009	0
124	AR0116		0.12	0	0.129	0	0.019	0	0.02	0	0.017	0	0.017	0
125	AR0091		2.523	0	2.387	0	2.523	0	2.387	0	2.523	0	2.387	0
125	AR0100		1.318	0	1.223	0	1.318	0	1.223	0	1.14	0	1.057	0
125	AR0125		0.309	0	0.301	0	0.309	0	0.301	0	0.269	0	0.263	0
125	UU7000		0	0	0	0	0	0	0	0	3.415	0	3.167	0
127	FUROH		0	0	0	0	0	0	0	0	0.652	0.001	0.62	0
128	1U6000		0	0	0	0	0	0	0	0	0	0	0	0
129	UD6000		0	0	0	0	0	0	0	0	0.473	0.007	0.445	0.001
130	3U5000		0.002	0	0.003	0	0.002	0	0.003	0	0.002	0	0.002	0
130	3U5001		0.002	0	0.003	0	0.002	0	0.003	0	0.002	0	0.002	0
130	3U5002		0.035	0	0.04	0	0.035	0	0.041	0	0.033	0	0.037	0
131	AD5000		0	0	0	0	0.21	0.235	0.336	0.046	0.201	0.224	0.299	0.043
131	DD5002		0.324	0.026	0.399	0.004	0.386	0.043	0.447	0.01	0.308	0.041	0.358	0.01
131	DK5000		0	0	0	0	0.116	0.11	0.139	0.025	0.095	0.116	0.12	0.028
131	GU5002		1.844	0	1.91	0	1.866	0	1.928	0	1.724	0	1.776	0
132	1D5000		0	0	0	0	0	0	0	0	0	0	0	0
132	1D5001		0	0	0	0	0	0	0	0	0	0	0	0
132	1D5003		0	0	0	0	0	0	0	0	0	0	0	0
132	AR0020		0.004	0	0.005	0	0.004	0	0.005	0	0.002	0	0.002	0
132	AR0133		0	0	0	0	0	0	0	0	0	0	0	0
132	ED5000		4.438	0.001	4.683	0	4.481	0.001	4.622	0	1.578	0	1.593	0
133	AD4001		0	0	0	0	0.008	0.369	0.013	0.569	0.011	0.363	0.013	0.51
133	AR0039		0.12	0	0.132	0	0.119	0	0.129	0	0.059	0	0.064	0

134	2D4000	1.793	0	1.875	0	1.831	0	1.916	0	1.796	0	1.878	0
134	AR0035	0.042	0	0.055	0	0.042	0	0.053	0	0.008	0	0.01	0
134	radED5002	0	0	0	0	0	0	0	0	0.009	0	0.011	0
135	AR0048	0.354	4.449	1.491	2.234	0.323	4.499	1.146	2.838	0.055	0.626	0.158	0.41
135	ED5002OOH	0	0	0	0	0	0	0	0	0.672	0.007	0.717	0.002
138	AR0120	0.005	0	0.006	0	0.005	0	0.006	0	0.005	0	0.006	0
138	NTOL	0	0	0	0	0	0	0	0	3.092	0	3.131	0
139	AR0042	0.066	0	0.075	0	0.067	0	0.075	0	0.067	0	0.075	0
139	AR0131	0.259	0	0.279	0	0.259	0	0.279	0	0.259	0	0.279	0
139	MBQN1OH	0	0	0	0	0.717	0.05	0.722	0.008	0.618	0.048	0.624	0.008
139	Me6Cy1U3K	0	0	0	0	0	0	0	0	0.025	0	0.026	0
140	AR0027	2.271	0.031	2.449	0.006	2.277	0.024	2.45	0.004	2.284	0.018	2.451	0.003
140	AR0129	0.104	0	0.138	0	0.016	0	0.021	0	0.014	0	0.018	0
140	TOL20H10	0	0	0	0	0.003	0	0.005	0	0.003	0	0.005	0
141	AR0087	2.471	0.001	2.311	0	2.471	0	2.311	0	1.235	0	1.156	0
141	AR0144	0.968	1.211	1.199	0.172	0.143	0.14	0.177	0.018	0.133	0.095	0.154	0.012
141	TOL3OH	0	0	0	0	0.539	6.485	0.847	1.1	0.597	4.19	0.734	0.539
143	AU6000	0	0	0	0	0	0	0	0	0.088	0.006	0.086	0.001
144	2U6000	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
147	AK5000	0	0	0	0	0.009	0.377	0.017	0.576	0.012	0.369	0.016	0.515
148	2D5000	0.002	0	0.003	0	0.002	0	0.003	0	0.002	0	0.002	0
148	2D5001	0.002	0	0.003	0	0.002	0	0.003	0	0.002	0	0.002	0
148	2D5002	0	0	0	0	0	0	0	0	0	0	0	0
148	2D5003	0.007	0	0.008	0	0.008	0	0.009	0	0.007	0	0.008	0
148	AR0080	0.394	0	0.405	0	0.405	0	0.418	0	0.358	0	0.37	0
148	AR0121	0.043	0	0.056	0	0.043	0	0.054	0	0.017	0	0.02	0
149	AA4000	0	0	0	0	0.002	0.109	0.003	0.167	0.003	0.11	0.003	0.156
149	AR0134	0.383	5.482	1.821	3.089	0.352	5.569	1.378	3.804	0.128	1.829	0.434	1.298
149	HD5000	0.099	0	0.093	0	0.099	0	0.093	0	0.076	0	0.071	0
149	HD5001	0.045	0	0.042	0	0.045	0	0.042	0	0.035	0	0.032	0
153	AR0126	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
154	AR0090	1.083	0	1.078	0	1.083	0	1.078	0	1.083	0	1.078	0
154	AR0113	2.086	0.063	2.212	0.01	2.103	0.041	2.215	0.006	1.84	0.024	1.929	0.004
155	MBQN1K1OH	0.017	0.051	0.052	0.014	0.019	0.067	0.046	0.024	0.015	0.063	0.036	0.023
155	MBQN2OH	0	0	0	0	0.031	0.712	0.162	0.881	0.033	0.699	0.124	0.82
156	3U7000	0	0	0	0	0	0	0	0	0.009	0	0.009	0
156	AR014010	0	0	0	0	0	0	0	0	0	0	0	0
156	TOL20H20	0	0	0	0	0.002	0	0.004	0	0.002	0	0.004	0

156	TOL3OH10	0	0	0	0	0.001	0	0.001	0	0.001	0	0.001	0
157	AR0104	8.981	0.047	8.321	0.006	8.985	0.043	8.315	0.008	8.299	0.04	7.641	0.008
157	AR0107	0.03	0	0.027	0	0.03	0	0.027	0	0.015	0	0.014	0
157	TOL2OHOOH	0	0	0	0	0.007	0.119	0.013	0.184	0.008	0.117	0.013	0.154
157	TOL4OH	0	0	0	0	0.137	4.321	0.215	6.767	0.166	4.063	0.209	5.678
157	UD7000	0	0	0	0	0	0	0	0	0.229	0.541	0.335	0.124
158	1U7000	0	0	0	0	0	0	0	0	0	0	0	0
158	AR0092	0	0	0	0	0	0	0	0	0	0	0	0
160	AU50DN	0	0	0	0	0	0	0	0	0.071	0.019	0.234	0.008
162	1D6000	0	0	0	0	0	0	0	0	0	0	0	0
162	radED5000	0	0	0	0	0	0	0	0	0.007	0	0.008	0
162	radFURR6	0	0	0	0	0	0	0	0	0.001	0	0.001	0
163	ED5000OOH	0	0	0	0	0	0	0	0	0.224	0.025	0.266	0.005
163	FURR6OHOOH	0	0	0	0	0	0	0	0	0.004	0.065	0.004	0.076
170	AR0128	2.222	23.614	9.946	14.275	0.367	2.453	1.477	1.098	0.448	1.949	1.442	0.712
171	MBQN3OH	0	0	0	0	0.005	0.291	0.009	0.446	0.007	0.294	0.009	0.414
172	AR0095	0.004	0	0.004	0	0.004	0	0.004	0	0.002	0	0.002	0
172	AR0140	0.004	0	0.005	0	0.005	0	0.005	0	0.004	0	0.004	0
172	TOL3OH20	0	0	0	0	0.001	0	0.001	0	0.001	0	0.001	0
173	AR0106	0.076	0	0.07	0	0.076	0	0.07	0	0.038	0	0.035	0
173	AR0124	0.313	0.359	0.804	0.087	0.292	0.455	0.631	0.152	0.151	0.278	0.302	0.088
173	AR0140OOH	0.013	0.266	0.031	0.232	0.017	0.319	0.027	0.296	0.015	0.246	0.021	0.238
173	AU7000	0	0	0	0	0	0	0	0	0.009	0.179	0.024	0.246
173	TOL3OHOOH	0	0	0	0	0.002	0.043	0.003	0.069	0.003	0.044	0.003	0.064
173	TOL5OH	0	0	0	0	0.038	1.64	0.06	2.567	0.051	1.609	0.063	2.296
174	2U7000	0	0	0	0	0	0	0	0	0.033	0	0.036	0
174	AR0086	0.294	0	0.329	0	0.294	0	0.329	0	0.271	0	0.302	0
174	AR0108	0	0	0	0	0	0	0	0	0	0	0	0
174	AR0114	0	0	0	0	0	0	0	0	0	0	0	0
174	BTOL2OH10	0	0	0	0	0	0	0	0	0	0	0	0
175	AR0094	7.65	1.666	7.014	0.159	7.646	1.439	7.007	0.163	7.069	1.252	6.437	0.142
176	PU5000	2.936	0.001	3.052	0	2.936	0.001	3.052	0	2.216	0	2.303	0
176	PU5001	1.384	0	1.357	0	1.384	0	1.357	0	1.054	0	1.033	0
176	PU5002	25.823	0.014	26.398	0.003	26.133	0.01	26.643	0.002	24.131	0.009	24.549	0.002
178	1D6001	0	0	0	0	0	0	0	0	0	0	0	0
178	2D6001	0	0	0	0	0	0	0	0	0.002	0	0.002	0
178	AR0038	1.715	0	1.931	0	1.706	0	1.889	0	0.85	0	0.94	0
180	2G5006	0.003	0	0.004	0	0.003	0	0.004	0	0.003	0	0.003	0

180	3H5000	0	0	0	0	0	0	0	0	0	0	0	0
180	3H5004	0	0	0	0	0	0	0	0	0	0	0	0
181	GH5002	0.009	0.175	0.012	0.191	0.01	0.175	0.012	0.193	0.01	0.156	0.012	0.173
184	AR0130	3.782	0	4.145	0	3.783	0	4.145	0	3.783	0	4.145	0
186	TOL3OH1N02	0	0	0	0	0.017	0.797	0.031	1.223	0.022	0.775	0.034	1.087
188	C73K1OH20	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
189	C73K1OHOH	0.002	0.051	0.006	0.05	0.003	0.061	0.005	0.064	0.003	0.048	0.004	0.051
189	HOM10	0	0	0	0	0	0	0	0	0.001	0.005	0.002	0.002
190	1D7000	0	0	0	0	0	0	0	0	0	0	0	0
190	AR0096	0.03	0	0.033	0	0.03	0	0.033	0	0.015	0	0.017	0
190	AR0099	0.022	0	0.032	0	0.021	0	0.024	0	0.018	0	0.021	0
190	BTOL3OH10	0	0	0	0	0	0	0	0	0	0	0	0
191	AR0110	0.143	4.734	0.439	3.659	0.143	4.703	0.3	4.108	0.08	2.292	0.142	2.07
191	AR0115	0.122	2.435	0.416	1.267	0.039	0.774	0.098	0.446	0.036	0.652	0.081	0.402
194	2D6000	0	0	0	0	0	0	0	0	0	0	0	0
196	3H5009	0	0	0	0	0	0	0	0	0	0	0	0
199	AR0138	0.014	0.084	0.069	0.045	0.019	0.08	0.078	0.036	0.02	0.066	0.073	0.026
202	TOL4OH1N02	0	0	0	0	0.005	0.318	0.007	0.48	0.007	0.32	0.008	0.449
204	AR0093	2.24	0.085	2.115	0.009	2.24	0.061	2.114	0.008	2.064	0.056	1.942	0.007
206	2D7000	0	0	0	0	0	0	0	0	0.002	0	0.004	0
206	BTOL3OH20	0	0	0	0	0.01	0	0.011	0	0.009	0	0.01	0
206	BTOL4OH10	0	0	0	0	0	0	0	0	0	0	0	0
206	radHOM70	0	0	0	0	0	0	0	0	0.001	0	0.002	0
207	BTOL3OHOH	0	0	0	0	0.012	0.327	0.011	0.335	0.012	0.268	0.01	0.277
207	HOM100H	0	0	0	0	0	0	0	0	0	0	0	0
208	PK5001	0.54	0.89	1.184	0.188	0.478	1.009	1.149	0.353	0.425	0.984	1.019	0.36
209	1P5006	0	0	0	0	0	0	0	0	0	0	0	0
217	AR0141	0	0	0	0	0	0	0	0	0	0	0	0
218	AR0105	0.973	0.009	0.923	0.001	0.973	0.006	0.922	0.001	0.487	0.003	0.461	0
219	AR0118	0	0	0	0	0	0	0	0	0	0	0	0
220	AR0109	0.09	1.175	0.378	0.456	0.086	1.173	0.311	0.589	0.04	0.59	0.144	0.325
221	HOM20	0	0	0	0	0	0	0	0	0.006	0.134	0.012	0.319
222	BTOL4OH20	0	0	0	0	0.005	0	0.009	0	0.005	0	0.008	0
222	BTOL5OH10	0	0	0	0	0	0	0	0	0	0	0	0
223	BTOL4OHOH	0	0	0	0	0.006	0.149	0.008	0.233	0.007	0.142	0.008	0.197
224	PD5002	0.007	0	0.007	0	0.007	0	0.007	0	0.007	0	0.007	0
224	PK5003	0.016	0.385	0.015	0.326	0.017	0.388	0.013	0.33	0.019	0.353	0.014	0.301
225	1P500A	0	0	0	0	0	0	0	0	0	0	0	0

225	2P5000	0	0	0	0	0	0	0	0	0	0	0
225	2P5006	0.037	0	0.045	0	0.038	0	0.046	0	0.035	0	0.042
225	3P400X	0	0	0	0	0	0	0	0	0	0	0
226	PH5000	0.001	0.015	0.002	0.016	0.001	0.015	0.002	0.016	0.001	0.011	0.001
226	PH5002	0.145	2.211	0.405	1.767	0.162	2.182	0.452	1.602	0.165	1.945	0.409
227	3P4000	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001
235	AR0101	0.003	0	0.003	0	0.003	0	0.003	0	0.003	0	0.003
235	AR0152	0	0	0	0	0	0	0	0	0	0	0
236	AR0119	0.051	0	0.047	0	0.051	0	0.047	0	0.047	0	0.044
236	HOM1ON02	0	0	0	0	0	0	0	0	0	0.002	0
238	BTOL5OH2O	0	0	0	0	0.001	0	0.002	0	0.002	0	0.002
238	radHOM90	0	0	0	0	0	0	0	0	0.017	0	0.038
239	BTOL5OHOOH	0	0	0	0	0.002	0.055	0.002	0.085	0.002	0.054	0.003
239	HOM2OOH	0	0	0	0	0	0	0	0	0	0	0
241	2P500A	0.009	0	0.01	0	0.009	0	0.01	0	0.008	0	0.01
242	PH5004	0.033	0.634	0.034	0.676	0.035	0.636	0.033	0.685	0.038	0.57	0.035
251	AR0142	0.004	0	0.021	0	0.001	0	0.003	0	0.001	0	0.003
252	AR0153	0.019	0.601	0.09	1.758	0.003	0.074	0.013	0.225	0.005	0.08	0.014
268	HOM2ON02	0	0	0	0	0	0	0	0	0.002	0.044	0.004
271	PP4004	0.003	0.058	0.022	0.062	0.004	0.061	0.019	0.064	0.004	0.062	0.016
273	PP4000	0.029	0.615	0.038	0.75	0.031	0.617	0.036	0.762	0.033	0.556	0.036
												0.689

Table S11.1: Final concentrations of simulated secondary species at 280K - partitioning test section ($\mu\text{g}/\text{m}^3$)

m/z	species	280 K											
		T1		T2		T3		T4		T5		T6	
gas	part.	gas	part.	gas	part.	gas	part.	gas	part.	gas	part.	gas	part.
31	CH2O	4.38	0	4.366	0	4.326	0	4.348	0	4.341	0	4.341	0
45	D02000	4.271	0	4.271	0	4.271	0	4.271	0	4.271	0	4.271	0
59	DD2000	31.264	0	31.187	0	30.804	0	31.183	0	30.593	0	30.591	0
61	A02000	0.526	0	0.526	0	0.526	0	0.526	0	0.526	0	0.526	0
73	DK3000	8.277	0	8.119	0	8.098	0	8.19	0	8.156	0	7.516	0.496
75	AD2000	0.946	0	0.739	0	0.711	0	0.844	0	0.79	0	0.788	0
76	3K2000	0.019	0	0.019	0	0.018	0	0.019	0	0.018	0	0.018	0
76	radED4001	0.003	0	0.003	0	0.003	0	0.003	0	0.003	0	0.003	0
77	HD2000	0.07	0	0.068	0	0.062	0	0.064	0	0.064	0	0.064	0
85	FURON	0.668	0	0.668	0	0.668	0	0.668	0	0.668	0	0.668	0
85	UD4000	1.532	0	1.532	0	1.528	0	1.529	0	1.529	0	1.529	0
87	DD3001	0.433	0	0.397	0	0.359	0	0.42	0	0.405	0	0.405	0
89	AK3000	0.923	0	0.747	0	0.681	0	0.802	0	0.775	0	0.774	0
89	DD3000	1.14	0	1.13	0.001	1.102	0.017	1.126	0.005	1.118	0.004	1.118	0.004
91	AA2000	0.764	0	0.475	0.015	0.535	0.002	0.651	0.004	0.613	0.006	0.611	0.005
93	TOL	245.9	0	245.9	0	245.9	0	245.9	0	245.9	0	245.9	0
94	AR0013	0.015	0	0.015	0	0.015	0	0.015	0	0.015	0	0.015	0
97	FURR3	0.382	0	0.382	0	0.382	0	0.382	0	0.382	0	0.382	0
99	MALAHY	4.541	0.004	4.542	0	4.535	0	4.54	0	4.41	0	4.41	0
99	MFUR	0.931	0	0.93	0	0.928	0	0.929	0	0.929	0	0.929	0
99	UD5000	2.271	0	2.268	0	2.257	0	2.261	0	2.26	0	2.26	0
99	UD5001	1.345	0	1.345	0	1.345	0	1.345	0	1.345	0	1.345	0
101	AR0010	0.993	0	0.851	0	0.641	0	0.807	0	0.764	0	0.763	0
101	AU4000	0.299	0	0.275	0.001	0.236	0.004	0.268	0.002	0.257	0.001	0.257	0.001
101	DK4001	0.101	0	0.084	0	0.05	0	0.083	0	0.075	0	0.075	0
102	1D4000	0	0	0	0	0	0	0	0	0	0	0	0
102	1D4001	0	0	0	0	0	0	0	0	0	0	0	0
103	DK4000	0.731	0	0.713	0	0.673	0.002	0.708	0	0.693	0	0.693	0
107	AR0102	6.519	0	6.52	0	6.52	0	6.52	0	6.519	0	6.519	0
108	AR0089	0	0	0	0	0	0	0	0	0	0	0	0
108	AR0098	0.01	0	0.01	0	0.01	0	0.01	0	0.01	0	0.01	0
109	AR0088	6.956	0	6.956	0	6.956	0	6.956	0	6.956	0	6.956	0
110	AR0028	0.025	0	0.025	0	0.025	0	0.025	0	0.025	0	0.025	0

111	AR0043	0.085	0	0.085	0	0.085	0	0.085	0	0.085	0
111	FURR5	0.777	0	0.777	0	0.777	0	0.777	0	0.777	0
113	FURR6	2.835	0.004	2.829	0.001	2.688	0.136	2.816	0.017	2.692	0.011
115	AU5000	0.316	0.001	0.247	0.001	0.262	0.011	0.29	0.005	0.272	0.004
115	AU5002	1.06	0	1.056	0	1.001	0.002	1.03	0.001	1.015	0
115	UD5002	0.139	0	0.139	0	0.127	0.001	0.131	0	0.13	0
117	AD4000	0.167	0.008	0.117	0.105	0.069	0.2	0.1	0.127	0.064	0.083
117	AR0040	0.054	0	0.049	0	0.042	0	0.051	0	0.049	0
117	ED4001	0.753	0	0.725	0	0.636	0	0.66	0	0.653	0
122	P02000	21.689	0	21.359	0	20.833	0	21.402	0	21.048	0
123	AR0127	0.826	0	0.825	0	0.766	0	0.79	0	0.785	0
123	AR0132	0.104	0	0.104	0	0.103	0	0.104	0	0.103	0
123	BZALDOH	1.068	0	1.068	0	1.068	0.001	1.068	0	1.068	0
124	AR0085	0.023	0	0.023	0	0.023	0	0.023	0	0.023	0
124	AR0112	0.008	0	0.008	0	0.008	0	0.008	0	0.008	0
124	AR0116	0.018	0	0.018	0	0.017	0	0.018	0	0.017	0
125	AR0091	2.523	0	2.523	0	2.523	0	2.523	0	2.523	0
125	AR0100	1.14	0	1.14	0	1.14	0	1.14	0	1.14	0
125	AR0125	0.269	0	0.269	0	0.269	0	0.269	0	0.269	0
125	UU7000	3.415	0	3.415	0	3.415	0	3.415	0	3.415	0
127	FUROH	0.652	0	0.652	0	0.652	0.001	0.652	0	0.652	0
128	1U6000	0	0	0	0	0	0	0	0	0	0
129	UD6000	0.474	0	0.474	0	0.473	0.007	0.473	0.001	0.473	0.001
130	3U5000	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
130	3U5001	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
130	3U5002	0.033	0	0.033	0	0.033	0	0.033	0	0.032	0
131	AD5000	0.395	0.007	0.222	0.054	0.201	0.224	0.277	0.141	0.19	0.102
131	DD5002	0.37	0	0.357	0.001	0.308	0.041	0.344	0.007	0.34	0.005
131	DK5000	0.142	0.001	0.132	0.007	0.095	0.116	0.122	0.027	0.114	0.02
131	GU5002	1.751	0	1.751	0	1.724	0	1.748	0	1.703	0
132	1D5000	0	0	0	0	0	0	0	0	0	0
132	1D5001	0	0	0	0	0	0	0	0	0	0
132	1D5003	0	0	0	0	0	0	0	0	0	0
132	AR0020	0.003	0	0.002	0	0.002	0	0.002	0	0.002	0
132	AR0133	0	0	0	0	0	0	0	0	0	0
132	ED5000	1.871	0	1.813	0	1.578	0	1.646	0	1.625	0
133	AD4001	0.238	0.134	0.008	0.294	0.011	0.363	0.016	0.495	0.014	0.394
133	AR0039	0.081	0	0.072	0	0.059	0	0.074	0	0.07	0

134	2D4000	1.797	0	1.797	0	1.796	0	1.797	0	1.796	0	1.796	0
134	AR0035	0.01	0	0.01	0	0.008	0	0.009	0	0.009	0	0.009	0
134	radED5002	0.011	0	0.01	0	0.009	0	0.009	0	0.009	0	0.009	0
135	AR0048	0.372	0.065	0.33	0.172	0.055	0.626	0.113	0.504	0.094	0.384	0.094	0.385
135	ED5002OOH	0.753	0	0.734	0	0.672	0.007	0.71	0.001	0.7	0.001	0.7	0.001
138	AR0120	0.005	0	0.005	0	0.005	0	0.005	0	0.005	0	0.005	0
138	NTOL	3.092	0	3.093	0	3.092	0	3.093	0	3.092	0	3.092	0
139	AR0042	0.067	0	0.067	0	0.067	0	0.067	0	0.067	0	0.067	0
139	AR0131	0.259	0	0.259	0	0.259	0	0.259	0	0.259	0	0.259	0
139	MBQN10H	0.643	0	0.643	0	0.618	0.048	0.641	0.003	0.637	0.002	0.637	0.002
139	Me6Cy1U3K	0.027	0	0.027	0	0.025	0	0.026	0	0.026	0	0.026	0
140	AR0027	2.3	0.001	2.3	0	2.284	0.018	2.299	0.001	2.294	0.001	2.294	0.001
140	AR0129	0.016	0	0.016	0	0.014	0	0.016	0	0.015	0	0.015	0
140	TOL2OH10	0.006	0	0.002	0	0.003	0	0.004	0	0.004	0	0.004	0
141	AR0087	1.235	0	1.235	0	1.235	0	1.235	0	1.235	0	1.235	0
141	AR0144	0.165	0.004	0.165	0.008	0.133	0.095	0.164	0.008	0.139	0.004	0.139	0.005
141	TOL3OH	0.782	0.028	0.31	6.631	0.597	4.19	0.756	0.574	0.68	0.371	0.676	0.415
143	AU6000	0.09	0.001	0.091	0	0.088	0.006	0.091	0.001	0.072	0.001	0.072	0.001
144	2U6000	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
147	AK5000	0.178	0.094	0.008	0.295	0.012	0.369	0.018	0.47	0.016	0.362	0.015	0.361
148	2D5000	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
148	2D5001	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
148	2D5002	0	0	0	0	0	0	0	0	0	0	0	0
148	2D5003	0.007	0	0.007	0	0.007	0	0.007	0	0.007	0	0.007	0
148	AR0080	0.358	0	0.358	0	0.358	0	0.358	0	0.352	0	0.352	0
148	AR0121	0.021	0	0.021	0	0.017	0	0.018	0	0.017	0	0.017	0
149	AA4000	0.111	0.06	0.002	0.095	0.003	0.11	0.004	0.177	0.004	0.141	0.004	0.14
149	AR0134	1.097	0.214	1.024	0.431	0.128	1.829	0.29	1.448	0.224	1.011	0.225	1.017
149	HD5000	0.076	0	0.076	0	0.076	0	0.076	0	0.076	0	0.076	0
149	HD5001	0.035	0	0.035	0	0.035	0	0.035	0	0.035	0	0.035	0
153	AR0126	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
154	AR0090	1.083	0	1.083	0	1.083	0	1.083	0	1.083	0	1.083	0
154	AR0113	1.858	0.002	1.86	0	1.84	0.024	1.858	0.002	1.835	0.001	1.835	0.001
155	MBQN1K10H	0.1	0.002	0.067	0.003	0.015	0.063	0.042	0.014	0.034	0.008	0.034	0.008
155	MBQN2OH	0.507	0.055	0.25	0.107	0.033	0.699	0.144	0.593	0.11	0.304	0.109	0.307
156	3U7000	0.009	0	0.009	0	0.009	0	0.009	0	0.009	0	0.009	0
156	AR014010	0	0	0	0	0	0	0	0	0	0	0	0
156	TOL2OH20	0.005	0	0.001	0	0.002	0	0.003	0	0.003	0	0.003	0

156	TOL3OH10	0.004	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
157	AR0104	8.421	0	8.432	0	8.299	0.04	8.4	0.003	8.054	0.002	8.053	0.002
157	AR0107	0.015	0	0.015	0	0.015	0	0.015	0	0.015	0	0.015	0
157	TOL2OHOOH	0.049	0.02	0.006	0.081	0.008	0.117	0.014	0.123	0.013	0.091	0.013	0.092
157	TOL4OH	0.559	0.28	0.106	2.941	0.166	4.063	0.234	4.042	0.21	3.188	0.207	3.216
157	UD7000	0.379	0.004	0.38	0.012	0.229	0.541	0.345	0.076	0.296	0.046	0.296	0.046
158	1U7000	0	0	0	0	0	0	0	0	0	0	0	0
158	AR0092	0	0	0	0	0	0	0	0	0	0	0	0
160	AU50DN	0.262	0.008	0.16	0.003	0.071	0.019	0.217	0.015	0.09	0.006	0.089	0.006
162	1D6000	0	0	0	0	0	0	0	0	0	0	0	0
162	radED5000	0.008	0	0.008	0	0.007	0	0.007	0	0.007	0	0.007	0
162	radFURR6	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
163	ED50000OH	0.275	0	0.267	0	0.224	0.025	0.253	0.007	0.249	0.007	0.248	0.007
163	FURR60HOOH	0.041	0.018	0.005	0.066	0.004	0.065	0.005	0.066	0.005	0.055	0.005	0.056
170	AR0128	1.736	0.171	1.099	1.124	0.448	1.949	1.408	0.599	0.787	0.234	0.777	0.254
171	MBQN3OH	0.298	0.15	0.007	0.251	0.007	0.294	0.012	0.423	0.011	0.288	0.011	0.288
172	AR0095	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
172	AR0140	0.004	0	0.004	0	0.004	0	0.004	0	0.004	0	0.004	0
172	TOL3OH2O	0.004	0	0	0	0.001	0	0.001	0	0.001	0	0.001	0
173	AR0106	0.038	0	0.038	0	0.038	0	0.038	0	0.038	0	0.038	0
173	AR0124	0.858	0.005	0.618	0.019	0.151	0.278	0.362	0.062	0.29	0.038	0.289	0.037
173	AR01400OH	0.055	0.019	0.041	0.15	0.015	0.246	0.023	0.179	0.022	0.138	0.022	0.14
173	AU7000	0.084	0.04	0.035	0.236	0.009	0.179	0.021	0.212	0.018	0.14	0.017	0.143
173	TOL3OHOOH	0.037	0.016	0.002	0.034	0.003	0.044	0.004	0.063	0.004	0.05	0.004	0.05
173	TOL5OH	0.417	0.221	0.037	1.281	0.051	1.609	0.078	2.339	0.07	1.942	0.068	1.933
174	2U7000	0.033	0	0.033	0	0.033	0	0.033	0	0.033	0	0.033	0
174	AR0086	0.271	0	0.271	0	0.271	0	0.271	0	0.271	0	0.271	0
174	AR0108	0	0	0	0	0	0	0	0	0	0	0	0
174	AR0114	0	0	0	0	0	0	0	0	0	0	0	0
174	BTOL2OH10	0	0	0	0	0	0	0	0	0	0	0	0
175	AR0094	7.15	0.049	7.179	0.006	7.069	1.252	7.15	0.141	6.759	0.101	6.759	0.105
176	PU5000	2.216	0	2.216	0	2.216	0	2.216	0	2.216	0	2.216	0
176	PU5001	1.054	0	1.054	0	1.054	0	1.054	0	1.054	0	1.054	0
176	PU5002	24.524	0	24.525	0	24.131	0.009	24.486	0.001	23.868	0.001	23.867	0.001
178	1D6001	0	0	0	0	0	0	0	0	0	0	0	0
178	2D6001	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
178	AR0038	1.146	0	1.014	0	0.85	0	1.051	0	1.002	0	1	0
180	2G5006	0.003	0	0.003	0	0.003	0	0.003	0	0.003	0	0.003	0

180	3H5000	0	0	0	0	0	0	0	0	0	0
180	3H5004	0	0	0	0	0	0	0	0	0	0
181	GH5002	0.047	0.021	0.025	0.117	0.01	0.156	0.012	0.144	0.012	0.122
184	AR0130	3.783	0	3.783	0	3.783	0	3.783	0	3.783	0
186	TOL3OH1N02	0.679	0.323	0.016	0.633	0.022	0.775	0.037	1.015	0.033	0.71
188	C73K1OH20	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
189	C73K1OHOOH	0.014	0.004	0.008	0.034	0.003	0.048	0.004	0.039	0.004	0.031
189	HOM10	0.001	0	0.001	0	0.001	0.005	0.001	0.001	0	0.001
190	1D7000	0	0	0	0	0	0	0	0	0	0
190	AR0096	0.015	0	0.015	0	0.015	0	0.015	0	0.015	0
190	AR0099	0.02	0	0.02	0	0.018	0	0.018	0	0.018	0
190	BTOL3OH10	0	0	0	0	0	0	0	0	0	0
191	AR0110	0.448	0.16	0.373	1.173	0.08	2.292	0.125	1.479	0.114	1.087
191	AR0115	0.13	0.036	0.148	0.044	0.036	0.652	0.065	0.36	0.057	0.26
194	2D6000	0	0	0	0	0	0	0	0	0	0
196	3H5009	0	0	0	0	0	0	0	0	0	0
199	AR0138	0.074	0.012	0.086	0.001	0.02	0.066	0.068	0.019	0.033	0.006
202	TOL4OH1N02	0.507	0.237	0.006	0.283	0.007	0.32	0.011	0.529	0.01	0.409
204	AR0093	2.068	0.002	2.069	0	2.064	0.056	2.068	0.004	2.06	0.003
206	2D7000	0.005	0	0.004	0	0.002	0	0.003	0	0.003	0
206	BTOL3OH20	0.01	0	0.009	0	0.009	0	0.009	0	0.009	0
206	BTOL4OH10	0	0	0	0	0	0	0	0	0	0
206	radHOM70	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
207	BTOL3OHOOH	0.035	0.016	0.014	0.251	0.012	0.268	0.013	0.207	0.013	0.175
207	HOM100H	0	0	0	0	0	0	0	0	0	0
208	PK5001	2.242	0.039	2.123	0.177	0.425	0.984	1.224	0.385	0.942	0.263
209	1P5006	0	0	0	0	0	0	0	0	0	0
217	AR0141	0	0	0	0	0	0	0	0	0	0
218	AR0105	0.487	0	0.487	0	0.487	0.003	0.487	0	0.487	0
219	AR0118	0	0	0	0	0	0	0	0	0	0
220	AR0109	0.246	0.025	0.263	0.017	0.04	0.59	0.141	0.238	0.091	0.124
221	HOM20	0.015	0.007	0.007	0.126	0.006	0.134	0.006	0.088	0.006	0.073
222	BTOL4OH20	0.007	0	0.003	0	0.005	0	0.007	0	0.006	0
222	BTOL5OH10	0	0	0	0	0	0	0	0	0	0
223	BTOL4OHOOH	0.027	0.012	0.005	0.102	0.007	0.142	0.01	0.172	0.009	0.143
224	PD5002	0.037	0	0.009	0	0.007	0	0.009	0	0.008	0
224	PK5003	0.237	0.096	0.025	0.351	0.019	0.353	0.023	0.35	0.022	0.285
225	1P500A	0	0	0	0	0	0	0	0	0	0

225	2P5000	0	0	0	0	0	0	0	0	0	0	0
225	2P5006	0.035	0	0.035	0	0.035	0	0.035	0	0.034	0	0.034
225	3P400X	0	0	0	0	0	0	0	0	0	0	0
226	PH5000	0.006	0.002	0.003	0.007	0.001	0.011	0.001	0.01	0.001	0.008	0.001
226	PH5002	0.661	0.247	0.798	0.112	0.165	1.945	0.274	1.525	0.238	1.199	0.236
227	3P4000	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001
235	AR0101	0.003	0	0.003	0	0.003	0	0.003	0	0.003	0	0.003
235	AR0152	0	0	0	0	0	0	0	0	0	0	0
236	AR0119	0.047	0	0.047	0	0.047	0	0.047	0	0.047	0	0.047
236	HOM10NO2	0	0	0	0	0	0.002	0	0.001	0	0.001	0.001
238	BTOL5OH2O	0.005	0	0.001	0	0.002	0	0.002	0	0.002	0	0.002
238	radHOM90	0.017	0	0.017	0	0.017	0	0.017	0	0.017	0	0.017
239	BTOL5HOOH	0.02	0.009	0.002	0.043	0.002	0.054	0.003	0.079	0.003	0.065	0.003
239	HOM200H	0	0	0	0	0	0	0	0	0	0	0
241	2P500A	0.009	0	0.009	0	0.008	0	0.009	0	0.008	0	0.008
242	PH5004	0.245	0.098	0.047	0.559	0.038	0.57	0.045	0.552	0.043	0.465	0.042
251	AR0142	0.003	0	0.002	0	0.001	0	0.002	0	0.001	0	0.001
252	AR0153	0.18	0.066	0.014	0.144	0.005	0.08	0.017	0.207	0.01	0.121	0.009
268	HOM2ON02	0.005	0.002	0.002	0.041	0.002	0.044	0.002	0.035	0.002	0.03	0.002
271	PP4004	0.223	0.047	0.06	0.015	0.004	0.062	0.021	0.066	0.013	0.039	0.013
273	PP4000	0.277	0.106	0.053	0.531	0.033	0.556	0.04	0.533	0.038	0.432	0.038

Table S11.2: Final concentrations of simulated secondary species at 295K - partitioning test section ($\mu\text{g}/\text{m}^3$)

m/z	species	295 K											
		T1		T2		T3		T4		T5		T6	
		gas	part.										
31	CH2O	4.365	0	4.361	0	4.321	0	4.355	0	4.342	0	4.342	0
45	D02000	4.33	0	4.33	0	4.33	0	4.33	0	4.33	0	4.33	0
59	DD2000	31.146	0	31.074	0	31.045	0	31.124	0	31.067	0	31.066	0
61	A02000	0.543	0	0.543	0	0.543	0	0.543	0	0.543	0	0.543	0
73	DK3000	9.109	0	8.956	0	8.995	0	9.055	0	9.045	0	8.315	0.481
75	AD2000	0.974	0	0.8	0	0.84	0	0.918	0	0.888	0	0.886	0
76	3K2000	0.024	0	0.024	0	0.023	0	0.023	0	0.023	0	0.022	0
76	radED4001	0.004	0	0.004	0	0.003	0	0.004	0	0.003	0	0.003	0
77	HD2000	0.068	0	0.067	0	0.062	0	0.066	0	0.064	0	0.064	0
85	FURON	0.606	0	0.606	0	0.606	0	0.606	0	0.606	0	0.606	0
85	UD4000	1.46	0	1.46	0	1.458	0	1.46	0	1.459	0	1.459	0
87	DD3001	0.516	0	0.505	0	0.443	0	0.514	0	0.495	0	0.495	0
89	AK3000	0.978	0	0.811	0	0.794	0	0.912	0	0.896	0	0.893	0
89	DD3000	1.108	0	1.105	0	1.09	0.004	1.104	0.001	1.101	0.001	1.101	0.001
91	AA2000	0.811	0	0.527	0.003	0.659	0.001	0.737	0.002	0.728	0.004	0.725	0.003
93	TOL	243.419	0	243.416	0	243.416	0	243.416	0	243.416	0	243.416	0
94	AR0013	0.017	0	0.017	0	0.017	0	0.017	0	0.017	0	0.017	0
97	FURR3	0.363	0	0.363	0	0.363	0	0.363	0	0.363	0	0.363	0
99	MALAHY	4.359	0	4.357	0	4.332	0.022	4.356	0.002	4.342	0.001	4.341	0.001
99	MFUR	0.859	0	0.859	0	0.858	0	0.859	0	0.859	0	0.858	0
99	UD5000	2.163	0	2.16	0	2.154	0	2.158	0	2.157	0	2.157	0
99	UD5001	1.282	0	1.282	0	1.282	0	1.282	0	1.282	0	1.282	0
101	AR0010	0.971	0	0.953	0	0.689	0	0.92	0	0.864	0	0.861	0
101	AU4000	0.294	0	0.282	0	0.256	0.001	0.283	0	0.277	0	0.276	0
101	DK4001	0.106	0	0.1	0	0.078	0	0.102	0	0.096	0	0.096	0
102	1D4000	0	0	0	0	0	0	0	0	0	0	0	0
102	1D4001	0	0	0	0	0	0	0	0	0	0	0	0
103	DK4000	0.729	0	0.723	0	0.693	0	0.721	0	0.713	0	0.713	0
107	AR0102	6.478	0	6.478	0	6.478	0	6.478	0	6.478	0	6.478	0
108	AR0089	0	0	0	0	0	0	0	0	0	0	0	0
108	AR0098	0.01	0	0.01	0	0.01	0	0.01	0	0.01	0	0.01	0
109	AR0088	6.463	0	6.463	0	6.463	0	6.463	0	6.463	0	6.463	0
110	AR0028	0.032	0	0.032	0	0.032	0	0.032	0	0.032	0	0.032	0

111	AR0043		0.105	0	0.105	0	0.105	0	0.105	0	0.105	0
111	FURR5		0.738	0	0.738	0	0.738	0	0.738	0	0.738	0
113	FURR6		2.985	0	2.98	0	2.95	0.023	2.981	0.002	2.964	0.001
115	AU5000		0.303	0	0.244	0	0.282	0.002	0.288	0.001	0.284	0
115	AU5002		1.055	0	1.054	0	1.023	0	1.05	0	1.04	0
115	UD5002		0.132	0	0.132	0	0.126	0	0.131	0	0.129	0
117	AD4000		0.169	0	0.153	0.018	0.138	0.052	0.147	0.025	0.12	0.017
117	AR0040		0.058	0	0.057	0	0.048	0	0.058	0	0.055	0
117	ED4001		0.718	0	0.714	0	0.636	0	0.684	0	0.664	0
122	P02000		22.202	0	22.071	0	21.61	0	22.128	0	21.973	0
123	AR0127		0.809	0	0.809	0	0.772	0	0.802	0	0.791	0
123	AR0132		0.112	0	0.112	0	0.112	0	0.112	0	0.112	0
123	BZALDOH		1.046	0	1.046	0	1.045	0	1.046	0	1.046	0
124	AR0085		0.025	0	0.025	0	0.025	0	0.025	0	0.025	0
124	AR0112		0.009	0	0.009	0	0.009	0	0.009	0	0.009	0
124	AR0116		0.018	0	0.018	0	0.017	0	0.018	0	0.017	0
125	AR0091		2.387	0	2.387	0	2.387	0	2.387	0	2.387	0
125	AR0100		1.057	0	1.057	0	1.057	0	1.057	0	1.057	0
125	AR0125		0.263	0	0.263	0	0.263	0	0.263	0	0.263	0
125	UU7000		3.167	0	3.167	0	3.167	0	3.167	0	3.167	0
127	FUROH		0.62	0	0.62	0	0.62	0	0.62	0	0.62	0
128	1U6000		0	0	0	0	0	0	0	0	0	0
129	UD6000		0.445	0	0.445	0	0.445	0.001	0.445	0	0.445	0
130	3U5000		0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
130	3U5001		0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
130	3U5002		0.037	0	0.037	0	0.037	0	0.037	0	0.037	0
131	AD5000		0.39	0	0.235	0.008	0.299	0.043	0.322	0.024	0.305	0.019
131	DD5002		0.397	0	0.393	0	0.358	0.01	0.388	0.001	0.382	0.001
131	DK5000		0.137	0	0.128	0.001	0.12	0.028	0.127	0.004	0.128	0.002
131	GU5002		1.78	0	1.78	0	1.776	0	1.78	0	1.776	0
132	1D5000		0	0	0	0	0	0	0	0	0	0
132	1D5001		0	0	0	0	0	0	0	0	0	0
132	1D5003		0	0	0	0	0	0	0	0	0	0
132	AR0020		0.003	0	0.003	0	0.002	0	0.003	0	0.003	0
132	AR0133		0	0	0	0	0	0	0	0	0	0
132	ED5000		1.818	0	1.808	0	1.593	0	1.732	0	1.666	0
133	AD4001		0.329	0.027	0.009	0.33	0.013	0.51	0.018	0.529	0.017	0.392
133	AR0039		0.082	0	0.081	0	0.064	0	0.081	0	0.077	0

134	2D4000	1.879	0	1.879	0	1.878	0	1.879	0	1.878	0	1.878	0
134	AR0035	0.012	0	0.012	0	0.01	0	0.011	0	0.01	0	0.01	0
134	radED5002	0.013	0	0.012	0	0.011	0	0.012	0	0.011	0	0.011	0
135	AR0048	0.387	0.001	0.376	0.023	0.158	0.41	0.268	0.18	0.197	0.096	0.197	0.101
135	ED500200H	0.779	0	0.775	0	0.717	0.002	0.768	0	0.748	0	0.747	0
138	AR0120	0.006	0	0.006	0	0.006	0	0.006	0	0.006	0	0.006	0
138	NTOL	3.131	0	3.131	0	3.131	0	3.131	0	3.131	0	3.131	0
139	AR0042	0.076	0	0.076	0	0.075	0	0.076	0	0.076	0	0.076	0
139	AR0131	0.279	0	0.279	0	0.279	0	0.279	0	0.279	0	0.279	0
139	MBQN10H	0.628	0	0.628	0	0.624	0.008	0.628	0	0.628	0	0.628	0
139	Me6Cy1U3K	0.027	0	0.027	0	0.026	0	0.027	0	0.027	0	0.027	0
140	AR0027	2.455	0	2.454	0	2.451	0.003	2.454	0	2.454	0	2.454	0
140	AR0129	0.019	0	0.019	0	0.018	0	0.019	0	0.018	0	0.018	0
140	TOL20H10	0.006	0	0.003	0	0.005	0	0.005	0	0.005	0	0.005	0
141	AR0087	1.156	0	1.156	0	1.156	0	1.156	0	1.156	0	1.156	0
141	AR0144	0.158	0	0.157	0.001	0.154	0.012	0.158	0	0.154	0	0.154	0
141	TOL30H	0.734	0	0.389	6.144	0.734	0.539	0.731	0.032	0.715	0.014	0.715	0.018
143	AU6000	0.087	0	0.087	0	0.086	0.001	0.087	0	0.084	0	0.084	0
144	2U6000	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
147	AK5000	0.234	0.012	0.014	0.321	0.016	0.515	0.024	0.436	0.022	0.287	0.022	0.296
148	2D5000	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
148	2D5001	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
148	2D5002	0	0	0	0	0	0	0	0	0	0	0	0
148	2D5003	0.008	0	0.008	0	0.008	0	0.008	0	0.008	0	0.008	0
148	AR0080	0.371	0	0.371	0	0.37	0	0.371	0	0.37	0	0.37	0
148	AR0121	0.024	0	0.024	0	0.02	0	0.022	0	0.021	0	0.021	0
149	AA4000	0.153	0.013	0.002	0.105	0.003	0.156	0.005	0.236	0.005	0.205	0.005	0.202
149	AR0134	1.211	0.005	1.183	0.058	0.434	1.298	0.792	0.566	0.532	0.258	0.527	0.276
149	HD5000	0.071	0	0.071	0	0.071	0	0.071	0	0.071	0	0.071	0
149	HD5001	0.032	0	0.032	0	0.032	0	0.032	0	0.032	0	0.032	0
153	AR0126	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
154	AR0090	1.078	0	1.078	0	1.078	0	1.078	0	1.078	0	1.078	0
154	AR0113	1.932	0	1.932	0	1.929	0.004	1.932	0	1.929	0	1.929	0
155	MBQN1K10H	0.106	0	0.101	0.001	0.036	0.023	0.087	0.002	0.08	0.001	0.078	0.001
155	MBQN20H	0.545	0.001	0.318	0.016	0.124	0.82	0.456	0.114	0.361	0.024	0.356	0.031
156	3U7000	0.009	0	0.009	0	0.009	0	0.009	0	0.009	0	0.009	0
156	AR014010	0	0	0	0	0	0	0	0	0	0	0	0
156	TOL20H20	0.006	0	0.002	0	0.004	0	0.005	0	0.005	0	0.005	0

156	TOL3OH10	0.005	0	0.001	0	0.001	0	0.002	0	0.002	0	0.002	0
157	AR0104	7.654	0	7.654	0	7.641	0.008	7.651	0	7.627	0	7.627	0
157	AR0107	0.014	0	0.014	0	0.014	0	0.014	0	0.014	0	0.014	0
157	TOL2OHOOH	0.057	0.002	0.007	0.092	0.013	0.154	0.039	0.04	0.035	0.014	0.034	0.018
157	TOL4OH	0.604	0.03	0.122	3.455	0.209	5.678	0.293	2.68	0.286	1.631	0.275	1.816
157	UD7000	0.362	0	0.362	0.002	0.335	0.124	0.358	0.007	0.354	0.002	0.354	0.003
158	1U7000	0	0	0	0	0	0	0	0	0	0	0	0
158	AR0092	0	0	0	0	0	0	0	0	0	0	0	0
160	AU50DN	0.319	0	0.283	0.001	0.234	0.008	0.306	0.003	0.229	0.002	0.229	0.002
162	1D6000	0	0	0	0	0	0	0	0	0	0	0	0
162	radED5000	0.009	0	0.009	0	0.008	0	0.008	0	0.008	0	0.008	0
162	radFURR6	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
163	ED50000OH	0.293	0	0.292	0	0.266	0.005	0.288	0.002	0.28	0.002	0.28	0.002
163	FURR6OHOOH	0.059	0.004	0.005	0.075	0.004	0.076	0.005	0.073	0.005	0.059	0.005	0.06
170	AR0128	1.948	0.004	1.785	0.248	1.442	0.712	1.908	0.051	1.395	0.015	1.391	0.02
171	MBQN3OH	0.413	0.025	0.016	0.259	0.009	0.414	0.019	0.459	0.023	0.227	0.02	0.239
172	AR0095	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
172	AR0140	0.005	0	0.005	0	0.004	0	0.005	0	0.005	0	0.005	0
172	TOL3OH2O	0.005	0	0.001	0	0.001	0	0.002	0	0.001	0	0.001	0
173	AR0106	0.035	0	0.035	0	0.035	0	0.035	0	0.035	0	0.035	0
173	AR0124	0.865	0	0.844	0.004	0.302	0.088	0.668	0.011	0.586	0.004	0.577	0.005
173	AR01400OH	0.062	0.001	0.06	0.027	0.021	0.238	0.047	0.049	0.043	0.017	0.042	0.021
173	AU7000	0.102	0.006	0.09	0.072	0.024	0.246	0.071	0.065	0.056	0.019	0.055	0.024
173	TOL3OHOOH	0.045	0.003	0.002	0.039	0.003	0.064	0.005	0.068	0.005	0.052	0.005	0.052
173	TOL5OH	0.488	0.045	0.041	1.455	0.063	2.296	0.096	2.584	0.095	2.122	0.09	2.125
174	2U7000	0.036	0	0.036	0	0.036	0	0.036	0	0.036	0	0.036	0
174	AR0086	0.302	0	0.302	0	0.302	0	0.302	0	0.302	0	0.302	0
174	AR0108	0	0	0	0	0	0	0	0	0	0	0	0
174	AR0114	0	0	0	0	0	0	0	0	0	0	0	0
174	BTOL2OH10	0	0	0	0	0	0	0	0	0	0	0	0
175	AR0094	6.448	0.001	6.448	0.001	6.437	0.142	6.445	0.01	6.417	0.004	6.417	0.005
176	PU5000	2.303	0	2.303	0	2.303	0	2.303	0	2.303	0	2.303	0
176	PU5001	1.033	0	1.033	0	1.033	0	1.033	0	1.033	0	1.033	0
176	PU5002	24.601	0	24.599	0	24.549	0.002	24.598	0	24.548	0	24.547	0
178	1D6001	0	0	0	0	0	0	0	0	0	0	0	0
178	2D6001	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0
178	AR0038	1.197	0	1.17	0	0.94	0	1.179	0	1.115	0	1.114	0
180	2G5006	0.003	0	0.003	0	0.003	0	0.003	0	0.003	0	0.003	0

180	3H5000	0	0	0	0	0	0	0	0	0	0	0
180	3H5004	0	0	0	0	0	0	0	0	0	0	0
181	GH5002	0.06	0.004	0.057	0.027	0.012	0.173	0.014	0.137	0.014	0.102	0.013
184	AR0130	4.145	0	4.145	0	4.145	0	4.145	0	4.145	0	4.145
186	TOL3OH1N02	0.973	0.056	0.018	0.713	0.034	1.087	0.155	0.977	0.13	0.428	0.116
188	C73K1OH20	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002
189	C73K1OHOOH	0.017	0	0.016	0.009	0.004	0.051	0.01	0.02	0.009	0.009	0.009
189	HOM10	0.002	0	0.002	0	0.002	0.002	0.002	0	0.002	0	0.002
190	1D7000	0	0	0	0	0	0	0	0	0	0	0
190	AR0096	0.017	0	0.017	0	0.017	0	0.017	0	0.017	0	0.017
190	AR0099	0.022	0	0.022	0	0.021	0	0.022	0	0.021	0	0.021
190	BTOL3OH10	0	0	0	0	0	0	0	0	0	0	0
191	AR0110	0.498	0.006	0.497	0.163	0.142	2.07	0.294	0.546	0.245	0.225	0.241
191	AR0115	0.136	0.001	0.136	0.004	0.081	0.402	0.116	0.063	0.096	0.024	0.095
194	2D6000	0	0	0	0	0	0	0	0	0	0	0
196	3H5009	0	0	0	0	0	0	0	0	0	0	0
199	AR0138	0.099	0	0.099	0	0.073	0.026	0.097	0.002	0.058	0	0.058
202	TOL4OH1N02	0.726	0.054	0.006	0.309	0.008	0.449	0.014	0.689	0.014	0.472	0.013
204	AR0093	1.943	0	1.943	0	1.942	0.007	1.943	0	1.942	0	1.942
206	2D7000	0.006	0	0.006	0	0.004	0	0.005	0	0.005	0	0.005
206	BTOL3OH20	0.011	0	0.01	0	0.01	0	0.01	0	0.01	0	0.01
206	BTOL4OH10	0	0	0	0	0	0	0	0	0	0	0
206	radHOM70	0.002	0	0.002	0	0.002	0	0.002	0	0.002	0	0.002
207	BTOL3OHOOH	0.036	0.003	0.016	0.242	0.01	0.277	0.012	0.151	0.012	0.101	0.012
207	HOM100H	0	0	0	0	0	0	0	0	0	0	0
208	PK5001	2.077	0.001	2.058	0.025	1.019	0.36	1.735	0.072	1.536	0.039	1.518
209	1P5006	0	0	0	0	0	0	0	0	0	0	0
217	AR0141	0	0	0	0	0	0	0	0	0	0	0
218	AR0105	0.461	0	0.461	0	0.461	0	0.461	0	0.461	0	0.461
219	AR0118	0	0	0	0	0	0	0	0	0	0	0
220	AR0109	0.257	0	0.257	0.002	0.144	0.325	0.234	0.036	0.197	0.013	0.196
221	HOM20	0.037	0.003	0.017	0.276	0.012	0.319	0.014	0.145	0.015	0.093	0.014
222	BTOL4OH20	0.008	0	0.004	0	0.008	0	0.008	0	0.008	0	0.008
222	BTOL5OH10	0	0	0	0	0	0	0	0	0	0	0
223	BTOL4OHOOH	0.028	0.002	0.005	0.118	0.008	0.197	0.009	0.16	0.009	0.128	0.009
224	PD5002	0.039	0	0.008	0	0.007	0	0.01	0	0.01	0	0.01
224	PK5003	0.252	0.012	0.028	0.284	0.014	0.301	0.018	0.285	0.018	0.2	0.018
225	1P500A	0	0	0	0	0	0	0	0	0	0	0

225	2P5000	0	0	0	0	0	0	0	0	0	0
225	2P5006	0.042	0	0.042	0	0.042	0	0.042	0	0.042	0
225	3P400X	0	0	0	0	0	0	0	0	0	0
226	PH5000	0.008	0	0.007	0.002	0.001	0.012	0.002	0.008	0.002	0.005
226	PH5002	0.817	0.024	0.829	0.01	0.409	1.487	0.611	0.596	0.466	0.322
227	3P4000	0.001	0	0.001	0	0.001	0	0.001	0	0.001	0
235	AR0101	0.003	0	0.003	0	0.003	0	0.003	0	0.003	0
235	AR0152	0	0	0	0	0	0	0	0	0	0
236	AR0119	0.044	0	0.044	0	0.044	0	0.044	0	0.044	0
236	HOM1ONO2	0.001	0	0.001	0	0	0.004	0.001	0	0	0
238	BTOL50H2O	0.007	0	0.001	0	0.002	0	0.003	0	0.003	0
238	radHOM90	0.038	0	0.038	0	0.038	0	0.038	0	0.038	0
239	BTOL50HOOH	0.023	0.002	0.002	0.049	0.003	0.077	0.004	0.105	0.004	0.094
239	HOM2OOH	0	0	0	0	0	0	0	0	0	0
241	2P500A	0.01	0	0.01	0	0.01	0	0.01	0	0.01	0
242	PH5004	0.293	0.02	0.042	0.6	0.035	0.616	0.042	0.534	0.042	0.403
251	AR0142	0.004	0	0.004	0	0.003	0	0.004	0	0.003	0
252	AR0153	0.264	0.016	0.021	0.247	0.014	0.214	0.023	0.267	0.017	0.179
268	HOM2ONO2	0.014	0.001	0.005	0.099	0.004	0.104	0.005	0.054	0.005	0.038
271	PP4004	0.356	0.002	0.162	0.005	0.016	0.067	0.116	0.047	0.076	0.019
273	PP4000	0.386	0.02	0.17	0.447	0.036	0.689	0.055	0.571	0.053	0.381
										0.052	0.397

References

- Bosque, R.; Sales, J. *J. Chem. Inf. Comput. Sci.* 2002, 42 (5), 1154–1163.
- De Haan, D. O., Jimenez, N. G., de Loera, A., Cazaunau, M., Gratien, A., Pangui, E., and Doussin, J.-F.: Methylglyoxal Uptake Coefficients on Aqueous Aerosol Surfaces, *J. Phys. Chem. A*, 122, 4854–4860, <https://doi.org/10.1021/acs.jpca.8b00533>, 2018.
- Eichler, P., Müller, M., D'Anna, B., and Wisthaler, A.: A novel inlet system for online chemical analysis of semi-volatile submicron particulate matter, *Atmos. Meas. Tech.*, 8, 1353–1360, <https://doi.org/10.5194/AMT-8-1353-2015>, 2015.
- Ellis, A. M.; Mayhew, C. A. *Proton Transfer Reaction Mass Spectrometry*; John Wiley & Sons, Ltd: Hoboken, NJ, 2014; pp 25–48.
- Gioumousis, G.; Stevenson, D. P. *J. Chem. Phys.* 1958, 29, 294–299.
- Hu, J., Chen, Z., Qin, X., and Dong, P.: Reversible and irreversible gas-particle partitioning of dicarbonyl compounds observed in the real atmosphere, *Atmos. Chem. Phys.*, 22, 6971–6987, <https://doi.org/10.5194/acp-22-6971-2022>, 2022.
- Huang, Y., Zhao, R., Charan, S. M., Kenseth, C. M., Zhang, X., and Seinfeld, J. H.: Unified Theory of Vapor-Wall Mass Transport in Teflon-Walled Environmental Chambers, *Environ. Sci. Technol.*, 52, 2134–2142, <https://doi.org/10.1021/acs.est.7b05575>, 2018.
- Krechmer, J. E., Pagonis, D., Ziemann, P. J., and Jimenez, J. L.: Quantification of Gas-Wall Partitioning in Teflon Environmental Chambers Using Rapid Bursts of Low-Volatility Oxidized Species Generated in Situ, *Environ. Sci. Technol.*, 50, 5757–5765, <https://doi.org/10.1021/acs.est.6b00606>, 2016.
- Langevin, P. *J. Chim. Phys. Phys. Chim. Biol.* 1903, 28, 433–530.
- Müller, M., Mikoviny, T., Jud, W., D'Anna, B., and Wisthaler, A.: A new software tool for the analysis of high resolution PTR-TOF mass spectra, *Chemom. Intell. Lab. Syst.*, 127, 158–165, <https://doi.org/10.1016/J.CHEMOLAB.2013.06.011>, 2013.
- Su, T.; Chesnavich, W. *J. J. Chem. Phys.* 1982, 76, 5183–5185.
- Zhang, X., Schwantes, R. H., McVay, R. C., Lignell, H., Coggon, M. M., Flagan, R. C., and Seinfeld, J. H.: Vapor wall deposition in Teflon chambers, *Atmos. Chem. Phys.*, 15, 4197–4214, <https://doi.org/10.5194/ACP-15-4197-2015>, 2015.