Ion – particle interactions during particle formation and growth at a coniferous forest site in central Europe

3

S. G. Gonser¹, F. Klein^{1,*}, W. Birmili², J. Größ², M. Kulmala³, H. E. Manninen³, A. Wiedensohler² and A. Held¹

6 [1]{University of Bayreuth, BayCEER, Atmospheric Chemistry, 95448 Bayreuth, Germany}

7 [2]{Leibniz Institute for Tropospheric Research, 04318 Leipzig, Germany}

8 [3]{Department of Physics, University of Helsinki, 00014 Helsinki, Finland }

9 [*]{now at: Gasphase and Aerosol Chemistry Group, Paul Scherrer Institute, 5232 Villigen,

10 Switzerland}

11 Correspondence to: S. G. Gonser (stefan.gonser@uni-bayreuth.de)

12

13 Abstract

14 In this work, we examined the interaction of ions and neutral particles during atmospheric new particle formation (NPF) events. The analysis is based on simultaneous field 15 16 measurements of atmospheric ions and total particles using a neutral cluster and air ion 17 spectrometer (NAIS) across the diameter range 2 - 25 nm. The "Waldstein" research site is 18 located in a spruce forest in NE Bavaria, Southern Germany, known for enhanced radon 19 concentrations, presumably leading to elevated ionization rates. Our observations show that 20 the occurrence of the ion nucleation mode preceded that of the total particle nucleation mode 21 during all analysed NPF events. The time difference between the appearance of 2 nm ions and 22 2 nm total particles was typically about 20 to 30 minutes. A cross correlation analysis showed 23 a rapid decrease of the time difference between the ion and total modes during the growth 24 process. Eventually, this time delay vanished when both ions and total particles did grow to 25 larger diameters. Considering the growth rates of ions and total particles separately, total 26 particles exhibited enhanced growth rates at diameters below 15 nm. This observation cannot 27 be explained by condensation or coagulation, because these processes would act more 28 efficiently on charged particles compared to neutral particles. To explain our observations, we

1 propose a mechanism including recombination and attachment of continuously present cluster

ions with the ion nucleation mode and the neutral nucleation mode, respectively.

3

2

4 1 Introduction

5 Tropospheric new particle formation (NPF) is a worldwide phenomenon (Kulmala et al., 6 2004a; Kulmala and Kerminen, 2008) contributing to the global particle number and total 7 amount of cloud condensation nuclei (Makkonen et al., 2012, Merikanto et al., 2009; 8 Spracklen et al., 2006;). The first step leading to NPF is thought to be the formation of stable 9 clusters from precursor gas phase components as sulfuric acid, amines, ammonia and organic 10 vapors (Almeida et al. 2013; Kulmala et al., 2013; Schobesberger et al., 2013). The formation 11 of stable clusters happens in the mobility diameter (D_m) range between 1 to 2 nm. Once formed, the stable clusters are activated and experience rapid growth (Kulmala et al., 2013). 12 13 Atmospheric ions are very likely to play a considerable role in atmospheric nucleation processes, as ions reduce the critical cluster size and facilitate cluster activation (e.g. Enghoff 14 15 and Svensmark, 2008; Winkler et al., 2008; Yue and Chan, 1979). In fact, comprehensive field measurements of NPF events at different locations in Europe showed an earlier 16 17 formation of charged particles compared to total particles (neutral + charged particles; Manninen et al., 2010). Furthermore, the charging state of aerosol particles during NPF was 18 19 observed to be frequently overcharged (Gagné et al., 2010; Iida et al., 2006; Laakso et al., 2007). The ratio of charged particle concentrations to neutral particle concentrations in a 20 21 defined diameter interval is defined as the charged fraction. In a bipolar ion environment, the 22 size-dependent charged fraction of an aerosol will eventually reach an equilibrium charging 23 state due to ion-particle interactions (Fuchs, 1963; Wiedensohler, 1988). When the charged 24 fraction is elevated in comparison to the equilibrium charged fraction, an aerosol is defined to 25 be in an overcharged charging state.

When ions are involved in the nucleation process, two terms are usually used: ion induced nucleation (IIN: e.g. Manninen et al. (2010)) and ion mediated nucleation (IMN; e.g. Yu and Turco (2000)). IIN denotes the formation of particles from small ionic clusters, preserving the charge during growth process. Additionally, when interactions of ions and particles are taken into account the term IMN is used. Hence, IMN includes IIN and does also consider interactions among ions and particles, like recombination and attachment.

Yu (2006) developed a detailed model to simulate the IMN process. Results from this model 1 2 point towards the dominant role of ions in NPF, especially, when the actual aerosol charged fraction is elevated in comparison to the equilibrium charging state (Yu and Turco, 2011). On 3 the other hand, when comparing formation rates of charged particles to total particle 4 5 formation rates, only a small fraction (usually less than 10 %) of the particle formation can be attributed to IIN (Manninen et al., 2009a; 2010). However, this approach does not account for 6 7 ion-ion and ion-particle interactions, which are potentially contributing largely to NPF (Yu 8 and Turco, 2011). Only recently, Kulmala et al. (2013) and Kontkanen et al. (2013) published 9 results of field measurements with a sophisticated set of instruments, covering the size range 10 where the very first steps of NPF take place. From their data and theoretical calculations of 11 ion-ion recombination, Kulmala et al. (2013) and Kontkanen et al. (2013) concluded that pure 12 neutral nucleation processes dominate over IMN.

13 Atmospheric ions are generally classified according to their electric mobility diameter D_m into 14 three classes: (1) small ions or cluster ions ($D_m < 1.6 \text{ nm}$), (2) intermediate ions (1.6 nm < D_m < 7.4 nm) and (3) large ions (D_m > 7.4 nm) (e.g. Hirsikko et al., 2011). Small atmospheric 15 ions are always present in the atmosphere, being mainly generated by radioactive decay and 16 cosmic radiation. The total concentration of small ions varies spatially and temporally, 17 depending on ion sources and sinks (Hirsikko et al. (2011) and references therein). Elevated 18 concentrations of intermediate and large ions are usually only present during (1) NPF events, 19 where small ions grow due to condensation of precursor gases, (2) snow fall associated with 20 21 high wind speeds, where friction processes between the snowflakes are thought to be a source 22 for intermediate ions (Virkkula et al., 2007), and (3) rain, where the splashing of rain droplets 23 generates intermediate ions due to the balloelectric effect (Tammet et al., 2009).

Only during the last decade, appropriate instrumentation became available to measure neutral and charged cluster size distributions down to diameters relevant for NPF (Kulmala et al., 2012). One instrument capable of measuring ions down to D_m of about 0.8 nm and neutral particles down to 2 nm is the neutral cluster and air ion spectrometer (NAIS) (Manninen et al., 2009b; 2011; Mirme and Mirme, 2013). In this paper, we present measurements performed with the NAIS during NPF. A new approach to evaluate the data is proposed to elucidate the interactions of ions and neutral particles in the formation and growth of atmospheric particles.

1 2 Measurements and data analysis

2 2.1 Measurement setup

New particle formation (NPF) events were observed from 17 June to 18 August, 2012 at the
"Waldstein" ecosystem research site in the Fichtelgebirge mountain range, NE Bavaria,
Southern Germany. The measurements were carried out in a coniferous forest (50°08'35'' N,
11°51'49'' E, 776 m above sea level) dominated by Norway spruce. NPF was measured by
means of a neutral cluster and air ion spectrometer (S/N NAIS15) (Airel Ltd., Tartu, Estonia)
and a mobility particle size spectrometer (reference system of TROPOS, Leipzig, Germany;
Wiedensohler et al., 2012).

10 The NAIS is capable of measuring neutral particles in the diameter range from about 2 nm to 11 42 nm and atmospheric ions in the range of 0.8 nm to 42 nm (Manninen et al., 2011). The NAIS is composed of two cylindrical differential mobility analyzers (DMA), each with a 12 sample flow of 30 standard liters per minute (SLM) and a sheath flow of 60 SLM. Each DMA 13 is equipped with 21 electrometers for simultaneous detection of ions. Positive and negative 14 15 ions are analyzed separately in a positive and a negative DMA, respectively. The NAIS can be used in different operating modes. In the particle mode, clusters are charged by corona 16 17 discharge prior to the mobility analysis in one of the DMAs. During ion measurement mode 18 the sample is directed to the DMAs without any prior treatment. The offset mode is used for 19 detection of the electrometer background noise level. To do this, charging to opposite polarity 20 and an electric filter is activated inhibiting the introduction of ions to the DMAs. During the 21 whole campaign the NAIS was operated alternatingly with these three modes: offset mode, 22 ion mode and particle mode. The cycle time of the consecutive modes was 200 seconds, with 23 the particle mode set to 66 seconds, the ion mode set to 67 seconds and the offset mode set to 24 67 seconds. Therefore, the overall temporal resolution of the NAIS was 200 seconds.

In particle mode, the recorded number size distribution is inverted by the instrument software, assuming the Fuchs-charge equilibrium of the sample prior to charging and that all classified particles are singly charged. However, if the particle population is not in charge equilibrium but either overcharged or undercharged, the NAIS will overestimate or underestimate the total particle concentrations, respectively (Kulmala et al., 2012). During NPF the charging state of aerosol particles was observed to be frequently overcharged (Gagné et al., 2010; Iida et al., 2006; Laakso et al., 2007). Additionally, an overestimation of the total particle concentration by a factor of 2-3 is a general characteristic of NAIS instruments, as was shown by an intercomparison of several NAIS instruments by Gagné et al., (2011). Therefore, total particle concentrations in this study are very likely to be overestimated. In the ion mode, no charging of the sample is performed and the DMAs sample the naturally charged clusters. The NAIS is described in more detail by Manninen et al. (2009b) and Mirme and Mirme (2013).

6 The particle number size distributions measured with the mobility particle size spectrometer 7 cover a diameter size range from 10 nm to 680 nm with a temporal resolution of 5 minutes. It 8 was operated with a closed loop sheath flow of 5 SLM and a sample flow of 1 SLM. More 9 details about the mobility particle size spectrometer are described in Wiedensohler et al. 10 (2012; cf. Fig. 1). Both instruments were located in a container on a clearing in the forest with 11 the inlets pointing towards east, at a height of 2 m above ground. Additionally, meteorological parameters including ozone concentration, wind speed, wind direction, temperature, relative 12 13 humidity as well direct and diffuse solar radiation were measured at the forest clearing.

14 To obtain robust information about the processes governing NPF from measurements at a fixed location, the analyzed nucleation events have to be of regional character, and occur in a 15 16 generally homogenous air mass. The homogeneity of air masses was assessed by considering the following parameters: Wind direction, wind speed, ozone concentration, relative humidity 17 and particle concentration in the diameter range from 4 to 10 nm. Only when wind speeds 18 varied less than 0.5 m s⁻¹ and wind directions varied less than 60° prior and during NPF, and 19 all other parameters showed a continuous and consistent progression, the air mass was judged 20 21 to be homogeneous.

22 The focus of this study is to determine ion interactions during NPF measured with the NAIS. 23 Hence, the data of the mobility particle size spectrometer was mainly considered for 24 calculations of ion and total particle sink rates. For this purpose, the NAIS particle data were 25 merged with this data by means of a linearly weighted merging algorithm in the overlapping region of both instruments between 15 and 27 nm. The mobility particle size spectrometer 26 27 was measuring with a 5 minute temporal resolution and its size bins were different from the NAIS size bins. Both the size bins and the time resolution were interpolated to match the 28 29 NAIS time resolution and size bins. The resultant particle number size distribution between 30 2 nm and 680 nm was used for calculating the sink rates for ions and total particles according to Hõrrak et al. (2008), Kulmala et al. (2012) and Tammet and Kulmala (2005). 31

1 2.2 Interactions of ions and neutral particles

The major interactions of ions and neutral particles among themselves and with the background aerosol particle population are (1) coagulation of neutral particles, (2) attachment of ions to neutral particles and (3) recombination of ions with ions of opposing polarity. The magnitude of these interactions can be calculated theoretically as corresponding coefficients (see appendix for the formulations).

Coagulation (1) is an important sink for freshly nucleated particles and a factor enhancing the particle growth rate (*GR*) during NPF events (Kulmala et al., 2004b). To determine the sizedependent coagulation coefficient K_{ij} , an approximation from Tammet and Kulmala (2005) was used (cf. Eqs. A1 and A2). The theoretical approach for K_{ij} is valid for the interaction of

11 neutral particles and clusters of all diameters *i* and *j*.

The ion aerosol attachment (2) is described by the attachment coefficient β for the interaction 12 of small air ions with neutral particles. β is commonly assumed constant (1x10⁻⁸ cm³ s⁻¹) when 13 determining ion formation rates, where the attachment of small ions to neutral particles of a 14 15 large diameter is considered a source for ions of the same diameter (Hirsikko et al., 2011; 16 Kulmala et al., 2012; Manninen et al., 2010). However, this size-independent approach is only 17 an approximation. In particular, when the diameter *i* of neutral particles is greater than 10 nm, 18 a constant value is inaccurate (cf. green solid line in Fig. 1). Therefore, when calculating ion sinks, the size dependence of β has to be taken into account. The size dependent β_{ii} varies by 19 20 three orders of magnitude, when the interactions of small ions of size *j* with neutral particles of size *i* are considered (cf. solid green line in Fig. 1; Hoppel and Frick, 1990; Hõrrak et al., 21 2008; Tammet and Kulmala, 2005). For this study, we determined β_{ij} by applying a 22 formulation by Hõrrak et al. (2008), which is an approximation of the tabulated results by 23 Hoppel and Frick (1990) (cf. Eqs. A3 and A4). Since intermediate and large ions also have a 24 25 slightly enhanced attachment probability compared to pure neutral coagulation (cf. Fig. 1, dashed lines), we extrapolated β_{ii} for all measured ion size ranges, still using the formulation 26 by Hõrrak et al. (2008). 27

In principle, the ion-ion recombination (3) can also be described by the attachment coefficient, assuming the interaction of clusters with opposite charges. Usually, the recombination coefficient is denoted as α and assumed to be constant (1.6x10⁻⁶ cm³ s⁻¹) when the interaction among small ions is considered (Hoppel and Frick, 1990; Kulmala et al., 2013; Tammet and Kulmala, 2005). Considering the case of cluster ions of diameter *j* interacting with oppositely charged clusters of a similar diameter *k*, β_{jk} should be comparable to the constant value of α (Hoppel and Frick, 1986). In fact, β_{jk} for ions with *j* = 1.5 nm interacting with oppositely charged ions with *k* = 1.5 nm, as used in this study, is 1.3×10^{-6} cm³ s⁻¹ (solid orange line in Fig. 1). Therefore, β_{jk} for the interaction of oppositely charged clusters in the sizes class *j* and *k*, i.e. the size-dependent recombination coefficient, will be denoted as α_{jk} in the following (Eq. A5).

8 The theory for ion attachment and recombination was developed to calculate the attachment 9 of small ions to larger particles or ions, in order to theoretically assess the particle charge 10 distribution in a bipolar ion environment (Hoppel and Frick, 1986; 1990; Reischl et al., 1996). 11 The interaction of intermediate and large ions with even larger neutral or charged particles 12 was not the aim of these studies. Nevertheless, the sinks and sources for all ion sizes have to 13 be taken into account when analyzing ion interactions in NPF. Therefore, we chose to use the 14 approximated theory from Horrak et al. (2008) to obtain a first order approximation of the coefficients governing the behavior of larger ions, and to apply the calculations also for larger 15 16 diameters. A validation of this approach is given by comparing the size dependence of β and α to K. In Fig. 1, all three coefficients are depicted for aerosols of two different diameters (1.5 17 18 and 10 nm). As electrical effects will enhance the probability of an encounter of two particles, 19 K is the lower limit for the three considered interactions. When small ions (1.5 nm) and small 20 neutral particles interact with each other (green solid line in Fig. 1), the electrical effect can 21 enhance the collision probability by more than one order of magnitude. Considering the 22 interaction of oppositely charged ions, the enhancement can be greater than three orders of 23 magnitude (orange solid line in Fig. 1). The largest differences are found for interactions of 24 small particles or ions. However, when small ions interact with larger particles or ions, α and 25 β approach K, indicating a smaller influence of the charge on the collision probability. A 26 similar pattern can be seen when considering the interaction of large ions with larger aerosol 27 particles (dashed lines in Fig. 1). For the interaction of particles or ions with a diameter of 28 10 nm, α and β decrease about 1-2 orders of magnitude while K is not that strongly affected. 29 The difference among the three coefficients is less pronounced, pointing towards a smaller 30 influence of the charge on collision probabilities when larger ions and particles are 31 considered.

1 2.3 Ion-ion recombination

2 Knowing the recombination coefficient α_{ik} and the number concentration of ions of both 3 polarities, a theoretical number size distribution of neutral particles from ion-ion recombination can be deduced. Kontkanen et al. (2013) and Kulmala et al. (2013) proposed a 4 5 method to calculate the number size distribution resulting from recombination. Both authors used a constant value of 1.6×10^{-6} cm³ s⁻¹ for α . This is justified since only recombination of 6 charged clusters below 2.1 nm in diameter was considered. However, we use the size-7 8 dependent α_{jk} for our approach as the recombination of charged clusters up to 42 nm is considered. Furthermore, Kulmala et al. (2013) used a very simple balance equation, by 9 10 assuming recombination as the only source of neutral clusters and coagulations as the only 11 sink. Similar to Kontkanen et al. (2013), our analysis includes additional sinks and source 12 terms. The sources are given by the recombination of positive and negative ions contributing 13 to size class *i* as well as the growth of recombined neutral particles into size class *i*. The sinks include (1) the coagulation sink ($CoagS_i$; cf. Eq. A6) describing the loss of the recombined 14 neutral particles to the background neutral particles, (2) the charging sink (*CharS*_i[±]; cf. Eq. 15 16 A7) defining the number of recombined neutral particles in size i being charged either positively or negatively by the present ions (Hõrrak et al., 2008), and (3) the growth sink, 17 18 describing the growth of recombined neutral particles out of the size class *i*. The balance 19 equation for recombination is therefore:

20

$$21 \qquad \frac{dN_i^{rec}}{dt} = \sum_{jk} r_{jk} \alpha_{jk} N_j^+ N_k^- + N_{i-1}^{rec} \frac{GR_{i-1}}{\Delta Dp} - N_i^{rec} \left(CoagS_i + CharS_i^+ + CharS_i^- + \frac{GR_i}{\Delta Dp} \right),$$
(1)

22

where, N_i^{rec} is the number concentration of recombined neutral particles in size class *i* and r_{jk} is a coefficient allocating the recombined neutral particles to size class *i*. $\frac{GR_i}{\Delta Dp}$ is the neutral growth rate normalized by the size bin width and N_j^+ and N_k^- are the positive and negative ion number concentrations, respectively. Assuming steady state conditions, Eq. 1 provides the number of recombined neutral particles for each size class *i*. Breakup of the formed clusters as proposed by Kontkanen et al. (2013) and Kulmala et al. (2013) is not taken into account in our formulation. Since the concentration of recombination products did never reach the measured neutral cluster concentration, making the determination of a breakup term
 impossible.

The key parameter governing the concentration of small ions in the atmosphere is the ionization rate Q. For our site, Q was calculated by means of a simplified ion equilibrium equation, assuming steady-state equilibrium (Hoppel and Frick, 1986). This equation assumes the ion production rate to be a function of two ion sink terms, the recombination and the attachment of ions to the present background aerosol (cf. Eq. A8).

8

9 **2.4** Formation- and growth rate

10 The formation rate *J* describes the flux of particles or ions into a defined size interval. *J* was 11 calculated for every size class using Eqs. 9 and 10 from Kulmala et al. (2012).

12 The growth rates were also deduced for every size class, this was done separately for total particles (GR_t) as well as positive (GR_{pos}) and negative ions (GR_{neg}). Growth rates were 13 14 determined using the maximum concentration method described in detail in section 6A by 15 Kulmala et al. (2012). In order to determine the point in time of the maximum concentration 16 (black filled circles in Fig. 2), we applied a least square polynomial smoothing filter (Savitzky 17 and Golay, 1964) to each of the NAIS size classes. Further smoothing of the determined times 18 of maximum concentration resulted in smooth size dependent growth rates (black curves in 19 Fig. 2). The determination of GRs from particle/ion measurements in the troposphere are always associated with uncertainties (Yli-Juuti et al., 2011) as the growth of a particle 20 population is a dynamic process with several influencing factors. Therefore, the result of a GR 21 22 analysis from field measurements will always only result in an approximation of the true GR. 23 Besides, as the probability of particles carrying multiple charges in the NAIS increases with 24 particle diameter, the measured number size distribution for larger sizes is less reliable. 25 However, the growth rates for particles smaller than 20 nm in diameter give reasonable 26 results. For ion/particle diameters above 20 nm, the applied method results in an 27 overestimation of the growth rates (cf. Fig. 2). By comparing concentrations as well as growth 28 rates of total particles (Fig. 2 a) and neutral particles (Fig. 2 b), it becomes evident that neutral 29 and total particles exhibit equivalent values. Therefore, data from the NAIS's total particle 30 measurements are used to describe neutral particle characteristics in the following. As the 31 same procedure was applied to all ion and particle measurements, the determined growth rates

are well comparable. Further, a correction for self-coagulation of the growing mode was
 applied to obtain the rates for pure condensational growth (Leppä et al., 2011).

3

4 3 Results

5 3.1 General event characteristics

6 Simultaneous measurements of neutral and charged clusters and particles at the "Waldstein" 7 ecosystem research site from 17 June to 18 August 2012 showed a frequent occurrence of 8 new particle formation events. Typically, the events occurred during sunny morning hours 9 while wind directions from the east prevailed. However, several events did also occur in the afternoons and when wind directions were not from the east. A total number of 17 NPF events 10 11 (28 % of measurement period) were observed, while 29 days (47 %) could not be defined as 12 clear events but did still show particle formation. Non-event days were less frequent with only 15 out of 61 days. Since the measurements were taken at a fixed location, a reliable evaluation 13 14 of the patterns governing the formation and growth of particles were only possible in homogeneous air masses. After careful evaluation for homogeneous air masses as described 15 above, a total of 8 events were chosen for detailed analysis. Fig. 2 shows a typical NPF event. 16 Growth rates of those 8 days compare well to prior observations, reporting growth rates in the 17 range from 2.2 to 5.7 nm h⁻¹ at the same location (Held et al., 2004). For particles in diameter 18 range 2 - 3 nm median total particle growth rates (GR_t), negative (GR_{neg}) and positive growth 19 rates (GR_{pos}) were found to be 4.1 nm h⁻¹, 2.4 nm h⁻¹ and 2.8 nm h⁻¹, respectively. Median 20 formation rates J for 2-3 nm particles were in the order of 3.5 cm⁻³ s⁻¹, 0.015 cm⁻³ s⁻¹ and 0.02 21 $cm^{-3}s^{-1}$ for total, negative and positive particles, respectively. 22

23

24 **3.2** Ion concentrations and ionization rates at "Waldstein"

The "Waldstein" site is located in the Fichtelgebirge mountain range, NE Bavaria. The Fichtelgebirge is known for its enhanced background radioactive radiation levels. In particular, radon is elevated, reaching soil gas activity concentrations of up to 4000 kBq m⁻³ (Kemski et al., 2001; Lüers et al., 2007). As the primary sources for atmospheric ions are radon decay, gamma radiation and cosmic radiation (Hirsikko et al., 2011), ion concentrations and ionization rates Q are expected to be elevated at the "Waldstein" site. The measurements

1 with the NAIS in summer 2012 showed median concentrations of positive and negative cluster ions on NPF event days of 339 and 148 cm⁻³, respectively (cf. Tab. 1). The cluster ion 2 concentrations show a clear diurnal variation both on NPF event days and non-event days 3 (Fig. 3). Lüers et al. (2007) conducted radon measurements at the "Waldstein" site and found 4 5 similar diurnal patterns, hinting towards radon as the major ionization source. Furthermore, our measurements show that cluster ion concentrations are slightly enhanced on NPF events 6 7 days (Tab. 1). Nevertheless, the concentrations seem quite low compared to values measured 8 at various locations around the world. Ion concentrations measured at 2 meter above ground are typically in the range of 500 to 1000 cm⁻³ (Hirsikko et al., 2011). In summer 2013, 9 measurements with an air ion spectrometer (AIS) were performed at the same clearing at the 10 11 "Waldstein" site. The AIS is very similar to the NAIS, except that it is not equipped with a corona charger for charging the neutral particles. Measurements with the AIS resulted in 12 13 typical positive and negative cluster ion concentrations of 600 and 900 cm⁻³, respectively. These values compare much better with the concentrations published by Hirsikko et al. 14 15 (2011), and range close to the upper end of typical values. The obvious discrepancy between 16 the AIS and NAIS may be explained by different inlets of the two instruments. The inlet of 17 the NAIS was 1.8 m long and was bent by 180°, while the AIS inlet was about 1 m long and had a bending of only 90°. An enhanced ion loss in the NAIS inlet due to diffusion is 18 19 probable, as the penetration for cluster ions through the NAIS inlet is only about half of the 20 penetration through the AIS inlet. Further, electrostatic losses for the NAIS measurements 21 could give an explanation for the generally lower concentrations of negative ions in compare 22 to positive ions. Negative ions have a higher electrical mobility and are therefore 23 preferentially lost due to a present electro static field. Considering the much higher ion 24 concentrations and the optimized inlet of the AIS, absolute ion concentrations measured with 25 the NAIS in 2012 are probably underestimated. However, the underestimation of the absolute 26 concentration does not affect the determination of the growth rates with the maximum 27 concentration method.

The median ionization rates Q determined with the NAIS during NPF events are 0.8 and 0.9 cm⁻³ s⁻¹ for negative and positive cluster ions, respectively (cf, Tab. 2). The calculated Qs are most probably underestimated since Q depends directly on ion concentrations, which are underestimated by the NAIS. Furthermore, the simplified balance equation for determining Qdoes not consider all active ion sinks, resulting in a general underestimation of about a factor 1 of 2 (Hõrrak et al., 2008). Considering these facts, Q was probably well above 3 ion pairs 2 cm⁻³ s⁻¹ during summer 2012 at "Waldstein".

3

4 **3.3 Time difference**

5 In all 8 evaluated NPF events, 2 nm ions (NAIS size bin limits were 1.8 – 2.1 nm) showed a 6 concentration increase before the concentrations of total particles of the same size increased. 7 Fig. 4 (a) shows the course of concentration for 2 nm total particles and ions for an exemplary 8 NPF event on 12 August, 2012. The occurrence of an earlier ion formation prior to total 9 particle formation seems to be a typical pattern during NPF. Manninen et al. (2010) report of NAIS measurements during NPF at several locations in Europe. They also observed the 10 11 earlier formation of 2 nm ions prior to 2 nm total particle formation in different environments. However, this behavior was not investigated in more detail in other studies. When considering 12 the concentrations of larger particles and ions, the time gap between the appearance of 13 14 charged and total particles becomes smaller with increasing particle size (Fig. 4 b-e). This behavior was observed throughout all NPF events considered in our study. In order to 15 16 determine the time difference Δt between the appearance of ions and total particles, a cross-17 correlation analysis was performed individually for each size class. Cross-correlation analysis 18 is a standard procedure to analyze time shifts in two time series. The result of the cross-19 correlation analysis can be seen in Fig. 5. For small particles, Δt is largest and sharply 20 decreases as the particle diameter increases, eventually reaching $\Delta t = 0$ for diameters of about 21 20 nm. Therefore, the total particles seem to grow faster than ions after the onset of a NPF 22 event, as Δt becomes smaller during the growth process.

23

24 **3.4 Growth rates**

25 Due to the decrease of Δt during NPF, GR_t is expected to differ from GR_{neg} and GR_{pos}, 26 especially when considering small particle diameters. In fact, our analysis yields an increased 27 GR_t compared to GR_{neg} and GR_{pos}. At this point, it should be mentioned once more that the 28 growth rates above an ion/particle diameter of 20 nm are most probably overestimated by the 29 maximum concentration method. Fig. 6 (a) shows the growth rates for the NPF event on 4 30 July, 2012. GR_{neg} and GR_{pos} are similar to each other, while the total particles grow faster.

Fig. 6 (b) shows the median growth rates of all 8 regional NPF events. An enhanced GR_t is 1 2 evident in the median values. The enhanced GRt compared to charged particle growth rates deviates from theories for pure condensational growth, where the presence of a charge 3 4 enhances the growth rates of small and intermediate ions (e.g. Yu and Turco, 2000; Yue and 5 Chan, 1979). Therefore, condensational growth on its own cannot explain the apparent GR differences. To further support our observations at the "Waldstein" site, we analyzed 6 7 additional data recorded with a NAIS instrument during summer 2008 at the "Melpitz" field 8 site in NW Saxony, Germany. In these data, the same patterns are found: Δt decreases during 9 the growth process and total particles show an enhanced growth rate compared to ions. As the 10 determination of the growth rates is always connected to some error, the enhancement of GR_t over to GR_{neg} and GR_{pos} cannot be regarded as significant, but still it is considered to be 11 12 plausible.

13

14 **3.5 Recombination**

The number size distributions deduced from ion-ion recombination as described by Eq. 1 are 15 16 generally comparable to the measured total particle distributions. However, the resulting 17 absolute concentrations of particles from ion-ion recombination are one to three orders of 18 magnitude smaller than the observed total particle distributions. Particularly, when diameters 19 below 10 nm are considered, recombination cannot explain the abundance of total particles (cf. Fig. 2). This may be partly due to the performance of the NAIS. As described in section 20 21 3.2 ion concentrations in our study are generally underestimated, while an overestimation of 22 total particle concentrations is a typical property of NAIS instruments (Gagné et al., 2011). 23 Therefore, the absolute values are not taken into consideration for our study. Nevertheless, the 24 recombination gives valuable information regarding the growth behavior of neutral particles. 25 A measure which can still be used for our analysis is the growth rate of the recombination 26 products (GR_{rec}). As mentioned above, GR_t is elevated at small particle diameters compared to GR_{neg} and GR_{pos} . GR_{rec} seems to behave similar to GR_t as can be seen in Figs. 2 and 6. For 27 28 most of the NPF events considered in our study, GR_{rec} is well above GR_{neg} and GR_{pos} (Fig. 29 6 b) and sometimes matches GR_t quite well (Fig. 6 a).

1 4 Discussion

2 The 8 particle formation events at the "Waldstein" site considered in this study can be 3 separated into two distinct stages. The formation of the first stable clusters and particles seem 4 to happen in the ion fraction. Later, the ion formation step is followed by a very intense 5 formation and growth of neutral clusters and particles. The initial ion induced nucleation (IIN) 6 typically happens about 20 - 30 minutes before the first appearance of neutral particles (Fig. 5 7 c, d; Tab. 2) at "Waldstein". This observation can most likely be explained by the higher 8 stability of charged clusters over neutral ones at a certain precursor gas saturation ratio 9 (Enghoff and Svensmark, 2008; Yue and Chan, 1979). Furthermore, charged clusters clearly activate more easily and grow more quickly (e.g. Lushnikov and Kulmala, 2004; Winkler et 10 11 al., 2008; Yu and Turco, 2000). Keeping this in mind and assuming no ion-ion and ion-12 particle interactions, the time difference between an earlier occurring ion fraction and the total 13 particle fraction during the growth process should increase or remain constant. However, our 14 measurements show a contrary behavior: once formed, the neutral particles grow considerably faster than the ion fraction, and eventually, the earlier occurrence of the ions vanishes 15 completely. A possible explanation for the slower ion GR could be the diurnal variation of gas 16 17 phase precursors like sulfuric acid or oxidation products of volatile organic compounds 18 (VOC). In the early morning hours, when the first intermediate ions are formed, the precursor 19 gas concentrations are expected to be low. On sunny days, as were most of the considered 20 event days, the precursor gas concentration will increase during the day. This is due to 21 increasing VOC emissions from the forest with rising air temperature, as well as due to 22 photochemical processes leading to the formation of sulfuric acid and oxidation of VOCs. 23 Therefore, the neutral particle growth which occurs later could be enhanced due to higher 24 concentrations of precursor gases.

Additionally, ion-ion and ion-particle interactions enhance neutral particle GRs. As the potential precursor gases were not measured in this study, the focus to explain our observation will be on ion-particle interaction processes. Nevertheless, it is not expected that the observations can be explained fully by ion-particle interactions.

29 Considering ion-particle interactions by applying theoretical parameterizations of the 30 attachment and recombination processes to the combined NAIS and mobility particle size 31 spectrometer measurements, we obtained the ion-mediated or -recombined fraction of neutral 32 particles. NAIS number concentration measurements are subject to uncertainties both for ions and total particles (Asmi et al., 2009; Gagné et al., 2011). However, growth rate analyses are not influenced by the uncertainties in NAIS number concentrations. Therefore, we chose GR_{rec} deduced from the calculated recombination number size distribution as a measure for the influence of ions on neutral particle formation.

5 In general, our analyses show an earlier formation of charged particles compared to total 6 particles (Fig. 5). When looking more closely at the time difference of appearance (Δt) of ions 7 and total particles, the 8 considered NPF events can be divided in two classes: (1) initial Δt is 8 larger than 20 minutes (Fig. 7) and (2) initial Δt is smaller than 20 minutes (Fig. 8).

9 Median values of four NPF events (04 July; 23 July; 24 July; 12 August 2012; cf. Tab. 2) with 10 $\Delta t > 20$ minutes are shown in Fig. 7. The large differences in the growth rates for ions and total particles (Fig. 7 a) are remarkable. While GR_{neg} and GR_{pos} are as expected for small 11 12 diameters, GR_t for small total particles is strongly elevated (cf. Tab. 2). This strong growth is maintained until a sharp drop for diameters above 10 nm is evident. The unusual sharpness of 13 14 the decrease can most likely be attributed to limitations of the maximum concentration 15 method and the inversion routine of the NAIS. Nevertheless, qualitatively the decrease in GR_t 16 is considered real, indicating a change in the prevailing growth conditions. Fig. 7 (b) shows the time evolution of the growing mode's diameter of maximum concentration (Dp_{max}) for 17 18 both ion polarities as well as for total particles. More specifically, Dpmax is the result of the 19 maximum concentration method for the determination of the growth rates (cf. black lines in 20 Fig. 2). The origin of the horizontal axis (time = 0) indicates the first appearance of the total particle growing mode. The time of initial ion appearance is offset by the median of Δt at 2 21 22 nm for positive and negative ions, respectively (cf. Fig. 7 c, d). The initial offset of the ion growing mode is about 60 minutes. As total particles exhibit a higher GR_t, their growing 23 24 mode finally reaches the same Dp_{max} as the ion modes, about 40 to 60 minutes after the first 25 appearance of total particles.

Fig. 7 (c) and (d) show the time difference (Δt) in occurrence of ions compared to total particles. Δt exhibits a rapid decrease as the particles grow. Eventually, for particle diameters above 10 nm, the advance of ions is fairly small and continues to decreases at a slower rate, to approach $\Delta t = 0$ at about 20 nm. Additionally, Fig. 7 (c) and (d) show the independently derived time difference between the negative and positive Dp_{max} to the total one (cf. Fig. 7 c, d as black dotted lines). Basically, this is a comparison of Δt derived from the crosscorrelation method with the time difference derived from the maximum concentration 1 method. The general patterns of these time differences are very similar: the rapid decrease of 2 Δt is clearly evident until particle diameters of about 10 nm are reached. For greater particle 3 diameters the time differences of Dp_{max} become negative, indicating a persistently enhanced 4 growth rate of the total particle growing mode. However, our data do not show an advance of 5 the total growing mode compared to the ion modes (cf. Figs. 4, 5 and 7 c,d). This discrepancy 6 may be explained by the increasing uncertainty associated with the growth rate determination 7 for larger diameters.

8 Median values for four NPF events with $\Delta t < 20$ minutes (17 June; 19 June; 13 August; 17 9 August 2012; cf. Tab. 2) are shown in Fig. 8. The median growth rates for these events (Fig. 8 10 a) are significantly lower compared to the high growth rates presented in Fig. 7. Additionally, 11 there is no visible difference in GR_{neg}, GR_{pos} and GR_t. They exhibit similar values throughout the whole growth process (cf. Tab. 2). Typically, 2 nm positive and negative ions show an 12 13 earlier appearance (Δt) of about 15 and 10 minutes, respectively (Fig. 8 c, d). The decrease of 14 Δt during the growth process is relatively slow. Nevertheless, the diameter at which Δt 15 approaches zero is still at about 20 nm. The time needed for the total particle mode to grow to this size is approximately 200 minutes (Fig. 8 b). The time difference deduced from Dp_{max} 16 17 becomes negative at a diameter of about 20 nm, supporting the assumption that growth rates 18 above this diameter are overestimated. As Δt shows a slow decrease during the growth 19 process, GR_t should be slightly enhanced compared to GR_{neg} and GR_{pos}. This is not visible in our data. Presumably, the accuracy of the applied growth rate determination is not sufficient 20 21 to resolve such slight differences.

As the absolute contribution of ion-ion recombination and ion-particle attachment to NPF is not quantitatively assessed in this work we propose a conceptual mechanism governing our observations. Fig. 9 shows the conceptual model for interactions of positive cluster ions (red) with the negative growing ion mode (blue), the neutral background particles and the neutral growing mode (both black). For illustrational purposes, we will focus on the ion attachment (green dashed lines) and the recombination of cluster ions with the growing ion mode (yellow dashed lines) and neglect the recombination of cluster ions with each other.

At the onset of NPF (Fig. 9 a), first particles are formed in the ion fraction, exhibiting concentrations in the order of 10^1 cm⁻³. Ion-ion recombination occurs among cluster ions and the freshly nucleated ion mode (yellow dashed line). Additionally, the background aerosol particles, exhibiting concentrations in the order of 10^3 cm⁻³, are available for the attachment of cluster ions (green dashed line). Considering the recombination coefficient α at 2 nm and the attachment coefficient β at 100 nm (cf. Fig. 1, yellow and green solid lines), the probabilities for cluster ions to interact with the growing ion mode and with the neutral background particles are approximately the same. As the background aerosol is more numerous than the freshly nucleated ion mode, attachment to the background particles dominates over recombination. Hence, only a very small number of neutral particles are formed by recombination.

8 Once precursor gas phase components are available in a sufficient quantity for neutral 9 nucleation (cf. Almeida et al. 2013; Kulmala et al., 2013; Schobesberger et al., 2013), a strong 10 nucleation burst of neutral particles occurs (Fig. 9 b). The freshly nucleated neutral mode has a very small mean diameter (e.g. 1.5-2 nm) and shows typical concentrations in the order of 11 10^3 cm⁻³. The background particle number size distribution stays mostly unchanged (Dp > 100 12 nm; 10^3 cm⁻³). Now, the neutral nucleation mode and the background particles are available 13 for the attachment of cluster ions. Meanwhile, the ion mode has grown to a greater diameter 14 15 (e.g. 4 nm), exhibiting only a slightly enhanced number concentration still in the order of 10^1 cm^{-3} . β for cluster ion attachment to the background particles is elevated by 2 orders of 16 17 magnitude compared to the neutral nucleation mode (cf. Fig. 1). Therefore, cluster ion 18 attachment to the background particles dominates over the attachment to the neutral 19 nucleation mode, as both modes have similar concentrations. On the other hand, α for cluster 20 ions with the growing ion mode is elevated by 2 orders of magnitude compared to β for the 21 neutral growing mode. As the neutral mode exhibits approximately 2 orders of magnitude 22 more particles, the absolute number of cluster ions recombining with the ion mode is 23 comparable to the number of ions attaching to the neutral mode. In other words, background 24 particles are charged strongly (bold red arrow), the neutral nucleation mode experiences moderate charging (red arrow) and the formation of neutral particles by recombination is also 25 26 moderate (black arrow). This moderate formation of somewhat greater neutral particles from 27 recombination contributes to the growth of the neutral mode. On the other hand, the ions 28 formed by attachment to the neutral mode are somewhat smaller than the mean ion mode 29 diameter, and contribute to a slower growth of the ion mode. The absolute production of 30 neutral and charged particles by this mechanism depends on the concentration of cluster ions 31 as well as on the concentration of the growing ion- and neutral modes, and is thought to be in the order of 0.01 cm⁻³ s⁻¹. 32

As the growth continues, the neutral particle mode reaches a number concentration peak 1 (order of 10^4 cm⁻³) at diameters of approximately 4 - 5 nm (Fig. 9 c). Due to the high 2 concentration, the attachment probability of cluster ions to the neutral nucleation mode and 3 4 the background particles is similar (green dashed lines). Meanwhile, the ion mode has grown further (e.g. 6 nm diameter), and is slightly more numerous but still in the order of 10^1 cm⁻³. 5 Therefore, recombination is somewhat enhanced compared to stage (b). Nevertheless, the 6 7 neutral nucleation mode experiences a stronger loss of particles due to attachment of cluster 8 ions. As a result, the concentration of the growing ion mode is further enhanced by the 9 addition of somewhat smaller charged particles. Again, the loss of ions (due to 10 recombination) and the addition of newly formed smaller ions (due to attachment) results in 11 an apparent growth rate reduction of the ion mode. On the other hand, the concentration of the 12 neutral mode is constantly reduced, while its growth rate stays elevated.

13 Finally, the diameters of the neutral and ion growing modes approach each other (Fig. 9 d). By this time the concentration of the ion mode is further enhanced (10^2 cm^{-3}) and the neutral 14 mode concentration has decreased to about 10^3 cm⁻³. The converging concentrations and 15 similar diameters result in a comparable magnitude of attachment and recombination to the 16 17 ion and neutral growing modes. As the neutral particles (formed from recombination) and the charged particles (formed from attachment) have approximately the same diameter, an 18 19 enhancement or slowing of the growth rates is not expected. This results in an equilibrium 20 state where ions and neutral particles grow at similar rates.

21

22 **5 Conclusions**

Data from 8 NPF events measured with the NAIS at the "Waldstein" site showed an earlier 23 appearance of the ion modes in the beginning of NPF and a higher initial growth rate of the 24 25 "delayed" total particle mode in comparison to the ion modes. The enhanced growth of the 26 total particle mode does eventually result in the disappearance of the ion's advance. To our 27 knowledge, such differences of ion and total growth rates in the initial stages of cluster 28 growth have not been presented before. Therefore, it is an interesting yet open question if 29 these observations are just a special feature of the "Waldstein" site, or if they can also be found elsewhere. An earlier appearance of the ion mode is plausible, as ions reduce the 30 31 critical cluster size and facilitate the cluster activation (e.g. Lushnikov and Kulmala, 2004; 32 Winkler et al., 2008; Yu and Turco, 2000; Yue and Chan, 1979). To, at least partly, explain

the difference in the growth rates we have proposed a mechanism including ion-ion
 recombination and ion-particle attachment (cf. Fig. 9).

3 Due to limitations of our measurement equipment (detection limit for neutral particles ~ 4 2 nm), no direct conclusions on the influence of ions on neutral particle nucleation can be deduced at the size range where the onset of NPF occurs. As stated by Kontkanen et al. 5 6 (2013) and Kulmala et al. (2013), pure cluster ion recombination is not thought to be of 7 sufficient magnitude to explain the intense neutral nucleation bursts. Further, Manninen et al. 8 (2010) reported that ion induced nucleation does only contribute about 10 - 13 % to NPF. 9 Nevertheless, ion interactions may play an important role in NPF by simultaneously enhancing the neutral particle growth rate and reducing the ion growth rate. However, the 10 11 proposed mechanism is only valid in environments where the ionization rate (Q) is strong 12 enough to provide sufficient cluster ions for recombination and attachment.

13

14 Acknowledgements

15 This work was funded by the German Research Foundation grant DFG HE5214/3-1. The 16 authors gratefully acknowledge Xuemeng Chen, Stephanie Gagné and Sander Mirme for 17 helpful advice and discussions.

1 Appendix

2

According to Tammet and Kulmala (2005), the size dependent coagulation coefficient K_{ij} is
 defined as

5

6
$$K_{ij} = \frac{2\pi kT(B_i+B_j)(D_i+D_j+2h)}{1+\gamma-\frac{0.299\gamma}{\gamma^{1.1}+0.64}+\gamma\frac{1-p}{p}},$$
 (A1)

7 where

8
$$\gamma = 2 \frac{B_i + B_j}{D_i + D_j + 2h} \sqrt{\frac{2\pi k T m_i m_j}{m_i + m_j}}$$
 (A2)

9

Here, k is the Boltzmann constant $[1.38 \times 10^{-23} \text{ J K}^{-1}]$, T is the absolute temperature [K], B is 10 the particle's mechanic mobility $[m N^{-1} s^{-1}]$ (Hinds, 1999), D is the particle diameter [m], the 11 12 sticking probability p was assumed to be one, and m is the mass of an individual particle [kg]. To account for van der Waals interactions, an extra distance $h = 0.115 \times 10^{-9} \text{ m}$ is necessary 13 14 (Tammet and Kulmala, 2005). The variability of the size-dependent coagulation coefficient 15 due to a 20 % change in B, a doubling reduction to 50 % of h and the variation of p between 16 0.5 and 1 is depicted as shaded areas in Fig. 1. The sticking probability exhibits the most pronounced influence on the values of K_{ij}, while the other two variables only show a minor 17 effect. 18

19

20 An approximation for the size dependent attachment coefficient β_{ij} is given by Hõrrak et al. 21 (2008):

22

23
$$\beta_{ij} = \frac{2\pi D_i k T Z_j}{e} \frac{x}{exp(x) - 1} \sqrt{1 - \frac{2}{2 + n(n-1) + D_i/(10 \text{ nm})}},$$
 (A3)

24 where,

$$25 \qquad x = \frac{ne^2}{2\pi D_i \epsilon_0 kT}.$$
 (A4)

Here, Z is the electric mobility of the ion provided by the NAIS $[m^2 V^{-1} s^{-1}]$, e is the elementary electric charge $[1.6 \times 10^{-19} \text{ C}]$, n is the number of elementary charges carried by a charged particle, and ε_0 is the electric constant $[8.85 \times 10^{-12} \text{ F m}^{-1}]$. The variability of β_{ij} was assessed by varying Z in the range of the bin width of the respective NAIS size channel (cf. Fig. 1).

6

For the interaction of oppositely charged ions of size j and k, a size dependent recombination coefficient α can be described by the attachment coefficient β_{jk} (Hoppel and Frick, 1986). Therefore, the recombination coefficient (α_{jk}) is defined equally to the attachment coefficient, but only for oppositely charged ions:

11
12
$$\alpha_{jk} = \beta_{jk}$$
. (A5)
13
14 The coagulation sink is calculated according to Kulmala et al. (2012):
15
16 $CoagS_i = \sum_{l=i}^{l=max} K_{ll}N_l$, (A6)
17
18 where N_l is the number concentration of the background aerosol [cm⁻³] in the size class *l*.
19
20 The calculation of the charging sink follows Eq. 3 from Hõrrak et al. (2008):
21
22 $CharS_l^{\pm} = p_l \sum_j \beta_{lj}N_j^{\pm}$, (A7)
23
24 where, p_i is the probability of a neutral particle in size class *i* to carry one elementary charge
25 and N_j^{\pm} is the number concentration of positive or negative ions in size class *j* [cm⁻³].
26
27 Hoppel and Frick (1986) proposed a simplified balance equation for the cluster ion production
28 rate. For our work, we use a slightly altered version, not assuming symmetric concentrations
29 of positive and negative small ions and considering size-dependent attachment and

recombination coefficients. The balance equation for the ionization rate Q^{\pm} is defined as:

31

$$1 \qquad \frac{dN_{<1.6 \text{ nm}}^{\pm}}{dt} = Q^{\pm} - \sum_{jk} \alpha_{jk} N_j^+ N_k^- - \sum_{ij} \beta_{ij} p_i N_i N_j^{\pm} , \qquad (A8)$$

3 where size classes j and k < 1.6 nm, N_j^+ and N_k^- are positive and negative ion concentrations 4 in size class j and k [cm⁻³], N_i is the concentration of neutral particles in size class i [cm⁻³] and 5 $N_{<1.6 \text{ nm}}^{\pm}$ is the number concentration of positive or negative ions with a diameter below 6 1.6 nm [cm⁻³].

1 References

Asmi, E., Sipilä, M., Manninen, H. E., Vanhanen, J., Lehtipalo, K., Gagné, S., Neitola, K.,
Mirme, A., Mirme, S., Tamm, E., Uin, J., Komsaare, K., Attoui, M. and Kulmala, M.: Results

of the first air ion spectrometer calibration and intercomparison workshop, Atmos. Chem.
Phys., 8(5), 17257–17295, doi:10.5194/acpd-8-17257-2008, 2009.

6 Almeida, J., Schobesberger, S., Kürten, A., Ortega, I. K., Kupiainen-Määttä, O., Praplan, A. 7 P., Adamov, A., Amorim, A., Bianchi, F., Breitenlechner, M., David, A., Dommen, J., 8 Donahue, N. M., Downard, A., Dunne, E., Duplissy, J., Ehrhart, S., Flagan, R. C., Franchin, 9 A., Guida, R., Hakala, J., Hansel, A., Heinritzi, M., Henschel, H., Jokinen, T., Junninen, H., 10 Kajos, M., Kangasluoma, J., Keskinen, H., Kupc, A., Kurtén, T., Kvashin, A. N., Laaksonen, 11 A., Lehtipalo, K., Leiminger, M., Leppä, J., Loukonen, V., Makhmutov, V., Mathot, S., McGrath, M. J., Nieminen, T., Olenius, T., Onnela, A., Petäjä, T., Riccobono, F., Riipinen, I., 12 Rissanen, M., Rondo, L., Ruuskanen, T., Santos, F. D., Sarnela, N., Schallhart, S., 13 14 Schnitzhofer, R., Seinfeld, J. H., Simon, M., Sipilä, M., Stozhkov, Y., Stratmann, F., Tomé, 15 A., Tröstl, J., Tsagkogeorgas, G., Vaattovaara, P., Viisanen, Y., Virtanen, A., Vrtala, A., Wagner, P. E., Weingartner, E., Wex, H., Williamson, C., Wimmer, D., Ye, P., Yli-Juuti, T., 16 17 Carslaw, K. S., Kulmala, M., Curtius, J., Baltensperger, U., Worsnop, D. R., Vehkamäki, H. 18 and Kirkby, J.: Molecular understanding of sulphuric acid-amine particle nucleation in the 19 atmosphere, Nature, 502(7471), 359-363, doi:10.1038/nature12663, 2013.

Enghoff, M. B. and Svensmark, H.: The role of atmospheric ions in aerosol nucleation – a
review, Atmos. Chem. Phys., 8(16), 4911–4923, doi:10.5194/acp-8-4911-2008, 2008.

Fuchs, N. A.: On the stationary charge distribution on aerosol particles in a bipolar ionic
atmosphere, Geofis. Pura E Appl., 56(1), 185–193, doi:10.1007/BF01993343, 1963.

24 Gagné, S., Nieminen, T., Kurtén, T., Manninen, H. E., Petäjä, T., Laakso, L., Kerminen, V.-

25 M., Boy, M. and Kulmala, M.: Factors influencing the contribution of ion-induced nucleation

26 in a boreal forest, Finland, Atmos. Chem. Phys., 10(8), 3743–3757, doi:10.5194/acp-10-3743-

- 27 2010, 2010.
- 28 Gagné, S., Lehtipalo, K., Manninen, H. E., Nieminen, T., Schobesberger, S., Franchin, A.,
- 29 Yli-Juuti, T., Boulon, J., Sonntag, A., Mirme, S., Mirme, A., Hõrrak, U., Petäjä, T., Asmi, E.

- 1 and Kulmala, M.: Intercomparison of air ion spectrometers: an evaluation of results in varying
- 2 conditions, Atmos. Meas. Tech., 4(5), 805–822, doi:10.5194/amt-4-805-2011, 2011.
- 3 Held, A., Nowak, A., Birmili, W., Wiedensohler, A., Forkel, R. and Klemm, O.: Observations
- 4 of particle formation and growth in a mountainous forest region in central Europe, J.
- 5 Geophys. Res., 109(D23), doi:10.1029/2004JD005346, 2004.
- 6 Hinds, W. C.: Aerosol technology: properties, behavior, and measurement of airborne
 7 particles, Wiley, New York., 1999.
- 8 Hirsikko, A., Nieminen, T., Gagné, S., Lehtipalo, K., Manninen, H. E., Ehn, M., Hõrrak, U.,
- 9 Kerminen, V.-M., Laakso, L., McMurry, P. H., Mirme, A., Mirme, S., Petäjä, T., Tammet, H.,
- 10 Vakkari, V., Vana, M. and Kulmala, M.: Atmospheric ions and nucleation: a review of
- 11 observations, Atmos. Chem. Phys., 11(2), 767–798, doi:10.5194/acp-11-767-2011, 2011.
- 12 Hoppel, W. A. and Frick, G. M.: Ion—Aerosol Attachment Coefficients and the Steady-State
- 13 Charge Distribution on Aerosols in a Bipolar Ion Environment, Aerosol Sci. Technol., 5(1),
- 14 1–21, doi:10.1080/02786828608959073, 1986.
- Hoppel, W. A. and Frick, G. M.: The Nonequilibrium Character of the Aerosol Charge
 Distributions Produced by Neutralizes, Aerosol Sci. Technol., 12(3), 471–496,
 doi:10.1080/02786829008959363, 1990.
- Hõrrak, U., Aalto, P. P., Salm, J., Komsaare, K., Tammet, H., Mäkelä, J. M., Laakso, L. and
 Kulmala, M.: Variation and balance of positive air ion concentrations in a boreal forest,
 Atmos. Chem. Phys., 8(3), 655–675, doi:10.5194/acp-8-655-2008, 2008.
- Iida, K., Stolzenburg, M., McMurry, P., Dunn, M. J., Smith, J. N., Eisele, F. and Keady, P.:
 Contribution of ion-induced nucleation to new particle formation: Methodology and its
 application to atmospheric observations in Boulder, Colorado, J. Geophys. Res., 111(D23),
 doi:10.1029/2006JD007167, 2006.
- Kemski, J., Siehl, A., Stegemann, R. and Valdivia-Manchego, M.: Mapping the geogenic
 radon potential in Germany, Sci. Total Environ., 272(1–3), 217–230, doi:10.1016/S00489697(01)00696-9, 2001.

- Kontkanen, J., Lehtinen, K. E. J., Nieminen, T., Manninen, H. E., Lehtipalo, K.,
 Kerminen, V.-M., and Kulmala, M.: Estimating the contribution of ion-ion recombination to
 sub-2 nm cluster concentrations from atmospheric measurements, Atmos. Chem. Phys., 13,
 11391-11401, doi:10.5194/acp-13-11391-2013, 2013.
- 5 Kulmala, M. and Kerminen, V.-M.: On the formation and growth of atmospheric
 6 nanoparticles, Atmospheric Res., 90(2–4), 132–150, doi:10.1016/j.atmosres.2008.01.005,
 7 2008.
- Kulmala, M., Laakso, L., Lehtinen, K. E. J., Riipinen, I., Dal Maso, M., Anttila, T.,
 Kerminen, V.-M., Hõrrak, U., Vana, M. and Tammet, H.: Initial steps of aerosol growth,
 Atmos. Chem. Phys., 4(11/12), 2553–2560, doi:10.5194/acp-4-2553-2004, 2004b.
- Kulmala, M., Vehkamäki, H., Petäjä, T., Dal Maso, M., Lauri, A., Kerminen, V.-M., Birmili,
 W. and McMurry, P. H.: Formation and growth rates of ultrafine atmospheric particles: a
 review of observations, J. Aerosol Sci., 35(2), 143–176, doi:10.1016/j.jaerosci.2003.10.003,
 2004a.
- Kulmala, M., Petäjä, T., Nieminen, T., Sipilä, M., Manninen, H. E., Lehtipalo, K., Dal Maso,
 M., Aalto, P. P., Junninen, H., Paasonen, P., Riipinen, I., Lehtinen, K. E. J., Laaksonen, A.
 and Kerminen, V.-M.: Measurement of the nucleation of atmospheric aerosol particles, Nat.
 Protoc., 7(9), 1651–1667, doi:10.1038/nprot.2012.091, 2012.
- 19 Kulmala, M., Kontkanen, J., Junninen, H., Lehtipalo, K., Manninen, H. E., Nieminen, T., Petaja, T., Sipila, M., Schobesberger, S., Rantala, P., Franchin, A., Jokinen, T., Jarvinen, E., 20 Aijala, M., Kangasluoma, J., Hakala, J., Aalto, P. P., Paasonen, P., Mikkila, J., Vanhanen, J., 21 22 Aalto, J., Hakola, H., Makkonen, U., Ruuskanen, T., Mauldin, R. L., Duplissy, J., Vehkamaki, 23 H., Back, J., Kortelainen, A., Riipinen, I., Kurten, T., Johnston, M. V., Smith, J. N., Ehn, M., 24 Mentel, T. F., Lehtinen, K. E. J., Laaksonen, A., Kerminen, V.-M. and Worsnop, D. R.: 25 Direct Observations of Atmospheric Aerosol Nucleation, Science, 339(6122), 943-946, 26 doi:10.1126/science.1227385, 2013.
- Laakso, L., Gagné, S., Petäjä, T., Hirsikko, A., Aalto, P. P., Kulmala, M. and Kerminen, V.M.: Detecting charging state of ultra-fine particles: instrumental development and ambient
- 29 measurements, Atmos. Chem. Phys., 7(5), 1333–1345, doi:10.5194/acp-7-1333-2007, 2007.

- 1 Leppä, J., Anttila, T., Kerminen, V.-M., Kulmala, M. and Lehtinen, K. E. J.: Atmospheric
- 2 new particle formation: real and apparent growth of neutral and charged particles, Atmos.
- 3 Chem. Phys., 11(10), 4939–4955, doi:10.5194/acp-11-4939-2011, 2011.
- 4 Lüers, J., Smaczny, J., Kies, A. and Bareiss, J.: Dynamik der Austauschprozesse von CO2
 5 und Radon zwischen Waldboden, Waldbestand und Atmosphäre, Berichte Meteorol. Institutes
- 6 Uiversität Freibg., (16), 147–52, 2007.
- Lushnikov, A. A. and Kulmala, M.: Charging of aerosol particles in the near free-molecule
 regime, Eur. Phys. J. At. Mol. Opt. Plasma Phys., 29(3), 345–355, doi:10.1140/epjd/e200400047-9, 2004.
- 10 Makkonen, R., Asmi, A., Kerminen, V.-M., Boy, M., Arneth, A., Hari, P. and Kulmala, M.:
- 11 Air pollution control and decreasing new particle formation lead to strong climate warming,
- 12 Atmos. Chem. Phys., 12(3), 1515–1524, doi:10.5194/acp-12-1515-2012, 2012.
- Manninen, H. E., Nieminen, T., Riipinen, I., Yli-Juuti, T., Gagné, S., Asmi, E., Aalto, P. P.,
 Petäjä, T., Kerminen, V.-M. and Kulmala, M.: Charged and total particle formation and
 growth rates during EUCAARI 2007 campaign in Hyytiälä, Atmos. Chem. Phys., 9(12),
 4077–4089, doi:10.5194/acp-9-4077-2009, 2009a.
- Manninen, H. E., Petaja, T., Asmi, E., Riipinen, I., Nieminen, T., Mikkila, J., Horrak, U.,
 Mirme, A., Mirme, S., Laakso, L., Kerminen, V.-M. and Kulmala, M.: Long-term field
 measurements of charged and neutral clusters using Neutral cluster and Air Ion Spectrometer
 (NAIS), Boreal Environ. Res., 14(4), 591–605, 2009b.
- 21 Manninen, H. E., Nieminen, T., Asmi, E., Gagné, S., Häkkinen, S., Lehtipalo, K., Aalto, P.,
- 22 Vana, M., Mirme, A., Mirme, S., Hõrrak, U., Plass-Dülmer, C., Stange, G., Kiss, G., Hoffer,
- 23 A., Törő, N., Moerman, M., Henzing, B., de Leeuw, G., Brinkenberg, M., Kouvarakis, G. N.,
- 24 Bougiatioti, A., Mihalopoulos, N., O'Dowd, C., Ceburnis, D., Arneth, A., Svenningsson, B.,
- 25 Swietlicki, E., Tarozzi, L., Decesari, S., Facchini, M. C., Birmili, W., Sonntag, A.,
- 26 Wiedensohler, A., Boulon, J., Sellegri, K., Laj, P., Gysel, M., Bukowiecki, N., Weingartner,
- 27 E., Wehrle, G., Laaksonen, A., Hamed, A., Joutsensaari, J., Petäjä, T., Kerminen, V.-M. and
- 28 Kulmala, M.: EUCAARI ion spectrometer measurements at 12 European sites analysis of

- new particle formation events, Atmos. Chem. Phys., 10(16), 7907–7927, doi:10.5194/acp-10 7907-2010, 2010.
- Manninen, H. E., Franchin, A., Schobesberger, S., Hirsikko, A., Hakala, J., Skromulis, A.,
 Kangasluoma, J., Ehn, M., Junninen, H., Mirme, A., Mirme, S., Sipilä, M., Petäjä, T.,
 Worsnop, D. R. and Kulmala, M.: Characterisation of corona-generated ions used in a Neutral
 cluster and Air Ion Spectrometer (NAIS), Atmos. Meas. Tech., 4(12), 2767–2776,
 doi:10.5194/amt-4-2767-2011, 2011.
- Merikanto, J., Spracklen, D. V., Mann, G. W., Pickering, S. J. and Carslaw, K. S.: Impact of
 nucleation on global CCN, Atmos. Chem. Phys., 9(21), 8601–8616, doi:10.5194/acp-9-86012009, 2009.
- Mirme, S. and Mirme, A.: The mathematical principles and design of the NAIS a
 spectrometer for the measurement of cluster ion and nanometer aerosol size distributions,
 Atmos. Meas. Tech., 6, 1061-1071, doi:10.5194/amt-6-1061-2013, 2013.
- Reischl, G. P., Mäkelä, J. M., Karch, R. and Necid, J.: Bipolar charging of ultrafine particles
 in the size range below 10 nm, J. Aerosol Sci., 27(6), 931–949, doi:10.1016/00218502(96)00026-2, 1996.
- Savitzky, A. and Golay, M. J.: Smoothing and Differentiation of Data by Simplified Least
 Squares Procedures, Anal. Chem., 36(8), 1627, 1964.
- 19 Schobesberger, S., Junninen, H., Bianchi, F., Lönn, G., Ehn, M., Lehtipalo, K., Dommen, J., 20 Ehrhart, S., Ortega, I. K., Franchin, A., Nieminen, T., Riccobono, F., Hutterli, M., Duplissy, 21 J., Almeida, J., Amorim, A., Breitenlechner, M., Downard, A. J., Dunne, E. M., Flagan, R. C., 22 Kajos, M., Keskinen, H., Kirkby, J., Kupc, A., Kürten, A., Kurtén, T., Laaksonen, A., Mathot, 23 S., Onnela, A., Praplan, A. P., Rondo, L., Santos, F. D., Schallhart, S., Schnitzhofer, R., 24 Sipilä, M., Tomé, A., Tsagkogeorgas, G., Vehkamäki, H., Wimmer, D., Baltensperger, U., 25 Carslaw, K. S., Curtius, J., Hansel, A., Petäjä, T., Kulmala, M., Donahue, N. M. and 26 Worsnop, D. R.: Molecular understanding of atmospheric particle formation from sulfuric 27 acid and large oxidized organic molecules, Proc. Natl. Acad. Sci., 110(43), 17223-17228, 28 doi:10.1073/pnas.1306973110, 2013.

- 1 Spracklen, D. V., Carslaw, K. S., Kulmala, M., Kerminen, V.-M., Mann, G. W. and Sihto, S.-
- L.: The contribution of boundary layer nucleation events to total particle concentrations on
 regional and global scales, Atmos. Chem. Phys., 6(12), 5631–5648, doi:10.5194/acp-6-5631-
- 4 2006, 2006.
- 5 Tammet, H. and Kulmala, M.: Simulation tool for atmospheric aerosol nucleation bursts, J.
 6 Aerosol Sci., 36(2), 173–196, doi:10.1016/j.jaerosci.2004.08.004, 2005.
- Tammet, H., Hõrrak, U. and Kulmala, M.: Negatively charged nanoparticles produced by
 splashing of water, Atmos. Chem. Phys., 9(2), 357–367, doi:10.5194/acp-9-357-2009, 2009.
- 9 Virkkula, A., Hirsikko, A., Vana, M., Aalto, P. P., Hillamo, R. and Kulmala, M.: Charged
 10 particle size distributions and analysis of particle formation events at the Finnish Antarctic
 11 research station Aboa, Boreal Environ. Res., 12(3), 397–408, 2007.
- Wiedensohler, A.: An approximation of the bipolar charge distribution for particles in the
 submicron size range, J. Aerosol Sci., 19(3), 387–389, doi:10.1016/0021-8502(88)90278-9,
 14 1988.
- 15 Wiedensohler, A., Birmili, W., Nowak, A., Sonntag, A., Weinhold, K., Merkel, M., Wehner, B., Tuch, T., Pfeifer, S., Fiebig, M., Fjäraa, A. M., Asmi, E., Sellegri, K., Depuy, R., Venzac, 16 17 H., Villani, P., Laj, P., Aalto, P., Ogren, J. A., Swietlicki, E., Williams, P., Roldin, P., 18 Quincey, P., Hüglin, C., Fierz-Schmidhauser, R., Gysel, M., Weingartner, E., Riccobono, F., 19 Santos, S., Grüning, C., Faloon, K., Beddows, D., Harrison, R., Monahan, C., Jennings, S. G., 20 O'Dowd, C. D., Marinoni, A., Horn, H.-G., Keck, L., Jiang, J., Scheckman, J., McMurry, P. H., Deng, Z., Zhao, C. S., Moerman, M., Henzing, B., de Leeuw, G., Löschau, G. and 21 22 Bastian, S.: Mobility particle size spectrometers: harmonization of technical standards and 23 data structure to facilitate high quality long-term observations of atmospheric particle number 24 size distributions, Atmos. Meas. Tech., 5(3), 657-685, doi:10.5194/amt-5-657-2012, 2012.
- Winkler, P. M., Steiner, G., Vrtala, A., Vehkamaki, H., Noppel, M., Lehtinen, K. E. J.,
 Reischl, G. P., Wagner, P. E. and Kulmala, M.: Heterogeneous nucleation experiments
 bridging the scale from molecular ion clusters to nanoparticles, Science, 319(5868), 1374–
 1377, doi:10.1126/science.1149034, 2008.

- Yli-Juuti, T., Nieminen, T., Hirsikko, A., Aalto, P. P., Asmi, E., Hõrrak, U., Manninen, H. E.,
 Patokoski, J., Dal Maso, M., Petäjä, T., Rinne, J., Kulmala, M., and Riipinen, I.: Growth rates
 of nucleation mode particles in Hyytiälä during 2003–2009: variation with particle size,
 season, data analysis method and ambient conditions, Atmos. Chem. Phys., 11, 12865-12886,
 doi:10.5194/acp-11-12865-2011, 2011.
- Yu, F.: From molecular clusters to nanoparticles: second-generation ion-mediated nucleation
 model, Atmos. Chem. Phys., 6(12), 5193–5211, doi:10.5194/acp-6-5193-2006, 2006.
- Yu, F. and Turco, R. P.: Ultrafine aerosol formation via ion-mediated nucleation, Geophys.
 Res. Lett., 27(6), 883–886, doi:10.1029/1999GL011151, 2000.
- Yu, F. and Turco, R. P.: Case studies of particle formation events observed in boreal forests:
 implications for nucleation mechanisms, Atmos. Chem. Phys., 8(20), 6085–6102,
 doi:10.5194/acp-8-6085-2008, 2008.
- Yu, F. and Turco, R. P.: The size-dependent charge fraction of sub-3-nm particles as a key
 diagnostic of competitive nucleation mechanisms under atmospheric conditions, Atmos.
 Chem. Phys., 11(18), 9451–9463, doi:10.5194/acp-11-9451-2011, 2011.
- Yue, G. K. and Chan, L. .: Theory of the formation of aerosols of volatile binary solutions
 through the ion-induced nucleation process, J. Colloid Interface Sci., 68(3), 501–507,
 doi:10.1016/0021-9797(79)90308-4, 1979.

1 Tab. 1: Median, 25^{th} and 75^{th} percentile of cluster ion concentrations [cm⁻³] (diameter <

2 1.6 nm) during 8 selected NPF event and 13 non-event days, measured with the NAIS during

3 summer 2012 at the "Waldstein" site.


	Median	25^{th}	75 th
Non-event negative	129	101	186
NPF-event negative	148	126	176
Non-event positive	314	252	422
NPF-event positive	339	285	395

1 Tab. 2: Event features of all 8 selected NPF events used for this study. Shown are: NPF event 2 start time (CET), prevailing wind direction, time difference Δt of 2-3 nm ions [min.], growth 3 rates GR of 2-3 nm total particles and ions [nm h⁻¹], formation rates J of 2-3 nm total particles 4 and ions [cm⁻³ s⁻¹] and ionization rates Q for cluster ions [cm⁻³ s⁻¹]. Values for Q_{neg} , Q_{pos} , J_{neg}

 τ and roms term is justic romization rates Q for cluster roms term is j. values for Q_{neg} , Q

5 and J_{pos} are probably underestimated, please refer to section 3.2 for detail.

Date	Start	Wind sector	Δt_{neg}	Δt_{pos}	GR _t	GR _{neg}	GR _{pos}	J_{t}	$J_{\rm neg}$	$J_{ m pos}$	$Q_{\rm neg}$	$Q_{ m pos}$
17 June 2012	13:00	W	20	5	2.8	6.3	3.2	0.4	0.02	0.02	0.4	0.4
19 June 2012	12:00	Е	-62	0	1.5	2	1.9	0.4	0.002	0.006	0.5	0.7
04 July 2012	09:30	Е	33	22	2.9	2.4	2.3	0.5	0.006	0.007	0.7	0.9
23 July 2012	07:30	Е	102	97	5.3	1.5	1.4	5	0.02	0.02	0.9	1
24 July 2012	08:30	Е	67	42	9	2.4	3.7	2.3	0.004	0.01	0.8	0.9
12 August 2012	08:30	Е	53	38	6.9	3.2	3.8	4.7	0.02	0.04	1.1	1.2
13 August 2012	07:30	Е	17	13	6	3.5	4.4	5.2	0.02	0.05	1.3	1.6
17 August 2012	08:30	Е	10	5	1.6	1.6	1.8	5.2	0.01	0.02	0.8	0.8
Median	-	-	26.5	17.5	4.1	2.4	2.75	3.5	0.015	0.02	0.8	0.9



1

Fig. 1: Coagulation coefficient K, attachment coefficient β and recombination coefficient α [cm³ s⁻¹] for small cluster ions and particles (1.5 nm, solid lines) and large ions and particles (10 nm, dashed lines) as a function of ion/particle diameter D_p. Shaded areas denote the variability of the respective coefficients, please refer to the appendix for details.




Fig. 2: NPF event of 12 August 2012 as measured with the NAIS. Shown are a) total particles,
b) neutral particles, c) positive ions, d) negative ions and e) calculated neutral particles from
ion-ion recombination. Black filled circles denote the concentration maxima for each size
class, while black lines are smoothed fits in order to obtain continuous growth rates.





Fig. 3: Median diurnal variation of cluster ion concentrations (diameter < 1.6 nm) during 8
selected NPF event days (a, c) and 13 non-event days (b, d), as measured with the NAIS
during summer 2012 at the "Waldstein" site. The shaded areas denote the 25th and 75th
percentile.



1

2 Fig. 4: Temporal evolution of total particle concentrations as well as positive and negative ion 3 concentrations in diameter ranges of a) 1.8-2.1 nm, b) 3.7-4.3 nm, c) 7.6-8.8 nm, d) 13.6-15.7 4 nm and e) 21.1-24.5 nm. The data originates from single NAIS size channels, measured 5 during the NPF event on 12 August 2012 at "Waldstein". Ion concentrations increase during 6 the growth process, while total particle concentrations increase rapidly at the beginning of 7 NPF but begin to decrease at diameters above 8 nm. Note that the ion concentrations (right 8 axes) are always smaller than the particle concentrations (left axes). Data was smoothed for 9 illustrational purpose.






Fig. 5: Results from the cross-correlation study showing the size-dependence of the time difference (Δt). Appearance of a) positive and b) negative ions compared to total particles measured with NAIS on 12 August, 2012, and median values of Δt for all 8 selected NPF event days for c) positive and d) negative ions. Shaded area denote the 25th and 75th percentile




Fig. 6: Growth rates of negative ions, positive ions and total particles determined from NAIS
measurements, a) for a single event on 04 July, 2012 and b) median values for all 8 selected
NPF events used for this study. Hatched areas denote the 25th and 75th percentile.
Additionally, GR_{rec} deduced from ion-ion recombination is shown in orange. Dashed
segments of the curves denote inaccurate growth rates.







Fig. 7: Median evolution of ions and particles for four NPF events with $\Delta t > 20$ minutes. a) GR for total, positive, negative and recombined particles. b) Time evolution of the growing modes (Dp_{max}) of negative, positive and total particles, respectively. Hatched areas denote the 25^{th} and 75^{th} percentiles. c, d) Time difference (Δt) for negative and positive ions, respectively. Dotted black lines are time differences calculated from the negative and positive growing mode to the total one, in principle this is the difference between the three Dp_{max} values from section b).



2 Fig. 8: Same as Fig. 7 but for four NPF events with $\Delta t < 20$ minutes.




Fig. 9: Conceptual model of the influence of cluster ion recombination and attachment at different stages of particle nucleation and growth (a-d). Permanently available positive cluster ions are denoted in red, the negative growing mode in blue and neutral particle modes in black. The black and red arrows denote the generation of neutral and charged particles, respectively. The size of the arrows and dashed lines denotes the prevailing mechanism. Numerals indicate the orders of magnitude of the number concentrations of the respective modes.