

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26

SUPPORTING INFORMATION

Hourly elemental concentrations in PM_{2.5} aerosols sampled simultaneously at urban background and road site during SAPUSS - Diurnal variations and PMF receptor modelling

M. Dall'Osto¹, X. Querol¹, F. Amato², A. Karanasiou^{1,3}, F. Lucarelli⁴, S. Nava⁴, G. Calzolari⁴, M. Chiari⁴

[1] Institute of Environmental Assessment and Water Research, Spanish Research Council (IDAEA-CSIC), c/Jordi Girona 18-26, 08034 Barcelona, Spain (manuel.dalosto@gmail.com)

[2] TNO, Built Environment and Geosciences, Dept. of Climate, Air and Sustainability, Utrecht, The Netherlands

[3] Centre for Research in Environmental Epidemiology (CREAL), Barcelona, Spain

[4] Department of Physics and Astronomy, University of Florence and National Institute of Nuclear Physics (INFN), via Sansone 1, 50019 Sesto Fiorentino, Italy

1

2

3

4

5

6

7

8


9

10

11

12 Figure SI 1. Frequency distributions for both UB and RS sites for each of the
13 seventeen metals sampled by PIXE during SAPUSS.

14



1

2

3

4

5

6

7

8

9

10

11 Figure SI 2. Frequency hourly distributions of the nine PMF factors detected
12 simultaneously at the UB and RS site.

13

14

15

16

