



Corrigendum to

“Net radiative forcing and air quality responses to regional CO emission reductions” published in Atmos. Chem. Phys., 13, 5381–5399, 2013

M. M. Fry¹, M. D. Schwarzkopf², Z. Adelman¹, V. Naik³, W. J. Collins⁴, and J. J. West¹

¹Department of Environmental Sciences and Engineering, University of North Carolina at Chapel Hill, Chapel Hill, North Carolina, USA

²NOAA Geophysical Fluid Dynamics Laboratory, Princeton, New Jersey, USA

³UCAR/NOAA Geophysical Fluid Dynamics Laboratory, Princeton, New Jersey, USA

⁴Department of Meteorology, University of Reading, Reading, UK

Correspondence to: J. J. West (jjwest@email.unc.edu)

In the above-mentioned manuscript, two errors occurred in the captions of Figs. 6 and 7. Please find the corrected captions together with the figures on the next page.




Fig. 6. Global distribution of annual average changes in tropospheric total column O_3 at steady state (1×10^{-2} DU) for each of the regional reduction simulations relative to the base. The global annual average steady-state tropospheric O_3 changes ($Tg O_3$) for each simulation are noted in the lower right of each panel.




Fig. 7. Global distribution of annual average changes in tropospheric total column SO_4^{2-} ($\mu g m^{-2}$) for each of the regional reduction simulations relative to the base. The global annual average tropospheric SO_4^{2-} changes (Gg) for each simulation are noted in the lower right of each panel.