




*Supplement of*

## **A process-based $^{222}\text{Rn}$ radon flux map for Europe and its comparison to long-term observations**


**U. Karstens et al.**

*Correspondence to:* U. Karstens ([ute.karstens@nateko.lu.se](mailto:ute.karstens@nateko.lu.se))


The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.




**Figure S1.** Dependency of soil effective diffusivity at 15°C on soil moisture as calculated with different models (Millington and Quirk, 1960; Rogers and Nielson, 1991; Moldrup et al., 1996; Moldrup et al., 1999) for different soil porosities together with measured values. Triangles correspond to individual estimates from the IUP site (Schmithüsen, 2012), while the filled circles were taken from locations close to Malaga from Dueñas et al. (1997). Colours of symbols and lines indicate mean porosity. The general shape of the Millington and Quirk (1960) and the Moldrup et al. (1996) models for typical hydraulic parameters of  $b=4$  (sandy soils) and  $b=8$  (clay soils) is very similar, with the curves being identical for  $b=6$ . Also included is the dependency for the Rogers and Nielson (1991) parameterization, which seems to overestimate the effective diffusivity at low soil moisture and underestimate at high soil moisture.




**Figure S2.** Distribution of the interpolated <sup>226</sup>Ra activity concentrations in the soil as derived from the Geochemical Atlas for Europe (Salminen, 2005) from their measured <sup>238</sup>U distributions at 0-0.25 m and 0.5-2.0 m of the soil. For the southeastern part of the model domain (not covered by the Geochemical Atlas), the <sup>226</sup>Ra activity concentration was extrapolated based on geological information from a global lithological map (Hartmann and Moosdorf, 2012), see Section 4.1 for more explanations.



**Figure S3.**  $^{222}\text{Rn}$  exhalation rate in January 2006 taking into account the influence of frost on GLDAS-Noah-based (top row) or ERA-Interim/Land-based fluxes (middle row). Flux maps with a 50% reduction of the fluxes on ice days (left) and the difference compared to unreduced fluxes (middle) are shown. The right maps show the fraction of ice days in January 2006 in the meteorological reanalysis used in the respective soil model. Normalized frequency distributions with frost influence (left panels) and without (right panels) are shown in the bottom row.



**Figure S4.** Influence of elevated water table on  $^{222}\text{Rn}$  flux as percent change in individual pixels: left, based on GLDAS-Noah soil moisture model, right, based on ERA-I/L soil moisture model. Water table depth in Europe was taken from a hydrological model simulation by Miguez-Macho et al. (2008).



**Figure S5.** Differences in annual mean 2006 – 2010 climatologies of  $^{222}\text{Rn}$  exhalation rates between our maps based on GLDAS-Noah and ERA-Interim/Land soil moisture (upper left), between our maps and the López-Coto et al. (2013) 1957-2002 climatology (middle panels), and between our maps and the Szegvary et al. (2009) fluxes for the year 2006 only (lower panels). The difference between the López-Coto et al. (2013) 1957-2002 climatology and the Szegvary et al. (2009) fluxes for 2006 is shown in the upper right panel.

**Table S1.** Overview of episodic radon flux measurements in Europe from different publications. The date of measurement is indicated in the table, if it was available in the particular publication. The flux measurement data are shown in Figure 8, aggregated to monthly values.

Lat.	Long.	$j(^{222}\text{Rn})$ ( $\text{mBq m}^{-2} \text{s}^{-1}$ )	Date	Reference	Location
49.42	8.68	$14.44 \pm 0.98$	15.11.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$18.69 \pm 1.19$	15.11.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$19.15 \pm 1.22$	15.11.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$17.81 \pm 1.13$	24.11.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$16.29 \pm 0.97$	24.11.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$4.67 \pm 0.32$	24.11.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$12.49 \pm 0.73$	24.11.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$9.23 \pm 0.57$	02.12.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$13.03 \pm 0.80$	02.12.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$3.18 \pm 0.19$	09.12.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$3.34 \pm 0.21$	09.12.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$11.36 \pm 0.70$	14.12.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$13.65 \pm 0.83$	14.12.2011	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$9.46 \pm 0.59$	13.01.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$4.90 \pm 0.31$	13.01.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$5.74 \pm 0.36$	16.01.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$6.32 \pm 0.39$	16.01.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$6.39 \pm 0.41$	24.01.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$4.78 \pm 0.32$	24.01.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$5.98 \pm 0.38$	08.03.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$6.88 \pm 0.43$	08.03.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$5.68 \pm 0.37$	08.03.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$5.52 \pm 0.34$	08.03.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$8.37 \pm 0.54$	20.03.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$5.22 \pm 0.31$	20.03.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$5.73 \pm 0.35$	20.03.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$9.24 \pm 0.55$	20.03.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$26.68 \pm 1.67$	16.05.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$22.30 \pm 1.39$	16.05.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$10.30 \pm 0.67$	16.05.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$8.94 \pm 0.55$	16.05.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$3.34 \pm 0.25$	22.05.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$15.65 \pm 0.98$	22.05.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$15.75 \pm 0.98$	29.05.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$17.57 \pm 1.09$	29.05.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	$9.55 \pm 0.62$	05.06.2012	Schmithüsen (2012)	Heidelberg (Germany)

Lat.	Long.	$j(^{222}\text{Rn})$ (mBq m <sup>-2</sup> s <sup>-1</sup> )	Date	Reference	Location
49.42	8.68	13.51 ± 0.86	05.06.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	30.01 ± 1.90	19.06.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	4.19 ± 0.27	19.06.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	17.35 ± 1.10	26.06.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	18.51 ± 1.17	26.06.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	5.49 ± 0.35	10.07.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	16.49 ± 1.05	10.07.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	5.53 ± 0.35	24.07.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	18.71 ± 1.19	24.07.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	13.93 ± 0.88	08.08.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	11.96 ± 0.76	08.08.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	5.46 ± 0.35	14.08.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.68	13.78 ± 0.88	14.08.2012	Schmithüsen (2012)	Heidelberg (Germany)
49.42	8.66	29.57 ± 1.80	05.09.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	40.22 ± 2.43	05.09.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	15.66 ± 0.97	19.09.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	20.07 ± 1.25	19.09.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	24.18 ± 1.50	02.10.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	38.71 ± 2.40	02.10.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	10.03 ± 0.63	08.10.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	19.92 ± 1.23	08.10.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	6.28 ± 0.40	16.10.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	23.33 ± 1.45	16.10.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	24.68 ± 1.53	23.10.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	24.24 ± 1.50	23.10.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	5.77 ± 0.36	06.11.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	16.29 ± 1.01	06.11.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	15.47 ± 0.92	26.11.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	20.89 ± 1.36	26.11.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	12.05 ± 0.75	04.12.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	34.01 ± 2.11	04.12.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	27.28 ± 1.70	14.12.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	28.48 ± 1.78	14.12.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	18.48 ± 1.15	18.12.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	17.65 ± 1.10	18.12.2012	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	20.71 ± 1.30	08.01.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	17.57 ± 1.10	08.01.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	4.62 ± 0.30	17.01.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	15.29 ± 0.93	25.01.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	18.63 ± 1.16	25.01.2013	Schwingshackl (2013)	Heidelberg (Germany)



Lat.	Long.	$j(^{222}\text{Rn})$ (mBq m <sup>-2</sup> s <sup>-1</sup> )	Date	Reference	Location
49.42	8.66	10.83 ± 0.69	15.02.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	11.06 ± 0.70	15.02.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	19.34 ± 1.21	07.03.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	14.70 ± 0.92	07.03.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	18.98 ± 1.57	23.07.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	19.62 ± 1.32	23.07.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	18.40 ± 1.51	04.10.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.42	8.66	20.38 ± 1.35	04.10.2013	Schwingshackl (2013)	Heidelberg (Germany)
49.50	8.59	23.19 ± 1.84	17.07.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	11.51 ± 0.90	17.07.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	15.63 ± 1.25	20.08.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	15.24 ± 1.19	20.08.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	22.07 ± 1.77	27.08.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	10.04 ± 0.82	27.08.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	19.29 ± 1.54	02.09.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	35.75 ± 2.77	02.09.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	12.74 ± 1.02	24.09.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	10.89 ± 0.86	24.09.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	13.57 ± 1.10	30.09.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	7.99 ± 0.64	30.09.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	6.67 ± 0.54	08.10.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	27.64 ± 2.15	08.10.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	10.09 ± 0.81	14.10.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	12.61 ± 0.99	14.10.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	11.98 ± 0.97	05.11.2013	Schwingshackl (2013)	Heddesheim (Germany)
49.50	8.59	12.90 ± 1.02	05.11.2013	Schwingshackl (2013)	Heddesheim (Germany)
48.72	2.17	4.97 ± 0.52	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	7.29 ± 0.61	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	11.07 ± 1.06	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	11.93 ± 1.14	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	4.48 ± 0.47	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	9.71 ± 0.93	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	7.63 ± 0.69	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	5.93 ± 0.50	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	4.78 ± 0.40	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	8.14 ± 0.63	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	4.14 ± 0.35	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	4.43 ± 0.44	10.07.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	9.58 ± 0.75	06.08.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	8.91 ± 0.73	06.08.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)

Lat.	Long.	$j(^{222}\text{Rn})$ (mBq m <sup>-2</sup> s <sup>-1</sup> )	Date	Reference	Location
48.72	2.17	10.26 ± 0.73	06.08.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	10.90 ± 0.81	06.08.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	7.89 ± 0.59	06.08.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	10.49 ± 0.74	06.08.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	8.37 ± 0.62	23.09.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	17.05 ± 1.19	23.09.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	12.46 ± 0.92	23.09.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	15.39 ± 1.08	23.09.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	5.71 ± 0.40	30.10.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	6.29 ± 0.46	30.10.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	4.25 ± 0.32	30.10.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	6.02 ± 0.42	30.10.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	4.63 ± 0.34	19.11.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	2.45 ± 0.20	19.11.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	3.82 ± 0.29	19.11.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	5.72 ± 0.43	19.11.2013	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	5.98 ± 0.43	10.03.2014	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	8.90 ± 0.66	10.03.2014	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	6.41 ± 0.48	10.03.2014	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	6.52 ± 0.47	10.03.2014	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	8.39 ± 0.75	24.03.2014	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	4.34 ± 0.41	24.03.2014	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	5.83 ± 0.45	24.03.2014	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	4.04 ± 0.34	24.03.2014	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	5.64 ± 0.55	24.03.2014	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.72	2.17	6.87 ± 0.51	24.03.2014	Schwingshackl (2013)	Gif-sur-Yvette (France)
48.52	5.25	30.07 ± 2.48	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	62.00 ± 5.31	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	32.29 ± 2.62	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	20.92 ± 1.56	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	76.16 ± 6.52	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	23.69 ± 1.77	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	13.49 ± 1.22	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	15.27 ± 1.37	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	54.77 ± 4.33	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	35.10 ± 2.64	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	13.02 ± 1.08	01.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	15.97 ± 1.08	19.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	20.72 ± 1.73	19.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	14.88 ± 1.01	19.08.2013	Schwingshackl (2013)	Bure (France)

Lat.	Long.	$j(^{222}\text{Rn})$ (mBq m <sup>-2</sup> s <sup>-1</sup> )	Date	Reference	Location
48.52	5.25	12.97 ± 1.09	19.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	13.46 ± 1.14	26.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	16.00 ± 1.34	26.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	15.88 ± 1.09	26.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	11.16 ± 0.84	26.08.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	18.81 ± 1.26	02.09.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	20.43 ± 1.37	02.09.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	14.91 ± 1.24	02.09.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	14.52 ± 1.08	23.09.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	14.32 ± 1.08	23.09.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	7.82 ± 0.71	23.09.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	7.99 ± 0.73	23.09.2013	Schwingshackl (2013)	Bure (France)
48.52	5.25	6.59 ± 0.60	04.03.2014	Schwingshackl (2013)	Bure (France)
48.52	5.25	12.56 ± 0.84	04.03.2014	Schwingshackl (2013)	Bure (France)
48.52	5.25	4.62 ± 0.39	04.03.2014	Schwingshackl (2013)	Bure (France)
48.52	5.25	9.14 ± 0.62	04.03.2014	Schwingshackl (2013)	Bure (France)
48.52	5.25	4.07 ± 0.35	04.03.2014	Schwingshackl (2013)	Bure (France)
48.52	5.25	17.66 ± 1.39	17.03.2014	Schwingshackl (2013)	Bure (France)
48.52	5.25	8.38 ± 0.81	17.03.2014	Schwingshackl (2013)	Bure (France)
48.52	5.25	8.10 ± 0.71	17.03.2014	Schwingshackl (2013)	Bure (France)
48.52	5.25	15.27 ± 1.07	17.03.2014	Schwingshackl (2013)	Bure (France)
48.52	5.25	16.01 ± 1.12	17.03.2014	Schwingshackl (2013)	Bure (France)
48.52	5.25	11.39 ± 1.02	17.03.2014	Schwingshackl (2013)	Bure (France)
51.42	-0.57	5.20 ± 0.45	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	4.36 ± 0.38	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	3.52 ± 0.38	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	3.12 ± 0.29	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	17.33 ± 2.34	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	2.96 ± 0.27	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	11.92 ± 1.62	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	10.45 ± 1.42	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	3.49 ± 0.28	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	8.59 ± 1.13	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	2.41 ± 0.25	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.42	-0.57	4.00 ± 0.33	16.09.2013	Schwingshackl (2013)	Egham (United Kingdom)
51.10	10.92	24.45 ± 7.14	26.09.2003	Schell (2004)	Gebesee (Germany)
51.10	10.92	22.70 ± 3.50	20.10.2003	Schell (2004)	Gebesee (Germany)
51.10	10.92	21.91 ± 13.03	04.11.2003	Schell (2004)	Gebesee (Germany)
51.10	10.92	19.60 ± 14.52	14.01.2004	Schell (2004)	Gebesee (Germany)
51.10	10.92	20.08 ± 10.37	11.02.2004	Schell (2004)	Gebesee (Germany)

Lat.	Long.	$j(^{222}\text{Rn})$ (mBq m <sup>-2</sup> s <sup>-1</sup> )	Date	Reference	Location
51.10	10.92	21.11 ± 6.57	11.03.2004	Schell (2004)	Gebesee (Germany)
51.10	10.92	23.83 ± 2.70	15.04.2004	Schell (2004)	Gebesee (Germany)
51.10	10.92	22.55 ± 3.30	12.05.2004	Schell (2004)	Gebesee (Germany)
51.10	10.92	24.35 ± 5.74	19.07.2004	Schell (2004)	Gebesee (Germany)
51.10	10.92	27.92 ± 8.17	19.08.2004	Schell (2004)	Gebesee (Germany)
51.10	10.92	37.50 ± 12.74	15.09.2004	Schell (2004)	Gebesee (Germany)
36.72	-4.46	12.00 ± 8.00		Dueñas et al. (1997)	Málaga (Spain)
36.67	-4.47	25.00 ± 13.00		Dueñas et al. (1997)	Málaga (Spain)
36.69	-4.44	3.00 ± 1.60		Dueñas et al. (1997)	Málaga (Spain)
36.73	-4.46	10.00 ± 4.00		Dueñas et al. (1997)	Málaga (Spain)
40.45	-1.06	7.22 ± 1.63	July 2008	Grossi et al. (2011)	Teruel (Spain)
39.47	-0.97	11.32 ± 1.56	July 2008	Grossi et al. (2011)	Los Pedrones (Spain)
39.79	-3.54	15.76 ± 1.50	July 2008	Grossi et al. (2011)	Q. de la Orden (Spain)
40.58	-3.62	25.97 ± 5.99	July 2008	Grossi et al. (2011)	Madrif (Spain)
37.10	-6.70	1.36 ± 0.64		Grossi et al. (2012)	El Arenosillo (Spain)
48.72	2.16	7.40 ± 0.74	April 1958	Servant (1964)	Gif-sur-Yvette (France)
48.72	2.16	17.76 ± 0.74	May 1958	Servant (1964)	Gif-sur-Yvette (France)
48.72	2.16	22.20 ± 0.74	June 1958	Servant (1964)	Gif-sur-Yvette (France)
48.72	2.16	17.76 ± 0.74	July 1958	Servant (1964)	Gif-sur-Yvette (France)
48.72	2.16	17.02 ± 0.74	September 1958	Servant (1964)	Gif-sur-Yvette (France)
48.72	2.16	14.80 ± 0.74	October 1958	Servant (1964)	Gif-sur-Yvette (France)
48.72	2.16	11.84 ± 0.74	November 1958	Servant (1964)	Gif-sur-Yvette (France)
48.72	2.16	10.36 ± 0.74	December 1958	Servant (1964)	Gif-sur-Yvette (France)
48.72	2.16	9.25 ± 0.74	February 1959	Servant (1964)	Gif-sur-Yvette (France)
48.72	2.16	14.80 ± 0.74	March 1959	Servant (1964)	Gif-sur-Yvette (France)
48.72	2.16	13.69 ± 0.74	April 1959	Servant (1964)	Gif-sur-Yvette (France)
54.43	12.73	1.39 ± 0.83	April 1997	Schmidt (1999)	Zingst (Germany)
54.43	12.73	2.08 ± 0.19	August 1997	Schmidt (1999)	Zingst (Germany)
54.43	12.73	1.11	March 1998	Schmidt (1999)	Zingst (Germany)
54.43	12.73	1.25	July 1998	Schmidt (1999)	Zingst (Germany)
53.17	13.03	18.89 ± 3.47	May 1997	Schmidt (1999)	Neuglobsow (Germany)
53.17	13.03	17.22 ± 2.64	August 1997	Schmidt (1999)	Neuglobsow (Germany)
53.17	13.03	13.06 ± 3.33	March 1998	Schmidt (1999)	Neuglobsow (Germany)
53.17	13.03	18.19 ± 5.69	July 1998	Schmidt (1999)	Neuglobsow (Germany)
54.35	12.68	6.53	April 1997	Schmidt (1999)	Zingst (Germany)
54.35	12.68	8.89 ± 2.22	March 1998	Schmidt (1999)	Zingst (Germany)
54.35	12.68	8.89 ± 3.89	July 1998	Schmidt (1999)	Zingst (Germany)
53.75	13.12	10.83 ± 4.86	March 1998	Schmidt (1999)	Altenhagen (Germany)
53.75	13.12	4.03 ± 1.67	July 1998	Schmidt (1999)	Altenhagen (Germany)
53.39	6.36	1.04 ± 0.22	January	Manohar et al. (2015)	Lutjewad (Netherlands)

Lat.	Long.	$j(^{222}\text{Rn})$ ( $\text{mBq m}^{-2} \text{s}^{-1}$ )	Date	Reference	Location
53.39	6.36	$2.76 \pm 0.46$	February	Manohar et al. (2015)	Lutjewad (Netherlands)
53.39	6.36	$2.00 \pm 0.20$	March	Manohar et al. (2015)	Lutjewad (Netherlands)
53.39	6.36	$3.20 \pm 0.33$	April	Manohar et al. (2015)	Lutjewad (Netherlands)
53.39	6.36	$4.30 \pm 0.39$	May	Manohar et al. (2015)	Lutjewad (Netherlands)
53.39	6.36	$4.37 \pm 0.40$	June	Manohar et al. (2015)	Lutjewad (Netherlands)
53.39	6.36	$2.73 \pm 0.27$	July	Manohar et al. (2015)	Lutjewad (Netherlands)
53.39	6.36	$2.58 \pm 0.16$	August	Manohar et al. (2015)	Lutjewad (Netherlands)
53.39	6.36	$4.56 \pm 0.77$	September	Manohar et al. (2015)	Lutjewad (Netherlands)
53.39	6.36	$4.33 \pm 0.68$	October	Manohar et al. (2015)	Lutjewad (Netherlands)
53.39	6.36	$3.57 \pm 0.95$	November	Manohar et al. (2015)	Lutjewad (Netherlands)
53.39	6.36	$2.66 \pm 0.56$	December	Manohar et al. (2015)	Lutjewad (Netherlands)
43.50	-1.00	$4.58 \pm 0.89$	1990	Eckhardt (1990)	Dax-Sebastopol (France)
53.05	11.35	5.61	1990	Eckhardt (1990)	Gorleben (Germany)
49.52	8.52	$8.97 \pm 1.25$	1990	Eckhardt (1990)	Mannheim (Germany)
49.58	8.50	$10.75 \pm 1.67$	1990	Eckhardt (1990)	Mannheim (Germany)
49.27	8.60	$11.72 \pm 0.69$	1990	Eckhardt (1990)	St. Leon (Germany)
48.85	13.20	$4.17 \pm 1.11$	1990	Eckhardt (1990)	Deggendorf (Germany)
49.88	8.65	4.72	1990	Eckhardt (1990)	Darmstadt (Germany)
47.73	9.63	5.50	1990	Eckhardt (1990)	Ravensburg (Germany)
49.43	8.72	$5.50 \pm 0.33$	1990	Eckhardt (1990)	Strangwasem (Germany)
49.23	8.72	14.17	1990	Eckhardt (1990)	Östringen (Germany)
49.37	8.72	17.58	1990	Eckhardt (1990)	Leimen (Germany)
49.38	8.70	$36.39 \pm 13.42$	1990	Eckhardt (1990)	Heidelberg (Germany)
49.17	8.72	$23.00 \pm 1.67$	1993-1995	Schübler (1996)	Weiherbachtal (Germany)
51.85	6.62	$4.81 \pm 3.00$	1990	Eckhardt (1990)	Bocholt-Liedern (Germany)
49.35	8.65	22.31	1990	Eckhardt (1990)	Bruchhausen (Germany)
49.30	8.57	10.69	1990	Eckhardt (1990)	Reilingen (Germany)
47.05	8.30	$10.83 \pm 1.25$	1990	Eckhardt (1990)	Luzern (Switzerland)
49.38	8.57	13.97	1990	Eckhardt (1990)	Schwetzingen (Germany)
45.32	8.42	$8.56 \pm 0.89$	1990	Eckhardt (1990)	Vercelli (Italy)
49.20	7.95	26.39	1990	Eckhardt (1990)	Erfweiler (Germany)
49.27	8.87	$28.97 \pm 9.86$	1990	Eckhardt (1990)	Sinsheim (Germany)
49.38	8.82	29.44	1990	Eckhardt (1990)	Wiesenbach (Germany)
46.07	7.78	5.09		Eckhardt (1990)	Täsch (Switzerland)
52.25	21.00	7.18	1968	Pensko et al. (1968)	Warschau (Poland)
47.28	11.42	$12.31 \pm 3.80$	1935	Zeilinger (1935)	Innsbruck (Austria)
47.08	15.37	$14.63 \pm 5.37$	1935	Kosmath (1935)	Graz (Austria)
50.77	6.10	16.90	1970	Israel et al. (1970)	Aachen (Germany)
53.33	-6.25	27.41	1912	Smyth (1912)	Dublin (Ireland)
49.60	8.59	$7.20 \pm 0.72$	1984	Dörr (1984)	Hüttenfeld (Germany)

Lat.	Long.	$j(^{222}\text{Rn})$ (mBq m <sup>-2</sup> s <sup>-1</sup> )	Date	Reference	Location
49.53	8.62	19.01 ± 1.90	1984	Dörr (1984)	Muckensturm (Germany)
49.54	8.58	7.97 ± 0.80	1984	Dörr (1984)	Viernheim (Germany)
49.54	8.60	3.83 ± 0.38	1984	Dörr (1984)	Viernheim (Germany)
49.46	8.56	15.26 ± 1.53	1984	Dörr (1984)	Seckenheim (Germany)
49.35	8.65	5.09 ± 0.51	1984	Dörr (1984)	Sandhausen (Germany)
53.13	-8.45	4.10 ± 0.50	10.10.2000	Jutzi (2001)	Kylebrack (Ireland)
53.13	-8.45	5.84 ± 0.80	10.10.2000	Jutzi (2001)	Kylebrack (Ireland)
53.17	-8.37	16.38 ± 2.14	10.10.2000	Jutzi (2001)	Tynagh (Ireland)
53.17	-8.37	21.68 ± 2.80	10.10.2000	Jutzi (2001)	Tynagh (Ireland)
53.17	-8.83	17.32 ± 2.23	10.10.2000	Jutzi (2001)	Ardrahan (Ireland)
53.17	-8.83	8.22 ± 1.04	10.10.2000	Jutzi (2001)	Ardrahan (Ireland)
52.92	-9.25	1.28 ± 0.16	10.10.2000	Jutzi (2001)	Ennismon (Ireland)
52.92	-9.25	0.47 ± 0.21	10.10.2000	Jutzi (2001)	Ennismon (Ireland)
53.23	-8.25	13.80 ± 1.80	11.10.2000	Jutzi (2001)	Kiltomer (Ireland)
53.23	-8.25	5.46 ± 0.69	11.10.2000	Jutzi (2001)	Kiltomer (Ireland)
53.47	-8.17	2.55 ± 0.32	11.10.2000	Jutzi (2001)	Dysart (Ireland)
53.47	-8.17	3.37 ± 0.46	11.10.2000	Jutzi (2001)	Dysart (Ireland)
53.77	-8.08	4.30 ± 0.60	11.10.2000	Jutzi (2001)	Strokestown (Ireland)
53.77	-8.08	7.83 ± 1.10	11.10.2000	Jutzi (2001)	Strokestown (Ireland)
53.97	-7.85	4.67 ± 0.60	12.10.2000	Jutzi (2001)	Mohill (Ireland)
53.97	-7.85	5.36 ± 0.70	12.10.2000	Jutzi (2001)	Mohill (Ireland)
53.83	-7.05	0.49 ± 0.07	12.10.2000	Jutzi (2001)	Virginia (Ireland)
53.33	-6.88	4.68 ± 1.11	13.10.2000	Jutzi (2001)	Innfield (Ireland)
53.33	-6.88	1.78 ± 0.18	13.10.2000	Jutzi (2001)	Innfield (Ireland)
53.20	-7.38	8.22 ± 1.08	13.10.2000	Jutzi (2001)	Tullamore (Ireland)
53.20	-7.38	2.55 ± 0.35	13.10.2000	Jutzi (2001)	Tullamore (Ireland)
53.07	-7.97	8.27 ± 1.07	13.10.2000	Jutzi (2001)	Carrig (Ireland)
53.07	-7.97	9.94 ± 1.30	13.10.2000	Jutzi (2001)	Carrig (Ireland)
53.13	-8.45	2.09 ± 0.31	14.10.2000	Jutzi (2001)	Kylebrack (Ireland)
53.13	-8.45	3.97 ± 0.49	14.10.2000	Jutzi (2001)	Kylebrack (Ireland)
53.17	-8.37	3.78 ± 0.50	14.10.2000	Jutzi (2001)	Tynagh (Ireland)
53.17	-8.37	5.95 ± 0.80	14.10.2000	Jutzi (2001)	Tynagh (Ireland)
53.17	-8.83	18.53 ± 2.40	14.10.2000	Jutzi (2001)	Ardahan (Ireland)
53.17	-8.83	1.33 ± 0.20	14.10.2000	Jutzi (2001)	Ardahan (Ireland)
53.23	-8.37	2.92 ± 0.37	15.10.2000	Jutzi (2001)	Kiltomer (Ireland)
53.23	-8.37	5.46 ± 0.69	15.10.2000	Jutzi (2001)	Kiltomer (Ireland)
53.52	-8.68	1.84 ± 0.27	15.10.2000	Jutzi (2001)	Lerally (Ireland)
53.52	-8.68	1.29 ± 0.13	15.10.2000	Jutzi (2001)	Lerally (Ireland)
53.77	-8.08	9.69 ± 1.30	15.10.2000	Jutzi (2001)	Strokestown (Ireland)
53.77	-8.08	4.82 ± 0.65	15.10.2000	Jutzi (2001)	Strokestown (Ireland)

Lat.	Long.	$j(^{222}\text{Rn})$ (mBq m <sup>-2</sup> s <sup>-1</sup> )	Date	Reference	Location
52.83	-9.03	5.10 ± 0.70	16.10.2000	Jutzi (2001)	Ennis (Ireland)
52.83	-8.75	1.95 ± 0.20	16.10.2000	Jutzi (2001)	Tulla (Ireland)
52.42	-8.17	3.59 ± 1.62	17.10.2000	Jutzi (2001)	Tipperary (Ireland)
52.42	-8.17	4.46 ± 0.60	17.10.2000	Jutzi (2001)	Tipperary (Ireland)
52.42	-7.92	42.68 ± 0.20	17.10.2000	Jutzi (2001)	Cashel (Ireland)
52.42	-7.92	1.62 ± 0.20	17.10.2000	Jutzi (2001)	Cashel (Ireland)
52.08	-8.03	2.14 ± 0.29	18.10.2000	Jutzi (2001)	Lismore (Ireland)
52.08	-8.03	2.38 ± 2.41	18.10.2000	Jutzi (2001)	Lismore (Ireland)
47.54	7.58	18.33		Szegvary et al. (2007)	(Switzerland)
47.43	7.88	3.89		Szegvary et al. (2007)	(Switzerland)
46.51	6.67	25.28		Szegvary et al. (2007)	(Switzerland)
47.29	7.74	24.17		Szegvary et al. (2007)	(Switzerland)
46.93	7.42	23.33		Szegvary et al. (2007)	(Switzerland)
46.93	7.42	18.33		Szegvary et al. (2007)	(Switzerland)
46.33	6.92	10.28		Szegvary et al. (2007)	(Switzerland)
46.33	6.92	3.61		Szegvary et al. (2007)	(Switzerland)
46.30	7.84	13.89		Szegvary et al. (2007)	(Switzerland)
46.84	6.58	13.61		Szegvary et al. (2007)	(Switzerland)
47.08	6.79	18.61		Szegvary et al. (2007)	(Switzerland)
46.40	6.23	25.56		Szegvary et al. (2007)	(Switzerland)
46.81	9.84	5.00		Szegvary et al. (2007)	(Switzerland)
46.53	9.88	10.28		Szegvary et al. (2007)	(Switzerland)
46.34	10.07	27.22		Szegvary et al. (2007)	(Switzerland)
47.26	7.79	23.06		Szegvary et al. (2007)	(Switzerland)
46.50	8.31	16.94		Szegvary et al. (2007)	(Switzerland)
47.48	8.90	26.67		Szegvary et al. (2007)	(Switzerland)
47.43	9.40	12.22		Szegvary et al. (2007)	(Switzerland)
47.03	9.07	20.56		Szegvary et al. (2007)	(Switzerland)
47.13	9.52	10.83		Szegvary et al. (2007)	(Switzerland)
47.06	8.46	1.94		Szegvary et al. (2007)	(Switzerland)
47.59	7.64	30.28		Szegvary et al. (2007)	(Switzerland)
47.76	7.81	43.61		Szegvary et al. (2007)	(Germany)
47.66	8.00	8.33		Szegvary et al. (2007)	(Germany)
47.59	8.14	9.17		Szegvary et al. (2007)	(Germany)
47.56	7.95	16.11		Szegvary et al. (2007)	(Germany)
47.56	7.78	27.22		Szegvary et al. (2007)	(Germany)
47.65	7.82	24.72		Szegvary et al. (2007)	(Germany)
60.39	25.29	52.50		Szegvary et al. (2007)	(Finland)
60.46	26.22	23.33		Szegvary et al. (2007)	(Finland)
60.44	26.05	34.44		Szegvary et al. (2007)	(Finland)

Lat.	Long.	$j(^{222}\text{Rn})$ (mBq m <sup>-2</sup> s <sup>-1</sup> )	Date	Reference	Location
61.51	23.79	15.28		Szegvary et al. (2007)	(Finland)
61.27	24.04	16.67		Szegvary et al. (2007)	(Finland)
60.89	24.29	14.17		Szegvary et al. (2007)	(Finland)
60.45	22.37	37.22		Szegvary et al. (2007)	(Finland)
60.47	23.98	30.00		Szegvary et al. (2007)	(Finland)
66.14	28.14	3.33		Szegvary et al. (2007)	(Finland)
66.37	26.76	26.39		Szegvary et al. (2007)	(Finland)
66.51	25.79	13.61		Szegvary et al. (2007)	(Finland)
65.40	26.91	1.67		Szegvary et al. (2007)	(Finland)
65.95	26.47	1.67		Szegvary et al. (2007)	(Finland)
67.41	26.64	9.72		Szegvary et al. (2007)	(Finland)
66.72	27.33	0.56		Szegvary et al. (2007)	(Finland)
66.12	24.85	14.72		Szegvary et al. (2007)	(Finland)
47.71	17.67	8.06		Szegvary et al. (2007)	(Hungary)
47.56	18.41	30.00		Szegvary et al. (2007)	(Hungary)
47.94	19.14	22.22		Szegvary et al. (2007)	(Hungary)
48.10	19.54	12.22		Szegvary et al. (2007)	(Hungary)
48.05	19.79	13.06		Szegvary et al. (2007)	(Hungary)
47.10	17.89	21.94		Szegvary et al. (2007)	(Hungary)
47.35	17.47	6.94		Szegvary et al. (2007)	(Hungary)
47.73	20.27	6.39		Szegvary et al. (2007)	(Hungary)
48.10	20.77	30.83		Szegvary et al. (2007)	(Hungary)
48.23	20.26	20.28		Szegvary et al. (2007)	(Hungary)
47.76	18.61	13.89		Szegvary et al. (2007)	(Hungary)
47.55	18.80	14.44		Szegvary et al. (2007)	(Hungary)
55.92	-3.17	35.40		Robertson (2004)	Edinburgh (United Kingdom)
55.91	-3.22	17.20 ± 13.70		Robertson (2004)	Edinburgh (United Kingdom)
55.17	-2.05	1.00 ± 0.90		Robertson (2004)	Harwood (United Kingdom)
56.60	-3.80	9.70 ± 4.10		Robertson (2004)	Griffin (United Kingdom)



## References

- Dörr, H.: Die Untersuchung des Gas- und Wasserhaushalts in der ungesättigten Bodenzone mit Hilfe von Kohlendioxid- und Radon-222 Messungen, Ph.D. thesis, Institut für Umweltphysik, Heidelberg University, Germany, 1984.
- Dueñas, C., Fernández, M., Carretero, J., Liger, E., and Pérez, M.: Release of  $^{222}\text{Rn}$  from some soils, *Ann. Geophys.*, 15, 124–133, 1997.
- Eckhardt, K.: Messung des Radonflusses und seiner Abhängigkeit von der Bodenbeschaffenheit, Diplomarbeit, Institut für Umweltphysik, Heidelberg University, Germany, 1990.
- Grossi, C, Vargas, A., Camacho, A., López-Coto, I., Bolívar, J. P., Yu Xia, and Conen, F.: Inter-comparison of different direct and indirect methods to determine radon flux from soil, *Radiat. Meas.*, 46, 112-118, doi:10.1016/j.radmeas.2010.07.021, 2011.
- Grossi, C., Arnold, D., Adame, J. A. López-Coto, I., Bolivar, J. P., de la Morena, B.A. and Vargas, A.: Atmospheric  $^{222}\text{Rn}$  concentration and source term at El Arenosillo 100 m meteorological tower in Southwest Spain, *Radiat. Meas.*, 47, 149-162, doi: 10.1016/j.radmeas.2011.11.006, 2012.
- Hartmann, J. and Moosdorf, N.: The new global lithological map database GLiM: A representation of rock properties at the Earth surface, *Geochem. Geophys. Geosy.*, 13, Q12004, doi:10.1029/2012GC004370, 2012.
- Israel, H. and Horbert, M.: Tracing atmospheric eddy mass transfer by means of natural radioactivity, *J. Geophys. Res.*, 75, 3639-3649, 1970.
- Jutzi, S.: Verteilung der Boden-Radon Exhalation in Europa, Staatsexamensarbeit, Institut für Umweltphysik, Heidelberg University, Germany, 57pp., 2001.
- Kosmath, W.: Die Exhalation der Radiumemanation aus dem Erdboden und ihre Abhängigkeit von den meteorologischen Faktoren, *Gerlands Beiträge zur Geophysik*, 43, 258-279, 1935.
- López-Coto, J., Mas, J. L., and Bolivar, J. P.: A 40-year retrospective European radon flux inventory including climatological variability, *Atmos. Environ.*, 73, 22-33, doi: 10.1016/j.atmosenv.2013.02.043, 2013.
- Manohar, S. N., Meijer, H. A. J., Neubert, R. E. M., Kettner E., and Herber, M. A.: Radon flux measurements at atmospheric station Lutjewad – analysis of temporal trends and main drivers controlling the emissions, to be submitted.
- Miguez-Macho, G., Li, H., and Fan, Y.: Simulated Water Table and Soil Moisture Climatology Over North America, *Bull. Amer. Meteor. Soc.*, 89, 663-672, doi:10.1175/BAMS-89-5-663, 2008.
- Millington, R. J. and Quirk, J. P.: Transport in Porous media, *Proceedings of the 7th International Congress of soil Science, Madison, Wisconsin, USA, 14-24 August 1960*, 97-106, 1960.
- Moldrup, P., Kruse, C. W., Rolston, D. E., and Yamaguchi, T.: Modeling diffusion and reaction in soils: III. Predicting gas diffusivity from the Campbell soil-water retention model, *Soil Sci.*, 161, 366-375, 1996.

- Moldrup, P., Olesen, T., Yamaguchi, T., Schjønning, P., and Rolston, D. E.: Modeling diffusion and reaction in soils: IX. The Buckingham-Burdine-Campbell Equation for gas diffusivity in undisturbed soil, *Soil Sci.*, 164, 542-551, 1999.
- Pensko, J., Wardaszko, T., and Wochna M.: Natural atmospheric activity and its dependence of some geophysical factors, *Atompraxis*, 14, 255-358, 1968.
- Robertson, L. B.: Radon Emissions to the Atmosphere and their use as Atmospheric Tracers, Ph.D. thesis, University of Edinburgh, United Kingdom, 237 pp., 2004.
- Rogers, V.C. and Nielson, K. K.: Correlations for predicting air permeabilities and  $^{222}\text{Rn}$  diffusion coefficients of soils, *Health Phys.*, 61, 225-230, 1991.
- Salminen, R. (ed.): Geochemical Atlas of Europe. Part 1: Background Information, Methodology and Maps, Geological Survey of Finland, Espoo, Finland, 2005.
- Schell, S.:  $^{222}\text{Rn}$ -Radon-Profil-Messungen in Süd- und Ostdeutschland, Anwendung der Radon-Tracer-Methode zur Berechnung von  $\text{CO}_2$ - und  $\text{CH}_4$ -Flüssen, Diplomarbeit, Institut für Umweltphysik, Heidelberg University, Germany, 106 pp., 2004.
- Schmidt, M.: Messung und Bilanzierung anthropogener Treibhausgase in Deutschland, Ph.D. thesis, Heidelberg University, Germany, 112 pp., 1999.
- Schmithüsen, D.: Atmospheric and soil flux radon measurements in Heidelberg, Diplomarbeit, Institut für Umweltphysik, Heidelberg University, Germany, 66 pp. , 2012.
- Schüßler, W.: Effektive Parameter zur Bestimmung des Gasaustauschs zwischen Boden und Atmosphäre, Ph.D. thesis, Heidelberg University, Germany, 1996.
- Schwingshackl, C.: Experimental Validation of a Radon-222 Flux Map, Master Thesis, Institut für Umweltphysik, Heidelberg University, Germany, 100 pp., 2013.
- Servant, J.: Le radon et ses dérivés a vie courte dans la basse atmosphère, Ph.D. thesis, Université de Paris, France, 1964.
- Smyth, L. B.: On the supply of radium emanation from the soil to the atmosphere, *Philosophical Magazine Series 6*, 24, 632-637, doi:10.1080/14786441008637368, 1912.
- Szegvary, T., Leuenberger, M. C., and Conen, F.: Predicting terrestrial  $^{222}\text{Rn}$  flux using gamma dose rate as a proxy, *Atmos. Chem. Phys.*, 7, 2789–2795, doi:10.5194/acp-7-2789-2007, 2007.
- Szegvary, T., Conen, F., and Ciais, P.: European  $^{222}\text{Rn}$  inventory for applied atmospheric studies. *Atmos. Environ.*, 43, 1536-1539, doi:10.1016/j.atmosenv.2008.11.025, 2009.
- Zeilinger, P. R.: Über die Nachlieferung von Radium-Emanation aus dem Erdboden, *Terr. Magn. Atmos. Electr.*, 40, 281-294, doi:10.1029/TE040i003p00281, 1935.