



Supplement of

Nine years of global hydrocarbon emissions based on source inversion of OMI formaldehyde observations

Maite Bauwens et al.

Correspondence to: Maite Bauwens (maite.bauwens@aeronomie.be)

The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.

Table S1. Comparison between measured isoprene fluxes from various studies in South America with the isoprene fluxes from this work. The observed 24-hour flux (column 7) is equal to the observed averaged flux (column 5) divided by a diurnal correction factor (column 6) derived from the model.

Reference	Coordinates	Month(s)	Time (hr)	Observation	Correction factor	24h flux	A priori flux	OMI-based flux
Zimmerman et al. (1988)	2.95 S, 59.95 W	Jul-Aug	0-24	1.04	1	1.04	1.71	1.47
Davis et al. (1994)	id.	Jul-Aug	8-14	3.63	2	1.82	1.71	1.47
Andreae et al. (2002)	2.59 S, 60.2 W	Sep-Oct	12-13	2.88	3.65	0.79	2.28	2.00
Ciccioli et al. (2003)	2.59 S, 60.2 W	Jul	0-24	0.96	1	0.96	1.38	1.02
Greenberg et al. (2004)	1.98 S, 59.2 W	Mar	12-13	5.30	3.75	1.41	1.18	0.46
Karl et al. (2007)	2.61 S, 60.21 W	Sep	0-24	2.50	1	2.50	2.21	1.97
Kuhn et al. (2007)	2.59 S, 60.21 W	Jul	0-24	1.68	1	1.68	1.38	1.02
Kuhn et al. (2007)	id.	Jul	0-24	1.29	1	1.29	1.38	1.02
Kuhn et al. (2007)	id.	Jul	10-12	6.90	3	2.30	1.38	1.02
Rizzo et al. (2010)	2.61 S, 60.22 W	Sep	12-13	7.40	3.7	2.00	2.21	1.97
Alves et al. (2015)	2.59 S, 60.12 W	Sep	10-14	0.60	2	0.30	2.21	1.97
Alves et al. (2015)	id.	Oct	10-14	2.50	2	1.25	2.34	2.02
Alves et al. (2015)	id.	Nov	10-14	1.41	2	0.71	1.91	1.47
Alves et al. (2015)	id.	Dec	10-14	0.49	2	0.25	1.48	0.77
Alves et al. (2015)	id.	Jan	10-14	0.80	2	0.40	1.28	0.70
Rinne et al. (2002)	2.85 S, 54.97 W	Jul	6-18	0.58	2	0.29	0.67	0.50
Greenberg et al. (2004)	id.	Jan-Feb	12-13	2.20	3.6	0.61	0.54	0.33
Helmig et al. (1998)	4.59 S, 77.47 W	Jul	12-13	7.40	3.5	2.11	0.61	0.35
Helmig et al. (1998)	id.	Jul	12-13	8.10	3.5	2.31	0.61	0.35
Greenberg et al. (2004)	10.13 S, 61.9 W	Feb	12-13	9.8	3.6	2.72	1.25	0.59
Simon et al. (2005)	10.08 S, 61.93 W	Apr-May	0-24	2.32	1	2.32	1.39	0.81
Simon et al. (2005)	id.	Sep-Oct	0-24	3.17	1	3.17	2.77	1.77




Figure S1. Monthly averaged HCHO column between 2005 and 2013, as observed by OMI and simulated by the a priori and the a posteriori model over Equatorial Africa (6S–6 N, 15–30 E), Amazonia (14 S–10 N, 45–80 W), and Southeastern US (26–42 N, 75–95 W). Columns are expressed in 10^{15} molec.cm $^{-2}$.




Figure S2. Annually averaged fire emissions in 0.5 degree resolution according to different emission inventories in 2005 expressed in Tg/yr.




Figure S3. Annually averaged isoprene emissions in 0.5 degree resolution according to different emission inventories in 2005 expressed in Tg/yr.




Figure S4. MODIS land cover map (top) and fraction of small fires according to the GFED4s inventory (bottom). The red rectangles show the regions associated to small fires that are used in Table 3 of the main manuscript for comparison between the a priori and the updated emission estimates to MODIS fire counts.




Figure S5. Global distribution of trends in MODIS leaf area index between 2005 and 2013 in %/yr.

References

- Alves, E. G., Jardine, K., Tóta, J., Jardine, A., Yáñez-Serrano, A. M., Karl, T., Tavares, J. V., Nelson, B., Gu, D., Stavrakou, T. and Guenther, A.: Seasonality of isoprenoid atmospheric vertical profiles within and above a primary rainforest in central Amazonia, *Atmos. Chem. Phys. Discuss.*, submitted, 2015.
- 5 Andreae, M., Artaxo, P., Brando, C., Carswell, F., Ciccioli, P., Da Costa, A., Culf, A., Esteves, J., Gash, J., Grace, J. and others: Biogeochemical cycling of carbon, water, energy, trace gases, and aerosols in Amazonia: The LBA-EUSTACH experiments, *J. Geophys. Res.*, 107(D20), LBA-33, doi:10.1029/2001JD000524, 2002.
- 10 Ciccioli, P., Brancaleoni, E., Frattoni, M., Kuhn, U., Kesselmeier, J., Dindorf, T., Araujo, A. de, Nobre, A., Stefani, P. and Valentini, R.: Fluxes of isoprenoid compounds over the tropical rainforest near Manaus during the dry season and their implications in the ecosystem carbon budget and in the atmospheric chemistry processes, in *Integrated Land Ecosystem-Atmosphere Processes Study (ILEAPS) International Open Science Conference 2003*, pp. 48–53, Finnish Association for Aerosol Research, 2003.
- Davis, K., Lenschow, D. and Zimmerman, P.: Biogenic nonmethane hydrocarbon emissions estimated from tethered balloon observations, *J. Geophys. Res.-Atmos.*, 99(D12), 25587–25598, doi:10.1029/94JD02009, 1994.
- 15 Greenberg, J. P., Guenther, A. B., Pétron, G., Wiedinmyer, C., Vega, O., Gatti, L. V., Tota, J. and Fisch, G.: Biogenic VOC emissions from forested Amazonian landscapes, *Glob. Chang. Biol.*, 10(5), 651–662, doi:10.1111/j.1365-2486.2004.00758.x, 2004.
- Helming, D., Balsley, B., Davis, K., Kuck, L. R., Jensen, M., Bognar, J., Smith, T., Arrieta, R. V., Rodriguez, R. and Birks, J. W.: Vertical profiling and determination of landscape fluxes of biogenic nonmethane hydrocarbons within the planetary boundary layer in the Peruvian Amazon, *J. Geophys. Res.*, 103(D19), 25519–25532, 1998.
- 20 Jacob, D. J. and Wofsy, S. C.: Photochemistry of biogenic emissions over the Amazon forest, *J. Geophys. Res.*, 93, doi:10.1029/jd093id02p01477, 1988.
- Karl, T., Guenther, A., Yokelson, R. J., Greenberg, J., Potosnak, M., Blake, D. R. and Artaxo, P.: The tropical forest and fire emissions experiment: Emission, chemistry, and transport of biogenic volatile organic compounds in the lower atmosphere over Amazonia, *J. Geophys. Res.-Atmos.*, 112(D18), doi:10.1029/2007JD008539, 2007.
- 25 Kuhn, U., Andreae, M., Ammann, C., Araújo, A., Brancaleoni, E., Ciccioli, P., Dindorf, T., Frattoni, M., Gatti, L., Ganzeveld, L. et al.: Isoprene and monoterpene fluxes from Central Amazonian rainforest inferred from tower-based and airborne measurements, and implications on the atmospheric chemistry and the local carbon budget, *Atmos. Chem. Phys.*, 7(11), 2855–2879, doi:10.5194/acp-7-2855-2007, 2007.
- Rinne, H., Guenther, A., Greenberg, J. and Harley, P.: Isoprene and monoterpene fluxes measured above Amazonian rainforest and their dependence on light and temperature, *Atmos. Environ.*, 36(14), 2421–2426, doi:10.1016/S1352-2310(01)00523-4, 2002.
- 30 Rizzo, L. V., Artaxo, P., Karl, T., Guenther, A. B. and Greenberg, J.: Aerosol properties, in-canopy gradients, turbulent fluxes and VOC concentrations at a pristine forest site in Amazonia, *Atmos. Environ.*, 44(4), 503–511, doi:10.1016/j.atmosev.2009.11.002, 2010.
- Simon, E., Meixner, F., Rummel, U., Ganzeveld, L., Ammann, C. and Kesselmeier, J.: Coupled carbon-water exchange of the Amazon rain forest, II. Comparison of predicted and observed seasonal exchange of energy, CO₂, isoprene and ozone at a remote site in Rondonia, *Biogeosciences Discuss.*, 2(2), 399–449, doi:10.5194/bg-2-255-2005, 2005.
- 35 Zimmerman, P., Greenberg, J. and Westberg, C.: Measurements of atmospheric hydrocarbons and biogenic emission fluxes in the Amazon boundary layer, *J. Geophys. Res.-Atmos.*, 93(D2), 1407–1416, doi:10.1029/JD093iD02p01407, 1988.