Simulation regions	Beijing-Tianjin-Hebei-Shandong
Simulation period	1 December 2013–31 January 2014
Domain size	$200 \times 200$
Domain center	38° N, 116° E
Horizontal resolution	$6 \mathrm{km} \times 6 \mathrm{km}$
Vertical resolution	35 vertical levels with a stretched vertical grid with spacing ranging
	from 30 m near the surface, to 500 m at 2.5 km and 1 km above 14 km
Microphysics scheme	WSM 6-class graupel scheme (Hong and Lim, 2006)
Boundary layer scheme	MYJ TKE scheme (Janjić, 2002)
Surface layer scheme	MYJ surface scheme (Janjić, 2002)
Land-surface scheme	Unified Noah land-surface model (Chen and Dudhia, 2001)
Longwave radiation scheme	Goddard longwave scheme (Chou and Suarez, 2001)
Shortwave radiation scheme	Goddard shortwave scheme (Chou and Suarez, 1999)
Meteorological boundary and initial conditions	NCEP $1^{\circ} \times 1^{\circ}$ reanalysis data
Chemical initial and boundary conditions	MOZART 6 h output (Horowitz et al., 2003)
Anthropogenic emission inventory	SAPRC-99 chemical mechanism emissions (Zhang et al., 2009)
Biogenic emission inventory	MEGAN model developed by Guenther et al. (2006)
Model spin-up time	28 h