

Sample	Group	O/C _w	H/C _w	DBE _w	OS _{C_w}	Number
PMO-1	All	0.48 ± 0.13	1.30 ± 0.28	7.74 ± 3.38	-0.42 ± 0.43	3168
PMO-2	All	0.57 ± 0.17	1.36 ± 0.22	6.42 ± 2.54	-0.30 ± 0.46	2121
PMO-3	All	0.45 ± 0.11	1.34 ± 0.41	7.45 ± 3.15	-0.50 ± 0.41	1820
PMO-1	CHO	0.47 ± 0.14	1.31 ± 0.29	7.43 ± 3.68	-0.37 ± 0.44	1848
PMO-2	CHO	0.55 ± 0.17	1.35 ± 0.25	6.43 ± 3.66	-0.26 ± 0.45	1281
PMO-3	CHO	0.44 ± 0.14	1.37 ± 0.31	6.93 ± 3.82	-0.48 ± 0.48	1183
PMO-1	CHNO	0.49 ± 0.15	1.2 ± 0.26	9.44 ± 3.09	-0.50 ± 0.3	1120
PMO-2	CHNO	0.59 ± 0.14	1.25 ± 0.19	8.20 ± 2.19	-0.38 ± 0.29	561
PMO-3	CHNO	0.49 ± 0.14	1.23 ± 0.21	9.25 ± 2.41	-0.52 ± 0.25	608
PMO-1	CHOS	0.48 ± 0.14	1.78 ± 0.35	2.87 ± 3.28	-1.20 ± 0.42	200
PMO-2	CHOS	0.74 ± 0.34	1.57 ± 0.23	4.05 ± 2.45	-0.54 ± 0.51	274
PMO-3	CHOS	0.40 ± 14	1.90 ± 0.47	1.60 ± 4.29	-1.50 ± 0.20	29