

Element	Total flux		Wet flux	Dry flux		Capo Cavallo ^a	Pirio ^b	Ostrioni ^c	Bavella ^d
	Average	Range	Average	Average	% wet	Feb 1985 to Nov 1987	Jan 1995 to Mar 1997	Jun 2001 to May 2002	1984–1986
N	143 ± 61	81–167	107.6	19.9	84 %			355–377 ^e	644–766
P	149 ± 79	114–253	73.3	75.4	49 %	24.2–40.1		43.2	
FE	67 ± 10	65–77	56.2	10.5	84 %	395–406	118–156	1188	
SI	246 ± 61	197–280	206.7	39.3	84 %				
AS	0.14 ± 0.07	0.10–0.20	0.10	0.06	64 %				
CR	0.16 ± 0.04	0.12–0.19	0.11	0.05	69 %				
CU	1.06 ± 1.07	0.44–2.16	0.72	0.33	68 %	2.3–3.7	0.7–1.4		
MN	3.7 ± 1.4	2.5–5.2	2.15	1.20	64 %	12.5–15.2	6.3–6.5		
NI	0.21 ± 0.01	0.14–0.24	0.16	0.03	84 %		0.4		
V	0.4 ± 0.06	0.34–0.46	0.33	0.07	83 %				
ZN	5.7 ± 1.9	3.74–7.42	2.51	3.20	44 %		4.2–6.1	6	