



Supplement of

Lagrangian process attribution of isotopic variations in near-surface water vapour in a 30-year regional climate simulation over Europe

Marina Dütsch et al.

Correspondence to: Marina Dütsch (marina.duetsch@env.ethz.ch)

The copyright of individual parts of the supplement might differ from the CC BY 4.0 License.

Contents of this file

• Figures S1 to S4

Description

- Figures S1 and S2 show the contributions of the processes to the monthly and yearly anomalies of $\delta^2 {\rm H}$
- Figures S3 and S4 show the contributions of the processes to the monthly and yearly anomalies of deuterium excess.



Figure S1: Contributions of the processes to the monthly $\Delta \delta^2 H$ in Figure 10 c. The contours show the difference in q_{exp}^k (see Equations 10 and 11) between the high and low anomaly months in %. Stippling indicates areas where p < 0.01. Note the different colour scales for q_{exp}^k between the left and right hand side.



Figure S2: Contributions of the processes to the yearly $\Delta \delta^2 H$ in Figure 10 c. The contours show the difference in q_{exp}^k (see Equations 10 and 11) between the high and low anomaly years in %. Stippling indicates areas where p < 0.01.



Figure S3: Contributions of the processes to the monthly Δd in Figure 12 c. The contours show the difference in q_{exp}^k (see Equations 10 and 11) between the high and low anomaly months in %. Stippling indicates areas where p < 0.01. Note the different colour scales for q_{exp}^k between the left and right hand side.



Figure S4: Contributions of the processes to the yearly Δd in Figure 12 c. The contours show the difference in q_{exp}^k (see Equations 10 and 11) between the high and low anomaly years in %. Stippling indicates areas where p < 0.01.