

		NO ₂				NO _x				O ₃				NO ₂
		MB	NMB	RMSE	<i>R</i>	MB	NMB	RMSE	<i>R</i>	MB	NMB	RMSE	<i>R</i>	MQO
rural—	2014	−2.12	−0.16	10.2	0.5	−3.77	−0.23	15	0.48	5.02	0.11	22.49	0.7	0.78
near-city	autumn (SON)	−0.97	−0.06	9.97	0.48	−3.9	−0.19	16.2	0.45	11.96	0.41	22.71	0.66	0.76
backgr.	spring (MAM)	−2.91	−0.23	11.69	0.42	−4.26	−0.29	16.39	0.37	3.88	0.07	23.42	0.62	0.89
	summer (JJA)	−2.38	−0.26	8.23	0.37	−2.88	−0.28	9.57	0.32	1.41	0.02	25.49	0.61	0.64
	winter (DJF)	−2.2	−0.12	10.66	0.47	−4.08	−0.18	16.83	0.46	2.85	0.09	17.18	0.55	0.79
suburban	2014	−2.8	−0.19	10.67	0.55	−7.2	−0.35	20.13	0.48	4.88	0.11	22.45	0.7	0.8
backgr.	autumn (SON)	−0.76	−0.05	10.32	0.52	−7.92	−0.32	23.12	0.44	12.22	0.42	22.39	0.67	0.78
	spring (MAM)	−4.41	−0.31	12.2	0.49	−8.25	−0.44	21.71	0.39	4.15	0.07	24.06	0.61	0.92
	summer (JJA)	−2.88	−0.29	9.01	0.44	−5.12	−0.4	13.14	0.34	1.16	0.02	25.49	0.64	0.7
	winter (DJF)	−3.14	−0.16	10.96	0.53	−7.57	−0.28	21.24	0.49	2.02	0.06	16.53	0.57	0.8
urban	2014	−7.83	−0.29	16.69	0.51	−15.84	−0.4	35.57	0.47	3.25	0.08	21.01	0.73	1.13
backgr.	autumn (SON)	−4.89	−0.17	13.9	0.55	−16.9	−0.36	37.3	0.48	9.09	0.37	19.69	0.71	0.95
	spring (MAM)	−10.23	−0.38	19.71	0.51	−17.09	−0.47	40.68	0.4	3.07	0.06	22.62	0.62	1.32
	summer (JJA)	−9.26	−0.41	18.16	0.36	−13.3	−0.47	28.92	0.24	−1.94	−0.03	24.85	0.6	1.28
	winter (DJF)	−6.84	−0.22	14.05	0.53	−16.16	−0.34	34.41	0.5	2.93	0.12	15.35	0.58	0.93