

Study	Location	Environment	NPF (%)	GR (nm h <sup>-1</sup> )	$J$ (cm <sup>3</sup> s <sup>-1</sup> )	CS (s <sup>-1</sup> )
Dal Maso (2002)	Ireland	Coastal	–	<b>15 to 180</b>	300 to 10 000	<b>2 × 10<sup>-3</sup></b>
Koponen (2003)	Antarctica	Coastal	–	1–2	0.5	–
Iida (2008)	Mexico	Urban	–	18	1900 to 3000	–
McMurry (2003)	Atlanta, GA	Urban	–	2–6	20 to 70	–
Venzac (2008)	Nepal	Altitude	35 %	2	<0.2	<b>2.1 × 10<sup>-3</sup></b>
Modini (2009)	Australia	Coastal	<b>65 %</b>	19	–	–
Vakkari (2011)	South Africa	Remote, altitude, savannah	<b>69 %</b>	<b>2.1 to 30</b>	0.1 to 28	4.3 × 10 <sup>-3</sup>
Boulon (2011)	France	Altitude	35.9 %	6.20	<b>1.382</b>	3.7 × 10 <sup>-3</sup>
Hirsikko (2012)	South Africa	Remote, altitude, savannah	86 %	8.0 ± 4.1	4.5 ± 6.1	0.8 × 10 <sup>-2</sup>
Rose (2015)	Bolivia	Altitude	<b>63.9 %</b>	7.62	–	<b>2.4 × 10<sup>-3</sup></b>
Our study	Réunion	Coastal, altitude	65 %	GR <sub>12–19</sub> = 19.455	$J_{12} = 0.931, J_2 = 1.531$	2.43 × 10 <sup>-3</sup>