



Supplement of

Estimation of secondary organic aerosol viscosity from explicit modeling of gas-phase oxidation of isoprene and α -pinene

Tommaso Galeazzo et al.

Correspondence to: Manabu Shiraiwa (m.shiraiwa@uci.edu)

- acp-21-10199-2021-supplement-title-page.pdf
- SI_figures_CSVfiles
 - Fig1_viscosity_isoprene_simulated_kappa.csv
 - Fig2_viscosity_apinene_simulated.csv
 - Fig3_apinene_simulated_massVSviscosity.csv
 - Fig4a_isopreneSOA_simulated_composition.csv
 - Fig4b_apineneSOA_simulated_composition.csv.csv
 - Fig5_Simulated_f2c_percentage.csv
 - Fig6_regressions_data.csv
 - RH_vs_viscosity_observations.csv
 - SI_figures.pdf
- __MACOSX
 - ._SI_figures_CSVfiles
 - SI_figures_CSVfiles
 - * ._Fig1_viscosity_isoprene_simulated_kappa.csv
 - * ._Fig2_viscosity_apinene_simulated.csv
 - * ._Fig3_apinene_simulated_massVSviscosity.csv
 - * ._Fig4a_isopreneSOA_simulated_composition.csv
 - * ._Fig4b_apineneSOA_simulated_composition.csv.csv
 - * ._Fig5_Simulated_f2c_percentage.csv
 - * ._Fig6_regressions_data.csv
 - * ._RH_vs_viscosity_observations.csv
 - * ._SI_figures.pdf

The copyright of individual parts of the supplement might differ from the article licence.