The Chemical Mechanism of MECCA

KPP version: 2.2.3_rs3

MECCA version: 3.8u

Date: December 21, 2020

Batch file: STRATOFLY.bat

Replacement file: mim1-CCMI-base-01

Selected reactions:

"(((Tr && (G || Het) && !I) || St) && !Hg)"

Number of species in selected mechanism:

Gas phase:	150
Aqueous phase:	0
All species:	150

Number of aerosol phases: 0

Number of reactions in selected mechanism:

Gas phase (Gnnn):	218
Aqueous phase (Annn):	0
Henry (Hnnn):	0
Photolysis (Jnnn):	68
Aqueous phase photolysis (PHnnn):	0
Heterogeneous (HETnnn):	12
Equilibria (EQnn):	0
Isotope exchange (IEXnnn):	0
Tagging equations (TAGnnn):	0
Dummy (Dnn):	0
All equations:	298

Table 1: Gas phase reactions

#	labels	reaction	rate coefficient	reference
G1000	UpStTrG	$O_2 + O(^1D) \rightarrow O(^3P) + O_2$	`3.3E-11*EXP(55./temp)`	Burkholder et al. (2015)
G1001	UpStTrG	$O_2 + O(^3P) \rightarrow O_3$	`6.0E-34*((temp/300.)**(-2.4))` `*cair`	Burkholder et al. (2015)
G1002a	UpStG	$O_3 + O(^1D) \rightarrow 2.0\ LossO3O + 2.\ LossO3 + 2\ O_2$	`1.2E-10`	Burkholder et al. (2015)*
G1003	UpStG	$O_3 + O(^3P) \rightarrow 2.0\ LossO3O + 2.\ LossO3 + 2\ O_2$	`8.0E-12*EXP(-2060./temp)`	Burkholder et al. (2015)
G2100	UpStTrG	$H + O_2 \rightarrow HO_2$	`k_3rd(temp,cair,4.4E-32,1.3,` `7.5E-11,-0.2,0.6)`	Burkholder et al. (2015)
G2101	UpStG	$H + O_3 \rightarrow 1.0\ LossO3H + 1.\ LossO3 + OH + O_2$	`1.4E-10*EXP(-470./temp)`	Burkholder et al. (2015)
G2102	UpStG	$H_2 + O(^1D) \rightarrow 1.0\ LossO3H + 1.\ LossO3 + H + OH$	`1.2E-10`	Burkholder et al. (2015)
G2103	UpStG	$OH + O(^3P) \rightarrow 1.0\ LossO3H + 1.\ LossO3 + H + O_2$	`1.8E-11*EXP(180./temp)`	Burkholder et al. (2015)
G2104	UpStTrG	$OH + O_3 \rightarrow 1.0\ LossO3H + LossOH + 1.\ LossO3 + HO_2 + O_2$	`1.7E-12*EXP(-940./temp)`	Burkholder et al. (2015)
G2105	UpStTrG	$OH + H_2 \rightarrow 1.0\ ProdH2O + 1.0\ ProdH2OOHH2 + H_2O + H$	`2.8E-12*EXP(-1800./temp)`	Burkholder et al. (2015)
G2106	UpStG	$HO_2 + O(^3P) \rightarrow 1.0\ LossO3H + 1.\ LossO3 + OH + O_2$	`3.E-11*EXP(200./temp)`	Burkholder et al. (2015)
G2107	UpStTrG	$HO_2 + O_3 \rightarrow 1.0\ LossO3H + LossHO2 + 1.\ LossO3 + OH + 2\ O_2$	`1.E-14*EXP(-490./temp)`	Burkholder et al. (2015)
G2108a	UpStG	$HO_2 + H \rightarrow 2\ OH$	`7.2E-11`	Burkholder et al. (2015)
G2108b	UpStG	$HO_2 + H \rightarrow H_2 + O_2$	`6.9E-12`	Burkholder et al. (2015)
G2108c	UpStG	$HO_2 + H \rightarrow 1.0\ ProdH2O + 1.0\ ProdH2OHO2H + 1.\ ProdO3 + O(^3P) + H_2O$	`1.6E-12`	Burkholder et al. (2015)
G2109	UpStTrG	$HO_2 + OH \rightarrow 1.0\ ProdH2O + 1.0\ ProdH2OHO2OH + H_2O + O_2$	`4.8E-11*EXP(250./temp)`	Burkholder et al. (2015)
G2110	UpStTrG	$HO_2 + HO_2 \rightarrow H_2O_2 + O_2$	`k_HO2_HO2`	Burkholder et al. (2015)*
G2111	UpStTrG	$H_2O + O(^1D) \rightarrow 1.0\ LossH2O + 1.0\ LossH2OO1D + 1.0\ LossO3O + LossO1D + 1.\ LossO3 + 2\ OH$	`1.63E-10*EXP(60./temp)`	Burkholder et al. (2015)
G2112	UpStTrG	$H_2O_2 + OH \rightarrow 1.0\ ProdH2O + 1.0\ ProdH2OH2O2OH + H_2O + HO_2$	`1.8E-12`	Burkholder et al. (2015)
G3100	UpStGN	$N + O_2 \rightarrow 1.\ ProdO3 + NO + O(^3P)$	`1.5E-11*EXP(-3600./temp)`	Burkholder et al. (2015)
G3101	UpStTrGN	$N_2 + O(^1D) \rightarrow O(^3P) + N_2$	`2.15E-11*EXP(110./temp)`	Burkholder et al. (2015)
G3102a	UpStGN	$N_2O + O(^1D) \rightarrow 1.0\ LossO3O + 1.\ LossO3 + 2\ NO$	`7.259E-11*EXP(20./temp)`	Burkholder et al. (2015)
G3102b	StGN	$N_2O + O(^1D) \rightarrow 1.0\ LossO3O + 1.\ LossO3 + N_2 + O_2$	`4.641E-11*EXP(20./temp)`	Burkholder et al. (2015)
G3103	UpStTrGN	$NO + O_3 \rightarrow NO_2 + O_2$	`3.0E-12*EXP(-1500./temp)`	Burkholder et al. (2015)
G3104	UpStGN	$NO + N \rightarrow 1.\ ProdO3 + O(^3P) + N_2$	`2.1E-11*EXP(100./temp)`	Burkholder et al. (2015)

#	labels	reaction	rate coefficient	reference
G3105	UpStGN	$NO_2 + O(^3P) \rightarrow 2.0\ LossO3N + 2.\ LossO3 + NO + O_2$	5.1E-12*EXP(210./temp)	Burkholder et al. (2015)
G3106	StTrGN	$NO_2 + O_3 \rightarrow NO_3 + O_2$	1.2E-13*EXP(-2450./temp)	Burkholder et al. (2015)
G3107	UpStGN	$NO_2 + N \rightarrow N_2O + O(^3P)$	5.8E-12*EXP(220./temp)	Burkholder et al. (2015)
G3108	StTrGN	$NO_3 + NO \rightarrow 2\ NO_2$	1.5E-11*EXP(170./temp)	Burkholder et al. (2015)
G3109	UpStTrGN	$NO_3 + NO_2 \rightarrow N_2O_5$	k_NO3_NO2	Burkholder et al. (2015)*
G3110	StTrGN	$N_2O_5 \rightarrow NO_2 + NO_3$	k_NO3_NO2/(5.8E-27*EXP(10840./temp))	Burkholder et al. (2015)*
G3200	TrGN	$NO + OH \rightarrow HONO$	k_3rd(temp,cair,7.0E-31,2.6, 3.6E-11,0.1,0.6)	Burkholder et al. (2015)
G3201	UpStTrGN	$NO + HO_2 \rightarrow ProdHO2 + 1.\ ProdO3 + NO_2 + OH$	3.3E-12*EXP(270./temp)	Burkholder et al. (2015)
G3202	UpStTrGN	$NO_2 + OH \rightarrow HNO_3$	k_3rd(temp,cair,1.8E-30,3.0, 2.8E-11,0.,0.6)	Burkholder et al. (2015)
G3203	StTrGN	$NO_2 + HO_2 \rightarrow HNO_4$	k_NO2_HO2	Burkholder et al. (2015)*
G3204	TrGN	$NO_3 + HO_2 \rightarrow 1.0\ LossO3N + 1.\ LossO3 + NO_2 + OH + O_2$	3.5E-12	Burkholder et al. (2015)
G3205	TrGN	$HONO + OH \rightarrow 1.0\ ProdH2O + 1.\ ProdO3 + NO_2 + H_2O$	1.8E-11*EXP(-390./temp)	Burkholder et al. (2015)
G3206	StTrGN	$HNO_3 + OH \rightarrow 1.0\ ProdH2O + 1.0\ ProdH2OHNO3OH + 1.\ ProdO3 + H_2O + NO_3$	k_HNO3_OH	Dulitz et al. (2018)*
G3207	StTrGN	$HNO_4 \rightarrow NO_2 + HO_2$	k_NO2_HO2/(2.1E-27*EXP(10900./temp))	Burkholder et al. (2015)*
G3208	StTrGN	$HNO_4 + OH \rightarrow 1.0\ ProdH2O + 1.0\ ProdH2OHNO4OH + NO_2 + H_2O$	1.3E-12*EXP(380./temp)	Burkholder et al. (2015)
G3209	TrGN	$NH_3 + OH \rightarrow 1.0\ ProdH2O + NH_2 + H_2O$	1.7E-12*EXP(-710./temp)	Kohlmann and Poppe (1999)
G3210	TrGN	$NH_2 + O_3 \rightarrow 1.0\ LossO3N + 1.\ LossO3 + NH_2O + O_2$	4.3E-12*EXP(-930./temp)	Kohlmann and Poppe (1999)
G3211	TrGN	$NH_2 + HO_2 \rightarrow NH_2O + OH$	4.8E-07*EXP(-628./temp) *temp**(-1.32)	Kohlmann and Poppe (1999)
G3212	TrGN	$NH_2 + HO_2 \rightarrow 1.0\ ProdH2O + HNO + H_2O$	9.4E-09*EXP(-356./temp) *temp**(-1.12)	Kohlmann and Poppe (1999)
G3213	TrGN	$NH_2 + NO \rightarrow HO_2 + OH + N_2$	1.92E-12*((temp/298.)**(-1.5))	Kohlmann and Poppe (1999)
G3214	TrGN	$NH_2 + NO \rightarrow 1.0\ ProdH2O + N_2 + H_2O$	1.41E-11*((temp/298.)**(-1.5))	Kohlmann and Poppe (1999)
G3215	TrGN	$NH_2 + NO_2 \rightarrow 1.0\ ProdH2O + 1.0\ LossO3N + 1.\ LossO3 + N_2O + H_2O$	1.2E-11*((temp/298.)**(-2.0))	Kohlmann and Poppe (1999)
G3216	TrGN	$NH_2 + NO_2 \rightarrow 1.0\ LossO3N + 1.\ LossO3 + NH_2O + NO$	0.8E-11*((temp/298.)**(-2.0))	Kohlmann and Poppe (1999)
G3217	TrGN	$NH_2O + O_3 \rightarrow 1.0\ LossO3N + 1.\ LossO3 + NH_2 + O_2$	1.2E-14	Kohlmann and Poppe (1999)
G3218	TrGN	$NH_2O \rightarrow NHOH$	1.3E3	Kohlmann and Poppe (1999)

#	labels	reaction	rate coefficient	reference
G3219	TrGN	$HNO + OH \rightarrow 1.0\ ProdH2O + NO + H_2O$	`8.0E-11*EXP(-500./temp)`	Kohlmann and Poppe (1999)
G3220	TrGN	$HNO + NHOH \rightarrow NH_2OH + NO$	`1.66E-12*EXP(-1500./temp)`	Kohlmann and Poppe (1999)
G3221	TrGN	$HNO + NO_2 \rightarrow 1.0\ LossO3N + 1.\ LossO3 + HONO + NO$	`1.0E-12*EXP(-1000./temp)`	Kohlmann and Poppe (1999)
G3222	TrGN	$NHOH + OH \rightarrow 1.0\ ProdH2O + HNO + H_2O$	`1.66E-12`	Kohlmann and Poppe (1999)
G3223	TrGN	$NH_2OH + OH \rightarrow 1.0\ ProdH2O + NHOH + H_2O$	`4.13E-11*EXP(-2138./temp)`	Kohlmann and Poppe (1999)
G3224	TrGN	$HNO + O_2 \rightarrow HO_2 + NO$	`3.65E-14*EXP(-4600./temp)`	Kohlmann and Poppe (1999)
G4100	UpStG	$CH_4 + O(^1D) \rightarrow 1.0\ LossO3O + 1.\ LossO3 + .75\ CH_3O_2 + .75\ OH + .25\ HCHO + .4\ H + .05\ H_2$	`1.75E-10`	Sander et al. (2011)
G4101	StTrG	$CH_4 + OH \rightarrow 1.0\ ProdH2O + 1.0\ ProdH2OCH4OH + CH_3O_2 + H_2O$	`1.85E-20*EXP(2.82*LOG(temp) -987./temp)`	Atkinson (2003)
G4102	TrG	$CH_3OH + OH \rightarrow HCHO + HO_2$	`2.9E-12*EXP(-345./temp)`	Sander et al. (2011)
G4103	StTrG	$CH_3O_2 + HO_2 \rightarrow CH_3OOH + O_2$	`4.1E-13*EXP(750./temp)`	Sander et al. (2011)*
G4104	UpStTrGN	$CH_3O_2 + NO \rightarrow ProdMeO2 + 1.\ ProdO3 + HCHO + NO_2 + HO_2$	`2.8E-12*EXP(300./temp)`	Sander et al. (2011)
G4105	TrGN	$CH_3O_2 + NO_3 \rightarrow 1.0\ LossO3R + 1.\ LossO3 + HCHO + HO_2 + NO_2$	`1.3E-12`	Atkinson et al. (2006)
G4106a	StTrG	$CH_3O_2 + CH_3O_2 \rightarrow 2\ HCHO + 2\ HO_2$	`9.5E-14*EXP(390./temp)/(1.+1./26.2*EXP(1130./temp))`	Sander et al. (2011)
G4106b	StTrG	$CH_3O_2 + CH_3O_2 \rightarrow HCHO + CH_3OH + O_2$	`9.5E-14*EXP(390./temp)/(1.+26.2*EXP(-1130./temp))`	Sander et al. (2011)
G4107	StTrG	$CH_3OOH + OH \rightarrow 1.0\ ProdH2O + .7\ CH_3O_2 + .3\ HCHO + .3\ OH + H_2O$	`k_CH3OOH_OH`	Wallington et al. (2017)
G4108	StTrG	$HCHO + OH \rightarrow 1.0\ ProdH2O + 1.0\ ProdH2OHCHOOH + CO + H_2O + HO_2$	`9.52E-18*EXP(2.03*LOG(temp)+636./temp)`	Sivakumaran et al. (2003)
G4109	TrGN	$HCHO + NO_3 \rightarrow 1.0\ LossO3R + 1.\ LossO3 + HNO_3 + CO + HO_2$	`3.4E-13*EXP(-1900./temp)`	Sander et al. (2011)*
G4110	UpStTrG	$CO + OH \rightarrow H + CO_2$	`(1.57E-13+cair*3.54E-33)`	McCabe et al. (2001)
G4111	TrG	$HCOOH + OH \rightarrow 1.0\ ProdH2O + CO_2 + HO_2 + H_2O$	`4.0E-13`	Sander et al. (2011)
G4200	TrGC	$C_2H_6 + OH \rightarrow 1.0\ ProdH2O + C_2H_5O_2 + H_2O$	`1.49E-17*temp*temp*EXP(-499./temp)`	Atkinson (2003)
G4201	TrGC	$C_2H_4 + O_3 \rightarrow 1.0\ LossO3R + 1.\ LossO3 + HCHO + .63\ CO + .13\ HO_2 + 0.23125\ HCOOH + 0.13875\ HCHO + 0.13875\ H_2O_2 + .13\ OH$	`1.2E-14*EXP(-2630./temp)`	Sander et al. (2011)*
G4202	TrGC	$C_2H_4 + OH \rightarrow .6666667\ CH_3CH(O_2)CH_2OH$	`k_3rd(temp,cair,1.0E-28,4.5,7.5E-12,0.85,0.6)`	Sander et al. (2011)

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G4203	TrGC	$C_2H_5O_2 + HO_2 \rightarrow C_2H_5OOH$	`7.5E-13*EXP(700./temp)`	Sander et al. (2011)
G4204	TrGCN	$C_2H_5O_2 + NO \rightarrow ProdRO2 + 1.\ ProdO3 + CH_3CHO + HO_2 + NO_2$	`2.6E-12*EXP(365./temp)`	Sander et al. (2011)
G4205	TrGCN	$C_2H_5O_2 + NO_3 \rightarrow 1.0\ LossO3R + 1.\ LossO3 + CH_3CHO + HO_2 + NO_2$	`2.3E-12`	Wallington et al. (2017)
G4206	TrGC	$C_2H_5O_2 + CH_3O_2 \rightarrow .75\ HCHO + HO_2 + .75\ CH_3CHO + .25\ CH_3OH$	`1.6E-13*EXP(195./temp)`	see note*
G4207	TrGC	$C_2H_5OOH + OH \rightarrow .3\ C_2H_5O_2 + .7\ CH_3CHO + .7\ OH$	`k_CH3OOH_OH`	see note*
G4208	TrGC	$CH_3CHO + OH \rightarrow 1.0\ ProdH2O + CH_3C(O)OO + H_2O$	`4.4E-12*EXP(365./temp)`	Atkinson et al. (2006)
G4209	TrGCN	$CH_3CHO + NO_3 \rightarrow 1.0\ LossO3R + 1.\ LossO3 + CH_3C(O)OO + HNO_3$	`1.4E-12*EXP(-1900./temp)`	Sander et al. (2011)
G4210	TrGC	$CH_3COOH + OH \rightarrow 1.0\ ProdH2O + CH_3O_2 + CO_2 + H_2O$	`4.2E-14*EXP(855./temp)`	Atkinson et al. (2006)
G4211a	TrGC	$CH_3C(O)OO + HO_2 \rightarrow CH_3C(O)OOH$	`4.3E-13*EXP(1040./temp)/(1.+1./37.*EXP(660./temp))`	Tyndall et al. (2001)
G4211b	TrGC	$CH_3C(O)OO + HO_2 \rightarrow 1.\ ProdO3 + CH_3COOH + O_3$	`4.3E-13*EXP(1040./temp)/(1.+37.*EXP(-660./temp))`	Tyndall et al. (2001)
G4212	TrGCN	$CH_3C(O)OO + NO \rightarrow ProdRO2 + 1.\ ProdO3 + CH_3O_2 + CO_2 + NO_2$	`8.1E-12*EXP(270./temp)`	Tyndall et al. (2001)
G4213	TrGCN	$CH_3C(O)OO + NO_2 \rightarrow PAN$	`k_CH3CO3_NO2`	Sander et al. (2011)*
G4214	TrGCN	$CH_3C(O)OO + NO_3 \rightarrow 1.0\ LossO3R + 1.\ LossO3 + CH_3O_2 + NO_2 + CO_2$	`4.E-12`	Canosa-Mas et al. (1996)
G4215a	TrGC	$CH_3C(O)OO + CH_3O_2 \rightarrow HCHO + HO_2 + CH_3O_2 + CO_2$	`0.9*2.0E-12*EXP(500./temp)`	Sander et al. (2011)
G4215b	TrGC	$CH_3C(O)OO + CH_3O_2 \rightarrow CH_3COOH + HCHO$	`0.1*2.0E-12*EXP(500./temp)`	Sander et al. (2011)
G4216	TrGC	$CH_3C(O)OO + C_2H_5O_2 \rightarrow .82\ CH_3O_2 + CH_3CHO + .82\ HO_2 + .18\ CH_3COOH$	`4.9E-12*EXP(211./temp)`	Wallington et al. (2017), Kirchner and Stockwell (1996)
G4217	TrGC	$CH_3C(O)OO + CH_3C(O)OO \rightarrow 2\ CH_3O_2 + 2\ CO_2 + O_2$	`2.5E-12*EXP(500./temp)`	Tyndall et al. (2001)
G4218	TrGC	$CH_3C(O)OOH + OH \rightarrow 1.0\ ProdH2O + CH_3C(O)OO + H_2O$	`0.6*k_CH3OOH_OH`	Rickard and Pascoe (2009)
G4219	TrGCN	$NACA + OH \rightarrow NO_2 + HCHO + CO$	`5.6E-12*EXP(270./temp)`	Pöschl et al. (2000)
G4220	TrGCN	$PAN + OH \rightarrow 1.0\ ProdH2O + HCHO + CO + NO_2 + H_2O$	`9.50E-13*EXP(-650./temp)`	Rickard and Pascoe (2009)
G4221	TrGCN	$PAN \rightarrow CH_3C(O)OO + NO_2$	`k_PAN_M`	Sander et al. (2011)*
G4300	TrGC	$C_3H_8 + OH \rightarrow 1.0\ ProdH2O + .82\ iC_3H_7O_2 + .18\ C_2H_5O_2 + H_2O$	`1.65E-17*temp*temp*EXP(-87./temp)`	Atkinson (2003)

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G4301	TrGC	$C_3H_6 + O_3 \rightarrow$ 1.0 LossO3R + 1. LossO3 + .57 HCHO + .47 CH_3CHO + .33 OH + .26 HO_2 + .07 CH_3O_2 + .06 $C_2H_5O_2$ + .23 $CH_3C(O)OO$ + .04 MGLYOX + .06 CH_4 + .31 CO + .22 HCOOH + .03 CH_3OH	`6.5E-15*EXP(-1900./temp)`	Sander et al. (2011)
G4302	TrGC	$C_3H_6 + OH \rightarrow CH_3CH(O_2)CH_2OH$	`k_3rd(temp,cair,8.E-27,3.5, 3.E-11,0.,0.5)`	Wallington et al. (2017)
G4303	TrGCN	$C_3H_6 + NO_3 \rightarrow$ 1.0 LossO3R + 1. LossO3 + LC4H9NO3	`4.6E-13*EXP(-1155./temp)`	Wallington et al. (2017)
G4304	TrGC	$iC_3H_7O_2 + HO_2 \rightarrow iC_3H_7OOH$	`k_PrO2_HO2`	Atkinson (1997)
G4305	TrGCN	$iC_3H_7O_2$ + NO $\rightarrow$ ProdRO2 + 1. ProdO3 + .96 CH_3COCH_3 + .96 HO_2 + .96 NO_2 + .04 $iC_3H_7ONO_2$	`k_PrO2_NO`	Wallington et al. (2017)
G4306	TrGC	$iC_3H_7O_2 + CH_3O_2 \rightarrow CH_3COCH_3$ + .8 HCHO + .8 HO_2 + .2 CH_3OH	`k_PrO2_CH3O2`	Kirchner and Stockwell (1996)
G4307	TrGC	iC_3H_7OOH + OH $\rightarrow$ .3 $iC_3H_7O_2$ + .7 CH_3COCH_3 + .7 OH	`k_CH3OOH_OH`	see note*
G4308	TrGC	$CH_3CH(O_2)CH_2OH + HO_2 \rightarrow CH_3CH(OOH)CH_2OH$	`6.5E-13*EXP(650./temp)`	Müller and Brasseur (1995)
G4309	TrGCN	$CH_3CH(O_2)CH_2OH$ + NO $\rightarrow$ ProdRO2 + 1. ProdO3 + .98 CH_3CHO + .98 HCHO + .98 HO_2 + .98 NO_2 + .02 LC4H9NO3	`4.2E-12*EXP(180./temp)`	Müller and Brasseur (1995)
G4310	TrGC	$CH_3CH(OOH)CH_2OH$ + OH $\rightarrow$ 1.0 ProdH2O + .5 $CH_3CH(O_2)CH_2OH$ + .5 CH_3COCH_2OH + .5 OH + H_2O	`3.8E-12*EXP(200./temp)`	Müller and Brasseur (1995)
G4311	TrGC	CH_3COCH_3 + OH $\rightarrow$ 1.0 ProdH2O + $CH_3COCH_2O_2$ + H_2O	`1.33E-13+3.82E-11*EXP(-2000./ temp)`	Sander et al. (2011)
G4312	TrGC	$CH_3COCH_2O_2 + HO_2 \rightarrow CH_3COCH_2O_2H$	`8.6E-13*EXP(700./temp)`	Tyndall et al. (2001)
G4313	TrGCN	$CH_3COCH_2O_2$ + NO $\rightarrow$ ProdRO2 + 1. ProdO3 + $CH_3C(O)OO$ + HCHO + NO_2	`2.9E-12*EXP(300./temp)`	Sander et al. (2011)
G4314	TrGC	$CH_3COCH_2O_2 + CH_3O_2 \rightarrow$ .5 MGLYOX + .5 CH_3OH + .3 $CH_3C(O)OO$ + .8 HCHO + .3 HO_2 + .2 CH_3COCH_2OH	`7.5E-13*EXP(500./temp)`	Tyndall et al. (2001)
G4315	TrGC	$CH_3COCH_2O_2H$ + OH $\rightarrow$ .3 $CH_3COCH_2O_2$ + .7 MGLYOX + .7 OH	`k_CH3OOH_OH`	see note*
G4316	TrGC	$CH_3COCH_2OH + OH \rightarrow$ MGLYOX + HO_2	`2.15E-12*EXP(305./temp)`	Dillon et al. (2006)
G4317	TrGC	MGLYOX + OH $\rightarrow CH_3C(O)OO$ + CO	`8.4E-13*EXP(830./temp)`	Tyndall et al. (1995)
G4320	TrGCN	$iC_3H_7ONO_2 + OH \rightarrow CH_3COCH_3 + NO_2$	`6.2E-13*EXP(-230./temp)`	Wallington et al. (2017)
G4400	TrGC	C_4H_{10} + OH $\rightarrow$ 1.0 ProdH2O + $LC4H9O_2$ + H_2O	`1.81E-17*temp*temp*EXP(114./temp)`	Atkinson (2003)
G4401	TrGC	$LC4H9O_2 + CH_3O_2 \rightarrow$ .88 MEK + .68 HCHO + 1.23 HO_2 + .12 CH_3CHO + .12 $C_2H_5O_2$ + .18 CH_3OH	`k_PrO2_CH3O2`	see note*

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G4402	TrGC	$LC_4H_9O_2 + HO_2 \rightarrow LC_4H_9OOH$	`k_PrO2_HO2`	see note*
G4403	TrGCN	$LC_4H_9O_2 + NO \rightarrow ProdRO2 + 1.\ ProdO3 + .84\ NO_2 + .56\ MEK + .56\ HO_2 + .28\ C_2H_5O_2 + .28\ CH_3CHO + .16\ LC4H9NO3$	`k_PrO2_NO`	see note*
G4404	TrGC	$LC_4H_9OOH + OH \rightarrow 0.85\ ProdH2O + .15\ LC_4H_9O_2 + .85\ MEK + .85\ OH + .85\ H_2O$	`k_CH3OOH_OH`	see note*
G4405	TrGC	$MVK + O_3 \rightarrow 1.0\ LossO3R + 1.\ LossO3 + .45\ HCOOH + .9\ MGLYOX + .1\ CH_3C(O)OO + .19\ OH + .22\ CO + .32\ HO_2$	`.5*(1.36E-15*EXP(-2112./temp) +7.51E-16*EXP(-1521./temp))`	Pöschl et al. (2000)
G4406	TrGC	$MVK + OH \rightarrow MVKO2$	`.5*(4.1E-12*EXP(452./temp) +1.9E-11*EXP(175./temp))`	Pöschl et al. (2000)
G4407	TrGC	$MVKO2 + HO_2 \rightarrow MVKOOH$	`1.82E-13*EXP(1300./temp)`	Pöschl et al. (2000)
G4408	TrGCN	$MVKO2 + NO \rightarrow ProdRO2 + 1.\ ProdO3 + NO_2 + .25\ CH_3C(O)OO + .25\ CH_3COCH_2OH + .75\ HCHO + .25\ CO + .75\ HO_2 + .5\ MGLYOX$	`2.54E-12*EXP(360./temp)`	Pöschl et al. (2000)
G4409	TrGCN	$MVKO2 + NO_2 \rightarrow MPAN$	`.25*k_3rd(temp,cair,9.7E-29,5.6, 9.3E-12,1.5,0.6)`	Pöschl et al. (2000)
G4410	TrGC	$MVKO2 + CH_3O_2 \rightarrow .5\ MGLYOX + .375\ CH_3COCH_2OH + .125\ CH_3C(O)OO + 1.125\ HCHO + .875\ HO_2 + .125\ CO + .25\ CH_3OH$	`2.E-12`	von Kuhlmann (2001)
G4411	TrGC	$MVKO2 + MVKO2 \rightarrow CH_3COCH_2OH + MGLYOX + .5\ CO + .5\ HCHO + HO_2$	`2.E-12`	Pöschl et al. (2000)
G4412	TrGC	$MVKOOH + OH \rightarrow MVKO2$	`3.E-11`	Pöschl et al. (2000)
G4413	TrGC	$MEK + OH \rightarrow LMEKO2$	`1.3E-12*EXP(-25./temp)`	Wallington et al. (2017)
G4414	TrGC	$LMEKO2 + HO_2 \rightarrow LMEKOOH$	`k_PrO2_HO2`	see note*
G4415	TrGCN	$LMEKO2 + NO \rightarrow ProdRO2 + 1.\ ProdO3 + .985\ CH_3CHO + .985\ CH_3C(O)OO + .985\ NO_2 + .015\ LC4H9NO3$	`k_PrO2_NO`	see note*
G4416	TrGC	$LMEKOOH + OH \rightarrow .8\ BIACET + .8\ OH + .2\ LMEKO2$	`k_CH3OOH_OH`	see note*
G4417	TrGCN	$LC4H9NO3 + OH \rightarrow 1.0\ ProdH2O + MEK + NO_2 + H_2O$	`1.7E-12`	Wallington et al. (2017)
G4418	TrGCN	$MPAN + OH \rightarrow CH_3COCH_2OH + NO_2$	`3.2E-11`	Orlando et al. (2002)
G4419	TrGCN	$MPAN \rightarrow MVKO2 + NO_2$	`k_PAN_M`	see note*
G4500	TrGC	$C_5H_8 + O_3 \rightarrow 1.0\ LossO3R + 1.\ LossO3 + .28\ HCOOH + .65\ MVK + .1\ MVKO2 + .1\ CH_3C(O)OO + .14\ CO + .58\ HCHO + .09\ H_2O_2 + .08\ CH_3O_2 + .25\ OH + .25\ HO_2$	`7.86E-15*EXP(-1913./temp)`	Pöschl et al. (2000)

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G4501	TrGC	C_5H_8 + OH → ISO2	2.54E-11*EXP(410./temp)	Pöschl et al. (2000)
G4502	TrGCN	C_5H_8 + NO_3 → 1.0 LossO3R + 1. LossO3 + ISON	3.03E-12*EXP(-446./temp)	Pöschl et al. (2000)
G4503	TrGC	ISO2 + HO_2 → ISOOH	2.22E-13*EXP(1300./temp)	Boyd et al. (2003)
G4504	TrGCN	ISO2 + NO → ProdRO2 + 1. ProdO3 + .956 NO_2 + .956 MVK + .956 HCHO + .956 HO_2 + .044 ISON	2.54E-12*EXP(360./temp)	Pöschl et al. (2000)
G4505	TrGC	ISO2 + CH_3O_2 → .5 MVK + 1.25 HCHO + HO_2 + .25 MGLYOX + .25 CH_3COCH_2OH + .25 CH_3OH	2.E-12	von Kuhlmann (2001)
G4506	TrGC	ISO2 + ISO2 → 2 MVK + HCHO + HO_2	2.E-12	Pöschl et al. (2000)
G4507	TrGC	ISOOH + OH → MVK + OH	1.E-10	Pöschl et al. (2000)
G4508	TrGCN	ISON + OH → CH_3COCH_2OH + NACA	1.3E-11	Pöschl et al. (2000)
G6100	UpStTrGCl	Cl + O_3 → ClO + O_2	2.8E-11*EXP(-250./temp)	Atkinson et al. (2007)
G6101	UpStGCl	ClO + $O(^3P)$ → 2.0 LossO3Cl + 2. LossO3 + Cl + O_2	2.5E-11*EXP(110./temp)	Atkinson et al. (2007)
G6102a	StTrGCl	ClO + ClO → 2.0 LossO3Cl + 2. LossO3 + Cl_2 + O_2	1.0E-12*EXP(-1590./temp)	Atkinson et al. (2007)
G6102b	StTrGCl	ClO + ClO → 2.0 LossO3Cl + 2. LossO3 + 2 Cl + O_2	3.0E-11*EXP(-2450./temp)	Atkinson et al. (2007)
G6102c	StTrGCl	ClO + ClO → 1.0 LossO3Cl + 1. LossO3 + Cl + OClO	3.5E-13*EXP(-1370./temp)	Atkinson et al. (2007)
G6102d	StTrGCl	ClO + ClO → Cl_2O_2	k_ClO_ClO	Burkholder et al. (2015)
G6103	StTrGCl	Cl_2O_2 → ClO + ClO	k_ClO_ClO/(2.16E-27*EXP(8537./ temp))	Burkholder et al. (2015)[*]
G6200	StGCl	Cl + H_2 → HCl + H	3.9E-11*EXP(-2310./temp)	Atkinson et al. (2007)
G6201a	StGCl	Cl + HO_2 → HCl + O_2	4.4E-11-7.5E-11*EXP(-620./temp)	Atkinson et al. (2007)
G6201b	StGCl	Cl + HO_2 → 1. ProdO3 + ClO + OH	7.5E-11*EXP(-620./temp)	Atkinson et al. (2007)
G6202	StTrGCl	Cl + H_2O_2 → HCl + HO_2	1.1E-11*EXP(-980./temp)	Atkinson et al. (2007)
G6203	StGCl	ClO + OH → 1.0 LossO3Cl + 1. LossO3 + .94 Cl + .94 HO_2 + .06 HCl + .06 O_2	7.3E-12*EXP(300./temp)	Atkinson et al. (2007)
G6204	StTrGCl	ClO + HO_2 → HOCl + O_2	2.2E-12*EXP(340./temp)	Atkinson et al. (2007)[*]
G6205	StTrGCl	HCl + OH → 1.0 ProdH2O + 1.0 ProdH2OHClOH + Cl + H_2O	1.7E-12*EXP(-230./temp)	Atkinson et al. (2007)
G6206	StGCl	HOCl + OH → 1.0 ProdH2O + ClO + H_2O	3.0E-12*EXP(-500./temp)	Burkholder et al. (2015)
G6300	UpStTrGClN	ClO + NO → NO_2 + Cl	6.2E-12*EXP(295./temp)	Atkinson et al. (2007)
G6301	StTrGClN	ClO + NO_2 → $ClNO_3$	k_3rd_iupac(temp,cair,1.6E-31, 3.4,7.E-11,0.,0.4)	Atkinson et al. (2007)
G6302	TrGClN	$ClNO_3$ → ClO + NO_2	6.918E-7*EXP(-10909./temp)*cair	Anderson and Fahey (1990)
G6303	StGClN	$ClNO_3$ + $O(^3P)$ → ClO + NO_3	4.5E-12*EXP(-900./temp)	Atkinson et al. (2007)
G6304	StTrGClN	$ClNO_3$ + Cl → Cl_2 + NO_3	6.2E-12*EXP(145./temp)	Atkinson et al. (2007)
G6400	StTrGCl	Cl + CH_4 → HCl + CH_3O_2	6.6E-12*EXP(-1240./temp)	Atkinson et al. (2006)

#	labels	reaction	rate coefficient	reference
G6401	StTrGCl	$Cl + HCHO \rightarrow HCl + CO + HO_2$	`8.1E-11*EXP(-34./temp)`	Atkinson et al. (2006)
G6402	StTrGCl	$Cl + CH_3OOH \rightarrow HCHO + HCl + OH$	`5.9E-11`	Atkinson et al. (2006)*
G6403	StTrGCl	$ClO + CH_3O_2 \rightarrow 1.0\ LossO3Cl + 1.\ LossO3 + HO_2 + Cl + HCHO$	`1.8E-12*EXP(-600./temp)`	Burkholder et al. (2015)
G6404	StGCl	$CCl_4 + O(^1D) \rightarrow 4.0\ ProdLCl + LCARBON + ClO + 3\ Cl$	`3.3E-10`	Burkholder et al. (2015)
G6405	StGCl	$CH_3Cl + O(^1D) \rightarrow 1.0\ ProdLCl + 1.0\ LossO3Cl + 1.\ LossO3 + OH + Cl$	`1.65E-10`	see note*
G6406	StGCl	$CH_3Cl + OH \rightarrow 1.0\ ProdH2O + 1.0\ ProdLCl + LCARBON + H_2O + Cl$	`1.96E-12*EXP(-1200./temp)`	Burkholder et al. (2015)
G6407	StGCCl	$CH_3CCl_3 + O(^1D) \rightarrow 3.0\ ProdLCl + 1.0\ LossO3Cl + 1.\ LossO3 + 2\ LCARBON + OH + 3\ Cl$	`3.25E-10`	Burkholder et al. (2015)
G6408	StTrGCCl	$CH_3CCl_3 + OH \rightarrow 1.0\ ProdH2O + 3.0\ ProdLCl + 2\ LCARBON + H_2O + 3\ Cl$	`1.64E-12*EXP(-1520./temp)`	Burkholder et al. (2015)
G6409	TrGCCl	$Cl + C_2H_4 \rightarrow .6666667\ CH_3CH(O_2)CH_2OH + HCl$	`k_3rd_iupac(temp,cair,1.85E-29, 3.3,6.0E-10,0.0,0.4)`	Atkinson et al. (2006)
G6410	TrGCCl	$Cl + CH_3CHO \rightarrow HCl + CH_3C(O)OO$	`8.0e-11`	Atkinson et al. (2006)
G6500	StGClF	$CF_2Cl_2 + O(^1D) \rightarrow 2.0\ ProdLCl + LCARBON + 2\ LFLUORINE + ClO + Cl$	`1.4E-10`	Burkholder et al. (2015)
G6501	StGClF	$CFCl_3 + O(^1D) \rightarrow 3.0\ ProdLCl + LCARBON + LFLUORINE + ClO + 2\ Cl$	`2.3E-10`	Burkholder et al. (2015)
G7100	StTrGBr	$Br + O_3 \rightarrow BrO + O_2$	`1.7E-11*EXP(-800./temp)`	Atkinson et al. (2007)
G7101	StGBr	$BrO + O(^3P) \rightarrow 2.0\ LossO3Br + 2.\ LossO3 + Br + O_2$	`1.9E-11*EXP(230./temp)`	Atkinson et al. (2007)
G7102a	StTrGBr	$BrO + BrO \rightarrow 2.0\ LossO3Br + 2.\ LossO3 + 2\ Br + O_2$	`2.7E-12`	Atkinson et al. (2007)
G7102b	StTrGBr	$BrO + BrO \rightarrow 2.0\ LossO3Br + 2.\ LossO3 + Br_2 + O_2$	`2.9E-14*EXP(840./temp)`	Atkinson et al. (2007)
G7200	StTrGBr	$Br + HO_2 \rightarrow HBr + O_2$	`7.7E-12*EXP(-450./temp)`	Atkinson et al. (2007)
G7201	StTrGBr	$BrO + HO_2 \rightarrow HOBr + O_2$	`4.5E-12*EXP(500./temp)`	Atkinson et al. (2007)
G7202	StTrGBr	$HBr + OH \rightarrow 1.0\ ProdH2O + Br + H_2O$	`6.7E-12*EXP(155./temp)`	Atkinson et al. (2007)
G7203	StGBr	$HOBr + O(^3P) \rightarrow 1.0\ LossO3Br + 1.\ LossO3 + OH + BrO$	`1.2E-10*EXP(-430./temp)`	Atkinson et al. (2007)
G7204	StTrGBr	$Br_2 + OH \rightarrow 1.\ ProdO3 + HOBr + Br$	`2.0E-11*EXP(240./temp)`	Atkinson et al. (2007)
G7300	TrGBrN	$Br + BrNO_3 \rightarrow Br_2 + NO_3$	`4.9E-11`	Orlando and Tyndall (1996)
G7301	StTrGBrN	$BrO + NO \rightarrow Br + NO_2$	`8.7E-12*EXP(260./temp)`	Atkinson et al. (2007)
G7302	StTrGBrN	$BrO + NO_2 \rightarrow BrNO_3$	`k_BrO_NO2`	Atkinson et al. (2007)*

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G7303	TrGBrN	$BrNO_3 \rightarrow BrO + NO_2$	`k_BrO_NO2/(5.44E-9*EXP(14192./` `temp)*1.E6*R_gas*temp/(atm2Pa*N_` `A))`	Orlando and Tyndall (1996), Atkinson et al. (2007)*
G7400	StTrGBr	$Br + HCHO \rightarrow HBr + CO + HO_2$	`7.7E-12*EXP(-580./temp)`	Atkinson et al. (2006)
G7401	TrGBr	$Br + CH_3OOH \rightarrow CH_3O_2 + HBr$	`2.6E-12*EXP(-1600./temp)`	Kondo and Benson (1984)
G7402a	TrGBr	$BrO + CH_3O_2 \rightarrow HOBr + HCHO$	`G7402a_yield*5.7E-12`	Aranda et al. (1997)
G7402b	TrGBr	$BrO + CH_3O_2 \rightarrow 1.0$ LossO3Br $+ 1.$ LossO3 $+ Br +$ HCHO $+ HO_2$	`(1.-G7402a_yield)*5.7E-12`	Aranda et al. (1997)
G7403	StTrGBr	$CH_3Br + OH \rightarrow 1.0$ ProdH2O $+ 1.0$ ProdLBr $+$ LCARBON $+ H_2O + Br$	`1.42E-12*EXP(-1150./temp)`	Burkholder et al. (2015)
G7404	TrGBrC	$Br + C_2H_4 \rightarrow .6666667$ $CH_3CH(O_2)CH_2OH + HBr$	`2.8E-13*EXP(224./temp)/(1.+` `1.13E24*EXP(-3200./temp)` `/C(ind_O2))`	Atkinson et al. (2006)
G7405	TrGBrC	$Br + CH_3CHO \rightarrow HBr + CH_3C(O)OO$	`1.8e-11*EXP(-460./temp)`	Atkinson et al. (2006)
G7407	TrGBr	$CHBr_3 + OH \rightarrow 1.0$ ProdH2O $+ 3.0$ ProdSBr $+$ LCARBON $+ H_2O + 3$ Br	`9.0E-13*EXP(-360./temp)`	Burkholder et al. (2015)*
G7408	TrGBr	$CH_2Br_2 + OH \rightarrow 1.0$ ProdH2O $+ 2.0$ ProdSBr $+$ LCARBON $+ H_2O + 2$ Br	`2.0E-12*EXP(-840./temp)`	Burkholder et al. (2015)*
G7600	TrGBrCl	$Br + BrCl \rightarrow Br_2 + Cl$	`3.32E-15`	Manion et al. (2015)
G7601	TrGBrCl	$Br + Cl_2 \rightarrow BrCl + Cl$	`1.10E-15`	Dolson and Leone (1987)
G7602	TrGBrCl	$Br_2 + Cl \rightarrow BrCl + Br$	`2.3E-10*EXP(135./temp)`	Bedjanian et al. (1998)
G7603a	StTrGBrCl	$BrO + ClO \rightarrow 0.500000$ LossO3Br $+ 0.500000$ LossO3Cl $+ 1.$ LossO3 $+ Br + OClO$	`1.6E-12*EXP(430./temp)`	Atkinson et al. (2007)
G7603b	StTrGBrCl	$BrO + ClO \rightarrow 1.0$ LossO3Br $+ 1.0$ LossO3Cl $+ 2.$ LossO3 $+ Br + Cl + O_2$	`2.9E-12*EXP(220./temp)`	Atkinson et al. (2007)
G7603c	StTrGBrCl	$BrO + ClO \rightarrow 1.0$ LossO3Br $+ 1.0$ LossO3Cl $+ 2.$ LossO3 $+ BrCl + O_2$	`5.8E-13*EXP(170./temp)`	Atkinson et al. (2007)
G7604	TrGBrCl	$BrCl + Cl \rightarrow Br + Cl_2$	`1.45E-11`	Clyne and Cruse (1972)
G7605	TrGBrCl	$CHCl_2Br + OH \rightarrow 1.0$ ProdH2O $+ 1.0$ ProdSBr $+$ LCARBON $+ 2$ Cl $+ H_2O + Br$	`2.0E-12*EXP(-840./temp)`	see note*
G7606	TrGBrCl	$CHClBr_2 + OH \rightarrow 1.0$ ProdH2O $+ 2.0$ ProdSBr $+$ LCARBON $+ Cl + H_2O + 2$ Br	`2.0E-12*EXP(-840./temp)`	see note*
G7607	TrGBrCl	$CH_2ClBr + OH \rightarrow 1.0$ ProdH2O $+ 1.0$ ProdSBr $+$ LCARBON $+ Cl + H_2O + Br$	`2.1E-12*EXP(-880./temp)`	Burkholder et al. (2015)*

Table 1: Gas phase reactions (... continued)

#	labels	reaction	rate coefficient	reference
G9200	StTrGS	$SO_2 + OH \rightarrow H_2SO_4 + HO_2$	`k_3rd(temp,cair,3.3E-31,4.3,` `1.6E-12,0.,0.6)`	Burkholder et al. (2015)
G9400a	TrGCS	$DMS + OH \rightarrow 1. \; ProdO3 + CH_3SO_2 + HCHO$	`1.13E-11*EXP(-253./temp)`	Atkinson et al. (2004)[*]
G9400b	TrGCS	$DMS + OH \rightarrow 1. \; ProdO3 + DMSO + HO_2$	`k_DMS_OH`	Atkinson et al. (2004)[*]
G9401	TrGCNS	$DMS + NO_3 \rightarrow CH_3SO_2 + HNO_3 + HCHO$	`1.9E-13*EXP(520./temp)`	Atkinson et al. (2004)
G9402	TrGCS	$DMSO + OH \rightarrow 0.40000004 \; ProdO3 + .6 \; SO_2 + HCHO + .6 \; CH_3O_2 + .4 \; HO_2 + .4 \; CH_3SO_3H$	`1.E-10`	Hynes and Wine (1996)
G9403	TrGS	$CH_3SO_2 \rightarrow SO_2 + CH_3O_2$	`1.8E13*EXP(-8661./temp)`	Barone et al. (1995)
G9404	TrGS	$CH_3SO_2 + O_3 \rightarrow CH_3SO_3$	`3.E-13`	Barone et al. (1995)
G9405	TrGS	$CH_3SO_3 + HO_2 \rightarrow CH_3SO_3H$	`5.E-11`	Barone et al. (1995)
G9600	TrGCClS	$DMS + Cl \rightarrow 1. \; ProdO3 + CH_3SO_2 + HCl + HCHO$	`3.3E-10`	Atkinson et al. (2004)
G9700	TrGBrCS	$DMS + Br \rightarrow 1. \; ProdO3 + CH_3SO_2 + HBr + HCHO$	`9.E-11*EXP(-2386./temp)`	Jefferson et al. (1994)
G9701	TrGBrCS	$DMS + BrO \rightarrow DMSO + Br$	`4.4E-13`	Ingham et al. (1999)
G01Diag	StTrG	$O_3(s) \rightarrow LO_3(s)$	`k_O3s`	Roelofs and Lelieveld (1997)

General notes

Three-body reactions

Rate coefficients for three-body reactions are defined via the function `k_3rd`$(T, M, k_0^{300}, n, k_{\text{inf}}^{300}, m, f_c)$. In the code, the temperature T is called `temp` and the concentration of "air molecules" M is called `cair`. Using the auxiliary variables $k_0(T)$, $k_{\text{inf}}(T)$, and k_{ratio}, `k_3rd` is defined as:

$$k_0(T) = k_0^{300} \times \left(\frac{300\text{K}}{T}\right)^n \tag{1}$$

$$k_{\text{inf}}(T) = k_{\text{inf}}^{300} \times \left(\frac{300\text{K}}{T}\right)^m \tag{2}$$

$$k_{\text{ratio}} = \frac{k_0(T)M}{k_{\text{inf}}(T)} \tag{3}$$

$$\texttt{k\_3rd} = \frac{k_0(T)M}{1 + k_{\text{ratio}}} \times f_c^{\left(\frac{1}{1+(\log_{10}(k_{\text{ratio}}))^2}\right)} \tag{4}$$

A similar function, called `k_3rd_iupac` here, is used by Wallington et al. (2017) for three-body reactions. It has the same function parameters as `k_3rd` and it is defined as:

$$k_0(T) = k_0^{300} \times \left(\frac{300\text{K}}{T}\right)^n \tag{5}$$

$$k_{\text{inf}}(T) = k_{\text{inf}}^{300} \times \left(\frac{300\text{K}}{T}\right)^m \tag{6}$$

$$k_{\text{ratio}} = \frac{k_0(T)M}{k_{\text{inf}}(T)} \tag{7}$$

$$N = 0.75 - 1.27 \times \log_{10}(f_c) \tag{8}$$

$$\texttt{k\_3rd\_iupac} = \frac{k_0(T)M}{1 + k_{\text{ratio}}} \times f_c^{\left(\frac{1}{1+(\log_{10}(k_{\text{ratio}})/N)^2}\right)} \tag{9}$$

RO$_2$ self and cross reactions

The self and cross reactions of organic peroxy radicals are treated according to the permutation reaction formalism as implemented in the MCM (Rickard and Pascoe, 2009), as decribed by Jenkin et al. (1997). Every organic peroxy radical reacts in a pseudo-first-order reaction with a rate constant that is expressed as $k^{\text{1st}} = 2 \times \sqrt{k_{\text{self}} \times \texttt{k\_CH3O2}} \times [\text{RO}_2]$ where $k_{\text{self}} =$ second-order rate coefficient of the self reaction of the organic peroxy radical, `k_CH3O2` = second-order rate coefficient of the self reaction of CH_3O_2, and $[\text{RO}_2] =$ sum of the concentrations of all organic peroxy radicals.

Specific notes

G1002a: The path leading to $2\,O(^3P) + O_2$ results in a null cycle regarding odd oxygen and is neglected.

G2110: The rate coefficient is: `k_HO2_HO2 = (3.0E-13*EXP(460./temp)+2.1E-33*EXP(920./temp) *cair)*(1.+1.4E-21*EXP(2200./temp)*C(ind_H2O))`.

G3109: The rate coefficient is: `k_NO3_NO2 = k_3rd(temp,cair,2.4E-30,3.0,1.6E-12,-0.1,0.6)`.

G3110: The rate coefficient is defined as backward reaction divided by equilibrium constant.

G3203: The rate coefficient is: `k_NO2_HO2 = k_3rd(temp,cair,1.9E-31,3.4,4.0E-12,0.3,0.6)`.

G3206: The rate coefficient is: `k_HNO3_OH = 1.32E-14 * EXP(527./temp) + 1./ ( 1./ (7.39E-32 * EXP(453./temp)*cair) + 1./ (9.73E-17 * EXP(1910./temp)) )`

G3207: The rate coefficient is defined as backward reaction divided by equilibrium constant.

G4103: Sander et al. (2006) recommend a zero product yield for HCHO.

G4109: The same temperature dependence assumed as for $CH_3CHO+NO_3$. At 298 K, $k = 5.8 \times 10^{-16}$.

G4201: The product distribution is from Rickard and Pascoe (2009), after substitution of the Criegee intermediate by its decomposition products.

G4206: The product C_2H_5OH, which reacts only with OH, is substituted by its degradation products $\approx 0.1\ HOCH_2CH_2O_2 + 0.9\ CH_3CHO + 0.9\ HO_2$.

G4207: Same value as for G4107

G4213: The rate coefficient is: `k_CH3CO3_NO2 = k_3rd(temp,cair,9.7E-29,5.6,9.3E-12,1.5,0.6)`.

G4221: The rate coefficient is `k_PAN_M = k_CH3CO3_NO2/9.E-29*EXP(-14000./temp)`, i.e. the rate coefficient is defined as backward reaction divided by equilibrium constant.

G4307: Same value as for G4107

G4315: Same value as for G4107

G4401: Same value as for G4306

G4402: Same value as for G4304

G4403: Same value as for G4305

G4404: Same value as for G4107

G4414: Same value as for G4304

G4415: Same value as for G4305

G4416: Same value as for G4107

G4419: Same value as for G4221

G6103: The rate coefficient is defined as backward reaction divided by equilibrium constant.

G6204: At low temperatures, there may be a minor reaction channel leading to O_3+HCl. See Finkbeiner et al. (1995) for details. It is neglected here.

G6402: The initial products are probably HCl and CH_2OOH (Atkinson et al., 2006). It is assumed that CH_2OOH dissociates into HCHO and OH.

G6405: Sander et al. (2006), but simplified shortcut to release all Cl

G7302: The rate coefficient is: `k_BrO_NO2 = k_3rd(temp,cair,5.2E-31,3.2,6.9E-12,2.9,0.6)`.

G7303: The rate coefficient is defined as backward reaction (Atkinson et al., 2007) divided by equilibrium constant (Orlando and Tyndall, 1996).

G7407: It is assumed that the reaction liberates all Br atoms. The fate of the carbon atom is currently not considered.

G7408: It is assumed that the reaction liberates all Br atoms. The fate of the carbon atom is currently not considered.

G7605: Same value as for G7408: CH_2Br_2+OH assumed. It is assumed that the reaction liberates all Br and all Cl. The fate of the carbon atom is currently not considered.

G7606: Same value as for G7408: CH_2Br_2+OH assumed. It is assumed that the reaction liberates all Br atoms and also Cl. The fate of the carbon atom is currently not considered.

G7607: It is assumed that the reaction liberates all Br atoms and also Cl. The fate of the carbon atom is currently not considered.

G9400a: For the abstraction path, the assumed reaction sequence (omitting H_2O and O_2 as products) according to Yin et al. (1990) is:

$$\begin{aligned}
DMS + OH &\rightarrow CH_3SCH_2 \\
CH_3SCH_2 + O_2 &\rightarrow CH_3SCH_2OO
\end{aligned}$$

$$\begin{aligned}
CH_3SCH_2OO + NO &\rightarrow CH_3SCH_2O + NO_2 \\
CH_3SCH_2O &\rightarrow CH_3S + HCHO \\
CH_3S + O_3 &\rightarrow CH_3SO \\
CH_3SO + O_3 &\rightarrow CH_3SO_2 \\
\hline
DMS + OH + NO + 2O_3 &\rightarrow CH_3SO_2 + HCHO + NO_2
\end{aligned}$$

Neglecting the effect on O_3 and NO_x, the remaining reaction is:

$$DMS + OH + O_3 \rightarrow CH_3SO_2 + HCHO$$

.

G9400b: For the addition path, the rate coefficient is: `k_DMS_OH = 1.0E-39*EXP(5820./temp)*C(ind_O2) / (1.+5.0E-30*EXP(6280./temp)*C(ind_O2))`.

Table 2: Photolysis reactions

#	labels	reaction	rate coefficient	reference
J (gas)				
J1000a	UpStTrGJ	$O_2 + h\nu \rightarrow 2.$ ProdO3 $+ O(^3P) + O(^3P)$	jx(ip_O2)	Sander et al. (2014)
J1001a	UpStTrGJ	$O_3 + h\nu \rightarrow O(^1D) + O_2$	jx(ip_O1D)	Sander et al. (2014)
J1001b	UpStTrGJ	$O_3 + h\nu \rightarrow O(^3P) + O_2$	jx(ip_O3P)	Sander et al. (2014)
J2100a	UpStGJ	$H_2O + h\nu \rightarrow 1.0$ LossH2O $+ 1.0$ LossH2Ohv $+ H + OH$	jx(ip_H2O)	Sander et al. (2014)
J2101	UpStTrGJ	$H_2O_2 + h\nu \rightarrow 2$ OH	jx(ip_H2O2)	Sander et al. (2014)
J3100	UpStGJN	$N_2O + h\nu \rightarrow 1.$ ProdO3 $+ O(^1D) + N_2$	jx(ip_N2O)	Sander et al. (2014)
J3101	UpStTrGJN	$NO_2 + h\nu \rightarrow NO + O(^3P)$	jx(ip_NO2)	Sander et al. (2014)
J3102a	UpStGJN	$NO + h\nu \rightarrow 1.$ ProdO3 $+ N + O(^3P)$	jx(ip_NO)	Sander et al. (2014)
J3103a	UpStTrGJN	$NO_3 + h\nu \rightarrow NO_2 + O(^3P)$	jx(ip_NO2O)	Sander et al. (2014)
J3103b	UpStTrGJN	$NO_3 + h\nu \rightarrow 2.0$ LossO3N $+ 2.$ LossO3 $+ NO + O_2$	jx(ip_NOO2)	Sander et al. (2014)
J3104	StTrGJN	$N_2O_5 + h\nu \rightarrow NO_2 + NO_3$	jx(ip_N2O5)	Sander et al. (2014)
J3200	TrGJN	$HONO + h\nu \rightarrow NO + OH$	jx(ip_HONO)	Sander et al. (2014)
J3201	StTrGJN	$HNO_3 + h\nu \rightarrow NO_2 + OH$	jx(ip_HNO3)	Sander et al. (2014)
J3202	StTrGJN	$HNO_4 + h\nu \rightarrow 0.333$ ProdO3 $+ .667$ $NO_2 + .667$ $HO_2 + .333$ $NO_3 + .333$ OH	jx(ip_HNO4)	Sander et al. (2014)
J4100	StTrGJ	$CH_3OOH + h\nu \rightarrow HCHO + OH + HO_2$	jx(ip_CH3OOH)	Sander et al. (2014)
J4101a	StTrGJ	$HCHO + h\nu \rightarrow H_2 + CO$	jx(ip_COH2)	Sander et al. (2014)
J4101b	StTrGJ	$HCHO + h\nu \rightarrow H + CO + HO_2$	jx(ip_CHOH)	Sander et al. (2014)
J4102	StGJ	$CO_2 + h\nu \rightarrow 1.$ ProdO3 $+ CO + O(^3P)$	jx(ip_CO2)	Sander et al. (2014)
J4103	StGJ	$CH_4 + h\nu \rightarrow 1.155$ ProdH2O $+ CO + 0.31$ $H + 0.69$ $H_2 + 1.155$ H_2O	jx(ip_CH4)	Sander et al. (2014)
J4200	TrGJC	$C_2H_5OOH + h\nu \rightarrow CH_3CHO + HO_2 + OH$	jx(ip_CH3OOH)	von Kuhlmann (2001)
J4201	TrGJC	$CH_3CHO + h\nu \rightarrow CH_3O_2 + HO_2 + CO$	jx(ip_CH3CHO)	Sander et al. (2014)
J4202	TrGJC	$CH_3C(O)OOH + h\nu \rightarrow CH_3O_2 + OH + CO_2$	jx(ip_CH3CO3H)	Sander et al. (2014)
J4203	TrGJCN	$NACA + h\nu \rightarrow NO_2 + HCHO + CO$	0.19*jx(ip_CHOH)	von Kuhlmann (2001)
J4204	TrGJCN	$PAN + h\nu \rightarrow CH_3C(O)OO + NO_2$	jx(ip_PAN)	Sander et al. (2014)
J4300	TrGJC	$iC_3H_7OOH + h\nu \rightarrow CH_3COCH_3 + HO_2 + OH$	jx(ip_CH3OOH)	von Kuhlmann (2001)
J4301	TrGJC	$CH_3COCH_3 + h\nu \rightarrow CH_3C(O)OO + CH_3O_2$	jx(ip_CH3COCH3)	Sander et al. (2014)
J4302	TrGJC	$CH_3COCH_2OH + h\nu \rightarrow CH_3C(O)OO + HCHO + HO_2$	0.074*jx(ip_CHOH)	see note*
J4303	TrGJC	$MGLYOX + h\nu \rightarrow CH_3C(O)OO + CO + HO_2$	jx(ip_MGLYOX)	Sander et al. (2014)
J4304	TrGJC	$CH_3COCH_2O_2H + h\nu \rightarrow CH_3C(O)OO + HCHO + OH$	jx(ip_CH3OOH)	see note*
J4306	TrGJCN	$iC_3H_7ONO_2 + h\nu \rightarrow CH_3COCH_3 + NO_2 + HO_2$	3.7*jx(ip_PAN)	von Kuhlmann et al. (2003)*

| #	labels	reaction	rate coefficient	reference
J4400	TrGJC	$LC_4H_9OOH + h\nu \rightarrow OH + .67\ MEK + .67\ HO_2 + .33\ C_2H_5O_2 + .33\ CH_3CHO$	jx(ip_CH3OOH)	Rickard and Pascoe (2009)
J4401	TrGJC	$MVK + h\nu \rightarrow CH_3C(O)OO + HCHO + CO + HO_2$	0.019*jx(ip_COH2)+.015*jx(ip_MGLYOX)	Sander et al. (2014)
J4402	TrGJC	$MVKOOH + h\nu \rightarrow OH + .5\ MGLYOX + .25\ CH_3COCH_2OH + .75\ HCHO + .75\ HO_2 + .25\ CH_3C(O)OO + .25\ CO$	jx(ip_CH3OOH)	see note*
J4403	TrGJC	$MEK + h\nu \rightarrow CH_3C(O)OO + C_2H_5O_2$	0.42*jx(ip_CHOH)	von Kuhlmann et al. (2003)
J4404	TrGJC	$LMEKOOH + h\nu \rightarrow CH_3C(O)OO + CH_3CHO + OH$	jx(ip_CH3OOH)	Rickard and Pascoe (2009)
J4405	TrGJC	$BIACET + h\nu \rightarrow 2\ CH_3C(O)OO$	2.15*jx(ip_MGLYOX)	see note*
J4406	TrGJCN	$LC4H9NO3 + h\nu \rightarrow NO_2 + .67\ MEK + .67\ HO_2 + .33\ C_2H_5O_2 + .33\ CH_3CHO$	3.7*jx(ip_PAN)	von Kuhlmann (2001)
J4407	TrGJCN	$MPAN + h\nu \rightarrow CH_3COCH_2OH + NO_2$	jx(ip_PAN)	see note*
J4500	TrGJC	$ISOOH + h\nu \rightarrow MVK + HCHO + HO_2 + OH$	jx(ip_CH3OOH)	see note*
J4501	TrGJCN	$ISON + h\nu \rightarrow MVK + HCHO + NO_2 + HO_2$	3.7*jx(ip_PAN)	von Kuhlmann (2001)
J6000	StTrGJCl	$Cl_2 + h\nu \rightarrow Cl + Cl$	jx(ip_Cl2)	Sander et al. (2014)
J6100	StTrGJCl	$Cl_2O_2 + h\nu \rightarrow 2.0\ LossO3Cl + 2.\ LossO3 + 2\ Cl$	jx(ip_Cl2O2)	Sander et al. (2014)
J6101	StTrGJCl	$OClO + h\nu \rightarrow 1.\ ProdO3 + ClO + O(^3P)$	jx(ip_OClO)	Sander et al. (2014)
J6200	StGJCl	$HCl + h\nu \rightarrow Cl + H$	jx(ip_HCl)	Sander et al. (2014)
J6201	StTrGJCl	$HOCl + h\nu \rightarrow 1.0\ LossO3Cl + 1.\ LossO3 + OH + Cl$	jx(ip_HOCl)	Sander et al. (2014)
J6300	TrGJClN	$ClNO_2 + h\nu \rightarrow 1.\ ProdO3 + Cl + NO_2$	jx(ip_ClNO2)	Sander et al. (2014)
J6301a	StTrGJClN	$ClNO_3 + h\nu \rightarrow Cl + NO_3$	jx(ip_ClNO3)	Sander et al. (2014)
J6301b	StTrGJClN	$ClNO_3 + h\nu \rightarrow ClO + NO_2$	jx(ip_ClONO2)	Sander et al. (2014)
J6400	StGJCl	$CH_3Cl + h\nu \rightarrow 1.0\ ProdLCl + Cl + CH_3O_2$	jx(ip_CH3Cl)	Sander et al. (2014)
J6401	StGJCl	$CCl_4 + h\nu \rightarrow 4.0\ ProdLCl + LCARBON + 4\ Cl$	jx(ip_CCl4)	Sander et al. (2014)
J6402	StGJCCl	$CH_3CCl_3 + h\nu \rightarrow 3.0\ ProdLCl + 2\ LCARBON + 3\ Cl$	jx(ip_CH3CCl3)	Sander et al. (2014)
J6500	StGJClF	$CFCl_3 + h\nu \rightarrow 3.0\ ProdLCl + 3\ Cl + LCARBON + LFLUORINE$	jx(ip_CFCl3)	Sander et al. (2014)
J6501	StGJClF	$CF_2Cl_2 + h\nu \rightarrow 2.0\ ProdLCl + 2\ Cl + LCARBON + 2\ LFLUORINE$	jx(ip_CF2Cl2)	Sander et al. (2014)
J7000	StTrGJBr	$Br_2 + h\nu \rightarrow Br + Br$	jx(ip_Br2)	Sander et al. (2014)
J7100	StTrGJBr	$BrO + h\nu \rightarrow Br + O(^3P)$	jx(ip_BrO)	Sander et al. (2014)
J7200	StTrGJBr	$HOBr + h\nu \rightarrow 1.0\ LossO3Br + 1.\ LossO3 + Br + OH$	jx(ip_HOBr)	Sander et al. (2014)
J7300	TrGJBrN	$BrNO_2 + h\nu \rightarrow 1.\ ProdO3 + Br + NO_2$	jx(ip_BrNO2)	Sander et al. (2014)
J7301	StTrGJBrN	$BrNO_3 + h\nu \rightarrow .85\ Br + .85\ NO_3 + .15\ BrO + .15\ NO_2$	jx(ip_BrNO3)	Sander et al. (2014)*
J7400	StGJBr	$CH_3Br + h\nu \rightarrow 1.0\ ProdLBr + Br + CH_3O_2$	jx(ip_CH3Br)	Sander et al. (2014)

Table 2: Photolysis reactions (... continued)

#	labels	reaction	rate coefficient	reference
J7401	TrGJBr	CH_2Br_2 + hν → 2.0 ProdSBr + LCARBON + 2 Br	jx(ip_CH2Br2)	Sander et al. (2014)
J7402	TrGJBr	$CHBr_3$ + hν → 3.0 ProdSBr + LCARBON + 3 Br	jx(ip_CHBr3)	Sander et al. (2014)
J7500	StGJBrF	CF_3Br + hν → 1.0 ProdLBr + LCARBON + 3 LFLUORINE + Br	jx(ip_CF3Br)	Sander et al. (2014)
J7600	StTrGJBrCl	BrCl + hν → Br + Cl	jx(ip_BrCl)	Sander et al. (2014)
J7601	StGJBrClF	CF_2ClBr + hν → 1.0 ProdLBr + 1.0 ProdLCl + LCARBON + 2 LFLUORINE + Br + Cl	jx(ip_CF2ClBr)	Sander et al. (2014)
J7602	TrGJBrCl	CH_2ClBr + hν → 1.0 ProdSBr + 1.0 ProdSCl + LCARBON + Br + Cl	jx(ip_CH2ClBr)	Sander et al. (2014)
J7603	TrGJBrCl	$CHCl_2Br$ + hν → 1.0 ProdSBr + 2.0 ProdSCl + LCARBON + Br + 2 Cl	jx(ip_CHCl2Br)	Sander et al. (2014)
J7604	TrGJBrCl	$CHClBr_2$ + hν → 2.0 ProdSBr + 1.0 ProdSCl + LCARBON + 2 Br + Cl	jx(ip_CHClBr2)	Sander et al. (2014)
J8401a	StTrGJI	CH_3I + hν → CH_3O_2	JX(ip_CH3I)	Sander et al. (2014)
PH (aqueous)				

General notes

J-values are calculated with an external module (e.g., JVAL) and then supplied to the MECCA chemistry.

Values that originate from the Master Chemical Mechanism (MCM) by Rickard and Pascoe (2009) are translated according in the following way:

J(11) → jx(ip_COH2)
J(12) → jx(ip_CHOH)
J(15) → jx(ip_HOCH2CHO)
J(18) → jx(ip_MACR)
J(22) → jx(ip_ACETOL)
J(23)+J(24) → jx(ip_MVK)
J(31)+J(32)+J(33) → jx(ip_GLYOX)
J(34) → jx(ip_MGLYOX)

J(41) → jx(ip_CH3OOH)
J(53) → J(isopropyl nitrate)
J(54) → J(isopropyl nitrate)
J(55) → J(isopropyl nitrate)
J(56)+J(57) → jx(ip_NOA)

Specific notes

J4302: It is assumed that J(CH_3COCH_2OH) is 0.074 times that of J4101b.

J4304: It is assumed that J($CH_3COCH_2O_2H$) is the same as J(CH_3OOH).

J4306: Following von Kuhlmann et al. (2003), we use J($iC_3H_7ONO_2$) = 3.7*jx(ip_PAN).

J4402: It is assumed that J(MVKOOH) is the same as J(CH_3OOH).

J4405: It is assumed that J(BIACET) is 2.15 times larger than J(MGLYOX), consistent with the photolysis rate coefficients used in the MCM (Rickard and Pascoe, 2009).

J4407: It is assumed that J(MPAN) is the same as J(PAN).

J4500: It is assumed that J(ISOOH) is the same as J(CH_3OOH).

J7301: The quantum yields are recommended by Burkholder et al. (2015) for $\lambda > 300$nm and used here for the entire spectrum.

Table 3: Reversible (Henry's law) equilibria and irreversible ("heterogenous") uptake

#	labels	reaction	rate coefficient	reference

General notes

The forward (`k_exf`) and backward (`k_exb`) rate coefficients are calculated in subroutine `mecca_aero_calc_k_ex` in the file `messy_mecca_aero.f90` using accommodation coefficients and Henry's law constants from chemprop (see `chemprop.pdf`).

For uptake of X (X = N_2O_5, $ClNO_3$, or $BrNO_3$) and subsequent reaction with H_2O, Cl^-, and Br^- in H3201, H6300, H6301, H6302, H7300, H7301, H7302, H7601, and H7602, we define:

$$k_{exf}(X) = \frac{k_{mt}(X) \times LWC}{[H_2O] + 5 \times 10^2 [Cl^-] + 3 \times 10^5 [Br^-]}$$

Here, k_{mt} = mass transfer coefficient, and LWC = liquid water content of the aerosol. The total uptake rate of X is only determined by k_{mt}. The factors only affect the branching between hydrolysis and the halide reactions. The factor 5×10^2 was chosen such that the chloride reaction dominates over hydrolysis at about $[Cl^-] > 0.1$ M (see Fig. 3 in Behnke et al. (1997)), i.e. when the ratio $[H_2O]/[Cl^-]$ is less than 5×10^2. The ratio $5 \times 10^2/3 \times 10^5$ was chosen such that the reactions with chloride and bromide are roughly equal for sea water composition (Behnke et al., 1994). These ratios were measured for uptake of N_2O_5. Here, they are also used for $ClNO_3$ and $BrNO_3$.

Table 4: Heterogeneous reactions

#	labels	reaction	rate coefficient	reference
HET200	StHetN	$N_2O_5 + H_2O \rightarrow 1.0$ LossH2O + 1.0 LossH2ON2O5 + 1.0 LossO3N + 1. LossO3 + 2 HNO_3	khet_St(ihs_N2O5_H2O)	see general notes*
HET201	TrHetN	$N_2O_5 \rightarrow 3.0$ LossO3N + 3. LossO3 + 2 NO_3^-(cs) + 2 H^+(cs)	khet_Tr(iht_N2O5)	see general notes*
HET410	StHetCl	$HOCl + HCl \rightarrow 1.0$ ProdH2O + 1.0 LossO3Cl + 1. LossO3 + Cl_2 + H_2O	khet_St(ihs_HOCl_HCl)	see general notes*
HET420	StHetClN	$ClNO_3 + HCl \rightarrow 0.500000$ LossO3Cl + 0.500000 LossO3N + 1. LossO3 + Cl_2 + HNO_3	khet_St(ihs_ClNO3_HCl)	see general notes*
HET421	StHetClN	$ClNO_3 + H_2O \rightarrow 1.0$ LossH2O + 1.0 LossH2OClNO3 + HOCl + HNO_3	khet_St(ihs_ClNO3_H2O)	see general notes*
HET422	StHetClN	$N_2O_5 + HCl \rightarrow 1.0$ LossO3Cl + 1.0 LossO3N + 2. LossO3 + $ClNO_2$ + HNO_3	khet_St(ihs_N2O5_HCl)	see general notes*
HET510	StHetBr	$HOBr + HBr \rightarrow 1.0$ ProdH2O + 1.0 LossO3Br + 1. LossO3 + Br_2 + H_2O	khet_St(ihs_HOBr_HBr)	see general notes*
HET520	StHetBrN	$BrNO_3 + H_2O \rightarrow 1.0$ LossH2O + 1.0 LossH2OBrNO3 + HOBr + HNO_3	khet_St(ihs_BrNO3_H2O)	see general notes*
HET540	StHetBrClN	$ClNO_3 + HBr \rightarrow 0.333333$ LossO3Br + 0.333333 LossO3Cl + 0.333333 LossO3N + 1. LossO3 + BrCl + HNO_3	khet_St(ihs_ClNO3_HBr)	see general notes*
HET541	StHetBrClN	$BrNO_3 + HCl \rightarrow 0.333333$ LossO3Br + 0.333333 LossO3Cl + 0.333333 LossO3N + 1. LossO3 + BrCl + HNO_3	khet_St(ihs_BrNO3_HCl)	see general notes*
HET542	StHetBrCl	$HOCl + HBr \rightarrow 1.0$ ProdH2O + 0.500000 LossO3Br + 0.500000 LossO3Cl + 1. LossO3 + BrCl + H_2O	khet_St(ihs_HOCl_HBr)	see general notes*
HET543	StHetBrCl	$HOBr + HCl \rightarrow 1.0$ ProdH2O + 0.500000 LossO3Br + 0.500000 LossO3Cl + 1. LossO3 + BrCl + H_2O	khet_St(ihs_HOBr_HCl)	see general notes*

General notes

Heterogeneous reaction rates are calculated with an external module (e.g., MECCA_KHET) and then supplied to the MECCA chemistry (see www.messy-interface.org for details)

Table 5: Acid-base and other equilibria

#	labels	reaction	$K_0[M^{m-n}]$	$-\Delta H/R[K]$	reference

Specific notes

Table 6: Aqueous phase reactions

#	labels	reaction	$k_0 \ [M^{1-n}s^{-1}]$	$-E_a/R[K]$	reference

Specific notes

References

Anderson, L. C. and Fahey, D. W.: Studies with ClONO$_2$: Thermal dissociation rate and catalytic conversion to NO using an NO/O$_3$ chemiluminescence detector, J. Phys. Chem., 94, 644–652, doi: 10.1021/J100365A027, 1990.

Aranda, A., Le Bras, G., La Verdet, G., and Poulet, G.: The BrO + CH$_3$O$_2$ reaction: Kinetics and role in the atmospheric ozone budget, Geophys. Res. Lett., 24, 2745–2748, doi:10.1029/97GL02686, 1997.

Atkinson, R.: Gas-phase tropospheric chemistry of volatile organic compounds: 1. Alkanes and alkenes, J. Phys. Chem. Ref. Data, 26, 215–290, doi:10.1063/1.556012, 1997.

Atkinson, R.: Kinetics of the gas-phase reactions of OH radicals with alkanes and cycloalkanes, Atmos. Chem. Phys., 3, 2233–2307, doi:10.5194/ACP-3-2233-2003, 2003.

Atkinson, R., Baulch, D. L., Cox, R. A., Crowley, J. N., Hampson, R. F., Hynes, R. G., Jenkin, M. E., Rossi, M. J., and Troe, J.: Evaluated kinetic and photochemical data for atmospheric chemistry: Volume I – gas phase reactions of O$_x$, HO$_x$, NO$_x$ and SO$_x$ species, Atmos. Chem. Phys., 4, 1461–1738, doi: 10.5194/ACP-4-1461-2004, 2004.

Atkinson, R., Baulch, D. L., Cox, R. A., Crowley, J. N., Hampson, R. F., Hynes, R. G., Jenkin, M. E., Rossi, M. J., Troe, J., and IUPAC Subcommittee: Evaluated kinetic and photochemical data for atmospheric chemistry: Volume II – gas phase reactions of organic species, Atmos. Chem. Phys., 6, 3625–4055, doi:10.5194/ACP-6-3625-2006, 2006.

Atkinson, R., Baulch, D. L., Cox, R. A., Crowley, J. N., Hampson, R. F., Hynes, R. G., Jenkin, M. E.,

Rossi, M. J., and Troe, J.: Evaluated kinetic and photochemical data for atmospheric chemistry: Volume III – gas phase reactions of inorganic halogens, Atmos. Chem. Phys., 7, 981–1191, doi:10.5194/ACP-7-981-2007, 2007.

Barone, S. B., Turnipseed, A. A., and Ravishankara, A. R.: Role of adducts in the atmospheric oxidation of dimethyl sulfide, Faraday Discuss., 100, 39–54, doi: 10.1039/FD9950000039, 1995.

Bedjanian, Y., Laverdet, G., and Le Bras, G.: Low-pressure study of the reaction of Cl atoms with isoprene, J. Phys. Chem. A, 102, 953–959, doi:10.1021/JP973336C, 1998.

Behnke, W., Scheer, V., and Zetzsch, C.: Production of BrNO$_2$, Br$_2$ and ClNO$_2$ from the reaction between sea spray aerosol and N$_2$O$_5$, J. Aerosol Sci., 25, S277–S278, doi:10.1016/0021-8502(94)90369-7, 1994.

Behnke, W., George, C., Scheer, V., and Zetzsch, C.: Production and decay of ClNO$_2$ from the reaction of gaseous N$_2$O$_5$ with NaCl solution: Bulk and aerosol experiments, J. Geophys. Res., 102D, 3795–3804, doi: 10.1029/96JD03057, 1997.

Boyd, A. A., Flaud, P.-M., Daugey, N., and Lesclaux, R.: Rate constants for RO$_2$ + HO$_2$ reactions measured under a large excess of HO$_2$, J. Phys. Chem. A, 107, 818–821, doi:10.1021/JP026581R, 2003.

Burkholder, J. B., Sander, S. P., Abbatt, J., Barker, J. R., Huie, R. E., Kolb, C. E., Kurylo, M. J., Orkin, V. L., Wilmouth, D. M., and Wine, P. H.: Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies, Evaluation No. 18, JPL Publication 15-10, Jet Propulsion Laboratory, Pasadena, http://jpldataeval.jpl.nasa.gov, 2015.

Canosa-Mas, C. E., King, M. D., Lopez, R., Percival, C. J., Wayne, R. P., Shallcross, D. E., Pyle, J. A., and Daele, V.: Is the reaction between CH$_3$(O)O$_2$ and NO$_3$ important in the night-time troposphere?, J. Chem. Soc. Faraday Trans., 92, 2211–2222, doi: 10.1039/FT9969202211, 1996.

Clyne, M. A. A. and Cruse, H. W.: Atomic resonance fluorescence spectrometry for the rate constants of rapid bimolecular reactions. Part 2. Reactions Cl + BrCl, Cl + Br$_2$, Cl + ICl, Br + IBr, Br + ICl, J. Chem. Soc. Faraday Trans. 2, 68, 1377–1387, doi: 10.1039/F29726801377, 1972.

Dillon, T. J., Horowitz, A., Hölscher, D., Crowley, J. N., Vereecken, L., and Peeters, J.: Reaction of HO with hydroxyacetone (HOCH$_2$C(O)CH$_3$): rate coefficients (233-363 K) and mechanism, Phys. Chem. Chem. Phys., 8, 236–246, doi:10.1039/B513056E, 2006.

Dolson, D. A. and Leone, S. R.: A reinvestigation of the laser-initiated chlorine/hydrogen bromide chain reaction: absolute rate constants and the v = 2/v = 1 ratio from chlorine atom + hydrogen bromide → hydrogen chloride(v) + bromine atom, J. Phys. Chem., 91, 3543–3550, doi:10.1021/J100297A016, 1987.

Dulitz, K., Amedro, D., Dillon, T. J., Pozzer, A., and Crowley, J. N.: Temperature (208–318 K) and pressure (18–696 Torr) dependent rate coefficients for the reaction between OH and HNO$_3$, Atmos. Chem. Phys., 18, 2381–2394, doi:10.5194/acp-18-2381-2018, 2018.

Finkbeiner, M., Crowley, J. N., Horie, O., Müller, R., Moortgat, G. K., and Crutzen, P. J.: Reaction between HO$_2$ and ClO: Product formation between 210 and 300 K, J. Phys. Chem., 99, 16 264–16 275, doi: 10.1021/J100044A011, 1995.

Hynes, A. J. and Wine, P. H.: The atmospheric chemistry of dimethylsulfoxide (DMSO) kinetics and mechanism of the OH + DMSO reaction, J. Atmos. Chem., 24, 23–37, doi:10.1007/BF00053821, 1996.

Ingham, T., Bauer, D., Sander, R., Crutzen, P. J., and Crowley, J. N.: Kinetics and products of the reactions BrO + DMS and Br + DMS at 298 K, J. Phys. Chem. A, 103, 7199–7209, doi:10.1021/JP9905979, 1999.

Jefferson, A., Nicovich, J. M., and Wine, P. H.: Temperature-dependent kinetics studies of the reactions $Br(^2P_{3/2})$ + CH_3SCH_3 $\leftrightarrow$ CH_3SCH_2 + HBr. Heat of formation of the CH_3SCH_2 radical, J. Phys. Chem., 98, 7128–7135, doi:10.1021/J100080A006, 1994.

Jenkin, M., Saunders, S. M., and Pilling, M. J.: The tropospheric degradation of volatile organic compounds: A protocol for mechanism development, Atmos. Environ., 31, 81–104, doi:10.1016/S1352-2310(96)00105-7, 1997.

Kirchner, F. and Stockwell, W. R.: Effect of peroxy radical reactions on the predicted concentrations of ozone, nitrogenous compounds, and radicals, J. Geophys. Res., 101D, 21 007–21 022, doi:10.1029/96JD01519, 1996.

Kohlmann, J.-P. and Poppe, D.: The tropospheric gas-phase degradation of NH_3 and its impact on the formation of N_2O and NO_x, J. Atmos. Chem., 32, 397–415, doi:10.1023/A:1006162910279, 1999.

Kondo, O. and Benson, S. W.: Kinetics and equilibria in the system Br + CH_3OOH $\rightleftharpoons$ HBr + CH_3OO. An upper limit for the heat of formation of the methylperoxy radical, J. Phys. Chem., 88, 6675–6680, doi:10.1021/J150670A034, 1984.

Manion, J. A., Huie, R. E., Levin, R. D., Burgess, Jr., D. R., Orkin, V. L., Tsang, W., McGivern, W. S., Hudgens, J. W., Knyazev, V. D., Atkinson, D. B., Chai, E., Tereza, A. M., Lin, C.-Y., Allison, T. C., Mallard, W. G., Westley, F., Herron, J. T., Hampson, R. F., and Frizzell, D. H.: NIST Chemical Kinetics Database, NIST Standard Reference Database 17 (Web Version), http://kinetics.nist.gov, 2015.

McCabe, D. C., Gierczak, T., Talukdar, R. K., and Ravishankara, A. R.: Kinetics of the reaction OH + CO under atmospheric conditions, Geophys. Res. Lett., 28, 3135–3138, doi:10.1029/2000GL012719, 2001.

Müller, J.-F. and Brasseur, G.: IMAGES: A three-dimensional chemical transport model of the global troposphere, J. Geophys. Res., 100D, 16 445–16 490, doi:10.1029/94JD03254, 1995.

Orlando, J. J. and Tyndall, G. S.: Rate coefficients for the thermal decomposition of $BrONO_2$ and the heat of formation of $BrONO_2$, J. Phys. Chem., 100, 19 398–19 405, doi:10.1021/JP9620274, 1996.

Orlando, J. J., Tyndall, G. S., Bertman, S. B., Chen, W., and Burkholder, J. B.: Rate coefficient for the reaction of OH with $CH_2=C(CH_3)C(O)OONO_2$ (MPAN), Atmos. Environ., 36, 1895–1900, doi:10.1016/S1352-2310(02)00090-0, 2002.

Pöschl, U., von Kuhlmann, R., Poisson, N., and Crutzen, P. J.: Development and intercomparison of condensed isoprene oxidation mechanisms for global atmospheric modeling, J. Atmos. Chem., 37, 29–52, doi:10.1023/A:1006391009798, 2000.

Rickard, A. and Pascoe, S.: The Master Chemical Mechanism (MCM), http://mcm.leeds.ac.uk, 2009.

Roelofs, G.-J. and Lelieveld, J.: Model study of the influence of cross-tropopause O_3 transports of tropospheric O_3 levels, Tellus, 49B, 38–55, doi:10.3402/TELLUSB.V49I1.15949, 1997.

Sander, R., Jöckel, P., Kirner, O., Kunert, A. T., Landgraf, J., and Pozzer, A.: The photolysis module JVAL-14, compatible with the MESSy standard, and the JVal PreProcessor (JVPP), Geosci. Model Dev., 7, 2653–2662, doi:10.5194/GMD-7-2653-2014, 2014.

Sander, S. P., Friedl, R. R., Golden, D. M., Kurylo, M. J., Moortgat, G. K., Keller-Rudek, H., Wine, P. H., Ravishankara, A. R., Kolb, C. E., Molina, M. J., Finlayson-Pitts, B. J., Huie, R. E., and Orkin, V. L.: Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies, Evaluation Number 15, JPL Publication 06-2, Jet Propulsion Laboratory, Pasadena, CA, http://jpldataeval.jpl.nasa.gov, 2006.

Sander, S. P., Abbatt, J., Barker, J. R., Burkholder, J. B., Friedl, R. R., Golden, D. M., Huie, R. E., Kolb, C. E., Kurylo, M. J., Moortgat, G. K., Orkin, V. L., and Wine, P. H.: Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies, Evaluation No. 17, JPL Publication 10-6, Jet Propulsion Laboratory, Pasadena, http://jpldataeval.jpl.nasa.gov, 2011.

Sivakumaran, V., Hölscher, D., Dillon, T. J., and Crowley, J. N.: Reaction between OH and HCHO: temperature dependent rate coefficients (202-399 K) and product pathways (298 K), Phys. Chem. Chem. Phys., 5, 4821–4827, doi:10.1039/B306859E, 2003.

Tyndall, G. S., Staffelbach, T. A., Orlando, J. J., and Calvert, J. G.: Rate coefficients for the reactions of OH radicals with methylglyoxal and acetalde-

hyde, Int. J. Chem. Kinetics, 27, 1009–1020, doi: 10.1002/KIN.550271006, 1995.

Tyndall, G. S., Cox, R. A., Granier, C., Lesclaux, R., Moortgat, G. K., Pilling, M. J., Ravishankara, A. R., and Wallington, T. J.: The atmospheric chemistry of small organic peroxy radicals, J. Geophys. Res., 106D, 12 157–12 182, doi:10.1029/2000JD900746, 2001.

von Kuhlmann, R.: Tropospheric photochemistry of ozone, its precursors and the hydroxyl radical: A 3D-modeling study considering non-methane hydrocarbons, Ph.D. thesis, Johannes Gutenberg-Universität, Mainz, Germany, 2001.

von Kuhlmann, R., Lawrence, M. G., Crutzen, P. J., and Rasch, P. J.: A model for studies of tropospheric ozone and nonmethane hydrocarbons: Model description and ozone results, J. Geophys. Res., 108D, 4294, doi:10.1029/2002JD002893, 2003.

Wallington, T. J., Ammann, M., Cox, R. A., Crowley, J. N., Herrmann, H., Jenkin, M. E., McNeill, V., Mellouki, A., Rossi, M. J., and Troe, J.: IUPAC Task group on atmospheric chemical kinetic data evaluation: Evaluated kinetic data, `http://iupac.pole-ether.fr`, 2017.

Yin, F., Grosjean, D., and Seinfeld, J. H.: Photooxidation of dimethyl sulfide and dimethyl disulfide. I: Mechanism development, J. Atmos. Chem., 11, 309–364, doi:10.1007/BF00053780, 1990.