



Supplement of

Measurement report: Occurrence of aminiums in $\text{PM}_{2.5}$ during winter in China – aminium outbreak during polluted episodes and potential constraints

Yu Xu et al.

Correspondence to: Hua-Yun Xiao (xiaohuayun@sjtu.edu.cn)

The copyright of individual parts of the supplement might differ from the article licence.

Contents of this file

Tables S1–S4

Figures S1–S5

Parameters	Lanzhou (LZ)			Taiyuan (TY)				Haerbin (HEB)		Beijing (BJ)			
	De	c. 2–30, 2017 (n = 17	') ^a	Dec. 2–30, 2017 $(n = 15)^{a}$			Dec. 18,	2017 to Jan. 15, 2018	$(n = 17)^{a}$	Dec. 22, 2017 to Jan. 21, 2018 $(n = 18)^{a}$			
	Clean day	Polluted day	Full period	Clean day	Polluted day	Full period	Clean day	Polluted day	Full period	Clean day	Polluted day	Full period	
PM _{2.5} (µg m ⁻³)	52.33 ± 13.40	111.75 ± 19.17	80.29 ± 33.87	32.50 ± 11.37	135.43 ± 44.91	80.53 ± 60.39	41.60 ± 17.35	133.00 ± 45.60	106.12 ± 57.36	34.00 ± 13.90	115.40 ± 32.40	56.61 ± 41.90	
T (°C)	-5.25 ± 1.72	-4.99 ± 1.10	-5.13 ± 1.47	-4.14 ± 3.77	-3.82 ± 4.70	-3.99 ± 4.23	-12.63 ± 3.27	-15.43 ± 3.10	-14.61 ± 3.40	-6.68 ± 2.51	-2.68 ± 3.83	-3.79 ± 3.94	
RH (%)	52.69 ± 4.87	53.58 ± 8.34	53.11 ± 6.74	35.45 ± 2.46	54.86 ± 13.53	44.51 ± 13.50	65.78 ± 4.06	69.56 ± 6.16	68.45 ± 5.88	40.43 ± 5.78	70.58 ± 14.07	48.80 ± 16.17	
Wind speed (m s ⁻¹)	1.64 ± 0.33	1.63 ± 0.52	1.63 ± 0.43	2.64 ± 0.62	1.57 ± 0.71	2.14 ± 0.85	2.68 ± 0.56	2.36 ± 0.68	2.45 ± 0.67	2.35 ± 0.94	1.65 ± 0.50	2.16 ± 0.90	
$VC^{b} (m^{2} s^{-1})$	434.06 ± 270.98	337.49 ± 201.57	388.61 ± 245.60	1632.49 ± 951.06	352.14 ± 247.19	1034.99 ± 958.60	1253.71 ± 581.83	553.49 ± 268.89	759.44 ± 502.39	760.26 ± 960.35	394.85 ± 367.63	658.76 ± 854.64	
PBLH (m)	250.25 ± 105.49	193.81 ± 63.06	223.69 ± 92.50	571.91 ± 238.95	212.74 ± 80.36	404.29 ± 256.07	452.36 ± 180.19	225.09 ± 75.03	291.94 ± 155.71	268.58 ± 157.05	205.93 ± 119.69	251.18 ± 150.27	
Amount of rainfall (mm)	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00	0.07 ± 0.17 $(n = 1)^{c}$	0.03 ± 0.12 $(n = 1)^{c}$	0.04 ± 0.08 $(n = 1)^{c}$	0.00 ± 0.00	0.01 ± 0.05 $(n = 1)^{c}$	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00	
SO ₂ (µg m ⁻³)	44.56 ± 11.27	68.38 ± 26.58	55.76 ± 23.26	33.75 ± 23.36	100.43 ± 18.31	64.87 ± 39.42	38.00 ± 8.29	62.25 ± 13.91	55.12 ± 16.70	9.08 ± 3.69	10.00 ± 3.90	9.33 ± 3.77	
$NO_2(\mu g m^{-3})$	72.56 ± 16.67	100.63 ± 22.64	85.76 ± 24.18	38.00 ± 11.65	86.43 ± 11.10	60.60 ± 26.71	34.80 ± 7.98	60.42 ± 11.77	52.88 ± 15.90	49.62 ± 14.45	73.60 ± 8.21	56.83 ± 17.25	
$O_3(\mu g m^{-3})$	55.44 ± 11.53	50.00 ± 8.66	52.88 ± 10.63	64.63 ± 12.19	23.43 ± 10.63	45.40 ± 23.55	54.80 ± 1.94	39.08 ± 8.72	43.71 ± 10.30	37.92 ± 15.31	22.80 ± 14.84	33.72 ± 16.63	
$O_x(\mu g m^{-3})$	128.00 ± 12.56	150.63 ± 25.31	138.65 ± 22.64	102.63 ± 7.31	109.86 ± 11.01	106.00 ± 9.91	89.60 ± 7.36	99.50 ± 8.27	96.59 ± 9.20	87.54 ± 11.47	96.40 ± 9.73	90.56 ± 11.55	
NO ₃ (µg m ⁻³)	12.93 ± 6.45	24.73 ± 12.78	18.48 ± 11.56	6.46 ± 1.83	26.72 ± 11.53	15.92 ± 12.89	3.05 ± 1.78	10.72 ± 4.48	8.47 ± 5.23	6.64 ± 3.87	27.80 ± 13.74	12.52 ± 12.37	
SO42- (µg m-3)	10.99 ± 4.84	22.09 ± 11.76	16.21 ± 10.40	9.12 ± 3.85	30.38 ± 15.57	19.04 ± 15.28	5.52 ± 2.08	12.67 ± 5.14	10.56 ± 5.52	3.97 ± 1.48	16.00 ± 7.14	7.31 ± 6.69	
$NH_4^+(\mu g m^{-3})$	6.93 ± 2.81	11.58 ± 6.01	9.11 ± 5.15	6.33 ± 1.68	22.80 ± 13.83	14.02 ± 12.58	3.51 ± 2.09	9.73 ± 3.61	7.90 ± 4.31	4.28 ± 2.85	13.75 ± 10.48	6.91 ± 7.37	
K ⁺ (μg m ⁻³)	0.54 ± 0.23	0.98 ± 0.40	0.75 ± 0.39	0.85 ± 0.27	2.15 ± 0.74	1.46 ± 0.84	0.80 ± 0.52	2.28 ± 0.83	1.85 ± 1.01	0.66 ± 0.44	0.90 ± 0.47	0.73 ± 0.46	
ALW (μg m ⁻³)	10.84 ± 7.00	26.29 ± 15.97	18.11 ± 14.33	6.94 ± 5.86	70.33 ± 87.02	36.52 ± 67.47	11.94 ± 7.67	41.46 ± 17.28	32.78 ± 20.22	7.69 ± 3.29	109.91 ± 149.35	36.09 ± 91.10	
Total org. acids ^d (μg m ⁻³)	0.28 ± 0.37	0.43 ± 0.47	0.35 ± 0.43	0.32 ± 0.29	1.06 ± 0.49	0.67 ± 0.54	0.73 ± 0.17	1.32 ± 0.48	1.15 ± 0.49	0.28 ± 0.16	0.85 ± 0.46	0.43 ± 0.38	
$(NO_3^- + 2SO_4^{2-})$ - $NH_4^+ (\mu g m^{-3})$	27.97 ± 13.30	57.34 ± 24.40	47.79 ± 24.26	18.37 ± 7.67	64.70 ± 28.15	3.99 ± 30.58	10.58 ± 3.95	26.33 ± 10.21	21.69 ± 11.58	10.30 ± 4.93	46.06 ± 18.74	20.23 ± 19.28	
pН	5.01 ± 0.17	5.39 ± 1.01	5.19 ± 0.73	6.09 ± 0.34	5.23 ± 0.41	5.69 ± 0.57	3.61 ± 1.21	4.62 ± 0.85	4.32 ± 1.07	5.86 ± 1.09	4.03 ± 0.79	5.35 ± 1.30	
DMAH ⁺ (µg m ⁻³)	5.70 ± 1.69	10.42 ± 5.70	7.92 ± 4.73	5.15 ± 1.44	19.16 ± 10.44	11.69 ± 10.04	4.19 ± 2.10	11.73 ± 6.33	9.52 ± 6.43	1.97 ± 2.01	2.91 ± 1.60	2.23 ± 1.95	
MMAH ⁺ (µg m ⁻³)	7.49 ± 4.37	12.18 ± 5.01	9.70 ± 5.23	7.90 ± 2.56	28.04 ± 14.44	17.30 ± 14.21	6.23 ± 3.77	23.37 ± 11.85	18.33 ± 12.82	3.66 ± 3.09	5.18 ± 3.14	4.08 ± 3.18	
$EAH^{+}(\mu g m^{-3})$	1.46 ± 1.28	2.80 ± 1.42	2.09 ± 1.50	1.25 ± 0.95	4.66 ± 2.29	2.84 ± 2.41	1.21 ± 0.87	2.87 ± 1.05	2.38 ± 1.26	1.36 ± 0.64	1.35 ± 0.64	1.36 ± 0.86	
DEAH ⁺ (µg m ⁻³)	1.70 ± 0.73	2.37 ± 1.29	2.01 ± 1.09	15.05 ± 9.38	31.27 ± 20.60	22.62 ± 17.62	0.14 ± 0.19	1.04 ± 0.90	0.77 ± 0.87	0.35 ± 0.40	1.18 ± 0.64	0.58 ± 0.61	
PAH^+ (µg m ⁻³)	0.27 ± 0.52	0.74 ± 0.59	0.49 ± 0.60	0.00 ± 0.00	0.34 ± 0.26	0.16 ± 0.25	0.62 ± 0.32	0.85 ± 0.30	0.78 ± 0.32	0.13 ± 0.27	0.54 ± 0.59	0.43 ± 0.55	
BAH ⁺ (µg m ⁻³)	0.40 ± 0.53	1.05 ± 0.73	0.71 ± 0.71	0.16 ± 0.10	0.62 ± 0.23	0.38 ± 0.29	1.11 ± 0.35	0.94 ± 0.33	1.19 ± 0.33	0.83 ± 0.78	0.60 ± 0.42	0.77 ± 0.71	
PYRH ⁺ (µg m ⁻³)	0.72 ± 0.57	1.40 ± 0.65	1.04 ± 0.70	0.65 ± 0.48	3.34 ± 1.23	1.91 ± 1.62	0.58 ± 0.22	1.49 ± 0.45	1.22 ± 0.58	0.60 ± 0.58	0.27 ± 0.36	0.51 ± 0.55	
Total aminiums (µg m ⁻³)	$17.75 \pm 8.06 \ (Y)^{e}$	30.96 ± 12.52	23.97 ± 12.32	30.17 ± 12.87 (Y)	87.45 ± 42.52	56.90 ± 41.81	13.90 ± 6.83 (Y)	42.53 ± 19.92	34.11 ± 21.54	9.31 ± 8.01 (N)	11.62 ± 6.50	9.95 ± 7.69	
TA/NH4 ⁺	2.55 ± 0.53 (N)	3.48 ± 2.97	2.99 ± 2.12	4.19 ± 2.09 (N)	4.33 ± 1.69	4.64 ± 1.94	4.48 ± 1.10 (N)	4.53 ± 2.07	4.51 ± 1.84	2.31 ± 2.15 (N)	1.65 ± 2.18	2.13 ± 2.18	

Table S1. Mean values $(\pm SD)$ of the main parameters observed in different periods and locations.

^aThe numbers in parentheses indicate the number of samples.

^bThe ventilation coefficient (VC) value can be used to characterize the state of atmospheric dilution in pollutant concentrations (Gani et al., 2019). The VC value can be expressed as a product of wind speed and planetary boundary layer height (PBLH).

^cThe numbers in parentheses indicate the days of rainfall.

^dIt represents the total concentrations of six organic acids including formic acid (HCOO⁻), acetic acid (CH₃COO⁻), oxalic acid (C₂O₄²⁻), succinic acid (C₄H₄O₄²⁻), methanesulfonic acid (CH₃SO₃⁻

), and glutaric acid ($C_5H_6O_4^{2-}$).

"The symbols (Y) and (N) indicate significant and insignificant differences (t-Test at 0.05 level) in the average values of the parameters for clean and polluted days, respectively.

Parameters		Xi'an (XA)		Wulumuqi (WLMQ)		Chengdu (CD)		Wuhan (WH)		
	Dec. 22, 2017 to Jan. 20, 2018 $(n = 29)^a$			Mar. 3–28, 2018 $(n = 14)^a$	Dec	. 1–31, 2017 (n = 1	(7) ^a	Dec. 6–29, 2017 $(n = 15)^a$		
	Clean day	Polluted day	Full period	Clean day	Clean day	Polluted day	Full period	Clean day	Polluted day	Full period
PM _{2.5} (μg m ⁻³)	51.00 ± 12.98	159.40 ± 60.09	144.45 ± 67.33	34.07 ± 18.29	56.86 ± 12.06	138.70 ± 29.99	105.00 ± 47.03	56.83 ± 8.59	114.89 ± 21.98	91.67 ± 33.59
T (°C)	-2.02 ± 2.59	-4.17 ± 1.40	-1.68 ± 2.57	6.81 ± 4.14	7.26 ± 3.18	7.78 ± 2.35	7.56 ± 2.73	3.65 ± 2.75	5.21 ± 4.60	4.59 ± 4.04
RH (%)	47.08 ± 9.54	70.98 ± 14.45	67.68 ± 16.14	64.08 ± 12.87	74.30 ± 6.20	78.95 ± 6.25	77.04 ± 6.64	61.67 ± 19.52	64.23 ± 12.08	63.21 ± 15.54
Wind speed (m s ⁻¹)	10.14 ± 2.05	5.14 ± 2.35	5.83 ± 2.89	1.72 ± 0.48	1.28 ± 0.45	1.09 ± 0.21	1.17 ± 0.34	2.40 ± 0.61	1.94 ± 0.63	2.12 ± 0.66
$VC^{b}(m^{2}s^{-1})$	1489.30 ± 553.62	826.75 ± 571.42	918.14 ± 613.15	396.77 ± 164.14	483.56 ± 156.03	296.32 ± 71.82	373.42 ± 146.80	764.58 ± 384.17	437.39 ± 244.80	568.27 ± 347.40
PBLH (m)	159.45 ± 73.12	171.29 ± 82.64	169.65 ± 81.49	230.12 ± 66.52	385.03 ± 61.64	272.50 ± 42.69	318.84 ± 75.52	315.71 ± 116.95	214.63 ± 79.69	255.06 ± 108.32
Amount of rainfall	0.00 . 0.00	1.26 ± 3.07	1.09 ± 2.89	0.29 ± 0.80	0.00 + 0.00	0.00 + 0.00	0.00 + 0.00	0.00 . 0.00	0.00 . 0.00	0.00 + 0.00
(mm)	0.00 ± 0.00	$(n = 5)^{c}$	$(n = 5)^{c}$	$(n = 2)^{c}$	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00
$SO_2(\mu g m^{-3})$	19.75 ± 1.79	31.84 ± 8.83	30.17 ± 9.22	10.71 ± 2.86	11.14 ± 2.17	13.10 ± 2.07	12.29 ± 2.32	12.83 ± 7.31	18.44 ± 4.72	16.20 ± 6.50
$NO_2(\mu g m^{-3})$	79.24 ± 23.93	55.25 ± 6.91	83.08 ± 23.45	35.07 ± 8.77	112.14 ± 9.45	133.50 ± 28.38	124.71 ± 24.92	57.83 ± 17.94	84.00 ± 12.52	73.53 ± 19.67
$O_3(\mu g m^{-3})$	38.55 ± 17.38	66.75 ± 6.30	34.04 ± 14.02	52.29 ± 9.26	50.86 ± 12.14	47.60 ± 19.88	48.94 ± 17.19	40.83 ± 18.90	34.56 ± 19.56	37.07 ± 19.54
$O_x(\mu g m^{-3})$	122.00 ± 7.04	117.12 ± 22.66	117.79 ± 21.26	87.36 ± 12.20	112.14 ± 9.45	133.50 ± 28.38	124.71 ± 24.92	98.67 ± 34.73	118.56 ± 21.92	110.60 ± 29.42
$NO_{3}^{-}(\mu g m^{-3})$	40.39 ± 24.31	9.72 ± 3.20	36.16 ± 24.95	6.68 ± 4.63	11.82 ± 4.37	33.64 ± 14.85	24.65 ± 15.90	15.72 ± 8.16	27.88 ± 10.78	23.02 ± 11.48
SO_4^{2-} (µg m ⁻³)	15.56 ± 12.13	25.13 ± 12.54	23.81 ± 12.91	6.13 ± 3.26	6.45 ± 1.82	16.26 ± 6.47	12.22 ± 7.02	8.59 ± 2.74	10.39 ± 3.68	9.67 ± 3.45
NH_4^+ (µg m ⁻³)	5.18 ± 1.30	21.42 ± 14.12	19.18 ± 14.27	3.54 ± 1.71	5.71 ± 1.96	15.70 ± 8.80	11.59 ± 8.44	7.16 ± 2.04	9.95 ± 3.49	8.83 ± 3.29
$K^{+}(\mu g m^{-3})$	0.91 ± 0.56	2.13 ± 1.70	1.96 ± 1.65	0.16 ± 0.13	0.92 ± 0.31	1.67 ± 0.39	1.36 ± 0.51	0.74 ± 0.29	1.47 ± 0.53	1.18 ± 0.57
ALW (μg m ⁻³)	12.80 ± 10.66	94.99 ± 76.11	83.25 ± 76.21	10.22 ± 6.25	25.21 ± 19.67	107.37 ± 87.24	73.54 ± 79.19	34.36 ± 42.74	37.24 ± 33.06	36.09 ± 37.26
Total org. acids ^d (µg m ⁻³)	0.87 ± 0.59	1.15 ± 1.23	1.11 ± 1.17	0.04 ± 0.03	0.66 ± 0.33	1.99 ± 0.86	1.45 ± 0.95	0.85 ± 0.24	1.10 ± 0.22	1.04 ± 0.29
$(NO_3^- + 2SO_4^{2-})$	(0.00 . 00.07	25.66 . 26.06	64.50 + 24.01	15 24 + 9 45	10.01 . 5.05	50.46 + 17.07	27.51 . 20.72	25.72 . 10.10	20.71 + 12.72	22.52 + 12.00
$-NH_4^+$ (µg m ⁻³)	69.22 ± 33.07	35.00 ± 20.00	64.59 ± 34.21	15.34 ± 8.45	19.01 ± 5.95	50.46 ± 17.27	37.51 ± 20.73	25.73 ± 10.18	$38./1 \pm 13./2$	33.52 ± 13.96
pH	5.07 ± 0.28	4.37 ± 0.69	4.46 ± 0.69	4.31 ± 1.63	3.45 ± 0.22	3.31 ± 0.39	3.37 ± 0.34	3.85 ± 0.99	3.68 ± 0.62	3.75 ± 0.79
DMAH ⁺ (µg m ⁻³)	3.59 ± 1.54	6.75 ± 4.35	6.31 ± 4.22	1.92 ± 0.74	7.75 ± 4.38	15.37 ± 5.23	12.23 ± 6.16	5.43 ± 1.42	8.01 ± 2.95	6.98 ± 2.76
$MMAH^+$ (µg m ⁻³)	8.74 ± 3.19	16.06 ± 9.53	15.05 ± 9.28	1.07 ± 0.55	10.37 ± 5.79	23.71 ± 8.02	18.22 ± 9.73	8.80 ± 3.11	15.35 ± 8.27	12.73 ± 7.43
EAH ⁺ (µg m ⁻³)	3.44 ± 3.01	1.91 ± 1.39	2.12 ± 1.79	0.45 ± 0.06	6.54 ± 4.87	17.00 ± 12.69	12.70 ± 11.45	1.99 ± 1.36	2.03 ± 1.24	2.01 ± 1.29
DEAH ⁺ (µg m ⁻³)	0.84 ± 0.93	1.97 ± 1.54	1.82 ± 1.52	0.65 ± 0.21	3.58 ± 2.66	5.56 ± 1.91	4.75 ± 2.45	1.08 ± 0.25	1.68 ± 0.73	1.44 ± 0.65
$PAH^+(\mu g m^{-3})$	0.48 ± 0.28	0.28 ± 0.37	0.31 ± 0.37	0.00 ± 0.00	0.04 ± 0.07	0.21 ± 0.20	0.14 ± 0.18	0.04 ± 0.07	0.02 ± 0.04	0.03 ± 0.06
BAH^+ (µg m ⁻³)	1.16 ± 0.21	0.86 ± 0.50	0.90 ± 0.48	0.07 ± 0.05	0.25 ± 0.11	0.40 ± 0.16	0.34 ± 0.16	0.20 ± 0.07	0.25 ± 0.09	0.23 ± 0.09
PYRH ⁺ (µg m ⁻³)	1.05 ± 0.08	1.11 ± 0.08	1.11 ± 0.74	0.00 ± 0.00	1.29 ± 0.82	2.49 ± 1.12	1.99 ± 1.16	0.64 ± 0.25	1.29 ± 0.62	1.03 ± 0.60
Total aminiums (µg m-3)	$19.31 \pm 8.31 (Y)^{e}$	28.95 ± 16.75	27.62 ± 16.20	4.16 ± 1.24	29.83 ± 16.75 (Y)	64.73 ± 20.57	50.36 ± 25.68	$18.18 \pm 4.86 (Y)$	28.62 ± 13.09	24.44 ± 11.77
TA/NH4 ⁺	$4.07 \pm 2.19 (\mathbf{Y})$	1.94 ± 1.56	2.24 ± 1.82	1.34 ± 0.54	4.93 ± 1.44 (N)	4.72 ± 1.36	4.81 ± 1.40	3.01 ± 1.15 (N)	2.62 ± 0.61	2.85 ± 0.99

Table S2. Mean values $(\pm SD)$ of the main parameters observed in different periods and locations.

^aThe numbers in parentheses indicate the number of samples.

^bThe VC value can be used to characterize the state of atmospheric dilution in pollutant concentrations (Gani et al., 2019). The VC value can be expressed as a product of wind speed and PBLH.

^cThe numbers in parentheses indicate the days of rainfall.

^dIt represents the total concentrations of six organic acids mentioned in Table S1.

"The symbols (Y) and (N) indicate significant and insignificant differences (t-Test at 0.05 level) in the average values of the parameters for clean and polluted days, respectively.

Parameters		Hangzhou (HZ)			Guangzhou (GZ)		Guiyang (GY)			
	Dec. 4–31, 2017 $(n = 17)^a$			D	ec. 1-30, 2017 (n = 1	7) ^a	Dec. 10, 2017 to Jan. 11, 2018 $(n = 17)^{a}$			
	Clean day	Polluted day	Full period	Clean day	Polluted day	Full period	Clean day	Polluted day	Full period	
PM _{2.5} (μg m ⁻³)	46.38 ± 13.48	105.11 ± 30.01	77.47 ± 37.71	45.33 ± 19.01	83.60 ± 5.31	56.59 ± 23.82	41.47 ± 14.44	100.50 ± 13.50	48.41 ± 23.82	
T (°C)	7.38 ± 3.17	8.00 ± 5.43	7.71 ± 4.52	15.06 ± 4.28	18.41 ± 4.59	16.04 ± 4.63	4.09 ± 3.22	8.80 ± 0.30	4.65 ± 3.39	
RH (%)	64.17 ± 19.25	69.33 ± 15.09	66.90 ± 17.36	63.21 ± 13.12	69.53 ± 6.87	65.07 ± 11.99	79.95 ± 13.27	60.90 ± 2.60	77.71 ± 13.92	
Wind speed (m s ⁻¹)	2.46 ± 0.70	2.19 ± 0.96	2.32 ± 0.86	3.69 ± 1.35	2.13 ± 0.62	3.23 ± 1.38	2.64 ± 0.53	1.58 ± 0.04	2.52 ± 0.60	
VC ^b (m ² s ⁻¹)	970.49 ± 568.32	817.49 ± 776.37	889.49 ± 690.60	1703.32 ± 1018.18	470.35 ± 281.24	1340.69 ± 1034.73	1041.78 ± 512.05	656.11 ± 158.86	996.40 ± 499.76	
PBLH (m)	310.78 ± 182.84	377.66 ± 128.87	342.26 ± 163.18	420.39 ± 141.33	205.03 ± 81.28	357.05 ± 160.22	390.80 ± 167.15	417.31 ± 111.32	393.92 ± 161.81	
Amount of rainfall	4.50 ± 7.31	0.98 ± 2.59	2.64 ± 5.64	0.00 + 0.00	0.14 ± 0.28	0.04 ± 0.16	2.01 ± 5.36	0.00 + 0.00	1.77 ± 5.08	
(mm)	$(n = 3)^{c}$	$(n = 2)^{c}$	$(n = 5)^{c}$	0.00 ± 0.00	$(n = 1)^{c}$	$(n = 1)^{c}$	$(n = 6)^{c}$	0.00 ± 0.00	$(n = 6)^{c}$	
SO ₂ (μg m ⁻³)	12.13 ± 3.26	14.56 ± 2.99	13.41 ± 3.34	15.17 ± 4.49	23.60 ± 1.02	17.65 ± 5.41	30.73 ± 10.30	35.50 ± 0.50	31.29 ± 9.80	
NO ₂ (μg m ⁻³)	59.50 ± 5.48	73.78 ± 15.50	67.06 ± 13.86	64.75 ± 25.49	103.80 ± 15.89	76.24 ± 29.15	36.93 ± 17.94	79.50 ± 5.50	41.94 ± 21.81	
O ₃ (μg m ⁻³)	45.63 ± 19.33	49.78 ± 24.69	47.82 ± 22.43	71.25 ± 21.74	67.40 ± 31.66	70.12 ± 25.13	28.53 ± 17.91	36.00 ± 13.00	29.41 ± 17.57	
$O_x (\mu g m^{-3})$	105.13 ± 19.61	123.56 ± 19.72	114.88 ± 21.71	136.00 ± 39.08	171.20 ± 32.83	146.35 ± 40.65	65.47 ± 24.87	115.50 ± 18.50	71.35 ± 29.09	
NO ₃ ⁻ (μg m ⁻³)	12.56 ± 2.37	30.94 ± 9.81	22.29 ± 11.73	4.39 ± 2.20	9.29 ± 2.87	5.83 ± 3.29	4.44 ± 3.05	9.21 ± 3.47	5.00 ± 3.46	
SO ₄ ²⁻ (μg m ⁻³)	5.37 ± 1.49	10.86 ± 4.12	8.28 ± 4.19	7.67 ± 2.73	12.09 ± 1.89	8.97 ± 3.22	7.35 ± 2.64	17.22 ± 4.60	8.51 ± 4.33	
NH4 ⁺ (μg m ⁻³)	5.55 ± 0.83	13.95 ± 8.36	10.00 ± 7.41	3.51 ± 1.27	6.03 ± 1.02	4.25 ± 1.66	3.25 ± 1.33	7.65 ± 2.55	3.77 ± 2.09	
K ⁺ (μg m ⁻³)	0.63 ± 0.22	1.20 ± 0.23	0.93 ± 0.36	0.57 ± 0.28	1.13 ± 0.15	0.73 ± 0.36	0.38 ± 0.24	1.14 ± 0.18	0.47 ± 0.34	
ALW (μg m ⁻³)	45.58 ± 65.02	78.22 ± 89.59	62.86 ± 80.65	7.34 ± 5.73	18.40 ± 9.42	10.59 ± 8.64	39.83 ± 76.00	16.77 ±	37.12 ± 71.86	
Total org. acids ^d (µg m ⁻³)	0.17 ± 0.10	0.58 ± 0.44	0.39 ± 0.39	0.38 ± 0.42	1.11 ± 0.39	0.59 ± 0.53	0.46 ± 0.32	1.55 ± 0.59	0.59 ± 0.51	
$(NO_{3}^{-} + 2SO_{4}^{2-})$ - NH_{4}^{+} (ug m ⁻³)	17.76 ± 2.11	38.70 ± 9.83	28.84 ± 12.75	16.23 ± 5.41	27.45 ± 4.45	19.53 ± 7.25	15.89 ± 7.18	35.99 ± 10.11	18.25 ± 9.97	
pH	3.76 ± 0.45	3.67 ± 0.68	3.71 ± 0.59	2.44 ± 0.47	2.35 ± 0.36	2.41 ± 0.44	3.22 ± 0.52	3.02 ± 0.37	3.20 ± 0.51	
DMAH ⁺ (μg m ⁻³)	6.71 ± 5.82	16.49 ± 7.39	11.89 ± 8.29	2.36 ± 0.94	6.47 ± 3.71	3.57 ± 2.87	6.67 ± 4.09	16.10 ± 11.30	7.78 ± 6.25	
$MMAH^+$ (µg m ⁻³)	7.85 ± 3.30	26.62 ± 11.81	17.79 ± 12.91	4.94 ± 2.34	10.55 ± 1.80	6.59 ± 3.37	14.36 ± 10.99	45.75 ± 29.35	18.06 ± 17.61	
$EAH^{+}(\mu g m^{-3})$	2.17 ± 1.95	5.93 ± 2.60	4.16 ± 2.98	0.71 ± 0.42	0.94 ± 0.65	0.78 ± 0.51	2.20 ± 1.77	6.45 ± 3.75	2.70 ± 2.51	
$DEAH^+$ (µg m ⁻³)	2.48 ± 2.49	5.79 ± 2.74	4.23 ± 3.10	6.86 ± 4.23	11.28 ± 4.09	8.16 ± 4.65	0.33 ± 0.47	0.35 ± 0.35	0.33 ± 0.46	
$PAH^+(\mu g m^{-3})$	0.16 ± 0.28	0.51 ± 0.46	0.35 ± 0.42	0.29 ± 0.30	0.16 ± 0.32	0.25 ± 0.31	0.54 ± 0.53	1.55 ± 0.65	0.66 ± 0.63	
BAH^+ (µg m ⁻³)	0.39 ± 0.40	0.94 ± 0.53	0.68 ± 0.54	0.47 ± 0.39	0.34 ± 0.34	0.43 ± 0.38	0.88 ± 0.44	1.40 ± 0.30	0.94 ± 0.46	
$PYRH^+$ (µg m ⁻³)	0.45 ± 0.35	1.48 ± 0.53	0.99 ± 0.69	0.36 ± 0.39	0.84 ± 0.40	0.50 ± 0.45	1.72 ± 1.23	4.65 ± 3.05	2.06 ± 1.82	
Total aminiums (µg m ⁻³)	20.22 ± 11.75 (Y) ^e	57.75 ± 23.86	40.09 ± 26.78	$16.00 \pm 6.37 (\mathbf{Y})$	30.57 ± 9.22	20.29 ± 9.89	$26.71 \pm 18.36 (\mathbf{Y})$	76.25 ± 48.75	32.53 ± 28.84	
TA/NH4 ⁺	3.52 ± 1.62 (N)	4.54 ± 1.66	4.06 ± 1.72	5.07 ± 2.60 (N)	5.12 ± 1.42	5.09 ± 2.32	8.37 ± 4.12 (N)	8.82 ± 3.43	8.43 ± 4.04	

Table S3. Mean values $(\pm SD)$ of the main parameters observed in different periods and locations.

^aThe numbers in parentheses indicate the number of samples.

^bThe VC value can be used to characterize the state of atmospheric dilution in pollutant concentrations (Gani et al., 2019). The VC value can be expressed as a product of wind speed and PBLH.

^cThe numbers in parentheses indicate the days of rainfall.

^dIt represents the total concentrations of six organic acids six organic acids mentioned in Table S1.

"The symbols (Y) and (N) indicate significant and insignificant differences (t-Test at 0.05 level) in the average values of the parameters for clean and polluted days, respectively.

Type of site	Research area	Year	Period	DMAH ⁺ (ng m ⁻³)	MMAH ⁺ (ng m ⁻³)	EAH ⁺ (ng m ⁻³)	DEAH ⁺ (ng m ⁻³)	Other aminiums ^a (ng m ⁻³)	Total aminiums (ng m ⁻³)	Reference
	Guangzhou (China)	2020	Summer	15.6	29.1	6.5	40.6	19.5	111.3	(Chen et al., 2022b)
	Guangzhou (China)	2018	Autumn	49.0	243.0	—	1.0	4.0	297.0	(Huang et al., 2022)
	Guangzhou (China)	2015-2016	Winter	28.6	40.4	2.7	7.0	41.3	120	(Liu et al., 2022a)
	Guangzhou (China)	2017-2018	Winter	3.4	6.3	1.3	10.2	2.2	23.4	(Liu et al., 2023)
	Xiamen (China)	2013	Winter	1.7	10.2	5.3	0.9	35.6	53.7	(Ho et al., 2016)
	Hong Kong (China)	2013	Winter	1.5	12.1	4.5	0.9	26.7	45.7	(Ho et al., 2016)
	Shanghai (China)	2013	Summer	15.7	8.9	11.5	38.8°	0	74.9	(Tao et al., 2016)
	Shanghai (China)	2012	Summer	—	2.4	0.2	—	2.2	4.8	(Huang at al. 2016)
		2013	Winter	—	3.9	0.3	—	3.8	8.0	(Hualig et al., 2010)
		2013	Spring	6.4	_	—	4.8	8.4	19.6	
	Shanghai (China)		Summer	9.1	—	—	1.7	0.9	11.7	(7hou at al 2010)
			Autumn	15.5	_	—	2.8	12.7	31.0	(Zhou et al., 2019)
			Winter	27.3	_	—	7.3	35.2	69.8	
Linkow	Shanghai (China)	2017-2018	Winter	8.6	16.0	4.0	3.7	3.5	35.8	(Liu et al., 2023)
UIDall	Yangzhou (China)	2016	Summer	3.6	1.4	12.6	—	0	17.6	(Cheng et al., 2020)
	Yangzhou (China)	2015-2016	Winter	4.3	4.9	15.4	—	0	24.6	(Shen et al., 2017)
	Nanjing (China)	2017-2018	Winter	5.1	6.6	3.5	1.7	2.4	19.3	(Liu et al., 2023)
	Nanjing (China)	2016	Spring	4.2	7.6	21.7	—	0	33.5	
	Naniina (China)	2001	Spring	_	12.5	6.7	—	4.0	23.2	(Vence et al. 2005)
	Nanjing (China)	2001	Autumn	—	5.5	3.7	—	1.7	10.9	(Tang et al., 2003)
			Spring	2.8	_	0.3	1.4	1.3	5.8	
			Summer	3.4	_	0.4	1.2	0.8	5.8	
	Seoul (Korea)	2018	Autumn	2.6	_	0.3	1.3	0.9	5.1	(Choi et al., 2020)
			Winter	2.3	_	0.1	1.4	1.9	5.7	
			Annual	2.7	_	0.3	1.3	1.3	5.6	
	Beijing (China)	2013	Winter	4.3	31.0	14.8	2.1	81.0	133.2	(Ho et al., 2016)
	Xi'an (China)	2017-2018	Winter	5.0	13.2	2.4	1.2	3.6	25.4	(Liu et al., 2023)
	Xi'an (China)	2013	Winter	3.8	24.7	12.6	2.0	62.2	105.3	(Ho et al., 2016)

Table S4. Mean mass concentrations of various aminiums in PM_{2.5} or cloud water in different seasons and locations.

		1		1		I	[
			Spring	_b	16.9	9.7		6.0	32.6		
	Xi'an (China)	2008–2009	Summer	<u> </u>	6.2	3.8		1.6	11.6	(Ho et al. 2015)	
	Xi an (China)		Autumn		14.7	8.4		4.5	27.6	(110 ct un, 2010)	
			Winter		22.3	11.5		6.8	40.6		
	Shanghai (China)	2018	Summer	6.3	15.0	—	20.4	3.9	45.6	(Du et al., 2021)	
	Guangzhou (China)	2021	Winter	4.8	11.3	6.2	7.4	22.7	52.4	(Shu et al., 2023)	
			Winter	12.7	111.0	112.0	8.5 ^c	4.8	249.0	(Yang et al., 2023)	
C11			Spring	15.2	109.0	41.0	10.5 ^c	16.7	192.4		
Suburban	Xuzhou (China)	2015-2016	Summer	16.2	49.7	14.7	11.3°	22.8	114.7		
			Autumn	13.9	53.0	14.3	6.9 ^c	15.6	103.7		
			Annual	14.6	80.8	52.0	9.7°	14.9	172.0		
	Beijing (China)	2017	Winter	1.2	23.3	11.1	0.4	8.9	44.9	(Wang et al., 2022)	
	Guiyang, puding (China)	2017-2018	Winter	8.8	20.6	3.2	0.1	4.5	37.2	(Liu et al., 2023)	
Rural	Baoding (China)	2019-2020	Winter	59.6	20.4	—	79.1	170.7	329.8	(Feng et al., 2022)	
	Egbert (Canada)	2010	Autumn	0.1			1.0 ^c	0	1.1	(Vandenboer et al., 2012)	
		2016–2017	Summer	5.0	11.9	<u> </u> _	1.7	2.1	20.7	(Liu et al., 2018)	
Forest	Nanling (China)		Autumn	2.4	8.8		1.1	0.1	12.4	-	
		2018	Winter	58.7	8.5	2.7	8.4	52.4	130.7	(Liu et al., 2022b)	
	Qingdao (China)	2019	Winter	86.3	6.9	2.4	8.7	28.6	132.9		
		2006–2007	Winter	4.6	4.5	4.4	4.2	102.1	119.8	(11	
	Zonguldak (Turkey)		Summer	2.8	2.3	2.2	2.8	66.6	76.7	- (Akyüz, 2008)	
	Huaniao Island (China)	2016	Summer	4.0	 _		8.7°	0	12.7	(Zhou et al., 2019)	
	The coastline of the East		*****								
Coastal,	China Sea, South China Sea,	2018	Spring	30.1	_	_	_	_	_	(Chen et al., 2022a)	
Marine,	and Yellow Sea										
or polar		2020	Winter	3.91		_	_	_		·	
areas		2020	(non-cold)								
	Northwest Atlantic	2020	Winter (cold)	7.39	<u> </u> _	<u> </u> _		_	—	(Corral et al., 2022)	
		2020	Summer	0.63	 _	 _	—			-	
	South of the southern		+								
	boundary of the Antarctic	2015	Winter	2.02	0.34	0.12	3.84	0.81	7.13	(Dall'osto et al., 2019)	
	Circumpolar Current										
	North of the southern	2015	Winter	0.7	0.05	0.01	0.61	0.12	1.49	(Dall'osto et al., 2019)	

boundary of the Antarctic			
Circumpolar Current			

^aIt indicates the total concentrations of other aminiums including triethylaminium (TEAH⁺), PAH⁺, BAH⁺, PYRH⁺, morpholine (MORH⁺), or monoethanolaminium (MEOH⁺).

^bThe symbol "–" indicates no data.

^cIt indicates the sum of TMAH⁺ and DEAH⁺ concentrations.



Figure S1. The locations of the sampling sites. The map was derived from [®]MeteoInfoMap (version 3.3.0) (Chinese Academy of Meteorological Sciences, China).



Figure S2. Diagrams presenting correlations between the concentrations of various aminiums and other parameters at (a-k) different sites. The colors of the different solid circles indicate different correlation coefficients *r*. The size of the solid circle indicates the significance of the correlation between the two corresponding parameters: the larger circle indicates that the correlation is more significant, while the symbol "×" indicates that the *P*-value is greater than 0.05.



Figure S3. Concentration of TA as a function of acidity (expressed as (NO₃⁻ + 2SO₄²⁻)
- NH4⁺) (Feng et al., 2022) at the (a) LZ, (b) TY, (c) HEB, (d) BJ, (e) XA, (f) WLMQ,
(g) CD, (h) WH, (i) HZ, (j) GZ, and (k) GY sites. Open circles represent outliers.



Figure S4. Mean TA/($NH_3 + NH_4^+$) ratios on clean and polluted days in different cities. The triangle and the shaded area represent the mean value and the corresponding standard deviation, respectively. The concentration of NH_3 was predicated using ISORROPIA-II (Guo et al., 2015).



Figure S5. Scatterplots of the mass concentration of NH_4^+ with the ratio of TA to NH_4^+ at the (a) LZ, (b) TY, (c) HEB, (d) BJ, (e) XA, (f) WLMQ, (g) CD, (h) WH, (i) HZ, (j) GZ, and (k) GY sites.

REFERENCES

- Akyüz, M.: Simultaneous determination of aliphatic and aromatic amines in ambient air and airborne particulate matters by gas chromatography-mass spectrometry,
 Atmospheric Environment, 42, 3809-3819, https://doi.org/10.1016/j.atmosenv.2007.12.057, 2008.
- Chen, D., Yao, X., Chan, C. K., Tian, X., Chu, Y., Clegg, S. L., Shen, Y., Gao, Y., and Gao, H.: Competitive Uptake of Dimethylamine and Trimethylamine against Ammonia on Acidic Particles in Marine Atmospheres, Environmental Science & Technology, 56, 5430-5439, 10.1021/acs.est.1c08713, 2022a.
- Chen, Y., Lin, Q., Li, G., and An, T.: A new method of simultaneous determination of atmospheric amines in gaseous and particulate phases by gas chromatographymass spectrometry, J Environ Sci (China), 114, 401-411, 10.1016/j.jes.2021.09.027, 2022b.
- Cheng, G., Hu, Y., Sun, M., Chen, Y., Chen, Y., Zong, C., Chen, J., and Ge, X.: Characteristics and potential source areas of aliphatic amines in PM2.5 in Yangzhou, China, Atmospheric Pollution Research, 11, 296-302, https://doi.org/10.1016/j.apr.2019.11.002, 2020.
- Choi, N. R., Lee, J. Y., Ahn, Y. G., and Kim, Y. P.: Determination of atmospheric amines at Seoul, South Korea via gas chromatography/tandem mass spectrometry, Chemosphere, 258, 127367, 10.1016/j.chemosphere.2020.127367, 2020.

Corral, A. F., Choi, Y., Collister, B. L., Crosbie, E., Dadashazar, H., DiGangi, J. P.,

Diskin, G. S., Fenn, M., Kirschler, S., Moore, R. H., Nowak, J. B., Shook, M. A., Stahl, C. T., Shingler, T., Thornhill, K. L., Voigt, C., Ziemba, L. D., and Sorooshian, A.: Dimethylamine in cloud water: a case study over the northwest Atlantic Ocean, Environmental Science: Atmospheres, 2, 1534-1550, 10.1039/D2EA00117A, 2022.

- Dall'Osto, M., Airs, R. L., Beale, R., Cree, C., Fitzsimons, M. F., Beddows, D., Harrison, R. M., Ceburnis, D., O'Dowd, C., Rinaldi, M., Paglione, M., Nenes, A., Decesari, S., and Simó, R.: Simultaneous Detection of Alkylamines in the Surface Ocean and Atmosphere of the Antarctic Sympagic Environment, ACS Earth and Space Chemistry, 3, 854-862, 10.1021/acsearthspacechem.9b00028, 2019.
- Du, W., Wang, X., Yang, F., Bai, K., Wu, C., Liu, S., Wang, F., Lv, S., Chen, Y., Wang, J., Liu, W., Wang, L., Chen, X., and Wang, G.: Particulate Amines in the Background Atmosphere of the Yangtze River Delta, China: Concentration, Size Distribution, and Sources, Advances in Atmospheric Sciences, 38, 1128-1140, 10.1007/s00376-021-0274-0, 2021.
- Feng, X., Wang, C., Feng, Y., Cai, J., Zhang, Y., Qi, X., Li, Q., Li, J., and Chen, Y.:
 Outbreaks of Ethyl-Amines during Haze Episodes in North China Plain: A
 Potential Source of Amines from Ethanol Gasoline Vehicle Emission,
 Environmental Science & Technology Letters, 9, 306-311,
 10.1021/acs.estlett.2c00145, 2022.

Gani, S., Bhandari, S., Seraj, S., Wang, D. S., Patel, K., Soni, P., Arub, Z., Habib, G.,

Hildebrandt Ruiz, L., and Apte, J. S.: Submicron aerosol composition in the world's most polluted megacity: the Delhi Aerosol Supersite study, Atmos. Chem. Phys., 19, 6843-6859, 10.5194/acp-19-6843-2019, 2019.

- Guo, H. Y., Xu, L., Bougiatioti, A., Cerully, K. M., Capps, S. L., Hite Jr, J., Carlton, A., Lee, S. H., Bergin, M., and Ng, N.: Fine-particle water and pH in the southeastern United States, Atmos. Chem. Phys., 15, 5211-5228. https://doi.org/5210.5194/acp-5215-5211-2015, 2015.
- Ho, K.-F., Ho, S. S. H., Huang, R.-J., Chuang, H.-C., Cao, J.-J., Han, Y., Lui, K.-H., Ning, Z., Chuang, K.-J., Cheng, T.-J., Lee, S.-C., Hu, D., Wang, B., and Zhang, R.: Chemical composition and bioreactivity of PM2.5 during 2013 haze events in China, Atmospheric Environment, 126, 162-170, https://doi.org/10.1016/j.atmosenv.2015.11.055, 2016.
- Ho, K. F., Ho, S. S. H., Huang, R.-J., Liu, S. X., Cao, J.-J., Zhang, T., Chuang, H.-C., Chan, C. S., Hu, D., and Tian, L.: Characteristics of water-soluble organic nitrogen in fine particulate matter in the continental area of China, Atmospheric Environment, 106, 252-261, https://doi.org/10.1016/j.atmosenv.2015.02.010, 2015.
- Huang, S., Song, Q., Hu, W., Yuan, B., Liu, J., Jiang, B., Li, W., Wu, C., Jiang, F., Chen, W., Wang, X., and Shao, M.: Chemical composition and sources of amines in PM2.5 in an urban site of PRD, China, Environmental Research, 212, 113261, https://doi.org/10.1016/j.envres.2022.113261, 2022.
- Huang, X., Deng, C., Zhuang, G., Lin, J., and Xiao, M.: Quantitative analysis of

aliphatic amines in urban aerosols based on online derivatization and high performance liquid chromatography, Environmental Science: Processes & Impacts, 18, 796-801, 10.1039/C6EM00197A, 2016.

- Liu, F., Zhang, G., Lian, X., Fu, Y., Lin, Q., Yang, Y., Bi, X., Wang, X., Peng, P. a., and Sheng, G.: Influence of meteorological parameters and oxidizing capacity on characteristics of airborne particulate amines in an urban area of the Pearl River Delta, China, Environmental Research, 212, 113212, https://doi.org/10.1016/j.envres.2022.113212, 2022a.
- Liu, F., Bi, X., Zhang, G., Lian, X., Fu, Y., Yang, Y., Lin, Q., Jiang, F., Wang, X., Peng,
 P. a., and Sheng, G.: Gas-to-particle partitioning of atmospheric amines observed at a mountain site in southern China, Atmospheric Environment, 195, 1-11, https://doi.org/10.1016/j.atmosenv.2018.09.038, 2018.
- Liu, T., Xu, Y., Sun, Q.-B., Xiao, H.-W., Zhu, R.-G., Li, C.-X., Li, Z.-Y., Zhang, K.-Q., Sun, C.-X., and Xiao, H.-Y.: Characteristics, Origins, and Atmospheric Processes of Amines in Fine Aerosol Particles in Winter in China, J. Geophys. Res.: Atmos., 128, e2023JD038974, https://doi.org/10.1029/2023JD038974, 2023.
- Liu, Z., Li, M., Wang, X., Liang, Y., Jiang, Y., Chen, J., Mu, J., Zhu, Y., Meng, H., Yang, L., Hou, K., Wang, Y., and Xue, L.: Large contributions of anthropogenic sources to amines in fine particles at a coastal area in northern China in winter, Science of The Total Environment, 839, 156281, https://doi.org/10.1016/j.scitotenv.2022.156281, 2022b.

- Shen, W., Ren, L., Zhao, Y., Zhou, L., Dai, L., Ge, X., Kong, S., Yan, Q., Xu, H., Jiang, Y., He, J., Chen, M., and Yu, H.: C1-C2 alkyl aminiums in urban aerosols: Insights from ambient and fuel combustion emission measurements in the Yangtze River Delta region of China, Environmental pollution, 230, 12-21, https://doi.org/10.1016/j.envpol.2017.06.034, 2017.
- Shu, Q., Pei, C., Lin, X., Hong, D., Lai, S., and Zhang, Y.: Variations of aminiums in fine particles at a suburban site in Guangzhou, China: Importance of anthropogenic and natural emissions, Particuology, 80, 140-147, https://doi.org/10.1016/j.partic.2022.11.019, 2023.
- Tao, Y., Ye, X., Jiang, S., Yang, X., Chen, J., Xie, Y., and Wang, R.: Effects of amines on particle growth observed in new particle formation events, Journal of Geophysical Research: Atmospheres, 121, 324-335, https://doi.org/10.1002/2015JD024245, 2016.
- VandenBoer, T. C., Markovic, M. Z., Petroff, A., Czar, M. F., Borduas, N., and Murphy, J. G.: Ion chromatographic separation and quantitation of alkyl methylamines and ethylamines in atmospheric gas and particulate matter using preconcentration and suppressed conductivity detection, J Chromatogr A, 1252, 74-83, 10.1016/j.chroma.2012.06.062, 2012.
- Wang, M., Wang, Q., Ho, S. S. H., Li, H., Zhang, R., Ran, W., Qu, L., Lee, S. C., and Cao, J.: Chemical characteristics and sources of nitrogen-containing organic compounds at a regional site in the North China Plain during the transition period of autumn and winter, Sci Total Environ, 812, 151451,

10.1016/j.scitotenv.2021.151451, 2022.

- Yang, H., Yu, J. Z., Ho, S. S. H., Xu, J., Wu, W.-S., Wan, C. H., Wang, X., Wang, X., and Wang, L.: The chemical composition of inorganic and carbonaceous materials in PM2.5 in Nanjing, China, Atmospheric Environment, 39, 3735-3749, https://doi.org/10.1016/j.atmosenv.2005.03.010, 2005.
- Yang, X.-Y., Cao, F., Fan, M.-Y., Lin, Y.-C., Xie, F., and Zhang, Y.-L.: Seasonal variations of low molecular alkyl amines in PM2.5 in a North China Plain industrial city: Importance of secondary formation and combustion emissions, Science of The Total Environment, 857, 159371, https://doi.org/10.1016/j.scitotenv.2022.159371, 2023.
- Zhou, S., Li, H., Yang, T., Chen, Y., Deng, C., Gao, Y., Chen, C., and Xu, J.: Characteristics and sources of aerosol aminiums over the eastern coast of China: insights from the integrated observations in a coastal city, adjacent island and surrounding marginal seas, Atmospheric Chemistry and Physics, 19, 10447-10467, 10.5194/acp-19-10447-2019, 2019.