



## Supplement of

## Tropospheric ozone precursors: global and regional distributions, trends, and variability

Yasin Elshorbany et al.

Correspondence to: Yasin Elshorbany (elshorbany@usf.edu)

The copyright of individual parts of the supplement might differ from the article licence.

Station	Country or region	Latitude	Longitude	Source	Link
Alert	Canada	82.50	-62.30	HEGIFTOM	https://hegiftom.meteo.be/
Eureka	Canada	80.05	-86.42	HEGIFTOM	https://hegiftom.meteo.be/
Resolute	Canada	74.72	-97.98	HEGIFTOM	https://hegiftom.meteo.be/
Churchill	Canada	58.74	-94.07	HEGIFTOM	https://hegiftom.meteo.be/
Edmonton	Canada	53.55	-114.10	HEGIFTOM	https://hegiftom.meteo.be/
Goose Bay	Canada	53.30	-60.39	HEGIFTOM	https://hegiftom.meteo.be/
Legionowo	Poland	52.40	20.97	HEGIFTOM	https://hegiftom.meteo.be/
De Bilt	Netherlands	52.10	5.18	HEGIFTOM	https://hegiftom.meteo.be/
Uccle	Belgium	50.80	4.36	HEGIFTOM	https://hegiftom.meteo.be/
Kelowna	Canada	49.93	-119.40	HEGIFTOM	https://hegiftom.meteo.be/
Payerne	Switzerland	46.81	6.94	HEGIFTOM	https://hegiftom.meteo.be/
Yarmouth	Canada	43.87	-66.11	HEGIFTOM	https://hegiftom.meteo.be/
Madrid	Spain	40.45	-3.72	HEGIFTOM	https://hegiftom.meteo.be/
Izaña	Spain	28.30	-16.48	HEGIFTOM	https://hegiftom.meteo.be/
Paramaribo	Suriname	5.81	-55.21	HEGIFTOM	https://hegiftom.meteo.be/
Lauder	New Zealand	-45.04	169.68	HEGIFTOM	https://hegiftom.meteo.be/
Ny-Ålesund	Norway	78.91	11.88	NDACC	https://www-
The la	Quartert	70.50	00.74		air.larc.nasa.gov/missions/ndacc/data.html
Inule	Greenland	76.53	-68.74	NDACC	nttps://www- air larc pasa gov/missions/pdacc/data.html
Scoresbysund	Greenland	70.48	-21 97	NDACC	https://www-
Coorcobysana	Creenland	70.40	21.07		air.larc.nasa.gov/missions/ndacc/data.html
Sodankylä	Finland	67.37	26.65	NDACC	https://www-
, <b>,</b> .					air.larc.nasa.gov/missions/ndacc/data.html
Haute Provence	France	43.94	5.71	NDACC	https://www-
					air.larc.nasa.gov/missions/ndacc/data.html
Dumont d'Urville	Antarctica	-66.67	140.00	NDACC	https://www-
					air.larc.nasa.gov/missions/ndacc/data.html
Neumayer	Antarctica	-70.65	-8.25	NDACC	https://www-
					air.larc.nasa.gov/missions/ndacc/data.html
McMurdo	Antarctica	-77.85	166.67	NDACC	https://www-
					air.larc.nasa.gov/missions/ndacc/data.html

Table S 1: List of ozone sonde stations used in the study.

Station	Country or region	Latitude	Longitude	Source	Link
Belgrano	Antarctica	-77.87	-34.62	NDACC	https://www- air.larc.nasa.gov/missions/ndacc/data.html
Summit	Greenland	72.34	-38.29	NOAA	ftp://ftp.gml.noaa.gov/data/ozwv/Ozonesonde
Trinidad Head	United States	40.80	-124.16	NOAA	ftp://ftp.gml.noaa.gov/data/ozwv/Ozonesonde /
Boulder ESRL HQ (CO)	United States	39.99	-105.26	NOAA	ftp://ftp.gml.noaa.gov/data/ozwv/Ozonesonde /
Huntsville	United States	34.72	-86.64	NOAA	ftp://ftp.gml.noaa.gov/data/ozwv/Ozonesonde /
South Pole	Antarctica	-90.00	-169.00	NOAA	ftp://ftp.gml.noaa.gov/data/ozwv/Ozonesonde /
Wallops Island	United States	37.93	-75.47	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Hanoi	Vietnam	21.01	105.80	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Hilo (HI)	Northeastern Pacific	19.58	-155.07	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Costa Rica	Costa Rica	9.94	-84.04	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Kuala Lumpur	Malaysia	2.73	101.27	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
San Cristobal	Galapagos	-0.92	-89.62	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Nairobi	Kenya	-1.30	36.75	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Natal	Brazil	-6.00	-35.20	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Watukosek	Java	-7.50	112.60	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Ascension	South Atlantic	-7.58	-14.24	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Samoa (Cape Matatula)	Southeastern Pacific	-14.25	-170.56	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Fiji	South Pacific	-18.13	178.40	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
La Réunion	Southwestern Indian Ocean	-21.08	55.38	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht ml
Irene	South Africa	-25.90	28.22	SHADOZ	https://tropo.gsfc.nasa.gov/shadoz/Archive.ht

Station	Country or region	Latitude	Longitude	Source	Link
Idabel	United States	33.90	-94.75	TOPP	http://www.ruf.rice.edu/%7Eozone/
Houston	United States	29.72	-95.34	TOPP	http://www.ruf.rice.edu/%7Eozone/
Quito	Ecuador	-0.20	-78.44	USFQ	https://observaciones-iia.usfq.edu.ec/
Lerwick	United Kingdom	60.13	-1.10	WOUDC	https://woudc.org/data/explore.php?lang=en
Lindenberg	Germany	52.21	14.12	WOUDC	https://woudc.org/data/explore.php?lang=en
Valentia	Ireland	51.94	-10.25	WOUDC	https://woudc.org/data/explore.php?lang=en
Prague	Czech Republic	50.01	14.45	WOUDC	https://woudc.org/data/explore.php?lang=en
Hohenpeissenber	Germany	47.80	11.01	WOUDC	https://woudc.org/data/explore.php?lang=en
g					
Sapporo	Japan	43.06	141.33	WOUDC	https://woudc.org/data/explore.php?lang=en
Tateno (Tsukuba)	Japan	36.10	140.13	WOUDC	https://woudc.org/data/explore.php?lang=en
Naha	Japan	26.20	127.68	WOUDC	https://woudc.org/data/explore.php?lang=en
Hong Kong	China	22.31	114.17	WOUDC	https://woudc.org/data/explore.php?lang=en
Broadmeadows	Australia	-37.69	144.95	WOUDC	https://woudc.org/data/explore.php?lang=en
Macquarie Island	Australia	-54.50	158.94	WOUDC	https://woudc.org/data/explore.php?lang=en
Marambio	Antarctica	-64.24	-56.62	WOUDC	https://woudc.org/data/explore.php?lang=en
Davis	Australia	-68.58	77.97	WOUDC	https://woudc.org/data/explore.php?lang=en
Syowa	Antarctica	-69.00	39.58	WOUDC	https://woudc.org/data/explore.php?lang=en

## **CO MOPITT and CAM-chem simulation:**

We compare simulations made by the Community Atmosphere Model with chemistry (CAMchem) of the Community Earth System Model (CESM) version 2.1. The model is run at nominal 1°x1°, with comprehensive tropospheric and stratospheric chemistry, and includes nudging to the MERRA-2 reanalysis (Danabasoglu et al., 2020; Emmons et al., 2020). A baseline simulation uses the daily Quick-Fire Emissions Dataset (QFED) and monthly anthropogenic inventory from CAMS-GLOB-ANTv5.1 (Soulié et al., 2023). The anthropogenic CO emissions were replaced by the Community Emissions Data System version 2 or CEDSv2 (McDuffie et al., 2020).



Figure S 1: MOPITT monthly average CO anomalies in column average volume mixing ratio (VMR), 2005-2021 (black). Updated dataset based on Buchholz et al. (2021). Data is Level 3, monthly average daytime observations, using version 9 joint NIR/TIR retrievals. Regions are defined in Figures 10 and 11. Trends are calculated on anomalies 2005-2019. The weighted Least Squares trend (red) is weighted by the monthly regional standard deviation. The quantile regression trend is also shown (pink). The quantile regression trend is also shown (pink). Grey line indicates zero. CESM simulation results are shown as a comparison. Model output was

convolved with the MOPITT averaging kernel prior to calculating regional month average CO anomalies (blue solid line) and WLS trends (blue dotted line).



Figure S 2: Map of the regions used for computing the regional OMI QA4ECV TrC-NO $_2$  and TrC-HCHO trends.



Figure S 3: Monthly regional time series of OMI TrC-NO<sub>2</sub>.



Figure S 4: Monthly regional time series of MOPITT TC-CO.



Figure S 5: Monthly regional time series of OMI TrC-HCHO.



Figure S 6: Monthly regional time series of OMI TrC-HCHO/NO<sub>2</sub>.

## Seasonal O<sub>3</sub> trends



Figure S 7: Seasonal trends in tropospheric column ozone from 2005 to 2019. Asterisks denote 95% confidence trends.