



**Corrigendum to
“Assessment of smoke plume height products derived
from multisource satellite observations using
lidar-derived height metrics for wildfires
in the western US” published in Atmos. Chem. Phys., 24,
3673–3698, 2024**

Jingting Huang^{1,a}, S. Marcela Loría-Salazar², Min Deng³, Jaehwa Lee^{4,5}, and Heather A. Holmes¹

¹Department of Chemical Engineering, University of Utah, Salt Lake City, UT 84112, USA

²School of Meteorology, University of Oklahoma, Norman, OK 73072, USA

³Environmental and Climate Sciences Department, Brookhaven National Laboratory, Upton, NY 11973, USA

⁴Earth System Science Interdisciplinary Center, University of Maryland, College Park, MD 20740, USA

⁵NASA Goddard Space Flight Center, Greenbelt, MD 20771, USA

^anow at: School of Environmental, Civil, Agricultural and Mechanical Engineering, University of Georgia,
Athens, GA 30602, USA

Correspondence: Jingting Huang (jingting.huang@uga.edu)

Published: 22 April 2024

During the file upload for the manuscript, an incorrect version of Fig. 7 was used in which the legend for the TROPOMI/ALH pixels in Fig. 7a was not included. The correct figure is shown below. Moreover, the flight date for the South Sugarloaf Fire in Table 2 should be 23 August 2018.




Figure 7. Panel (a) is the same as Fig. 6a but for the nearest satellite pixels of MODIS-Aqua/MAIAC, VIIRS/ASHE, and TROPOMI/ALH to the corresponding airborne lidar points along the 0819b flight track during the reconstructed time period from 20:43 to 23:18 UTC (highlighted in green). Note that the NASA Worldview true-color images (both MODIS Aqua and VIIRS are used) at the corresponding moment are shown beneath the satellite-retrieved SPH maps, along with the user-drawn smoke plume polygons (denoted as the dashed white region). Panel (b) is the same as Fig. 6b but for the Watson Creek Fire in the afternoon on 19 August 2018.