



Supplement of

HONO formation mechanisms and impacts on ambient oxidants in coastal regions of Fujian, China

Haoran Zhang et al.

Correspondence to: Xin Huang (xinhuang@nju.edu.cn)

The copyright of individual parts of the supplement might differ from the article licence.

22 **Table S1.** List of the configurations in different modeling cases for sensitivity experiments.

CASE	Meteorology	Continental Emission	Shipping emission	HONO sources	Comments
BASE	FNL input and FDDA nudging	MEIC (Anth.) and MEGAN (Bio.)	SEIM shipping emissions	Only considering NO+OH	REV minus BASE to reveal the impacts of HONO on oxidants
REV	FNL input and FDDA nudging	MEIC (Anth.) and MEGAN (Bio.)	SEIM shipping emissions	NO+OH and HONO source updates	
Noship	FNL input and FDDA nudging	MEIC (Anth.) and MEGAN (Bio.)	No shipping emissions	NO+OH and HONO source updates	REV minus Noship to reveal the contribution of shipping emissions to coastal HONO formation

23

24

25 **Table S2.** List of the observed HONO concentrations from previous literature.

Location	Site type	Time	HONO (ppbv)	References
Xinken, PRD	Suburban	13 Oct to 2 Nov 2004	1.20	(Su et al., 2008)
Beijing, NCP	Urban	13 to 25 Aug 2007	1.02	(Li et al., 2011)
Back Garden, PRD	Rural	3 to 26 Jul 2006	0.60	(Li et al., 2012)
Beijing, NCP	Urban	23 Jan to 14 Feb 2007	1.04	(Spataro et al., 2013)
Beijing, NCP	Urban	2 to 31 Aug 2007	1.45	(Spataro et al., 2013)
Nanjing, YRD	Suburban	18 Apr to 25 Jun 2012	0.76	(Nie et al., 2015)
Hong Kong	Suburban	3 Aug to 7 Sep 2011	0.66	(Xu et al., 2015)
Hong Kong	Suburban	1 Nov to 3 Dec 2011	0.93	(Xu et al., 2015)
Hong Kong	Suburban	3 Feb to 9 Mar 2012	0.91	(Xu et al., 2015)
Hong Kong	Suburban	1 to 31 May 2012	0.35	(Xu et al., 2015)
Hong Kong	Urban	1 to 31 May 2012	3.30	(Yun et al., 2017)
Jinan, NCP	Urban	1 Dec 2015 to 29 Feb 2016	1.71	(Li et al., 2018)
Jinan, NCP	Urban	1 Apr to 31 May 2016	1.16	(Li et al., 2018)
Jinan, NCP	Urban	1 Jun to 31 Aug 2016	1.12	(Li et al., 2018)
Jinan, NCP	Urban	1 Sep to 30 Nov 2015	0.78	(Li et al., 2018)
Heshan, PRD	Suburban	4 to 8 Jan 2017	2.65	(Fu et al., 2019)
Nanjing, YRD	Suburban	1 Dec 2017 to 28 Feb 2018	1.04	(Liu et al., 2019)
Nanjing, YRD	Suburban	1 Apr to 31 May 2018	0.68	(Liu et al., 2019)
Nanjing, YRD	Suburban	1 Jun to 31 Aug 2018	0.45	(Liu et al., 2019)
Nanjing, YRD	Suburban	1 Sep to 30 Nov 2018	0.66	(Liu et al., 2019)
Beijing, NCP	Urban	15 to 31 Aug 2006	1.64	(Zhang et al., 2019a)
Beijing, NCP	Suburban	15 to 31 Aug 2006	0.76	(Zhang et al., 2019a)
Wangdu, NCP	Rural	29 Nov to 3 Dec 2017	1.87	(Zhang et al., 2019b)
YelRD, NCP	Rural	8 Feb to 24 Mar 2017	0.26	(Gu et al., 2020)
YelRD, NCP	Rural	1 Jun to 10 Jul 2017	0.17	(Gu et al., 2020)
Beijing, NCP	Urban	22 to 31 Jul 2016	0.87	(Guo et al., 2020)
Shanghai, YRD	Urban	7 to 13 Jul 2013	0.69	(Guo et al., 2020)
Guangzhou, PRD	Urban	18 Oct to 1 Nov 2015	1.09	(Guo et al., 2020)
Mt. Tai, NCP	Remote	Nov–Dec 2017	0.15	(Jiang et al., 2020)
Mt. Tai, NCP	Remote	Mar–Apr 2018	0.13	(Jiang et al., 2020)
Beijing, NCP	Urban	1 Feb to 30 Jun 2018	1.26	(Liu et al., 2020)
Nanjing, YRD	Suburban	1 to 31 Dec 2015	1.32	(Zheng et al., 2020)
Guangzhou, PRD	Urban	14 to 19 Oct 2019	5.80	(Li et al., 2021)
Beijing, NCP	Urban	25 May to 15 Jul 2018	1.27	(Liu et al., 2021)
Beijing, NCP	Urban	26 Nov 2018 to 15 Jan 2019	1.13	(Liu et al., 2021)
Xinjin, Sichuan	Suburban	13 Aug to 12 Sep 2019	1.18	(Yang et al., 2021)
Beijing, NCP	Urban	7 to 22 Dec 2015	3.20	(Zhang et al., 2021)
Beijing, NCP	Urban	7 to 30 May 2017	1.25	(Gu et al., 2022)
Beijing, NCP	Urban	15 to 30 Jan 2018	1.04	(Gu et al., 2022)

Wangdu, NCP	Rural	3 to 23 Dec 2017	1.79	(Song et al., 2022)
Wangdu, NCP	Rural	16 Jun to 10 Aug 2020	0.67	(Song et al., 2022)
Wangdu, NCP	Rural	21 Aug to 20 Sep 2020	0.83	(Song et al., 2022)
Mt. Tai, NCP	Remote	9 to 31 Jul 2018	0.13	(Xue et al., 2022)
Guangzhou, PRD	Urban	27 Sep to 8 Nov 2018	0.74	(Yu et al., 2022)
Beijing, NCP	Urban	11 to 31 October 2018	1.67	(J. Zhang et al., 2022a)
Wangdu, NCP	Rural	6 Jul to 11 Aug 2016	0.43	(J. Zhang et al., 2022b)
Beijing, NCP	Urban	1 to 31 Jul 2016	0.63	(J. Zhang et al., 2022b)
Dongbaituo, NCP	Rural	15 Dec 2017 to 4 Jan 2018	2.51	(W. Zhang et al., 2022)
Xianghe, NCP	Suburban	15 Dec 2017 to 4 Jan 2018	2.18	(W. Zhang et al., 2022)
Beijing, NCP	Urban	15 Dec 2017 to 4 Jan 2018	1.17	(W. Zhang et al., 2022)
Beijing, NCP	Urban	22 Dec 2018 to 23 Jan 2019	0.98	(X. Zhang et al., 2022)
Sanmenxia, NCP	Urban	22 Dec 2018 to 23 Jan 2019	1.12	(X. Zhang et al., 2022)
Xiamen, Fujian	Coastal	Aug 2018 to Mar 2019	0.55	(Hu et al., 2022)
Chengdu, Sichuan	Urban	22 Mar to 28 Jun 2022	1.00	(Chen et al., 2023)
Shanghai, YRD	Urban	1 Jan to 31 Dec 2019	1.10	(Feng et al., 2023)
Shanghai, YRD	Urban	1 Jan to 31 Dec 2019	0.90	(Feng et al., 2023)
Beijing, NCP	Urban	10 to 19 Jun 2017	1.60	(Song et al., 2023)
Wangdu, NCP	Rural	8 to 16 Jun 2017	1.10	(Song et al., 2023)
Beijing, NCP	Suburban	18 Aug to 16 Sep 2018	0.38	(Xuan et al., 2023)
Taizhou, YRD	Suburban	23 May to 18 Jun 2018	0.62	(Ye et al., 2023)
Baoding, NCP	Rural	17 Nov to 8 Dec 2018	2.76	(S. Zhang et al., 2023)
Beijing, NCP	Urban	1 to 30 Mar 2021	1.48	(W. Zhang et al., 2023)
Qingdao, NCP	Coastal	27 Apr to 19 May 2021	0.46	(Zhong et al., 2023)
Beijing, NCP	Urban	25 Oct to 7 Dec 2018	2.52	(X. Zhang et al., 2023)
Beijing, NCP	Urban	1 Jan to 15 Mar and 15 Nov to 31 Dec 2018	1.02	(W. Zhang et al., 2024)
Beijing, NCP	Urban	1 Apr to 31 Oct 2018	1.54	(W. Zhang et al., 2024)
Beijing, NCP	Urban	1 to 24 Jan 2020	0.97	(Y. Zhang et al., 2024)
Beijing, NCP	Urban	25 Jan to 6 Mar 2020	0.53	(Y. Zhang et al., 2024)
Nanjing, YRD	Suburban	24 to 27 Mar 2019	1.17	(H. Zhang et al., 2024)
Beijing, NCP	Urban	18 Jun to 25 Oct 2021	1.10	(Li et al., 2025)

27 **Table S3.** Statistics of the simulated NO₂ concentrations, HONO concentrations and formation rates
 28 on different underlying surfaces in the coastal regions of Fujian.

Underlying surface		Forest	Grassland	Cropland	Urban	Total region
Grid number		358 (66.7%)	24 (4.5%)	129 (24.0%)	26 (4.8%)	537
Concentration (ppbv)	NO ₂	3.07	3.33	4.69	6.10	3.45
	HONO	0.182	0.190	0.250	0.305	0.196
HONO production rate (ppbv h ⁻¹)	NO+OH	0.056 (11.5%)	0.066 (14.4%)	0.141 (19.5%)	0.244 (21.1%)	0.080 (14.7%)
	NO _x photo-oxidation	0.116 (24.0%)	0.135 (29.4%)	0.257 (35.6%)	0.417 (36.1%)	0.156 (28.6%)
	NO _x dark-oxidation	0.002 (0.4%)	0.002 (0.5%)	0.004 (0.6%)	0.007 (0.6%)	0.003 (0.5%)
	Primary emissions	0.041 (8.4%)	0.044 (9.5%)	0.096 (13.2%)	0.262 (22.6%)	0.058 (10.6%)
	Hetero-aerosol	0.006 (1.3%)	0.006 (1.4%)	0.012 (1.6%)	0.021 (1.8%)	0.008 (1.4%)
	Hetero-land	0.219 (45.3%)	0.162 (35.3%)	0.173 (23.9%)	0.171 (14.8%)	0.200 (36.7%)
	Nitrate-photolysis	0.044 (9.0%)	0.044 (9.6%)	0.040 (5.5%)	0.033 (2.9%)	0.041 (7.5%)
	Total rate	0.48	0.46	0.72	1.16	0.54

29

30 **Table S4.** Influences of different γ_a on daytime production rates, concentrations of HONO, and
 31 concentrations of ambient oxidants.

Case	Maximum daytime γ_a	Production rate from Hete_NO ₂ on aerosols (ppbv h ⁻¹)	HONO (ppbv)	O ₃ (ppbv)	OH (×10 ⁶ molecules cm ⁻³)
REV	1×10 ⁻³	0.0156	0.223	40.3	6.1
Sens1	1×10 ⁻⁴	0.0016	0.221	40.4	6.1
Sens2	1×10 ⁻⁵	0.0002	0.221	40.4	6.1

32




Figure S1. Spatial distribution pattern of emission rates of NO_x and $\text{PM}_{2.5}$ from oceanic shipping and continental anthropogenic sources in this study.




Figure S2. Diurnal variations of the observed meteorological parameters (air temperature, relative humidity, UV-A radiation) and air pollutants (HONO, NO₂, O₃) on rainy and non-rainy days during the study period.




Figure S3. The diurnal variations of the observed and simulated HONO and NO₂ concentrations on rainy days and non-rainy days.




Figure S4. The diurnal variations of the simulated chemical production, loss, and their difference (production minus loss) rate of HONO.




Figure S5. The spatial distribution of shipping route network and major ports around China. The figures next to the shipping route arcs are the geodesic distances calculated from the ArcGIS tool. This map was directly obtained from Wang et al. (2021).




Figure S6. Diurnal variations of contributions of continental and shipping emissions to NO_x and nitrate aerosol concentrations in the coastal regions of Fujian.




Figure S7. Spatial distribution of impacts of shipping emissions on chemical production rates of O₃ ($\Delta\text{Chem}_{\text{O}_3}$) during the daytime and nighttime (upper panels). The difference between the daytime and nighttime is also presented in the bottom panel.

64 **References**

- 65 Chen, D., Zhou, L., Liu, S., Lian, C., Wang, W., Liu, H., Li, C., Liu, Y., Luo, L., Xiao, K., Chen, Y.,
66 Qiu, Y., Tan, Q., Ge, M., Yang, F., 2023. Primary sources of HONO vary during the daytime:
67 Insights based on a field campaign. *Sci. Total Environ.* 903, 166605.
68 <https://doi.org/10.1016/j.scitotenv.2023.166605>
- 69 Feng, J., Ren, E., Hu, M., Fu, Q., Duan, Y., Huang, C., Zhao, Y., Wang, S., 2023. Budget of
70 atmospheric nitrous acid (HONO) during the haze and clean periods in Shanghai: Importance of
71 heterogeneous reactions. *Sci. Total Environ.* 900, 165717.
72 <https://doi.org/10.1016/j.scitotenv.2023.165717>
- 73 Fu, X., Wang, T., Zhang, L., Li, Q., Wang, Z., Xia, M., Yun, H., Wang, W., Yu, C., Yue, D., Zhou, Y.,
74 Zheng, J., Han, R., 2019. The significant contribution of HONO to secondary pollutants during
75 a severe winter pollution event in southern China. *Atmospheric Chem. Phys.* 19, 1–14.
76 <https://doi.org/10.5194/acp-19-1-2019>
- 77 Gu, R., Shen, H., Xue, L., Wang, T., Gao, J., Li, H., Liang, Y., Xia, M., Yu, C., Liu, Y., Wang, W.,
78 2022. Investigating the sources of atmospheric nitrous acid (HONO) in the megacity of Beijing,
79 China. *Sci. Total Environ.* 812, 152270. <https://doi.org/10.1016/j.scitotenv.2021.152270>
- 80 Gu, R., Zheng, P., Chen, T., Dong, C., Wang, Y., Liu, Yiming, Liu, Yuhong, Luo, Y., Han, G., Wang,
81 X., Zhou, X., Wang, T., Wang, W., Xue, L., 2020. Atmospheric nitrous acid (HONO) at a rural
82 coastal site in North China: Seasonal variations and effects of biomass burning. *Atmos. Environ.*
83 229, 117429. <https://doi.org/10.1016/j.atmosenv.2020.117429>
- 84 Guo, Y., Zhang, J., An, J., Qu, Y., Liu, X., Sun, Y., Chen, Y., 2020. Effect of vertical parameterization
85 of a missing daytime source of HONO on concentrations of HONO, O₃ and secondary organic
86 aerosols in eastern China. *Atmos. Environ.* 226, 117208.
87 <https://doi.org/10.1016/j.atmosenv.2019.117208>
- 88 Hu, B., Duan, J., Hong, Y., Xu, L., Li, M., Bian, Y., Qin, M., Fang, W., Xie, P., Chen, J., 2022.
89 Exploration of the atmospheric chemistry of nitrous acid in a coastal city of southeastern China:
90 results from measurements across four seasons. *Atmospheric Chem. Phys.* 22, 371–393.
91 <https://doi.org/10.5194/acp-22-371-2022>
- 92 Jiang, Y., Xue, L., Gu, R., Jia, M., Zhang, Y., Wen, L., Zheng, P., Chen, T., Li, H., Shan, Y., Zhao, Y.,
93 Guo, Z., Bi, Y., Liu, H., Ding, A., Zhang, Q., Wang, W., 2020. Sources of nitrous acid (HONO)
94 in the upper boundary layer and lower free troposphere of the North China Plain: insights from
95 the Mount Tai Observatory. *Atmospheric Chem. Phys.* 20, 12115–12131.
96 <https://doi.org/10.5194/acp-20-12115-2020>
- 97 Li, D., Xue, L., Wen, L., Wang, X., Chen, T., Mellouki, A., Chen, J., Wang, W., 2018. Characteristics
98 and sources of nitrous acid in an urban atmosphere of northern China: Results from 1-yr
99 continuous observations. *Atmos. Environ.* 182, 296–306.
100 <https://doi.org/10.1016/j.atmosenv.2018.03.033>
- 101 Li, J., Lian, C., Liu, M., Zhang, Hao, Yan, Y., Song, Y., Chen, C., Wang, J., Zhang, Haijie, Ren, Y.,
102 Guo, Y., Wang, W., Xu, Y., Li, H., Gao, J., Ge, M., 2025. Characterization of nitrous acid and its
103 potential effects on secondary pollution in the warm season in Beijing urban areas. *Atmospheric*
104 *Chem. Phys.* 25, 2551–2568. <https://doi.org/10.5194/acp-25-2551-2025>
- 105 Li, S., Song, W., Zhan, H., Zhang, Y., Zhang, X., Li, W., Tong, S., Pei, C., Wang, Y., Chen, Y., Huang,
106 Z., Zhang, R., Zhu, M., Fang, H., Wu, Z., Wang, J., Luo, S., Fu, X., Xiao, S., Huang, X., Zeng,
107 J., Zhang, H., Chen, D., Gligorovski, S., Ge, M., George, C., Wang, X., 2021. Contribution of

108 Vehicle Emission and NO₂ Surface Conversion to Nitrous Acid (HONO) in Urban Environments:
 109 Implications from Tests in a Tunnel. *Environ. Sci. Technol.* 55, 15616–15624.
 110 <https://doi.org/10.1021/acs.est.1c00405>

111 Li, X., Brauers, T., Häseler, R., Bohn, B., Fuchs, H., Hofzumahaus, A., Holland, F., Lou, S., Lu, K.D.,
 112 Rohrer, F., Hu, M., Zeng, L.M., Zhang, Y.H., Garland, R.M., Su, H., Nowak, A., Wiedensohler,
 113 A., Takegawa, N., Shao, M., Wahner, A., 2012. Exploring the atmospheric chemistry of nitrous
 114 acid (HONO) at a rural site in Southern China. *Atmospheric Chem. Phys.* 12, 1497–1513.
 115 <https://doi.org/10.5194/acp-12-1497-2012>

116 Li, Y., An, J., Min, M., Zhang, W., Wang, F., Xie, P., 2011. Impacts of HONO sources on the air
 117 quality in Beijing, Tianjin and Hebei Province of China. *Atmos. Environ.* 45, 4735–4744.
 118 <https://doi.org/10.1016/j.atmosenv.2011.04.086>

119 Liu, J., Liu, Z., Ma, Z., Yang, S., Yao, D., Zhao, S., Hu, B., Tang, G., Sun, J., Cheng, M., Xu, Z.,
 120 Wang, Y., 2021. Detailed budget analysis of HONO in Beijing, China: Implication on
 121 atmosphere oxidation capacity in polluted megacity. *Atmos. Environ.* 244, 117957.
 122 <https://doi.org/10.1016/j.atmosenv.2020.117957>

123 Liu, Y., Nie, W., Xu, Z., Wang, T., Wang, R., Li, Y., Wang, L., Chi, X., Ding, A., 2019. Semi-
 124 quantitative understanding of source contribution to nitrous acid (HONO) based on 1 year of
 125 continuous observation at the SORPES station in eastern China. *Atmospheric Chem. Phys.* 19,
 126 13289–13308. <https://doi.org/10.5194/acp-19-13289-2019>

127 Liu, Y., Zhang, Y., Lian, C., Yan, C., Feng, Z., Zheng, F., Fan, X., Chen, Y., Wang, W., Chu, B., Wang,
 128 Yonghong, Cai, J., Du, W., Daellenbach, K.R., Kangasluoma, J., Bianchi, F., Kujansuu, J., Petäjä,
 129 T., Wang, X., Hu, B., Wang, Yuesi, Ge, M., He, H., Kulmala, M., 2020. The promotion effect of
 130 nitrous acid on aerosol formation in wintertime in Beijing: the possible contribution of traffic-
 131 related emissions. *Atmospheric Chem. Phys.* 20, 13023–13040. [https://doi.org/10.5194/acp-20-](https://doi.org/10.5194/acp-20-13023-2020)
 132 [13023-2020](https://doi.org/10.5194/acp-20-13023-2020)

133 Nie, W., Ding, A.J., Xie, Y.N., Xu, Z., Mao, H., Kerminen, V.-M., Zheng, L.F., Qi, X.M., Huang, X.,
 134 Yang, X.-Q., Sun, J.N., Herrmann, E., Petäjä, T., Kulmala, M., Fu, C.B., 2015. Influence of
 135 biomass burning plumes on HONO chemistry in eastern China. *Atmospheric Chem. Phys.* 15,
 136 1147–1159. <https://doi.org/10.5194/acp-15-1147-2015>

137 Song, M., Zhao, Xiaoxi, Liu, P., Mu, J., He, G., Zhang, C., Tong, S., Xue, C., Zhao, Xiujuan, Ge, M.,
 138 Mu, Y., 2023. Atmospheric NO_x oxidation as major sources for nitrous acid (HONO). *Npj Clim.*
 139 *Atmospheric Sci.* 6, 30. <https://doi.org/10.1038/s41612-023-00357-8>

140 Song, Y., Zhang, Y., Xue, C., Liu, P., He, X., Li, X., Mu, Y., 2022. The seasonal variations and
 141 potential sources of nitrous acid (HONO) in the rural North China Plain. *Environ. Pollut.* 311,
 142 119967. <https://doi.org/10.1016/j.envpol.2022.119967>

143 Spataro, F., Ianniello, A., Esposito, G., Allegrini, I., Zhu, T., Hu, M., 2013. Occurrence of atmospheric
 144 nitrous acid in the urban area of Beijing (China). *Sci. Total Environ.* 447, 210–224.
 145 <https://doi.org/10.1016/j.scitotenv.2012.12.065>

146 Su, H., Cheng, Y.F., Shao, M., Gao, D.F., Yu, Z.Y., Zeng, L.M., Slanina, J., Zhang, Y.H., Wiedensohler,
 147 A., 2008. Nitrous acid (HONO) and its daytime sources at a rural site during the 2004 PRIDE-
 148 PRD experiment in China. *J. Geophys. Res. Atmospheres* 113.
 149 <https://doi.org/10.1029/2007JD009060>

150 Wang, X., Yi, W., Lv, Z., Deng, F., Zheng, S., Xu, H., Zhao, J., Liu, H., He, K., 2021. Ship emissions
 151 around China under gradually promoted control policies from 2016 to 2019. *Atmospheric Chem.*

Phys. 21, 13835–13853. <https://doi.org/10.5194/acp-21-13835-2021>

Xu, Z., Wang, T., Wu, J., Xue, L., Chan, J., Zha, Q., Zhou, S., Louie, P.K.K., Luk, C.W.Y., 2015. Nitrous acid (HONO) in a polluted subtropical atmosphere: Seasonal variability, direct vehicle emissions and heterogeneous production at ground surface. *Atmos. Environ.* 106, 100–109. <https://doi.org/10.1016/j.atmosenv.2015.01.061>

Xuan, H., Zhao, Y., Ma, Q., Chen, T., Liu, J., Wang, Yonghong, Liu, C., Wang, Yafei, Liu, Y., Mu, Y., He, H., 2023. Formation mechanisms and atmospheric implications of summertime nitrous acid (HONO) during clean, ozone pollution and double high-level PM_{2.5} and O₃ pollution periods in Beijing. *Sci. Total Environ.* 857, 159538. <https://doi.org/10.1016/j.scitotenv.2022.159538>

Xue, C., Ye, C., Kleffmann, J., Zhang, C., Catoire, V., Bao, F., Mellouki, A., Xue, L., Chen, J., Lu, K., Zhao, Y., Liu, H., Guo, Z., Mu, Y., 2022. Atmospheric measurements at Mt. Tai – Part I: HONO formation and its role in the oxidizing capacity of the upper boundary layer. *Atmospheric Chem. Phys.* 22, 3149–3167. <https://doi.org/10.5194/acp-22-3149-2022>

Yang, Y., Li, X., Zu, K., Lian, C., Chen, S., Dong, H., Feng, M., Liu, H., Liu, J., Lu, K., Lu, S., Ma, X., Song, D., Wang, W., Yang, S., Yang, X., Yu, X., Zhu, Y., Zeng, L., Tan, Q., Zhang, Y., 2021. Elucidating the effect of HONO on O₃ pollution by a case study in southwest China. *Sci. Total Environ.* 756, 144127. <https://doi.org/10.1016/j.scitotenv.2020.144127>

Ye, C., Lu, K., Ma, X., Qiu, W., Li, S., Yang, X., Xue, C., Zhai, T., Liu, Y., Li, X., Li, Y., Wang, H., Tan, Z., Chen, X., Dong, H., Zeng, L., Hu, M., Zhang, Y., 2023. HONO chemistry at a suburban site during the EXPLORE-YRD campaign in 2018: formation mechanisms and impacts on O₃ production. *Atmospheric Chem. Phys.* 23, 15455–15472. <https://doi.org/10.5194/acp-23-15455-2023>

Yu, Y., Cheng, P., Li, H., Yang, W., Han, B., Song, W., Hu, W., Wang, X., Yuan, B., Shao, M., Huang, Z., Li, Z., Zheng, J., Wang, H., Yu, X., 2022. Budget of nitrous acid (HONO) at an urban site in the fall season of Guangzhou, China. *Atmospheric Chem. Phys.* 22, 8951–8971. <https://doi.org/10.5194/acp-22-8951-2022>

Yun, H., Wang, Z., Zha, Q., Wang, W., Xue, L., Zhang, L., Li, Q., Cui, L., Lee, S., Poon, S.C.N., Wang, T., 2017. Nitrous acid in a street canyon environment: Sources and contributions to local oxidation capacity. *Atmos. Environ.* 167, 223–234. <https://doi.org/10.1016/j.atmosenv.2017.08.018>

Zhang, H., Ren, C., Zhou, X., Tang, K., Liu, Y., Liu, T., Wang, J., Chi, X., Li, M., Li, N., Huang, X., Ding, A., 2024. Improving HONO Simulations and Evaluating Its Impacts on Secondary Pollution in the Yangtze River Delta Region, China. *J. Geophys. Res. Atmospheres* 129, e2024JD041052. <https://doi.org/10.1029/2024JD041052>

Zhang, J., An, J., Qu, Y., Liu, X., Chen, Y., 2019a. Impacts of potential HONO sources on the concentrations of oxidants and secondary organic aerosols in the Beijing-Tianjin-Hebei region of China. *Sci. Total Environ.* 647, 836–852. <https://doi.org/10.1016/j.scitotenv.2018.08.030>

Zhang, J., Chen, J., Xue, C., Chen, H., Zhang, Q., Liu, X., Mu, Y., Guo, Y., Wang, D., Chen, Y., Li, J., Qu, Y., An, J., 2019b. Impacts of six potential HONO sources on HO_x budgets and SOA formation during a wintertime heavy haze period in the North China Plain. *Sci. Total Environ.* 681, 110–123. <https://doi.org/10.1016/j.scitotenv.2019.05.100>

Zhang, J., Lian, C., Wang, W., Ge, M., Guo, Y., Ran, H., Zhang, Y., Zheng, F., Fan, X., Yan, C., Daellenbach, K.R., Liu, Y., Kulmala, M., An, J., 2022a. Amplified role of potential HONO sources in O₃ formation in North China Plain during autumn haze aggravating processes.

Atmospheric Chem. Phys. 22, 3275–3302. <https://doi.org/10.5194/acp-22-3275-2022>

Zhang, J., Ran, H., Guo, Y., Xue, C., Liu, X., Qu, Y., Sun, Y., Zhang, Q., Mu, Y., Chen, Y., Wang, J., An, J., 2022b. High crop yield losses induced by potential HONO sources — A modelling study in the North China Plain. *Sci. Total Environ.* 803, 149929. <https://doi.org/10.1016/j.scitotenv.2021.149929>

Zhang, S., Li, G., Ma, N., He, Y., Zhu, S., Pan, X., Dong, W., Zhang, Yanyan, Luo, Q., Ditas, J., Kuhn, U., Zhang, Yuxuan, Yuan, B., Wang, Z., Cheng, P., Hong, J., Tao, J., Xu, W., Kuang, Y., Wang, Q., Sun, Y., Zhou, G., Cheng, Y., Su, H., 2023. Exploring HONO formation and its role in driving secondary pollutants formation during winter in the North China Plain. *J. Environ. Sci.* 132, 83–97. <https://doi.org/10.1016/j.jes.2022.09.034>

Zhang, S., Sarwar, G., Xing, J., Chu, B., Xue, C., Sarav, A., Ding, D., Zheng, H., Mu, Y., Duan, F., Ma, T., He, H., 2021. Improving the representation of HONO chemistry in CMAQ and examining its impact on haze over China. *Atmospheric Chem. Phys.* 21, 15809–15826. <https://doi.org/10.5194/acp-21-15809-2021>

Zhang, W., Tong, S., Hou, S., Zhao, P., Pan, Y., Wang, L., Cheng, M., Ji, D., Tang, G., Hu, B., Li, X., Ge, M., 2024. Machine learning revealing key factors influencing HONO chemistry in Beijing during heating and non-heating periods. *Atmospheric Res.* 298, 107130. <https://doi.org/10.1016/j.atmosres.2023.107130>

Zhang, W., Tong, S., Jia, C., Ge, M., Ji, D., Zhang, C., Liu, P., Zhao, X., Mu, Y., Hu, B., Wang, L., Tang, G., Li, X., Li, W., Wang, Z., 2022. Effect of Different Combustion Processes on Atmospheric Nitrous Acid Formation Mechanisms: A Winter Comparative Observation in Urban, Suburban and Rural Areas of the North China Plain. *Environ. Sci. Technol.* 56, 4828–4837. <https://doi.org/10.1021/acs.est.1c07784>

Zhang, W., Tong, S., Lin, D., Li, F., Zhang, X., Wang, L., Ji, D., Tang, G., Liu, Z., Hu, B., Ge, M., 2023. Atmospheric chemistry of nitrous acid and its effects on hydroxyl radical and ozone at the urban area of Beijing in early spring 2021. *Environ. Pollut.* 316, 120710. <https://doi.org/10.1016/j.envpol.2022.120710>

Zhang, X., Tong, S., Jia, C., Zhang, W., Li, J., Wang, W., Sun, Y., Wang, X., Wang, Lingling, Ji, D., Wang, Lili, Zhao, P., Tang, G., Xin, J., Li, A., Ge, M., 2022. The Levels and Sources of Nitrous Acid (HONO) in Winter of Beijing and Sanmenxia. *J. Geophys. Res. Atmospheres* 127, e2021JD036278. <https://doi.org/10.1029/2021JD036278>

Zhang, X., Tong, S., Jia, C., Zhang, W., Wang, Z., Tang, G., Hu, B., Liu, Z., Wang, L., Zhao, P., Pan, Y., Ge, M., 2023. Elucidating HONO formation mechanism and its essential contribution to OH during haze events. *Npj Clim. Atmospheric Sci.* 6, 55. <https://doi.org/10.1038/s41612-023-00371-w>

Zhang, Y., Zheng, F., Feng, Z., Lian, C., Wang, W., Fan, X., Ma, W., Lin, Z., Li, C., Zhang, G., Yan, C., Zhang, Ying, Kerminen, V.-M., Bianchi, F., Petäjä, T., Kangasluoma, J., Kulmala, M., Liu, Y., 2024. Concentration and source changes of nitrous acid (HONO) during the COVID-19 lockdown in Beijing. *Atmospheric Chem. Phys.* 24, 8569–8587. <https://doi.org/10.5194/acp-24-8569-2024>

Zheng, J., Shi, X., Ma, Y., Ren, X., Jabbour, H., Diao, Y., Wang, W., Ge, Y., Zhang, Y., Zhu, W., 2020. Contribution of nitrous acid to the atmospheric oxidation capacity in an industrial zone in the Yangtze River Delta region of China. *Atmospheric Chem. Phys.* 20, 5457–5475. <https://doi.org/10.5194/acp-20-5457-2020>

240 Zhong, X., Shen, H., Zhao, M., Zhang, J., Sun, Y., Liu, Y., Zhang, Y., Shan, Y., Li, H., Mu, J., Yang,
241 Y., Nie, Y., Tang, J., Dong, C., Wang, X., Zhu, Y., Guo, M., Wang, W., Xue, L., 2023. Nitrous
242 acid budgets in the coastal atmosphere: potential daytime marine sources. *Atmospheric Chem.*
243 *Phys.* 23, 14761–14778. <https://doi.org/10.5194/acp-23-14761-2023>
244