



*Supplement of*


## **Measurement report: Exploring the variations in ambient BTEX in urban Europe and their environmental health implications**

Xiansheng Liu et al.


*Correspondence to:* Xun Zhang (zhangxun@btbu.edu.cn) and Thérèse Salameh (therese.salameh@imt-nord-europe.fr)


The copyright of individual parts of the supplement might differ from the article licence.


## Exploring the variations in ambient BTEX in urban Europe and its environmental implications





**Figure S1.** Comparison of BTEX mixing ratios in ambient air between monitoring sites (left panel) and different types sites (UB, urban background; TR, traffic; IND, industry, right panel) during 2017-2022 (but HEL\_UB only during February 2016 and ATH\_UB only 2016-2017). The box represents the 5th–95th percentiles of ratios. The middle line and middle square represent the median and mean values of ratios, respectively. Blank means without available measurement data.














35 **Figure S2.** Time series of the variations of BTEX (benzene, toluene, ethylbenzene, m,p-xylene, o-xylene) mixing ratios at 22 sites in seven EU countries (Greece, France, Belgium, Finland, United Kingdom, Switzerland, and Spain). Please note that the BTEX observations at BCN\_UB and PAR\_SUB were not able to distinguish the mixing ratios of ethylbenzene separate from xylenes, and at BAQS\_UB did not included m,p-xylene data.


40






**Figure S3.** Seasonal variations of BTEX (benzene, toluene, ethylbenzene, xylene) mixing ratios for all  
65 the studied sites. The box represents the 5th–95th percentiles of mixing ratios. The middle line and  
mixing ratios, respectively. Blank  
means no available data.








**Figure S4.** Time series of meteorological parameters at a few monitoring locations.




80









**Figure S5.** Diel variations of BTEX (benzene, toluene, ethylbenzene, m,p-xylene, o-xylene) mixing ratios for 14 out of the 22 studied sites during spring (a), summer (b), autumn (c), and winter (d). Please note that the BTEX observations at BCN\_UB and PAR\_SUB were not able to distinguish the mixing ratios of ethylbenzene separate from xylenes, and at BAQS\_UB did not include m,p-xylene data.





**Figure S6.** Mean weekly profiles of the hourly BTEX (benzene, toluene, ethylbenzene, m,p-xylene, o-xylene) average mixing ratios for 14 out of the 22 studied sites. Please note that the BTEX observations at BCN\_UB and PAR\_SUB were not able to distinguish the mixing ratios of ethylbenzene separate from xylenes, and at BAQS\_UB did not include m,p-xylene data.





**Figure S7.** Seasonal variations of benzene to toluene ratio (B/T) at all monitoring sites. The box represents the 5th–95th percentiles of the ratio. The middle line and middle square represent the median and mean values of the ratio, respectively. Blank means no available measurement.












125

**Figure S8.** Time series of the variations of benzene to toluene (B/T) and meta/para-xylene to ethylbenzene (X/E) ratios in all monitoring sites.



**Figure S9.** Seasonal variations of m,p-Xylene to ethylbenzene ratios (X/E) at all monitoring sites. The box represents the 5<sup>th</sup>–95<sup>th</sup> percentiles of ratios. The middle line and middle square represent the median and mean values of ratios, respectively. Blank means without available measurement data.

**Table S1.** Urban enhancement ratios (ER) of different types (urban background, UB; traffic, TR; industrial site, IND) in different seasons.

Seasons	Types	Toluene vs. Benzene	Ethylbenzene vs. Benzene	m,p-Xylene vs. Benzene	o-Xylene vs. Benzene
Spring	UB	1.69 ± 0.05	0.23 ± 0.01	0.67 ± 0.05	0.3 ± 0.02
Spring	TR	2.19 ± 0.09	0.36 ± 0.01	1.13 ± 0.05	0.45 ± 0.02
Spring	IND	0.46 ± 0.02	0.13 ± 0.01	0.30 ± 0.01	0.13 ± 0.01
Summer	UB	2.64 ± 0.06	0.32 ± 0.01	1.02 ± 0.05	0.37 ± 0.02
Summer	TR	3.28 ± 0.20	0.55 ± 0.02	1.82 ± 0.07	0.69 ± 0.03
Summer	IND	0.30 ± 0.01	0.10 ± 0.01	0.21 ± 0.01	0.09 ± 0.01
Autumn	UB	1.70 ± 0.04	0.20 ± 0.01	0.60 ± 0.01	0.25 ± 0.01
Autumn	TR	2.54 ± 0.06	0.49 ± 0.02	1.65 ± 0.06	0.65 ± 0.02
Autumn	IND	0.42 ± 0.03	0.24 ± 0.01	0.49 ± 0.02	0.23 ± 0.01
Winter	UB	1.76 ± 0.03	0.29 ± 0.01	0.88 ± 0.02	0.32 ± 0.01
Winter	TR	1.98 ± 0.05	0.33 ± 0.01	1.04 ± 0.05	0.42 ± 0.02
Winter	IND	0.38 ± 0.02	0.10 ± 0.01	0.27 ± 0.01	0.12 ± 0.01

140

**Table S2.** Coefficient of Determination ( $r^2$ ) of the linear correlation between BTEX in the study area. ( $p < 0.01$  \*\*).

Sites		Benzene	Toluene	Ethylbenzene	m,p-Xylene	o-Xylene
ATH_UB	Benzene	1				
	Toluene	0.78**	1			
	Ethylbenzene	0.82**	0.98**	1		
	m,p-Xylene	0.81**	0.98**	0.996**	1	
ANG_UB	o-Xylene	0.82**	0.97**	0.992**	0.996**	1
	Benzene	1				
	Toluene	0.49**	1			
	Ethylbenzene	0.5**	0.42**	1		
BAQS_UB	m,p-Xylene	0.5**	0.74**	0.74**	1	
	o-Xylene	0.52**	0.45**	0.98**	0.77**	1
	Benzene	1				
	Toluene	0.31**	1			
BCN_UB	Ethylbenzene	0.21**	0.71**	1		
	o-Xylene	0.14**	0.77**	0.81**		
	Benzene	1				
	Toluene	0.56**	1			
CHM_UB	Benzene	1				
	Toluene	0.35**	1			
	Ethylbenzene	0.38**	0.18**	1		
	m,p-Xylene	0.52**	0.4**	0.76**	1	
HEL_TR	o-Xylene	0.38**	0.18**	0.98**	0.79**	1
	Benzene	1				
	Toluene	0.41**	1			
	Ethylbenzene	0.72**	0.56**	1		
HEL_UB	m,p-Xylene	0.42**	0.77**	0.79**	1	
	o-Xylene	0.71**	0.61**	0.98**	0.83**	1
	Benzene	1				

	Toluene	0.48**	1			
	Ethylbenzene	0.26**	0.71**	1		
	m,p-Xylene	0.26**	0.79**	0.9**	1	
	o-Xylene	0.37**	0.76**	0.92**	0.81**	1
	Benzene	1				
	Toluene	0.46**	1			
HET_UB	Ethylbenzene	0.59**	0.35**	1		
	m,p-Xylene	0.45**	0.5**	0.74**	1	
	o-Xylene	0.59**	0.36**	0.98**	0.77**	1
	Benzene	1				
	Toluene	0.34**	1			
LDS_UB	Ethylbenzene	0.72**	0.21**	1		
	m,p-Xylene	0.81**	0.4**	0.9**	1	
	o-Xylene	0.72**	0.22**	1	0.9**	1
	Benzene	1				
	Toluene	0.46**	1			
LND_TR	Ethylbenzene	0.49**	0.64**	1		
	m,p-Xylene	0.35**	0.53**	0.56**	1	
	o-Xylene	0.52**	0.71**	0.9**	0.62**	1
	Benzene	1				
	Toluene	0.45**	1			
LND_UB	Ethylbenzene	0.53**	0.52**	1		
	m,p-Xylene	0.53**	0.67**	0.81**	1	
	o-Xylene	0.5**	0.55**	0.92**	0.85**	1
	Benzene	1				
	Toluene	0.08**	1			
LYO1_UB	Ethylbenzene	0.03**	0.29**	1		
	m,p-Xylene	0.03**	0.36**	0.76**	1	
	o-Xylene	0.03**	0.34**	0.72**	0.83**	1
	Benzene	1				
	Toluene	0.05**	1			
LYO2_UB	Ethylbenzene	0.46**	0.06**	1		
	m,p-Xylene	0.46**	0.07**	0.9**	1	
	o-Xylene	0.38**	0.05**	0.85**	0.81**	1
	Benzene	1				
	Toluene	0.52**	1			
MAR_UB	Ethylbenzene	0.35**	0.56**	1		
	m,p-Xylene	0.41**	0.66**	0.92**	1	
	o-Xylene	0.42**	0.66**	0.88**	0.96**	1
	Benzene	1				
	Toluene	0.27**	1			
MON_UB	Ethylbenzene	0.34**	0.66**	1		
	m,p-Xylene	0.3**	0.56**	0.96**	1	
	o-Xylene	0.37**	0.55**	0.94**	0.96**	1
	Benzene	1				
	Toluene	0.16**	1			
MSR_IND	Ethylbenzene	0.26**	0.44**	1		
	m,p-Xylene	0.23**	0.4**	0.96**	1	

		o-Xylene	0.23**	0.38**	0.92**	0.94**	1
		Benzene	1				
		Toluene	0.42**	1			
NAM_UB		Ethylbenzene	0.27**	0.55**	1		
		m,p-Xylene	0.25**	0.53**	0.94**	1	
		o-Xylene	0.26**	0.55**	0.9**	0.96**	1
PAR_SUB		Benzene	1				
		Toluene	0.56**	1			
		Benzene	1				
PAR_UB		Toluene	0.52**	1			
		Ethylbenzene	0.44**	0.71**	1		
		m,p-Xylene	0.4**	0.74**	0.96**	1	
STB_UB		o-Xylene	0.41**	0.74**	0.94**	0.96**	1
		Benzene	1				
		Toluene	0.14**	1			
ZUR_UB		Ethylbenzene	0.31**	0.15**	1		
		m,p-Xylene	0.22**	0.12**	0.61**	1	
		o-Xylene	0.29**	0.14**	0.61**	0.94**	1
		Benzene	1				
		Toluene	0.41**	1			
		Ethylbenzene	0.54**	0.61**	1		
		m,p-Xylene	0.52**	0.63**	0.98**	1	
		o-Xylene	0.50**	0.62**	0.97**	0.98**	1