



Supplement of

Ecosystem-scale biogenic volatile organic compound fluxes over rapeseed by eddy-covariance

Pauline Buysse et al.

Correspondence to: Pauline Buysse (pauline.buysse@inrae.fr)

- acp-26-12131-2026-supplement-title-page.pdf
- Supplementary Material_revised
 - S01 - Sensitivity toluene.csv
 - S02 - Comparison of methanol INRAE LSCE.pdf
 - S03 - Calibration factors.xlsx
 - S04 - BVOC mixing ratio measurement profile and excluded fluxes period.pdf
 - S05 - Wind speed and direction.pdf
 - S06 - Sub-periods_selection criteria.xlsx
 - S07 - Second method for SEF calculation and fitted parameter values.pdf
 - S08 - List of 42 significant BVOCs.xlsx
 - S09 - Temporal course of fluxes (black) and random error (red) for the 42 significant BVOC.pdf
 - S10a - Comparison between EC and profile fluxes - 9 to 10 May.pdf
 - S10b - Comparison between EC and profile fluxes - 11 to 22May.pdf
 - S10c - Comparison between EC and profile fluxes - 23 to 30 May.pdf
 - S10d - Comparison between EC and profile fluxes - 9 to 30 June.pdf
 - S11 - k1 parameters.pdf
 - S12a - Isoprene Vd Vmax.png
 - S12b - Monoterpenes Vd Vmax.png
 - S13 - Polar plots for all selected BVOCs.pdf

The copyright of individual parts of the supplement might differ from the article licence.