


Tropospheric Measurements of Gas-Phase and Aerosol Chemistry in Polar Regions

(Version from 2007-07-27)

Compiled by Rolf Sander

I received tremendous help and many suggestions for additional references from Jan Bottenheim. In addition, for pointing out miscellaneous data sets I would like to thank Parisa Ariya, Harry Beine, Torunn Berg, Lucy Carpenter, Gao Chen, Jack Dibb, Ralf Ebinghaus, Markus Frey, Udo Friess, Dwayne Heard, Detlev Helmig, Manuel Hutterli, Hans-Werner Jacobi, Anna Jones, Lars Kaleschke, Karin Kreher, Samuel Morin, Laurier Poissant, Andreas Richter, Joel Savarino, Paul Shepson, Henrik Skov, Franz Slemr, Sverre Solberg, Alexandra Steffen, Bill Sturges, Roland von Glasow, Yuhang Wang, and Eric Wolff.



This compilation is published as an electronic supplement to the AICI review paper: “Halogens and their role in polar boundary-layer ozone depletion” by Simpson et al., *Atmos. Chem. Phys.*, 2007, available at: <http://www.atmos-chem-phys.org>.

Introduction

Many measurements of tropospheric gas-phase and aerosol chemistry in polar regions have been made and subsequently published in miscellaneous journals. In this compilation, an attempt is made to provide a concise overview of these measurements. The tables do not claim completeness but it is hoped they can serve as a starting point when searching for data of a particular compound. CO₂ is not included because gathering all data for this species would be beyond the scope of this work.

There are two main tables: The first contains measurements of gas-phase species, and the second contains aerosol measurements. The measurement sites are listed in Tab. 1, and also shown on the map on the title page.

In some cases, concentrations in [ng/m³] from the original papers were converted to mixing ratios assuming a molar volume of 20 l/mol for the cold air.

Several abbreviations and acronyms are used in the tables, as explained below:

date:	spr	=	spring
	sum	=	summer
	fal	=	fall
	win	=	winter
mercury:	GEM	=	gaseous elementary mercury
	TGM	=	total gaseous mercury
	RGM	=	reactive gaseous mercury
other:	bgr	=	background air
	DL	=	detection limit
	SCD	=	slant column density

In addition to the data presented in the peer-reviewed literature, there are several web sites providing large data sets.

- <http://gaw.kishou.go.jp/wdcgg.html>

The World Data Centre for Greenhouse Gases (WDCGG) is established under the Global Atmosphere Watch (GAW) programme to collect, archive and provide data for greenhouse (CO₂, CH₄, CFCs, N₂O, etc.) and related (CO, NO_x, SO₂, VOC, etc.) gases and surface ozone in the atmosphere and ocean, measured under GAW and other programmes. From this web site, you can obtain information including WDCGG's publications and measurement data that have been contributed by organizations and individual researchers in the world.

- <http://www.esrl.noaa.gov/gmd/ccgg/iadv/>

The Interactive Atmospheric Data Visualization web page provides data for CH₄, CO, CO₂, H₂, N₂O, SF₆, and other gases. The global coverage includes several Arctic and Antarctic stations.

- <http://www.apmap.no/Assessment/ScientificBackground.htm>

The Arctic Monitoring and Assessment Programme (AMAP) offers several scientific reports.

- http://www.awi-bremerhaven.de/GPH/AirChemistryObservatory/scientific_program.html

A summary of the actual sampling program realised at the Air Chemistry Observatory of the Neumayer Station.

Table 1: List of measurement Sites

abbrev	name	latitude	longitude	altitude ^a
AL	Alert, NWT, Canada	82°27' N	62°31' W	210 m a.s.l.
AM	Amderma, Russia	69.72° N	61.62° E	
ant	Antarctic (miscellaneous sites)	—	—	
ARC	Arctic (miscellaneous sites)	—	—	
BA	Barrow, Alaska, USA	71°19' N	156°36' W	8 m a.s.l.
BI	Bear Island	74.5° N	19.0° E	
bp	Browning Pass, Ross Sea, Antarctica	74°36' S	163°56' E	
BS	Beaufort Sea	≈ 75° N	≈ 140° W	
by	Byrd Station	80.00° S	120.00° W	
CH	Churchill, Canada	59° N	94° W	
du	Dumont d'Urville, Antarctica	66°40' S	140°01' E	40 m a.s.l.
DY	Dye 3, Greenland	65.2° N	43.8° W	
EU	Eureka, Canada	80° N	86° W	
ha	Halley, Antarctic	75°35' S	26°39' W	32 m a.s.l.
IG	Igloolik, NWT, Canada	69° N	82° W	
KA	Kangerlussuaq (Søndre Strømfjord), Greenland	67° N	51° W	
KU	Kuujjuarapik, Hudson Bay, Quebec, Canada	55.5° N	77.7° W	
ma	Marambio, Antarctic	64.2° S	57.7° W	
MB	Mould Bay, NWT, Canada	76°15' N	119°20' W	58 m a.s.l.
mi	Mirny, Antarctic	66.33° S	93.01° E	
mm	McMurdo station, Arrival Heights, Antarctic	77°49' S	166°35' E	11 m a.s.l.
mo	Molodezhnaya, Antarctic	67.4° S	45.5° E	
NA	Ny Ålesund Zeppelin Station, Spitzbergen, Norway	78°54' N	11°52' E	475 m a.s.l.
nm	Neumayer Station, Antarctic	70°39' S	8°15' W	42 m a.s.l.
NO	Norwegian Arctic (miscellaneous sites)	—	—	
NU	Nuuk, Greenland	64°06' N	51°24' W	
NW	Narwhal ice floe camp, Arctic (140 km NW of Alert)	83°54' N	63°17' W	
pa	Palmer Station, Antarctic	64°55' S	64°00' W	10 m a.s.l.
PF	Poker Flat, Alaska, USA	64°11' N	147°43' W	501 m a.s.l.
PS	Pallas-Sodankylä, Finland	67°22' N	26°39' E	
RE	Resolute, Canada	75° N	95° W	
sb	Scott Base, Antarctic	77°51' S	166°45' E	
SC	Scoresbysund, Greenland	70°29' N	21°58' W	
SN	Station Nord, Greenland	81°36' N	16°40' W	
sp	South Pole	90° S	—	2810 m a.s.l.
SU	Summit, Greenland	72°35' N	38°29' W	3238 m a.s.l.
SW	SWAN ice floe camp, Arctic (160 km N of Alert)	83.9° N	63.1° W	
sy	Syowa, Antarctic	69°00' S	39°35' E	
TH	Thule, Greenland	76°31' N	68°50' W	
tn	Terra Nova Bay, Antarctic (Mario Zucchelli Station)	74°42' S	164°6' E	

^a a.s.l. = above sea level

species	value	date	site	reference
***** Gas-phase Species *****				
Oxygen and Hydrogen				
O_3		1958	ha	Roscoe and Roscoe (2006)
O_3		1962-2006	sp	Oltmans et al. (2007)
O_3		1966-2000	RE	Tarasick and Bottenheim (2002)
O_3		1973-1978	BA	Oltmans (1981)
O_3		1973-1984	BA	Oltmans and Komhyr (1986)
O_3		1973-2005	ARC, ant	Helmig et al. (2007d)
O_3		1974-2000	CH	Tarasick and Bottenheim (2002)
O_3		1975-1978	sp	Oltmans (1981)
O_3		1975-1984	sp	Oltmans and Komhyr (1986)
O_3		1975-2004	BA, sp	Oltmans et al. (2006)
O_3	monthly mean: nmol/mol	20...35	1975-1989	Schnell et al. (1991)
O_3	monthly mean: nmol/mol	18...25	1975-1989 (Feb)	Schnell et al. (1991)
O_3	monthly mean: nmol/mol	32...38	1975-1989 (Aug)	Schnell et al. (1991)
O_3		1979-1986	ARC	Oltmans et al. (1989)
O_3	17...37 nmol/mol	Mar 1985	AL	Bottenheim et al. (1986)
O_3		Apr 1986	AL	Mickle et al. (1989)
O_3		1987-1988	mo, mi	Gruzdev et al. (1993)
O_3		1988-1990	BI	Taalas et al. (1993)
O_3		1988-1991	ma	Taalas et al. (1993)
O_3		1988-1991	PS	Taalas et al. (1993)
O_3		1989-1994	NA	Solberg et al. (1997b)
O_3	14...32 nmol/mol	Sep-Oct 1989	mm	Sturges et al. (1993d)
O_3	2...48 nmol/mol	Mar-Apr 1989	BA	Sturges et al. (1993c)
O_3		1989-1990	NA	Taalas et al. (1993)
O_3		1989-1990	sy	Murayama et al. (1992)
O_3		1989-1993	NA	Solberg et al. (1996b)
O_3		Mar-Apr 1990	BA	Sturges et al. (1993b)
O_3	<0.4...20 nmol/mol	Apr 1992	SW	Hopper et al. (1994a)
O_3	<0.5...45 nmol/mol	Apr 1992	AL	Anlauf et al. (1994)
O_3	0.9...57.4 nmol/mol	1992-1993	NA	Beine (1999)
O_3		1993	nm	Wessel et al. (1998)
O_3	0...72 nmol/mol	Mar-May 1993	PF	Beine et al. (1996b)
O_3		May-Jun 1993	SU	Bales et al. (1995b)
O_3		1993-1994	NA	Wessel et al. (1998)
O_3		1993-2000	EU	Tarasick and Bottenheim (2002)
O_3		1994-1996	SC	Rasmussen et al. (1997)
O_3		1994-1996	TH	Rasmussen et al. (1997)
O_3	<0.5...36 nmol/mol	spr 1994	NW	Ariya et al. (1998)
O_3		spr 1994	ARC	Galaktionov et al. (1997)
O_3	4.0...51.0 nmol/mol	Feb-May 1994	NA	Beine et al. (1996a, 1997a,b)
O_3		Mar-Apr 1994	ARC	Hopper et al. (1998)
O_3		Mar-Jun 1994	ARC	Jaeschke et al. (1997)
O_3	15...45 nmol/mol	1994-1996	NA	Beine and Krognes (2000)
O_3		Apr 1994	NW	Gong et al. (1997)
O_3		Jan-May 1995	KA	Miller et al. (1997)
O_3		Feb-Apr 1995	AL	Ariya et al. (1999)
O_3	bgr.: 30.0...61.6 nmol/mol	Mar-May 1995	PF	Beine et al. (1997a)
O_3	mean: 54 nmol/mol	May-Jul 1995	SU	Munger et al. (1999)
O_3		Sep 1995	mm	Kreher et al. (1997)
O_3		1995-1996	KA	Rasmussen et al. (1997)
O_3		1995-1996	NA	Martinez et al. (1999)
O_3		1995, 1996	NA	Tuckermann et al. (1997)

species	value	date	site	reference
O ₃		1995-2001	SN	Heidam et al. (2004)
O ₃	0...49.8 nmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
O ₃		Apr-May 1998	AL	Boudries and Bottenheim (2000)
O ₃		1998, 2000	AL	Sumner et al. (2002)
O ₃	12...21 nmol/mol	Mar 1999	ant	Jacobi and Schrems (1999)
O ₃	40.5 nmol/mol	sum 1999	SU	Yang et al. (2002)
O ₃		1999-2000	nm	Frieß et al. (2004)
O ₃		1999-2002	SN	Skov et al. (2004)
O ₃	1.28...56.32 nmol/mol	1999-2002	KU	Poissant and Pilote (2003)
O ₃	51.9 nmol/mol	sum 2000	SU	Yang et al. (2002)
O ₃		2000-2001	nm	Ebinghaus et al. (2002)
O ₃		Feb-May 2000	AL	Bottenheim et al. (2002b)
O ₃		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
O ₃		Feb-May 2000	ARC	Blake et al. (2003)
O ₃		Jun 2000	SU	Helming et al. (2002)
O ₃		2000-2004	SU	Helming et al. (2007e)
O ₃		spr 2001	KU	Hönniger et al. (2004)
O ₃	median: 36.5 nmol/mol	Apr-May 2001	KU	Poissant and Pilote (2003)
O ₃	mean: 14.5 nmol/mol	Dec 2001	ant	Frey et al. (2005)
O ₃		Mar 2002	SN	Ferrari et al. (2004)
O ₃		Apr 2002	KU	Gauchard et al. (2005b)
O ₃	mean: 19.3 nmol/mol	Dec 2002	ant	Frey et al. (2005)
O ₃	mean: 27.9 nmol/mol	Jan 2003	sp	Frey et al. (2005)
O ₃		Apr-May 2003	NA	Sprovieri et al. (2005a,b)
O ₃	<1...42 nmol/mol	Mar-Apr 2003	ARC	Jacobi et al. (2006)
O ₃	19...42 nmol/mol	Mar-Apr 2003	NA	Jacobi et al. (2006)
O ₃		Aug-Oct 2003	ha	Jones et al. (2006)
O ₃		Nov-Dec 2003	sp	Eisele et al. (2007)
O ₃		Dec 2003	sp	Helming et al. (2007b); Johnson et al. (2007)
O ₃		2003-2005	SU	Helming et al. (2007a)
O ₃		Mar 2004	KU	Constant et al. (2007)
O ₃	15...58 nmol/mol	Apr-May 2004	NA	Amoroso et al. (2005)
O ₃		spr 2004	AL	Morin et al. (2007)
O ₃		spr 2004	AL	Morin et al. (2005)
O ₃		2005	BA	Simpson et al. (2007)
O ₃		Jan-Apr 2005	BA	Keil and Shepson (2006)
O ₃		Mar-Apr 2005	BA	Tackett et al. (2007)
OH	mean: $1.1 \times 10^5 \text{ cm}^{-3}$	Feb 1994	pa	Jefferson et al. (1998); Davis et al. (1998)
OH		2000	sp	Mauldin III et al. (2004)
OH		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
OH		Feb-May 2000	ARC	Mauldin III et al. (2003)
OH	median: $6.4 \times 10^6 \text{ cm}^{-3}$	2003	SU	Sjostedt et al. (2007)
OH		Nov-Dec 2003	sp	Eisele et al. (2007)
OH	mean: $3.9 \times 10^5 \text{ cm}^{-3}$	Jan-Feb 2005	ha	Bloss et al. (2007)
HO ₂	mean: 0.76 pmol/mol	Jan-Feb 2005	ha	Bloss et al. (2007)
H ₂ O ₂	0.3...3.5 nmol/mol	Jun-Jul 1990	SU	Sigg et al. (1992)
H ₂ O ₂		1992	AL	de Serves (1994)
H ₂ O ₂	up to 0.5 nmol/mol	1993-1994	ant	Führer et al. (1996)
H ₂ O ₂		May-Jun 1993	SU	Bales et al. (1995b)
H ₂ O ₂		May-Jul 1993	SU	Bales et al. (1995a)
H ₂ O ₂		Aug 1994	SU	Dibb et al. (1996)
H ₂ O ₂	mean: 1.4 nmol/mol	Jun 1996	SU	Hutterli et al. (2001)
H ₂ O ₂	<DL...0.91 nmol/mol	1997-1999	nm	Riedel et al. (2000)
H ₂ O ₂	1.78 nmol/mol	sum 1999	SU	Yang et al. (2002)
H ₂ O ₂	mean: 278 pmol/mol	Dec 2000	sp	Hutterli et al. (2004)
H ₂ O ₂	mean: 321 pmol/mol	Dec 2000	ant	Frey et al. (2005)

species	value	date	site	reference
H ₂ O ₂		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
H ₂ O ₂	80...1600 pmol/mol	Jun-Jul 2000	SU	Jacobi et al. (2002)
H ₂ O ₂	mean: 650 pmol/mol	Dec 2001	ant	Frey et al. (2005)
H ₂ O ₂	mean: 363 pmol/mol	Dec 2002	by	Frey et al. (2005)
H ₂ O ₂	mean: 230 pmol/mol	Jan 2003	sp	Frey et al. (2005)
H ₂ O ₂		Nov-Dec 2003	sp	Eisele et al. (2007)
Nitrogen				
NH ₃		Jan 1994	du	Legrand et al. (1998)
NH ₃		Aug 1994	SU	Dibb et al. (1996)
NH ₃	0...4645.0 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
N ₂ O	mean: 341 pmol/mol	1988-1989	DY	Davidson et al. (1993b,a)
N ₂ O		1997-2005	SU	Dibb et al. (2007)
NO	median: 225 pmol/mol	1989-1999	sp	Davis et al. (2001)
NO	bgr.: 0...43.4 pmol/mol	Feb-May 1994	NA	Beine et al. (1997a)
NO	0...1501.8 pmol/mol	Mar-May 1995	PF	Beine et al. (1997a)
NO	mean: 3 pmol/mol	Jan-Mar 1997	nm	Jones et al. (1999)
NO		Jul 1998	SU	Honrath et al. (1999)
NO		1998, 2000	sp	Davis et al. (2004)
NO	mean: 1.2 pmol/mol	Jan-Feb 1999	nm	Jacobi et al. (2000)
NO		Jul 1999	SU	Dibb et al. (2002)
NO	24.7 pmol/mol	sum 1999	SU	Yang et al. (2002)
NO	<1...7.6 pmol/mol	1999-2000	nm	Weller et al. (2002)
NO	16.0 pmol/mol	sum 2000	SU	Yang et al. (2002)
NO		Jun 2000	SU	Jacobi et al. (2004)
NO		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
NO	0...24.7 pmol/mol	Feb-May 2000	AL	Beine et al. (2002)
NO		Nov-Dec 2003	sp	Eisele et al. (2007); Wang et al. (2006)
NO		Dec 2003	sp	Helmig et al. (2007c)
NO		2004-2005	ha	Jones et al. (2007)
NO ₂	17...97 pmol/mol	Mar 1985	AL	Bottenheim et al. (1986)
NO ₂	85 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
NO ₂		Mar-Apr 1988	AL	Bottenheim et al. (1993)
NO ₂	SCD	1995	mm	Kreher et al. (1997)
NO ₂		1995-1996	NA	Martinez et al. (1999)
NO ₂		1995, 1996	NA	Tuckermann et al. (1997)
NO ₂	0...358.3 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
NO ₂	10...170 ng/m ³	May-Jun 1997	NA	Allegrini et al. (1999)
NO ₂	10...300 ng/m ³	Dec 1997	tn	Allegrini et al. (1999)
NO ₂	4.94...620.73 ng/m ³	1997-1999	tn	Ianniello et al. (2003)
NO ₂		Jul 1998	SU	Honrath et al. (1999)
NO ₂	mean: 3.2 pmol/mol	Jan-Feb 1999	nm	Jacobi et al. (2000)
NO ₂		Jul 1999	SU	Dibb et al. (2002)
NO ₂	32.7 pmol/mol	sum 1999	SU	Yang et al. (2002)
NO ₂		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
NO ₂	0...38.8 pmol/mol	Feb-May 2000	AL	Beine et al. (2002)
NO ₂		Jun 2000	SU	Jacobi et al. (2004)
NO ₂	15.2 pmol/mol	sum 2000	SU	Yang et al. (2002)
NO ₂		2004-2005	ha	Jones et al. (2007)
NO ₂	≤50 pmol/mol	Apr *	AL	Barrie and Delmas (1994)
NO _x	≤30 pmol/mol	spr 1992	AL	Muthuramu et al. (1994)
NO _x	<20...100 pmol/mol	Apr 1992	ARC	Leaitch et al. (1994)
NO _x	0...637.5 pmol/mol	Feb-May 1994	NA	Beine et al. (1996a)
NO _x	bgr.: 0...143.9 pmol/mol	Feb-May 1994	NA	Beine et al. (1997b)
NO _x	bgr.: 0...143.9 pmol/mol	Feb-May 1994	NA	Beine et al. (1997a)
NO _x	bgr.: 0...955.5 pmol/mol	Mar-May 1995	PF	Beine et al. (1997a)

species	value	date	site	reference
NO _x		1998-1999	SU	Ford et al. (2002)
NO _x	<2...20.2 pmol/mol	Jan-Feb 1999	nm	Jacobi et al. (2000)
NO _x	49.4 pmol/mol	sum 1999	SU	Yang et al. (2002)
NO _x		Jun 2000	SU	Honrath et al. (2002); Jacobi et al. (2004)
NO _x	39.7 pmol/mol	sum 2000	SU	Yang et al. (2002)
NO _x		2000	sp	Oncley et al. (2004)
NO _x		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
NO _y		Mar-Apr 1988	AL	Bottenheim et al. (1993)
NO _y	mean: 300 pmol/mol	Feb-May 1994	NA	Solberg et al. (1997a)
NO _y	mean: 850 pmol/mol	May-Jul 1995	SU	Munger et al. (1999)
NO _y		1995	SU	Dibb et al. (1998)
NO _y	mean: 24 pmol/mol	Jan-Mar 1997	nm	Jones et al. (1999); Weller et al. (1999)
NO _y	100...600 ng/m ³	May-Jun 1997	NA	Allegrini et al. (1999)
NO _y	300...700 ng/m ³	Dec 1997	tn	Allegrini et al. (1999)
NO _y	14.58...701.20 ng/m ³	1997-1999	tn	Ianniello et al. (2003)
NO _y		Jul 1998	SU	Honrath et al. (1999)
NO _y		1998-1999	SU	Ford et al. (2002)
NO _y	46 pmol/mol	1999-2000	nm	Weller et al. (2002)
NO _y		Feb-Mar 2000	AL	Bottenheim et al. (2002b)
NO _y		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
HONO	0...≤240 pmol/mol	Apr 1992	AL	Hausmann and Platt (1994)
HONO	<1.7...68 pmol/mol	win 1992	AL	Li (1994)
HONO	<1.7...20 pmol/mol	spr 1992	AL	Li (1994)
HONO	0...64.8 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
HONO		Jul 1999	SU	Dibb et al. (2002)
HONO	7.24 pmol/mol	sum 1999	SU	Yang et al. (2002)
HONO	12.7 pmol/mol	sum 2000	SU	Yang et al. (2002)
HONO		2000	sp	Dibb et al. (2004)
HONO		Feb-May 2000	AL	Zhou et al. (2001)
HONO		Jun 2000	SU	Honrath et al. (2002); Jacobi et al. (2004)
HONO	<DL...20 pmol/mol	Feb-May 2001	NA	Beine et al. (2003)
HONO		Nov-Dec 2003	sp	Eisele et al. (2007)
HONO	0...48.3 pmol/mol	Apr-May 2004	NA	Amoroso et al. (2005)
HONO	0...7 pmol/mol	Nov 2004	bp	Beine et al. (2006)
HONO	10.1 pmol/mol(sum), 0.8 pmol/mol(win)	2004-2005	ha	Clemitchshaw et al. (2006); Jones et al. (2007)
HNO ₃ (g+aq)	24...72 pmol/mol	Mar 1985	AL	Bottenheim et al. (1986)
HNO ₃	3.5...180 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
HNO ₃		Mar-Apr 1988	AL	Bottenheim et al. (1993)
HNO ₃	mean: 77 ng/m ³	May 1989	AL	Kieser et al. (1993)
HNO ₃ (g+aq)		1990-2001	SN	Heidam et al. (2004)
HNO ₃		Jan-Feb 1991	tn	Allegrini et al. (1994)
HNO ₃	5...100 pmol/mol	win/spr 1992	AL	Barrie et al. (1994a)
HNO ₃	≤40...110 pmol/mol	Apr 1992	ARC	Leaitch et al. (1994)
HNO ₃	mean: 0.9 nmol/m ³ (STP)	Jun-Jul 1993	SU	Dibb et al. (1994)
HNO ₃		1994-1995	SU	Dibb et al. (1998)
HNO ₃		Mar-Jun 1994	ARC	Jaeschke et al. (1997)
HNO ₃		Aug 1994	SU	Dibb et al. (1996)
HNO ₃	mean: 5 pmol/mol	Jan-Mar 1997	nm	Jones et al. (1999); Weller et al. (1999)
HNO ₃	0...229.1 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
HNO ₃	mean: 4.0 pmol/mol	Jan-Feb 1999	nm	Jacobi et al. (2000)
HNO ₃	<1...24 pmol/mol	1999-2000	nm	Weller et al. (2002)
HNO ₃		2000-2001	du	Jourdain and Legrand (2002)
HNO ₃	mean: 14.5 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)
HNO ₃		Mar-Apr 2000	NA	Hara et al. (2002b)

species	value	date	site	reference
HNO ₃	mean: 54.9 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)
HNO ₃		Jun 2000	SU	Honrath et al. (2002); Jacobi et al. (2004)
HNO ₃		2000	sp	Dibb et al. (2004)
HNO ₃		2000	sp	Huey et al. (2004)
HNO ₃	0.9...70 pmol/mol	Feb-May 2001	NA	Beine et al. (2003)
HNO ₃		Nov-Dec 2003	sp	Wang et al. (2006); Eisele et al. (2007)
HNO ₃		2004-2005	ha	Jones et al. (2007)
HNO ₄		Feb-May 2000	AL	Zhou et al. (2001)
HNO ₄	mean: 25 pmol/mol	Dec 2000	sp	Slusher et al. (2002)
HNO ₄		Nov-Dec 2003	sp	Eisele et al. (2007); Wang et al. (2006)

Organic: C, H (alkanes)

CH ₄		Apr 1986	AL	Trivett et al. (1989)
CH ₄	mean: 1780 nmol/mol	1988-1989	DY	Davidson et al. (1993b,a)
CH ₄		1989-1990	AL	Hopper et al. (1994b)
CH ₄	1800...1950 nmol/mol	win/spr 1992	AL	Worthy et al. (1994)
CH ₄		Apr 1994	AL, NW	Ariya et al. (1998)
CH ₄		Feb-Apr 1995	AL	Ariya et al. (1999)
CH ₄		1997-2005	SU	Dibb et al. (2007)
CH ₄	1800 nmol/mol	sum 1999	SU	Yang et al. (2002)
CH ₄		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
CH ₄	1816 nmol/mol	sum 2000	SU	Yang et al. (2002)
C ₂ H ₆		1982, 1983	NO	Hov et al. (1984)
C ₂ H ₆	mean: 370 pmol/mol	1982-1985	nm	Rudolph et al. (1989)
C ₂ H ₆		1983-1986	NA	Hov et al. (1989)
C ₂ H ₆		1989-1994	NA	Solberg et al. (1996a)
C ₂ H ₆	2000...4300 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
C ₂ H ₆	mean: 853 pmol/mol	Apr 1989	AL	Kieser et al. (1993)
C ₂ H ₆	mean: 683 pmol/mol	May 1989	AL	Kieser et al. (1993)
C ₂ H ₆	mean: 288 pmol/mol	1990-1996	sb	Clarkson et al. (1997)
C ₂ H ₆	1500...4000 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)
C ₂ H ₆		Mar-Jun 1993	NA	Solberg et al. (1996b)
C ₂ H ₆		Apr 1994	AL, NW	Ariya et al. (1998)
C ₂ H ₆		Feb-Apr 1995	AL	Ariya et al. (1999)
C ₂ H ₆	1366...2594 pmol/mol	Mar-May 1995	PF	Herring et al. (1997)
C ₂ H ₆		1997-1998	SU	Swanson et al. (2003)
C ₂ H ₆		1997-2004	SU	Dibb et al. (2007)
C ₂ H ₆		Apr-May 1998	AL	Boudries and Bottenheim (2000)
C ₂ H ₆		1998, 2000	AL	Bottenheim et al. (2002a)
C ₂ H ₆		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
C ₂ H ₆		Feb-May 2000	ARC	Blake et al. (2003)
C ₂ H ₆		Nov-Dec 2003	sp	Eisele et al. (2007)
C ₂ H ₆	mean: 186 pmol/mol	2004-2005	ha	Read et al. (2007)
C ₃ H ₈		1982, 1983	NO	Hov et al. (1984)
C ₃ H ₈	mean: 70 pmol/mol	1982-1985	nm	Rudolph et al. (1989)
C ₃ H ₈		1983-1986	NA	Hov et al. (1989)
C ₃ H ₈		1989-1994	NA	Solberg et al. (1996a)
C ₃ H ₈	800...2200 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
C ₃ H ₈	mean: 505 pmol/mol	Apr 1989	AL	Kieser et al. (1993)
C ₃ H ₈	mean: 288 pmol/mol	May 1989	AL	Kieser et al. (1993)
C ₃ H ₈	mean: 43 pmol/mol	1990-1996	sb	Clarkson et al. (1997)
C ₃ H ₈	500...3000 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)
C ₃ H ₈		Mar-Jun 1993	NA	Solberg et al. (1996b)
C ₃ H ₈		Apr 1994	AL, NW	Ariya et al. (1998)
C ₃ H ₈		Feb-Apr 1995	AL	Ariya et al. (1999)

species	value	date	site	reference
C ₃ H ₈	188...1542 pmol/mol	Mar-May 1995	PF	Herring et al. (1997)
C ₃ H ₈	1997-1998	SU		Swanson et al. (2003)
C ₃ H ₈	1997-2004	SU		Dibb et al. (2007)
C ₃ H ₈	Apr-May 1998	AL		Boudries and Bottenheim (2000)
C ₃ H ₈	1998, 2000	AL		Bottenheim et al. (2002a)
C ₃ H ₈	Feb-May 2000	ARC		Ridley et al. (2003); Evans et al. (2003)
C ₃ H ₈		Feb-May 2000	ARC	Blake et al. (2003)
C ₃ H ₈	mean: 31 pmol/mol	2004-2005	ha	Read et al. (2007)
n-C ₄ H ₁₀		1982, 1983	NO	Hov et al. (1984)
n-C ₄ H ₁₀		1983-1986	NA	Hov et al. (1989)
n-C ₄ H ₁₀	460...910 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
n-C ₄ H ₁₀	mean: 167 pmol/mol	Apr 1989	AL	Kieser et al. (1993)
n-C ₄ H ₁₀	mean: 60 pmol/mol	May 1989	AL	Kieser et al. (1993)
n-C ₄ H ₁₀		1989-1994	NA	Solberg et al. (1996a)
n-C ₄ H ₁₀	100...1500 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)
n-C ₄ H ₁₀	19.6...126.2 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
n-C ₄ H ₁₀		Mar-Jun 1993	NA	Solberg et al. (1996b)
n-C ₄ H ₁₀		Apr 1994	AL, NW	Ariya et al. (1998)
n-C ₄ H ₁₀		Feb-Apr 1995	AL	Ariya et al. (1999)
n-C ₄ H ₁₀	22...912 pmol/mol	Mar-May 1995	PF	Herring et al. (1997)
n-C ₄ H ₁₀		1997-1998	SU	Swanson et al. (2003)
n-C ₄ H ₁₀		Apr-May 1998	AL	Boudries and Bottenheim (2000)
n-C ₄ H ₁₀		1998, 2000	AL	Bottenheim et al. (2002a)
n-C ₄ H ₁₀		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
n-C ₄ H ₁₀		Feb-May 2000	ARC	Blake et al. (2003)
n-C ₄ H ₁₀	mean: 4.9 pmol/mol	2004-2005	ha	Read et al. (2007)
n-C ₄ H ₁₀		Mar-Apr 2005	BA	Tackett et al. (2007)
i-C ₄ H ₁₀		1982, 1983	NO	Hov et al. (1984)
i-C ₄ H ₁₀		1983-1986	NA	Hov et al. (1989)
i-C ₄ H ₁₀		1989-1994	NA	Solberg et al. (1996a)
i-C ₄ H ₁₀	140...350 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
i-C ₄ H ₁₀	mean: 459 pmol/mol	Apr 1989	AL	Kieser et al. (1993)
i-C ₄ H ₁₀	mean: 344 pmol/mol	May 1989	AL	Kieser et al. (1993)
i-C ₄ H ₁₀	100...800 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)
i-C ₄ H ₁₀		Apr 1994	AL, NW	Ariya et al. (1998)
i-C ₄ H ₁₀		Feb-Apr 1995	AL	Ariya et al. (1999)
i-C ₄ H ₁₀	12...525 pmol/mol	Mar-May 1995	PF	Herring et al. (1997)
i-C ₄ H ₁₀		1997-1998	SU	Swanson et al. (2003)
i-C ₄ H ₁₀		Apr-May 1998	AL	Boudries and Bottenheim (2000)
i-C ₄ H ₁₀		1998, 2000	AL	Bottenheim et al. (2002a)
i-C ₄ H ₁₀		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
i-C ₄ H ₁₀	mean: 3.2 pmol/mol	2004-2005	ha	Read et al. (2007)
n-C ₅ H ₁₂		1982, 1983	NO	Hov et al. (1984)
n-C ₅ H ₁₂		1983-1986	NA	Hov et al. (1989)
n-C ₅ H ₁₂		1989-1994	NA	Solberg et al. (1996a)
n-C ₅ H ₁₂	140...330 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
n-C ₅ H ₁₂	20...600 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)
n-C ₅ H ₁₂		Apr 1994	AL, NW	Ariya et al. (1998)
n-C ₅ H ₁₂		Feb-Apr 1995	AL	Ariya et al. (1999)
n-C ₅ H ₁₂		Apr-May 1998	AL	Boudries and Bottenheim (2000)
n-C ₅ H ₁₂		1998, 2000	AL	Bottenheim et al. (2002a)
n-C ₅ H ₁₂		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
i-C ₅ H ₁₂		1982, 1983	NO	Hov et al. (1984)
i-C ₅ H ₁₂		1983-1986	NA	Hov et al. (1989)
i-C ₅ H ₁₂		1989-1994	NA	Solberg et al. (1996a)
i-C ₅ H ₁₂	76...220 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
i-C ₅ H ₁₂	20...600 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)

species	value	date	site	reference
i-C ₅ H ₁₂	7.2...50.3 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
i-C ₅ H ₁₂		Apr 1994	AL, NW	Ariya et al. (1998)
i-C ₅ H ₁₂		Feb-Apr 1995	AL	Ariya et al. (1999)
i-C ₅ H ₁₂		Apr-May 1998	AL	Boudries and Bottenheim (2000)
i-C ₅ H ₁₂		1998, 2000	AL	Bottenheim et al. (2002a)
i-C ₅ H ₁₂		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
dimethylpropane		1983-1986	NA	Hov et al. (1989)
n-C ₆ H ₁₄		1982, 1983	NO	Hov et al. (1984)
n-C ₆ H ₁₄		1983-1986	NA	Hov et al. (1989)
n-C ₆ H ₁₄	35...139 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
n-C ₆ H ₁₄	7...200 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)
n-C ₆ H ₁₄		Apr 1994	AL, NW	Ariya et al. (1998)
n-C ₆ H ₁₄		Feb-Apr 1995	AL	Ariya et al. (1999)
n-C ₆ H ₁₄		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
2-methylpentane		1982, 1983	NO	Hov et al. (1984)
2-methylpentane		1983-1986	NA	Hov et al. (1989)
2-methylpentane	7...200 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)
2-methylpentane		Apr 1994	AL, NW	Ariya et al. (1998)
2-methylpentane		Feb-Apr 1995	AL	Ariya et al. (1999)
3-methylpentane		1982, 1983	NO	Hov et al. (1984)
3-methylpentane		1983-1986	NA	Hov et al. (1989)
3-methylpentane	42...98 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
3-methylpentane		Apr 1994	AL, NW	Ariya et al. (1998)
3-methylpentane		Feb-Apr 1995	AL	Ariya et al. (1999)
2,2-dimethylbutane		1983-1986	NA	Hov et al. (1989)
2,2-dimethylbutane	<2...82 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
cyclohexane		1982, 1983	NO	Hov et al. (1984)
methylcyclopentane	23...60 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
n-C ₇ H ₁₆	14...50 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
n-C ₇ H ₁₆		Apr 1994	AL, NW	Ariya et al. (1998)
n-C ₇ H ₁₆		Feb-Apr 1995	AL	Ariya et al. (1999)
methylhexane	24...60 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)

Organic: C, H (unsaturated)

C ₂ H ₄	mean: 360 pmol/mol	1982-1985	nm	Rudolph et al. (1989)
C ₂ H ₄		1982, 1983	NO	Hov et al. (1984)
C ₂ H ₄		1983-1986	NA	Hov et al. (1989)
C ₂ H ₄		1989-1994	NA	Solberg et al. (1996a)
C ₂ H ₄	330...1000 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
C ₂ H ₄	mean: 40 pmol/mol	Apr 1989	AL	Kieser et al. (1993)
C ₂ H ₄	0...1000 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)
C ₂ H ₄		Mar-Jun 1993	NA	Solberg et al. (1996b)
C ₂ H ₄	23...509 pmol/mol	Mar-May 1995	PF	Herring et al. (1997)
C ₂ H ₄	mean: 26 pmol/mol	Mar-May 1996	NA	Ramacher et al. (1999)
C ₂ H ₄		1998, 2000	AL	Bottenheim et al. (2002a)
C ₃ H ₆		1982, 1983	NO	Hov et al. (1984)
C ₃ H ₆	mean: 210 pmol/mol	1982-1985	nm	Rudolph et al. (1989)
C ₃ H ₆		1983-1986	NA	Hov et al. (1989)
C ₃ H ₆		1989-1994	NA	Solberg et al. (1996a)
C ₃ H ₆	160...330 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
C ₃ H ₆	mean: 94 pmol/mol	Apr 1989	AL	Kieser et al. (1993)
C ₃ H ₆	mean: 117 pmol/mol	May 1989	AL	Kieser et al. (1993)
C ₃ H ₆	18...169 pmol/mol	Mar-May 1995	PF	Herring et al. (1997)
1-butene	mean: 34 pmol/mol	Apr 1989	AL	Kieser et al. (1993)
1-butene	mean: 30 pmol/mol	May 1989	AL	Kieser et al. (1993)
cis-2-butene		1983-1986	NA	Hov et al. (1989)
trans-2-butene		1983-1986	NA	Hov et al. (1989)
isobutene		1983-1986	NA	Hov et al. (1989)

species	value	date	site	reference
isobutene	mean: 77 pmol/mol	Apr 1989	AL	Kieser et al. (1993)
isobutene	mean: 115 pmol/mol	May 1989	AL	Kieser et al. (1993)
C ₂ H ₂		1982, 1983	NO	Hov et al. (1984)
C ₂ H ₂	mean: 11 pmol/mol	1982-1985	nm	Rudolph et al. (1989)
C ₂ H ₂		1983-1986	NA	Hov et al. (1989)
C ₂ H ₂		1989-1994	NA	Solberg et al. (1996a)
C ₂ H ₂	900...1800 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
C ₂ H ₂	mean: 53 pmol/mol	Apr 1989	AL	Kieser et al. (1993)
C ₂ H ₂	mean: 80 pmol/mol	May 1989	AL	Kieser et al. (1993)
C ₂ H ₂		1992-1999	NA	Albrecht et al. (2002)
C ₂ H ₂	0...1600 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)
C ₂ H ₂		Mar-Jun 1993	NA	Solberg et al. (1996b)
C ₂ H ₂	bgr.: 123.0...939.0 pmol/mol	Feb-May 1994	NA	Beine et al. (1997b)
C ₂ H ₂		Apr 1994	AL, NW	Ariya et al. (1998)
C ₂ H ₂		Feb-Apr 1995	AL	Ariya et al. (1999)
C ₂ H ₂	190...1080 pmol/mol	Mar-May 1995	PF	Herring et al. (1997)
C ₂ H ₂	mean: 329 pmol/mol	Mar-May 1996	NA	Ramacher et al. (1999)
C ₂ H ₂		1997-1998	SU	Swanson et al. (2003)
C ₂ H ₂		1997-2004	SU	Dibb et al. (2007)
C ₂ H ₂		Apr-May 1998	AL	Boudries and Bottenheim (2000)
C ₂ H ₂		1998, 2000	AL	Bottenheim et al. (2002a)
C ₂ H ₂		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
C ₂ H ₂		Feb-May 2000	ARC	Blake et al. (2003)
C ₂ H ₂	mean: 19 pmol/mol	2004-2005	ha	Read et al. (2007)
C ₃ H ₄		1983-1986	NA	Hov et al. (1989)
isoprene	0.6...7.3 pmol/mol	Jan 1992	AL	Yokouchi et al. (1994)
isoprene	0.6...10.3 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
benzene		1982, 1983	NO	Hov et al. (1984)
benzene	390...470 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
benzene	200...400 pmol/mol	win/spr 1992	AL	Jobson et al. (1994)
benzene		Mar-Jun 1993	NA	Solberg et al. (1996b)
benzene		Apr 1994	AL, NW	Ariya et al. (1998)
benzene		Feb-Apr 1995	AL	Ariya et al. (1999)
benzene		1997-2004	SU	Dibb et al. (2007)
benzene		Feb-May 2000	AL	Boudries et al. (2002)
benzene		Feb-May 2000	ARC	Blake et al. (2003)
toluene		1982, 1983	NO	Hov et al. (1984)
toluene	23...150 pmol/mol	Mar 1989	BA	Doskey and Gaffney (1992)
toluene		Apr 1994	AL, NW	Ariya et al. (1998)
toluene		Feb-Apr 1995	AL	Ariya et al. (1999)
total NMHC	5.6...15.7 nmolC/mol	Mar-May 1993	PF	Beine et al. (1996b)

Organic: C, H, O

CH ₃ OH		Feb-May 2000	AL	Boudries et al. (2002)
C ₂ H ₅ OH		Feb-May 2000	AL	Boudries et al. (2002)
HCHO	≤ 39 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
HCHO		1989-1994	NA	Solberg et al. (1996a)
HCHO	100...700 pmol/mol	win 1992	AL	de Serves (1994)
HCHO	30...600 pmol/mol	spr 1992	AL	de Serves (1994)
HCHO		1992-1999	NA	Albrecht et al. (2002)
HCHO	0.2...0.3 nmol/mol	1993-1994	ant	Fuhrer et al. (1996)
HCHO	mean: 0.3 nmol/mol	1993-1994	SU	Fuhrer et al. (1996)
HCHO	mean: 193 pmol/mol	Apr 1994	AL	Shepson et al. (1996)
HCHO	mean: 0.23 nmol/mol	Jun 1996	SU	Hutterli et al. (1999)
HCHO	0.03...0.7 nmol/mol	1997-1999	nm	Riedel et al. (1999)
HCHO	78...372 pmol/mol	Feb 1998	AL	Sumner and Shepson (1999)
HCHO	52...690 pmol/mol	Apr 1998	AL	Sumner and Shepson (1999)
HCHO		1998, 2000	AL	Sumner et al. (2002)

species	value	date	site	reference
HCHO	0.74 nmol/mol	sum 1999	SU	Yang et al. (2002)
HCHO	mean: 103 pmol/mol	Dec 2000	sp	Hutterli et al. (2004)
HCHO	166 pmol/mol	2000	AL	Gramnas et al. (2002)
HCHO		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
HCHO	30...420 pmol/mol	Jun-Jul 2000	SU	Jacobi et al. (2002)
HCHO	mean: 121 pmol/mol	Dec 2002	by	Frey et al. (2005)
HCHO	mean: 154 pmol/mol	Dec 2002	ant	Frey et al. (2005)
HCHO		Nov-Dec 2003	sp	Eisele et al. (2007)
CH ₃ CHO	65 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
CH ₃ CHO		1989-1994	NA	Solberg et al. (1996a)
CH ₃ CHO	mean: 93 pmol/mol	Apr 1994	AL	Shepson et al. (1996)
CH ₃ CHO	53 pmol/mol	2000	AL	Gramnas et al. (2002)
CH ₃ CHO		Feb-May 2000	AL	Boudries et al. (2002)
CH ₃ CHO		Mar-May 2000	AL	Guimbaud et al. (2002)
C ₂ H ₅ CHO		Feb-May 2000	AL	Boudries et al. (2002)
C ₃ H ₇ CHO		Feb-May 2000	AL	Boudries et al. (2002)
CH ₃ COCH ₃	393 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
CH ₃ COCH ₃		1989-1994	NA	Solberg et al. (1996a)
CH ₃ COCH ₃	901...1585 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
CH ₃ COCH ₃	mean: 1730 pmol/mol	Apr 1994	AL	Shepson et al. (1996)
CH ₃ COCH ₃	385 pmol/mol	2000	AL	Gramnas et al. (2002)
CH ₃ COCH ₃		Feb-May 2000	AL	Boudries et al. (2002)
CH ₃ COCH ₃		Mar-May 2000	AL	Guimbaud et al. (2002)
CH ₃ COCH ₃		Mar-Apr 2005	BA	Tackett et al. (2007)
C ₂ H ₅ COCH ₃		Feb-May 2000	AL	Boudries et al. (2002)
C ₂ H ₅ COCH ₃		Mar-Apr 2005	BA	Tackett et al. (2007)
HCOOH		1994-1995	SU	Dibb et al. (1998)
HCOOH		Jun 2000	SU	Jacobi et al. (2004)
HCOOH	mean: 159 pmol/mol	Dec 2000	SU	Dibb and Arsenault (2002)
HCOOH	mean: 460 pmol/mol	Jun-Jul 2000	SU	Dibb and Arsenault (2002)
HCOOH	mean: 49 nmol/m ³ (STP)	Jun-Jul 1993	SU	Dibb et al. (1994)
HCOOH		Nov-Dec 2003	sp	Eisele et al. (2007)
CH ₃ COOH		1994-1995	SU	Dibb et al. (1998)
CH ₃ COOH		Jun 2000	SU	Jacobi et al. (2004)
CH ₃ COOH	mean: 310 pmol/mol	Dec 2000	sp	Dibb and Arsenault (2002)
CH ₃ COOH	mean: 32 nmol/m ³ (STP)	Jun-Jul 1993	SU	Dibb et al. (1994)
CH ₃ COOH	mean: 445 pmol/mol	Jun-Jul 2000	SU	Dibb and Arsenault (2002)
CH ₃ COOH		Nov-Dec 2003	sp	Eisele et al. (2007)
CH ₃ OOH	<DL...0.89 nmol/mol	1997-1999	nm	Riedel et al. (2000)
CH ₃ OOH		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
CH ₃ OOH	mean: 317 pmol/mol	Dec 2001	ant	Frey et al. (2005)
CH ₃ OOH	mean: 426 pmol/mol	Dec 2002	by	Frey et al. (2005)
CH ₃ OOH	mean: 102 pmol/mol	Jan 2003	sp	Frey et al. (2005)
ROOH+H ₂ O ₂	10...40 pmol/mol	win 1992	AL	Yokouchi et al. (1994)
ROOH+H ₂ O ₂	100...400 pmol/mol	spr 1992	AL	Yokouchi et al. (1994)
RO ₂		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
RO ₂ +HO ₂		2000	sp	Mauldin III et al. (2004)
RO ₂ +HO ₂	median: 2.2×10 ⁸ cm ⁻³	2003	SU	Sjostedt et al. (2007)
RO ₂ +HO ₂		Nov-Dec 2003	sp	Eisele et al. (2007)
CO		1980-1982	BA	Khalil and Rasmussen (1983)
CO	mean: 131 nmol/mol	1988-1989	DY	Davidson et al. (1993b,a)
CO	52.3...302.0 nmol/mol	1992-1993	NA	Beine (1999)
CO	89...216 nmol/mol	Mar-May 1995	PF	Herring et al. (1997)
CO		1997-2005	SU	Dibb et al. (2007)
CO	90 nmol/mol	sum 1999	SU	Yang et al. (2002)
CO	110 nmol/mol	sum 2000	SU	Yang et al. (2002)
CO		Feb-Mar 2000	AL	Bottenheim et al. (2002b)

species	value	date	site	reference
CO		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
CO		Nov-Dec 2003	sp	Eisele et al. (2007)

Organic: C, H, O, N

PAN	189...234 pmol/mol	Mar 1985	AL	Bottenheim et al. (1986)
PAN	200...500 pmol/mol	spr 1988	AL	Barrie and Delmas (1994)
PAN		Mar-Apr 1988	AL	Bottenheim et al. (1993)
PAN	150...600 pmol/mol	win/spr 1992	AL	Barrie et al. (1994a)
PAN	27...371 pmol/mol	Mar-May 1993	PF	Beine et al. (1996b)
PAN		Mar-Jun 1994	ARC	Jaeschke et al. (1997)
PAN	69.0...729.0 pmol/mol	Feb-May 1994	NA	Beine et al. (1997a)
PAN	19.7...1608.2 pmol/mol	1994-1996	NA	Beine and Krognes (2000)
PAN	bgr.: 2.9 ... 739.0 pmol/mol	Mar-May 1995	PF	Beine et al. (1997a)
PAN	100...420 pmol/mol	Mar 1998	NA	Jacobi et al. (1999)
PAN		1998-1999	SU	Ford et al. (2002)
PAN		1998-1999	SU	Dassau et al. (2004)
PAN		1998,2000	AL	Dassau et al. (2004)
PAN	<5...47.9 pmol/mol	Feb 1999	nm	Jacobi et al. (2000)
PAN	mean: 18 pmol/mol	Mar 1999	ant	Jacobi and Schrems (1999)
PAN		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
PAN		Nov-Dec 2003	sp	Eisele et al. (2007)
PAN	<0.6...52.3 pmol/mol	2004-2005	ha	Mills et al. (2007); Jones et al. (2007)
PPN	mean: 26 pmol/mol	Feb-May 1994	NA	Solberg et al. (1997a)
methyl nitrate	mean: 10 pmol/mol	Jan-Mar 1997	nm	Jones et al. (1999); Weller et al. (2002)
methyl nitrate		1997-1998	SU	Swanson et al. (2003)
methyl nitrate		1997-2004	SU	Dibb et al. (2007)
methyl nitrate	mean: 9.5 pmol/mol	Feb 1999	nm	Weller et al. (2002)
methyl nitrate	mean: 84 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
methyl nitrate		2000	sp	Swanson et al. (2004)
methyl nitrate		Feb-May 2000	ARC	Blake et al. (2003)
methyl nitrate		2004-2005	ha	Jones et al. (2007)
ethyl nitrate	mean: 3 pmol/mol	Jan-Mar 1997	nm	Jones et al. (1999); Weller et al. (2002)
ethyl nitrate		1997-1998	SU	Swanson et al. (2003)
ethyl nitrate		1997-2004	SU	Dibb et al. (2007)
ethyl nitrate	mean: 2.3 pmol/mol	Feb 1999	nm	Weller et al. (2002)
ethyl nitrate	mean: 4.6 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
ethyl nitrate		2000	sp	Swanson et al. (2004)
ethyl nitrate		Feb-May 2000	ARC	Blake et al. (2003)
ethyl nitrate		2004-2005	ha	Jones et al. (2007)
1-propyl nitrate	3.14...3.33 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
1-propyl nitrate		1997-1998	SU	Swanson et al. (2003)
1-propyl nitrate	mean: 1.1 pmol/mol	Feb 1999	nm	Weller et al. (2002)
1-propyl nitrate	mean: 1.1 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
1-propyl nitrate		2004-2005	ha	Jones et al. (2007)
2-propyl nitrate	12.44...13.08 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
2-propyl nitrate		1997-1998	SU	Swanson et al. (2003)
2-propyl nitrate		1997-2004	SU	Dibb et al. (2007)
2-propyl nitrate	mean: 1.2 pmol/mol	Feb 1999	nm	Weller et al. (2002)
2-propyl nitrate	mean: 0.7 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
2-propyl nitrate		2000	sp	Swanson et al. (2004)
2-propyl nitrate		Feb-May 2000	ARC	Blake et al. (2003)
2-propyl nitrate		2004-2005	ha	Jones et al. (2007)
1-butyl nitrate	1.18...1.7 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
1-butyl nitrate	mean: 0.03 pmol/mol	Feb 1999	nm	Fischer et al. (2002)

species	value	date	site	reference
2-butyl nitrate	13.73...18.41 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
2-butyl nitrate		1997-1998	SU	Swanson et al. (2003)
2-butyl nitrate		1997-2004	SU	Dibb et al. (2007)
2-butyl nitrate	mean: 0.5 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
2-butyl nitrate		Feb-May 2000	ARC	Blake et al. (2003)
1-pentyl nitrate	0.53...1.01 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
1-pentyl nitrate	mean: 0.7 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
2-pentyl nitrate	2.47...5.44 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
2-pentyl nitrate	mean: < DL	Feb 1999	nm	Fischer et al. (2002)
3-pentyl nitrate	2.31...4.31 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
3-pentyl nitrate	mean: 0.03 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
2-methyl-1-butyl nitrate	0.39...0.77 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
3-methyl-1-butyl nitrate	0.30...0.55 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
3-methyl-2-butyl nitrate	2.32...4.84 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
1-hexyl nitrate	mean: 0.5 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
2-hexyl nitrate	0.98...2.46 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
2-hexyl nitrate	mean: 1.0 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
3-hexyl nitrate	1.65...4.27 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
3-hexyl nitrate	mean: 0.08 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
2-heptyl nitrate	0.56...1.45 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
2-heptyl nitrate	mean: 0.18 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
3-heptyl nitrate	0.68...1.86 pmol/mol	Jan-Apr 1992	AL	Muthuramu et al. (1994)
4-heptyl nitrate	mean: 0.02 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
alkyl nitrates	11...66 pmol/mol	Mar-May 1993	PF	Beine et al. (1996b)
organic nitrates		Mar-Apr 1988	AL	Bottenheim et al. (1993)
organic nitrates	0...2828.0 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
organic nitrates	mean: 1038.8 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)
organic nitrates	mean: 309 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)
hydroxy nitrates	mean: 1.1 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
organic dinitrates	mean: 4.6 pmol/mol	Feb 1999	nm	Fischer et al. (2002)

Chlorine (inorganic)

inorg-Cl	0...500 pmol/mol	win/spr 1992	AL	Barrie et al. (1994a)
photolabile Cl	<9...100 pmol/mol	Feb-Apr 1995	AL	Impey et al. (1997)
photolabile Cl		Mar-Apr 1997	AL	Impey et al. (1999)
gaseous Cl		1996-1999	NA	Hara et al. (2002a)
gaseous Cl		Mar-Apr 2000	NA	Hara et al. (2002b)
HCl	0...303.6 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
HCl	mean: 11.3 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)
HCl	mean: 32.7 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)
HCl		2000-2001	du	Jourdain and Legrand (2002)
Cl atoms	$3.9 \times 10^3 \dots 7.7 \times 10^4 \text{ cm}^{-3}$	spr 1992	AL	Jobson et al. (1994)
Cl atoms	$3.8 \times 10^3 \dots 1.0 \times 10^4 \text{ cm}^{-3}$	spr 1992	AL	Muthuramu et al. (1994)
Cl atoms	$4.5 \times 10^3 \text{ cm}^{-3}$	spr 1994	NW	Ariya et al. (1998)
Cl atoms	$7.5 \times 10^4 \text{ cm}^{-3}$	Apr-May 1998	AL	Boudries and Bottenheim (2000)
Cl atoms	$1.7 \times 10^3 \dots 3.4 \times 10^4 \text{ cm}^{-3}$	2004-2005	ha	Read et al. (2007)
ClO		1995, 1996	NA	Tuckermann et al. (1997)
OCIO	SCD	1995	mm	Kreher et al. (1997)
OCIO		Jan-May 1995	KA	Miller et al. (1997)
Cl ₂	< DL (2 pmol/mol)	Feb-Mar 2000	AL	Foster et al. (2001); Spicer et al. (2002)

Chlorine (organic)

org-Cl	1200...3400 pmol/mol	win/spr 1992	AL	Barrie et al. (1994a)
CH ₃ Cl		1980-1982	BA	Khalil and Rasmussen (1983)
CH ₃ Cl		1982, 1983	NO	Hov et al. (1984)
CH ₂ Cl ₂		1982, 1983	NO	Hov et al. (1984)

species	value	date	site	reference
CH_2Cl_2	53.4...69.8 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
CHCl_3		1982, 1983	NO	Hov et al. (1984)
CHCl_3	mean: 23.0 pmol/mol	1988-1989	DY	Davidson et al. (1993b,a)
CHCl_3	9.7...15.8 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
CCl_4		1982, 1983	NO	Hov et al. (1984)
CCl_4	mean: 125 pmol/mol	1988-1989	DY	Davidson et al. (1993b,a)
CCl_4	mean: 95 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
CH_3CCl_3		1980-1982	BA	Khalil and Rasmussen (1983)
CH_3CCl_3		1982, 1983	NO	Hov et al. (1984)
CH_3CCl_3	mean: 211pmol/mol	1988-1989	DY	Davidson et al. (1993b,a)
CH_3CCl_3	mean: 75 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
C_2Cl_6	mean: 0.06 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
C_2HCl_3		1980-1982	BA	Khalil and Rasmussen (1983)
C_2HCl_3		1982, 1983	NO	Hov et al. (1984)
C_2HCl_3	5.4...11.5 pmol/mol	Jan 1992	AL	Yokouchi et al. (1994)
C_2HCl_3	0.5...4.3 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
C_2HCl_3	0.1...1.2 pmol/mol	Apr 1992	SW	Hopper et al. (1994a)
C_2HCl_3	0.17...4.77 pmol/mol	Apr 1992	ARC	Leaitch et al. (1994)
C_2HCl_3	mean: < DL	Feb 1999	nm	Fischer et al. (2002)
C_2Cl_4		1980-1982	BA	Khalil and Rasmussen (1983)
C_2Cl_4		1982, 1983	NO	Hov et al. (1984)
C_2Cl_4	6.6...9.7 pmol/mol	Jan 1992	AL	Yokouchi et al. (1994)
C_2Cl_4	4.3...9.5 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
C_2Cl_4	6.08...15.05 pmol/mol	Apr 1992	ARC	Leaitch et al. (1994)
C_2Cl_4		1997-2004	SU	Dibb et al. (2007)
C_2Cl_4	mean: 0.3 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
chloroacetaldehyde		Jan-Apr 2005	BA	Keil and Shepson (2006)
chloroacetone		Jan-Apr 2005	BA	Keil and Shepson (2006)

Chlorine and Fluorine (organic)

CFCl_3 (F11)		1980-1982	BA	Khalil and Rasmussen (1983)
CFCl_3 (F11)		1982, 1983	NO	Hov et al. (1984)
CFCl_3 (F11)	mean: 285 pmol/mol	1988-1989	DY	Davidson et al. (1993b,a)
CF_2Cl_2 (F12)		1980-1982	BA	Khalil and Rasmussen (1983)
CF_2Cl_2 (F12)		1982, 1983	NO	Hov et al. (1984)
CF_2Cl_2 (F12)	mean: 465 pmol/mol	1988-1989	DY	Davidson et al. (1993b,a)
$\text{C}_2\text{F}_3\text{Cl}_3$ (F113)		1982, 1983	NO	Hov et al. (1984)
$\text{C}_2\text{F}_3\text{Cl}_3$ (F113)	mean: 44.6 pmol/mol	1988-1989	DY	Davidson et al. (1993b,a)
$\text{C}_2\text{F}_4\text{Cl}_2$ (F114)		1982, 1983	NO	Hov et al. (1984)
CHF_2Cl		1980-1982	BA	Khalil and Rasmussen (1983)

Bromine (inorganic)

gaseous Br	7.4 ng/m ³ (STP)	Nov-Dec 1970	sp	Duce et al. (1973)
gaseous Br	7.9 ng/m ³ (STP)	Nov-Dec 1970	mm	Duce et al. (1973)
gaseous Br		1976-1980	BA	Berg et al. (1983)
gas-Br _x	0.3...61 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
inorg-Br	0...45 ng/m ³	Mar-Apr 1989	BA	Sturges et al. (1993c)
inorg-Br		Mar-Apr 1990	BA	Sturges et al. (1993b)
inorg-Br	<5...80 pmol/mol	win/spr 1992	AL	Barrie et al. (1994a)
photolyzable Br	<4...38 pmol/mol	Feb-Apr 1995	AL	Impey et al. (1997)
gaseous Br		1996-1999	NA	Hara et al. (2002a)
soluble bromide (g+aq)		Feb-May 2000	ARC	Ridley et al. (2003); Evans et al. (2003)
HBr	0...16.5 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
HBr	mean: 16.7 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)
HBr	mean: 41.5 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)
Br atoms	$3.0 \times 10^6 \dots 6.1 \times 10^7 \text{ cm}^{-3}$	spr 1992	AL	Jobson et al. (1994)
Br atoms	$1.4 \times 10^7 \text{ cm}^{-3}$	Apr-May 1998	AL	Boudries and Bottenheim (2000)
Br atoms	$4.8 \times 10^6 \dots 9.6 \times 10^7 \text{ cm}^{-3}$	2004-2005	ha	Read et al. (2007)
BrO	<4...17 pmol/mol	Apr 1992	AL	Hausmann and Platt (1994)

species	value	date	site	reference
BrO	SCD	1995	mm	Kreher et al. (1997)
BrO		Jan-May 1995	KA	Miller et al. (1997)
BrO		1995, 1996	NA	Tuckermann et al. (1997)
BrO		1995-1996	NA	Martinez et al. (1999)
BrO		Sep 1996	ant	Wagner and Platt (1998)
BrO		1997	ARC	Richter et al. (1998)
BrO		1997	ARC	Chance (1998)
BrO		1999-2000	nm	Frieß et al. (2004)
BrO		1999-2000	ARC, ant	Richter et al. (2002)
BrO		Apr-May 2000	AL	Hönniger and Platt (2002)
BrO		spr 2001	KU	Hönniger et al. (2004)
BrO	SCD	Sep-Oct 2002	mm	Schofield et al. (2006)
BrO		Mar-Apr 2003	BA	Brooks et al. (2006)
BrO	0...15 pmol/mol	spr 2004	AL	Morin et al. (2005)
BrO		2004-2005	ha	Saiz-Lopez et al. (2007)
BrO	SCD	2005	BA	Simpson et al. (2007)
HOBr		Mar-Apr 1997	AL	Impey et al. (1999)
Br ₂		Mar-Apr 1997	AL	Impey et al. (1999)
Br ₂	up to 25 pmol/mol	Feb-Mar 2000	AL	Foster et al. (2001); Spicer et al. (2002)
BrCl	up to 35 pmol/mol	Feb-Mar 2000	AL	Foster et al. (2001); Spicer et al. (2002)

Bromine (organic)

org-Br		Mar-Apr 1990	BA	Sturges et al. (1993b)
org-Br	9...80 pmol/mol	win/spr 1992	AL	Barrie et al. (1994a)
CH ₃ Br		1982, 1983	NO	Hov et al. (1984)
CH ₃ Br	11 pmol/mol	spr 1983	ARC	Berg et al. (1984)
CH ₃ Br	9.1...14.7 pmol/mol	all 1983	BA	Rasmussen and Khalil (1984)
CH ₃ Br		1985-1987	BA	Cicerone et al. (1988)
CH ₃ Br	7.5...9.5 pmol/mol	Nov 1989	mm	Sturges et al. (1993d)
CH ₃ Br		Feb-May 2000	ARC	Wingenter et al. (2003)
CH ₂ Br ₂	15 pmol/mol	spr 1983	ARC	Berg et al. (1984)
CH ₂ Br ₂	4.7...5.6 pmol/mol	all 1983	BA	Rasmussen and Khalil (1984)
CH ₂ Br ₂	0.1...1.48 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
CH ₂ Br ₂	≤0.1...1 pmol/mol	win/spr 1992	AL	Li et al. (1994)
CH ₂ Br ₂	0.5...1.0 pmol/mol	Jan 1992	AL	Yokouchi et al. (1994)
CH ₂ Br ₂	0.6...1.0 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
CH ₂ Br ₂	0.7...1.67 pmol/mol	Apr 1992	ARC	Leaitch et al. (1994)
CH ₂ Br ₂	mean: 0.45 pmol/mol	Sep 1992	NA	Schall and Heumann (1993)
CH ₂ Br ₂	mean: 0.8 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
CHBr ₃	15 pmol/mol	spr 1983	ARC	Berg et al. (1984)
CHBr ₃	4...8 pmol/mol	all 1983	BA	Rasmussen and Khalil (1984)
CHBr ₃		1984-1987	ARC	Oltmans et al. (1989)
CHBr ₃		1984-1987	BA	Cicerone et al. (1988)
CHBr ₃	0.90...4.13 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
CHBr ₃	0.36...2.0 pmol/mol	Nov 1989	mm	Sturges et al. (1993d)
CHBr ₃	0...18 pmol/mol	Mar-Apr 1989	BA	Sturges et al. (1993c)
CHBr ₃	0.6...5 pmol/mol	win/spr 1992	AL	Li et al. (1994)
CHBr ₃	2.0...3.7 pmol/mol	Jan 1992	AL	Yokouchi et al. (1994)
CHBr ₃	0.9...3.2 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
CHBr ₃	0.93...3.1 pmol/mol	Apr 1992	ARC	Leaitch et al. (1994)
CHBr ₃	mean: 0.45 pmol/mol	Sep 1992	NA	Schall and Heumann (1993)
CHBr ₃	mean: 0.3 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
CHBr ₃		2000	sp	Swanson et al. (2004)
CHBr ₃		Mar 2004	KU	Carpenter et al. (2005)
C ₂ H ₄ Br ₂	0.10...0.25 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
CH ₂ BrCH ₂ Br	11 pmol/mol	spr 1983	ARC	Berg et al. (1984)
CH ₂ BrCH ₂ Br	1.0...1.9 pmol/mol	all 1983	BA	Rasmussen and Khalil (1984)
CH ₂ BrCH ₂ Br	mean: 0.1 pmol/mol	Feb 1999	nm	Fischer et al. (2002)

species	value	date	site	reference
bromoacetaldehyde		Jan-Apr 2005	BA	Keil and Shepson (2006)
bromoacetone		Jan-Apr 2005	BA	Keil and Shepson (2006)
CH ₂ BrCl	2.3...3.1 pmol/mol	all 1983	BA	Rasmussen and Khalil (1984)
CH ₂ BrCl	≤0.2 pmol/mol	win/spr 1992	AL	Li et al. (1994)
CH ₂ BrCl	0.15...0.34 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
CHBr ₂ Cl	0.17...0.53 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
CHBr ₂ Cl	0...1.6 pmol/mol	Mar-Apr 1989	BA	Sturges et al. (1993c)
CHBr ₂ Cl	0.06...0.4 pmol/mol	win/spr 1992	AL	Li et al. (1994)
CHBr ₂ Cl	0.1...0.5 pmol/mol	Jan 1992	AL	Yokouchi et al. (1994)
CHBr ₂ Cl	0.1...0.4 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
CHBr ₂ Cl	0.16...0.36 pmol/mol	Apr 1992	ARC	Leaitch et al. (1994)
CHBr ₂ Cl	mean: 0.33 pmol/mol	Sep 1992	NA	Schall and Heumann (1993)
CHBr ₂ Cl	mean: 0.02 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
CHBrCl ₂	0...1.6 pmol/mol	Mar-Apr 1989	BA	Sturges et al. (1993c)
CHBrCl ₂	0.11...0.39 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
CHBrCl ₂	0.3...1.3 pmol/mol	win/spr 1992	AL	Li et al. (1994)
CHBrCl ₂	0.38...0.73 pmol/mol	Apr 1992	ARC	Leaitch et al. (1994)
CHBrCl ₂	mean: 0.12 pmol/mol	Sep 1992	NA	Schall and Heumann (1993)
CHBrCl ₂	mean: 0.05 pmol/mol	Feb 1999	nm	Fischer et al. (2002)
CBrClF ₂	0.9...1.2 pmol/mol	all 1983	BA	Rasmussen and Khalil (1984)

Iodine (inorganic)

gaseous I	2.2 ng/m ³ (STP)	Nov-Dec 1970	mm	Duce et al. (1973)
gaseous I	2.7 ng/m ³ (STP)	Nov-Dec 1970	sp	Duce et al. (1973)
IO		1995-1996	NA	Tuckermann et al. (1997)
IO		1995-1998	NA	Wittrock et al. (2000)
IO	up to 10 pmol/mol	1999	nm	Frieß et al. (2001)
IO		May 2000	AL	Hönniger (2002)
IO		2004-2005	ha	Saiz-Lopez et al. (2007)

Iodine (organic)

CH ₃ I		1982, 1983	NO	Hov et al. (1984)
CH ₃ I	0.9...1.4 pmol/mol	Jan 1992	AL	Yokouchi et al. (1994)
CH ₃ I	0.2...0.6 pmol/mol	Apr 1992	AL	Yokouchi et al. (1994)
CH ₃ I	mean: 1.04 pmol/mol	Sep 1992	NA	Schall and Heumann (1993)
CH ₃ I		2000	sp	Swanson et al. (2004)
CH ₂ I ₂	mean: 0.46 pmol/mol	Sep 1992	NA	Schall and Heumann (1993)
CH ₂ I ₂	up to 1.4 pmol/mol	Mar 2004	KU	Carpenter et al. (2005)
CH ₂ ICl	mean: 0.07 pmol/mol	Sep 1992	NA	Schall and Heumann (1993)
CH ₂ ICl		Mar 2004	KU	Carpenter et al. (2005)
CH ₂ IBr	up to 3.7 pmol/mol	Mar 2004	KU	Carpenter et al. (2005)
C ₃ H ₇ I	mean: 0.20 pmol/mol	Sep 1992	NA	Schall and Heumann (1993)
CH ₃ CHICH ₃	mean: 2.00 pmol/mol	Sep 1992	NA	Schall and Heumann (1993)

Sulfur (inorganic)

SO ₂	5...100 pmol/mol	Jun-Aug 1980	NO	Ockelmann and Georgii (1984)
SO ₂	5...100 pmol/mol	Jun-Aug 1980	ARC	Ockelmann and Georgii (1984)
SO ₂	100...200 pmol/mol	Nov/Dec 1981	IG	Hoff et al. (1983)
SO ₂	700...1300 pmol/mol	Feb 1982	IG	Hoff et al. (1983)
SO ₂	<110...590 pmol/mol	Apr 1982	IG	Barrie and Hoff (1984)
SO ₂	0...>1000 pmol/mol	Apr 1983	BA	Radke et al. (1984)
SO ₂	11 pmol/mol	Mar-Apr 1986	ant	Berresheim (1987)
SO ₂	6...1600 pmol/mol	spr 1988	AL	Bottenheim et al. (1990)
SO ₂		Mar-Apr 1988	AL	Bottenheim et al. (1993)
SO ₂		Jun 1990	ARC	Ferek et al. (1995)
SO ₂		1990-2001	SN	Heidam et al. (2004)
SO ₂		Jan-Feb 1991	tn	Allegrini et al. (1994)
SO ₂		May-Oct 1991	BA	Ferek et al. (1995)
SO ₂	0...5000 pmol/mol	win/spr 1992	AL	Barrie et al. (1994a)
SO ₂		Apr 1992	ARC	Ferek et al. (1995)

species	value	date	site	reference
SO ₂	mean: 0.9 nmol/m ³ (STP)	Jun-Jul 1993	SU	Dibb et al. (1994)
SO ₂		Mar-Jun 1994	ARC	Jaeschke et al. (1997)
SO ₂		Aug 1994	SU	Dibb et al. (1996)
SO ₂		1995-1996	NA	Martinez et al. (1999)
SO ₂		1995, 1996	NA	Tuckermann et al. (1997)
SO ₂	0...2592.7 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
SO ₂		1998-1999	du	Jourdain and Legrand (2001); Legrand et al. (2001)
SO ₂		Mar-Apr 2000	NA	Hara et al. (2002b)
SO ₂	mean: 1487.5 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)
SO ₂	mean: 280.0 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)
SO ₂		2000	sp	Huey et al. (2004)
SO ₂		2002-2005	NU	Skov et al. (2006b)
SO ₂		Nov-Dec 2003	sp	Eisele et al. (2007)
H ₂ SO ₄	mean: 1.61×10^6 cm ⁻³	Feb 1994	pa	Jefferson et al. (1998); Davis et al. (1998)
H ₂ SO ₄		2000	sp	Mauldin III et al. (2004)
H ₂ SO ₄		Feb-May 2000	ARC	Mauldin III et al. (2003)
H ₂ SO ₄		Nov-Dec 2003	sp	Eisele et al. (2007)
SF ₆		1997-2005	SU	Dibb et al. (2007)

Sulfur (organic)

CH ₃ SCH ₃	96 pmol/mol	Mar-Apr 1986	ant	Berresheim (1987)
CH ₃ SCH ₃		Jun 1990	ARC	Ferek et al. (1995)
CH ₃ SCH ₃		May-Oct 1991	BA	Ferek et al. (1995)
CH ₃ SCH ₃	<0.3 pmol/mol	Jan-Apr 1992	AL	Yokouchi et al. (1994)
CH ₃ SCH ₃		Apr 1992	ARC	Ferek et al. (1995)
CH ₃ SCH ₃	0.2...74.5 pmol/mol	1992-1993	nm	Kleefeld (1998)
CH ₃ SCH ₃	mean: 119 pmol/mol	Jan-Feb 1994	pa	Berresheim et al. (1998)
CH ₃ SCH ₃	0.1...89.6 pmol/mol	Mar-Apr 1994	NA	Kleefeld (1998)
CH ₃ SCH ₃	0.5...138.9 pmol/mol	Apr 1995	NA	Kleefeld (1998)
CH ₃ SCH ₃		1998-1999	du	Jourdain and Legrand (2001); Legrand et al. (2001)
CH ₃ SCH ₃		2000	sp	Swanson et al. (2004)
CH ₃ SCH ₃		Nov-Dec 2003	sp	Eisele et al. (2007)
CH ₃ SCH ₃	mean: 38.1 pmol/mol	2004-2005	ha	Read et al. (2006)
CH ₃ SOCH ₃		Jan 1994	pa	Davis et al. (1998)
CH ₃ SOCH ₃	mean: 2.3 pmol/mol	Jan-Feb 1994	pa	Berresheim et al. (1998)
CH ₃ SOCH ₃		1998-1999	du	Jourdain and Legrand (2001); Legrand et al. (2001)
CH ₃ SO ₂ CH ₃		Jan 1994	pa	Davis et al. (1998)
CH ₃ SO ₂ CH ₃	mean: 1.7 pmol/mol	Jan-Feb 1994	pa	Berresheim et al. (1998)
OCS		1982, 1983	NO	Hov et al. (1984)
MSA (gaseous)	mean: 9.5×10^5 cm ⁻³	Feb 1994	pa	Jefferson et al. (1998); Davis et al. (1998)
MSA (gaseous)		Feb-May 2000	ARC	Mauldin III et al. (2003)
MSA (gaseous)		Nov-Dec 2003	sp	Eisele et al. (2007)

Mercury

Hg	annual mean: 1.50...1.79 ng/m ³	1994-2002	NA	Berg et al. (2004)
Hg (TGM)		1995	AL	Schroeder et al. (1998)
Hg (GEM)		1995-1999	AL	Banic et al. (2003)
Hg (GEM)	median: 1.58 ng/m ³	1995-2002	AL	Steffen et al. (2005)
Hg	mean: 1.26 ng/m ³	1996-1997	PS	Berg et al. (2001)
Hg	mean: 1.43 ng/m ³	1996-1997	NA	Berg et al. (2001)
Hg (GEM)		Apr-May 1998	AL	Lu et al. (2001)
Hg (GEM)		Apr 1998	BS	Banic et al. (2003)
Hg (GEM)		1998-2002	SN	Skov et al. (2004)
Hg (GEM)	median: 1.8 ng/m ³	1999-2000	KU	Steffen et al. (2005)

species	value	date	site	reference
Hg (RGM)		1999-2000	BA	Lindberg et al. (2001)
Hg (GEM)		1999-2000	BA	Lindberg et al. (2001)
Hg (GEM)		1999-2001	BA	Lindberg et al. (2002)
Hg (RGM)		1999-2001	BA	Lindberg et al. (2002)
Hg (GEM)		1999-2001	SN	Heidam et al. (2004)
Hg (TGM)	0.29...3.17 ng/m ³	1999-2002	KU	Poissant and Pilote (2003)
Hg (GEM)	median: 1.47 ng/m ³	2000	NA	Berg et al. (2003)
Hg (RGM)		2000	NA	Berg et al. (2003)
Hg (GEM)		Feb-May 2000	AL	Steffen et al. (2002)
Hg		Feb-Mar 2000	AL	Bottemeim et al. (2002b)
Hg (GEM)	mean: 0.9 ng/m ³	2000-2001	tn	Sprovieri et al. (2002)
Hg (RGM)	mean: 116.2 pg/m ³	2000-2001	tn	Sprovieri et al. (2002)
Hg (TGM)		2000-2001	nm	Ebinghaus et al. (2002)
Hg (RGM)	median: 22 pg/m ³	Apr-May 2001	KU	Poissant and Pilote (2003)
Hg (TGM)	median: 1.93 ng/m ³	Apr-May 2001	KU	Poissant and Pilote (2003)
Hg (GEM)	median: 1.7 ng/m ³	2001-2003	AM	Steffen et al. (2005)
Hg (RGM)		2001-2004	BA	Skov et al. (2006a)
Hg (GEM)		Mar 2002	SN	Ferrari et al. (2004)
Hg (GEM,RGM)		Apr 2002	AL	Steffen et al. (2003)
Hg (GEM,RGM)		Apr 2002	KU	Lahoutifard et al. (2006); Gauchard et al. (2005b); Dommergue et al. (2003a,b)
Hg (TGM,RGM)		Apr-May 2002	NA	Sommar et al. (2007)
Hg (RGM)		Mar-Apr 2003	BA	Brooks et al. (2006)
Hg (GEM,RGM)		Apr-May 2003	NA	Sprovieri et al. (2005a,b)
Hg (GEM)		Apr-May 2003	NA	Aspmo et al. (2005); Gauchard et al. (2005a)
Hg (RGM)		Apr-May 2003	NA	Aspmo et al. (2005); Gauchard et al. (2005a)
Hg (TGM)		Mar 2004	KU	Carpenter et al. (2005); Constant et al. (2007)
Hg (GEM)		Mar-Apr 2005	BA	Tackett et al. (2007)

species	value	date	site	reference
***** Aerosols *****				
Nitrogen				
NH_4^+		1979-1984	ARC	Barrie and Hoff (1985)
NH_4^+		1980-1995	AL	Sirois and Barrie (1999)
NH_4^+		Apr-May 1980	MB, IG	Barrie et al. (1981)
NH_4^+	115...1030 ng/m ³	Feb 1982	IG	Hoff et al. (1983)
NH_4^+		Mar-May 1986	BA	Li and Winchester (1989a,b)
NH_4^+	20...701 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)
NH_4^+	mean: 180 ng/m ³	May 1989	AL	Kieser et al. (1993)
NH_4^+		1990-2001	SN	Heidam et al. (2004)
NH_4^+		1991-1995	du	Legrand et al. (1998)
NH_4^+		1991-1995	nm	Legrand et al. (1998)
NH_4^+		1991-1999	du	Jourdain and Legrand (2002)
NH_4^+	mean: 69 ng/m ³	May-Jul 1993	SU	Bergin et al. (1995)
NH_4^+		Jan 1994	du	Legrand et al. (1998)
NH_4^+		Aug 1994	SU	Dibb et al. (1996)
NH_4^+	0...969.6 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
NH_4^+	mean: 124.5 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)
NH_4^+	mean: 89.9 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)
NH_4^+	mean: 105 ng/m ³	Apr-May 2001	NA	Teinilä et al. (2003)
NH_4^+	mean: 108 ng/m ³	Feb-Mar 2001	NA	Teinilä et al. (2003)
NO_2^-	<23 ng/m ³	win/spr 1992	AL	Li (1994)
NO_2^-	<DL...20 pmol/mol	Feb-May 2001	NA	Beine et al. (2003)
NO_2^-	0...260.1 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
NO_3^-		1979-1984	ARC	Barrie and Hoff (1985)
NO_3^-		Apr-May 1980	MB, IG	Barrie et al. (1981)
NO_3^-	10...100 ng/m ³	1980-1988	AL	Barrie and Delmas (1994)
NO_3^-		1980-1995	AL	Sirois and Barrie (1999)
NO_3^-	17...260 ng/m ³	Feb 1982	IG	Hoff et al. (1983)
NO_3^-	30 ng/m ³	Apr 1983	BA	Radke et al. (1984)
NO_3^-		1983-1996	nm	Wagenbach et al. (1998b)
NO_3^-		Mar-May 1986	BA	Li and Winchester (1989a,b)
NO_3^-	7.1...245.7 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)
NO_3^-		Mar-Apr 1988	AL	Bottenheim et al. (1993)
NO_3^-	mean: 189 ng/m ³	May 1989	AL	Kieser et al. (1993)
NO_3^-		Jan-Feb 1991	tn	Allegrini et al. (1994)
NO_3^-		1991-1995	du	Wagenbach et al. (1998b)
NO_3^-		1991-2001	du	Jourdain and Legrand (2002)
NO_3^-	30...400 ng/m ³	win/spr 1992	AL	Barrie et al. (1994a)
NO_3^-	mean: 26 ng/m ³	May-Jul 1993	SU	Bergin et al. (1995)
NO_3^-	mean: 0.06 nmol/m ³ (STP)	Jun-Jul 1993	SU	Dibb et al. (1994)
NO_3^-		Jan 1994	du	Legrand et al. (1998)
NO_3^-		Mar-Jun 1994	ARC	Jaeschke et al. (1997)
NO_3^-		Aug 1994	SU	Dibb et al. (1996)
NO_3^-		1996-1999	NA	Hara et al. (2002a)
NO_3^-	mean: 4 pmol/mol	Jan-Mar 1997	nm	Jones et al. (1999)
NO_3^-	0...3537.1 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
NO_3^-	mean: 39 ng/m ³	1998-1999	sp	Arimoto et al. (2001)
NO_3^-		1998, 2000	sp	Arimoto et al. (2004a)
NO_3^-	mean: 4.2 pmol/mol	Jan-Feb 1999	nm	Jacobi et al. (2000)
NO_3^-	mean: 81.3 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)
NO_3^-		Mar-Apr 2000	NA	Hara et al. (2002b)
NO_3^-	mean: 137.4 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)
NO_3^-		2001	du	Savarino et al. (2007)
NO_3^-		Jan-Dec 2001	ha	Rankin and Wolff (2003)
NO_3^-	mean: 59 ng/m ³	Feb-Mar 2001	NA	Teinilä et al. (2003)
NO_3^-	7...80 pmol/mol	Feb-May 2001	NA	Beine et al. (2003)

species	value	date	site	reference
NO_3^-	mean: 65 ng/m ³	Apr-May 2001	NA	Teinilä et al. (2003)
NO_3^-		Nov-Dec 2003	sp	Eisele et al. (2007)
NO_3^-		spr 2004	AL	Morin et al. (2007)
NO_3^-		2004-2005	ha	Jones et al. (2007)

Fluorine

F	1979-1984	ARC	Barrie and Hoff (1985)
---	-----------	-----	------------------------

Chlorine

Cl	< 20 ... 4000 ng/m ³ (STP)	Jan 1965	BA	Duce et al. (1966)
Cl	<0.01 ng/m ³ (STP)	Nov-Dec 1970	sp	Duce et al. (1973)
Cl	0.07 ng/m ³ (STP)	Nov-Dec 1970	mm	Duce et al. (1973)
Cl		1976-1980	BA	Berg et al. (1983)
Cl		1979-1980	ARC	Heidam (1985)
Cl		1979-1984	ARC	Barrie and Hoff (1985)
Cl ⁻		Apr-May 1980	MB, IG	Barrie et al. (1981)
Cl ⁻		1980-1995	AL	Sirois and Barrie (1999)
Cl	87.9 ... 411 ng/m ³	Feb 1982	IG	Hoff et al. (1983)
Cl ⁻	149 ... 563 ng/m ³	Feb 1982	IG	Hoff et al. (1983)
Cl ⁻	230 ng/m ³	Apr 1983	BA	Radke et al. (1984)
Cl		spr 1983	ARC	Winchester et al. (1985)
Cl	<20 ... 302 ng/m ³	spr 1983	ARC	Cahill and Eldred (1984)
Cl		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
Cl		1983-1986	NA, NO	Maenhaut et al. (1989)
Cl ⁻		1983-1996	nm	Wagenbach et al. (1998a)
Cl		1984-1987	PF	Sturges and Shaw (1993)
Cl ⁻		Mar-May 1986	BA	Li and Winchester (1989a,b)
Cl	21 ... 2575 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)
Cl	0.028 ... 55 ng/m ³	1988-1989	DY	Mosher et al. (1993)
Cl	0.53 ... 20 ng/m ³	1988-1989	SU	Mosher et al. (1993)
Cl ⁻	mean: 286 ng/m ³	May 1989	AL	Kieser et al. (1993)
Cl ⁻		1991-1993	ha	Wagenbach et al. (1998a)
Cl ⁻		1991-1995	du	Wagenbach et al. (1998a)
Cl ⁻		1991-2001	du	Jourdain and Legrand (2002)
Cl	0 ... 1200 ng/m ³	win/spr 1992	AL	Barrie et al. (1994b)
Cl ⁻		Jan 1994	du	Legrand et al. (1998)
Cl ⁻		Aug 1994	SU	Dibb et al. (1996)
Cl ⁻		1996-1999	NA	Hara et al. (2002a)
Cl ⁻	0 ... 1391.0 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
Cl	mean: 34 ng/m ³	1998-1999	sp	Arimoto et al. (2001)
Cl ⁻		1998, 2000	sp	Arimoto et al. (2004a)
Cl ⁻	mean: 73.9 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)
Cl ⁻	mean: 220.9 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)
Cl ⁻		Jan-Dec 2001	ha	Rankin and Wolff (2003)
Cl ⁻	mean: 449 ng/m ³	Feb-Mar 2001	NA	Teinilä et al. (2003)
Cl ⁻	mean: 373 ng/m ³	Apr-May 2001	NA	Teinilä et al. (2003)
Cl	mean: 519.43 ng/m ³	2002-2005	NU	Skov et al. (2006b)

Bromine

Br	1 ... 30 ng/m ³ (STP)	Jan 1965	BA	Duce et al. (1966)
Br	0.63 ng/m ³ (STP)	Oct 1970	sp	Zoller et al. (1974)
Br	0.43 ng/m ³ (STP)	Nov-Dec 1970	sp	Duce et al. (1973)
Br	0.96 ng/m ³ (STP)	Nov-Dec 1970	mm	Duce et al. (1973)
Br		1976-1980	ARC	Oltmans et al. (1989)
Br		1976-1980	BA	Berg et al. (1983)
Br		1977-1978	NA	Berg et al. (1983)
Br		1979-1980	ARC	Heidam (1985)
Br	4.2 ... 10.4 ng/m ³	win 1979-84	AL	Sturges and Barrie (1988)
Br	9.0 ... 27.8 ng/m ³	spr 1979-84	AL	Sturges and Barrie (1988)
Br	0.5 ... 0.7 ng/m ³	Jun-Nov 1979-84	AL	Sturges and Barrie (1988)

species	value	date	site	reference	
Br	3.8...21.1 ng/m ³	win 1979-84	IG	Sturges and Barrie (1988)	
Br	13.0...30.4 ng/m ³	spr 1979-84	IG	Sturges and Barrie (1988)	
Br	1.4...3.8 ng/m ³	Jun-Nov 1979-84	IG	Sturges and Barrie (1988)	
Br	3.4...14.5 ng/m ³	win 1979-84	MB	Sturges and Barrie (1988)	
Br	20.5...54.6 ng/m ³	spr 1979-84	MB	Sturges and Barrie (1988)	
Br		1979-1984	ARC	Barrie and Hoff (1985)	
Br	<0.5...1.8 ng/m ³	Jun-Nov 1979-84	MB	Sturges and Barrie (1988)	
Br		1980-1986	AL	Barrie and Barrie (1990)	
Br		1980-1995	AL	Sirois and Barrie (1999)	
Br	16.9...39.2 ng/m ³	Feb 1982	IG	Hoff et al. (1983)	
Br	25...63 ng/m ³	Mar 1983	BA	Hansen and Rosen (1984)	
Br		1983-1986	NA, NO	Maenhaut et al. (1989)	
Br ⁻		1983-1996	nm	Wagenbach et al. (1998a)	
Br	monthly mean: ng/m ³	0...5	1984-1987	PF	Sturges and Shaw (1993)
Br ⁻		Mar-May 1986	BA	Li and Winchester (1989a,b)	
Br ⁻	1...54 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)	
Br	3.1...84.5 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)	
Br	0.02...5.0 ng/m ³	1988-1989	DY	Mosher et al. (1993)	
Br	0.17...1.6 ng/m ³	1988-1989	SU	Mosher et al. (1993)	
Br	0...260 ng/m ³	Mar-Apr 1989	BA	Sturges et al. (1993c)	
Br ⁻	mean: 45 ng/m ³	May 1989	AL	Kieser et al. (1993)	
Br		Mar-Apr 1990	BA	Sturges et al. (1993b)	
Br ⁻		1991-1995	du	Wagenbach et al. (1998a)	
Br ⁻	10...20 ng/m ³	win 1992	AL	Li et al. (1994)	
Br ⁻	20...120 ng/m ³	spr 1992	AL	Li et al. (1994)	
Br	4...100 ng/m ³	win/spr 1992	AL	Barrie et al. (1994a)	
Br		1996	NA	Martinez et al. (1999)	
Br ⁻		1996-1999	NA	Hara et al. (2002a)	
filterable Br		1999-2002	SN	Skov et al. (2004)	
Br ⁻	mean: 5.2 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)	
Br ⁻	mean: 13.1 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)	
Br	mean: 0.72 ng/m ³	2002-2005	NU	Skov et al. (2006b)	
BrO ₃ ⁻		1996-1999	NA	Hara et al. (2002a)	

Iodine

I	0.3...10 ng/m ³ (STP)	Jan 1965	BA	Duce et al. (1966)	
I	0.49 ng/m ³ (STP)	Nov-Dec 1970	sp	Duce et al. (1973)	
I	0.93 ng/m ³ (STP)	Nov-Dec 1970	mm	Duce et al. (1973)	
I		1976-1980	BA	Berg et al. (1983)	
I		1979-1984	ARC	Barrie and Hoff (1985)	
I		1980-1986	AL	Barrie and Barrie (1990)	
I		1980-1995	AL	Sirois and Barrie (1999)	
I	0.28...1.11 ng/m ³	Feb 1982	IG	Hoff et al. (1983)	
I		1983-1986	NA, NO	Maenhaut et al. (1989)	
I	monthly mean: ng/m ³	0...1	1984-1987	PF	Sturges and Shaw (1993)
I	0.34...2.62 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)	
I	0.017...1.2 ng/m ³	1988-1989	DY	Mosher et al. (1993)	
I	0.14...0.89 ng/m ³	1988-1989	SU	Mosher et al. (1993)	
I	0.3...2 ng/m ³	win/spr 1992	AL	Barrie et al. (1994b)	
I		1996	NA	Martinez et al. (1999)	

Sulfur

S		1979-1980	ARC	Heidam (1985)
SO ₄ ²⁻		1979-1984	ARC	Barrie and Hoff (1985)
SO ₄ ²⁻		Apr-May 1980	MB, IG	Barrie et al. (1981)
SO ₄ ²⁻		1980-1986	AL	Barrie and Barrie (1990)
SO ₄ ²⁻		1980-1995	AL	Sirois and Barrie (1999)
SO ₄ ²⁻	360...540 ng/m ³	Nov/Dec 1981	IG	Hoff et al. (1983)

species	value	date	site	reference
SO_4^{2-}	560...2730 ng/m ³	Feb 1982	IG	Hoff et al. (1983)
SO_4^{2-}	1460...3810 ng/m ³	Apr 1982	IG	Barrie and Hoff (1984)
SO_4^{2-}	384...4380 ng/m ³	Feb 1982	IG	Hoff et al. (1983)
S		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
S	185...1070 ng/m ³	spr 1983	ARC	Cahill and Eldred (1984)
S		spr 1983	ARC	Winchester et al. (1985)
SO_4^{2-}	mean: 3200 ng/m ³	Mar-Apr 1983	BA	Lazrus and Ferek (1984)
SO_4^{2-}	2600 ng/m ³	Apr 1983	BA	Radke et al. (1984)
S		1983-1986	NA, NO	Maenhaut et al. (1989)
nss- SO_4^{2-}		1983-1994	nm	Minikin et al. (1998)
nss- SO_4^{2-}		1983-1995	nm	Legrand and Pasteur (1998)
SO_4^{2-}		1983-1996	nm	Wagenbach et al. (1998a)
SO_4^{2-}		Mar-May 1986	BA	Li and Winchester (1989a,b)
nss- SO_4^{2-}	0.31 nmol/mol	Mar-Apr 1986	ant	Berresheim (1987)
SO_4^{2-}	440...5870 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)
SO_4^{2-}		Mar-Apr 1988	AL	Bottenheim et al. (1993)
SO_4^{2-}	mean: 82 ng/m ³	1988-1989	DY	Davidson et al. (1993b,a); Jaffrezo et al. (1994)
SO_4^{2-}	mean: 1450 ng/m ³	May 1989	AL	Kieser et al. (1993)
nss- SO_4^{2-}		Jun 1990	ARC	Ferek et al. (1995)
SO_4^{2-}		1990-1991	SU	Jaffrezo et al. (1994)
SO_4^{2-}		1990-2001	SN	Heidam et al. (2004)
SO_4^{2-}		Jan-Feb 1991	tn	Allegrini et al. (1994)
nss- SO_4^{2-}		1991-1992	ha	Minikin et al. (1998)
nss- SO_4^{2-}		1991-1992	ha	Legrand and Pasteur (1998)
SO_4^{2-}		1991-1993	ha	Wagenbach et al. (1998a)
nss- SO_4^{2-}		1991-1995	du	Minikin et al. (1998)
SO_4^{2-}		1991-1995	du	Wagenbach et al. (1998a)
nss- SO_4^{2-}		1991-1995	nm	Legrand et al. (1998)
nss- SO_4^{2-}		1991-1996	du	Legrand and Pasteur (1998)
SO_4^{2-}		1991-2001	du	Jourdain and Legrand (2002)
SO_4^{2-}	720...7700 ng/m ³	win/spr 1992	AL	Barrie et al. (1994a)
nss- SO_4^{2-}		Apr 1992	ARC	Ferek et al. (1995)
SO_4^{2-}	mean: 120 ng/m ³	Jun-Jul 1992	SU	Bergin et al. (1994)
SO_4^{2-}		Mar-Jun 1993	NA	Solberg et al. (1996b)
SO_4^{2-}	mean: 402 ng/m ³	May-Jul 1993	SU	Bergin et al. (1995)
SO_4^{2-}	mean: 3.0 nmol/m ³ (STP)	Jun-Jul 1993	SU	Dibb et al. (1994)
SO_4^{2-}		Jan 1994	du	Legrand et al. (1998)
nss- SO_4^{2-}	mean: 69.1 pmol/mol	Jan-Feb 1994	pa	Berresheim et al. (1998)
SO_4^{2-}		Mar-Jun 1994	ARC	Jaeschke et al. (1997)
SO_4^{2-}		Aug 1994	SU	Dibb et al. (1996)
SO_4^{2-}	0...611.1 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
nss- SO_4^{2-}		1998-1999	du	Jourdain and Legrand (2001); Legrand et al. (2001)
SO_4^{2-}	mean: 224 ng/m ³	1998-1999	sp	Arimoto et al. (2001)
SO_4^{2-}		1998, 2000	sp	Arimoto et al. (2004a)
SO_4^{2-}	mean: 1111.1 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)
SO_4^{2-}	mean: 746.3 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)
SO_4^{2-}		Mar-Apr 2000	NA	Hara et al. (2002b)
nss- SO_4^{2-}		Jan-Dec 2001	ha	Rankin and Wolff (2003)
nss- SO_4^{2-}	mean: 929 ng/m ³	Feb-Mar 2001	NA	Teinilä et al. (2003)
nss- SO_4^{2-}	mean: 1430 ng/m ³	Apr-May 2001	NA	Teinilä et al. (2003)
S	mean: 119.31 ng/m ³	2002-2005	NU	Skov et al. (2006b)
SO_4^{2-}		Nov-Dec 2003	sp	Eisele et al. (2007)
MSA		1980-1995	AL	Sirois and Barrie (1999)
MSA		1983-1994	nm	Minikin et al. (1998)
MSA		1983-1995	nm	Legrand and Pasteur (1998)
MSA	0.3...6 pmol/mol	1986-1988	AL	Li et al. (1993)
MSA		Mar-May 1986	BA	Li and Winchester (1989a,b)
MSA	0.27 nmol/m ³	Mar-Apr 1986	ant	Berresheim (1987)

species	value	date	site	reference
MSA		sum 1988	ARC	Li et al. (1993)
MSA	mean: 0.58 ng/m ³	1988-1989	DY	Davidson et al. (1993b,a); Jaffrezo et al. (1994); Li et al. (1993)
MSA	1...25 pmol/mol	Mar-Apr 1989	BA	Li et al. (1993)
MSA		1990-1991	SU	Jaffrezo et al. (1994)
MSA		1991-1992	ha	Minikin et al. (1998)
MSA		1991-1992	ha	Legrand and Pasteur (1998)
MSA		1991-1995	du	Minikin et al. (1998)
MSA		1991-1995	nm	Legrand et al. (1998)
MSA		1991-1996	du	Legrand and Pasteur (1998)
MSA		1991-2001	du	Jourdain and Legrand (2002)
MSA	mean: 3.2 ng/m ³	Jun-Jul 1992	SU	Bergin et al. (1994)
MSA	mean: 5.6 ng/m ³	May-Jul 1993	SU	Bergin et al. (1995)
MSA		Jan 1994	du	Legrand et al. (1998)
MSA	mean: 42.3 pmol/mol	Jan-Feb 1994	pa	Berresheim et al. (1998)
MSA		1998-1999	du	Jourdain and Legrand (2001); Legrand et al. (2001)
MSA	mean: 12 ng/m ³	1998-1999	sp	Arimoto et al. (2001)
MSA		1998, 2000	sp	Arimoto et al. (2004a)
MSA		Jan-Dec 2001	ha	Rankin and Wolff (2003)
MSA	mean: 50 ng/m ³	Apr-May 2001	NA	Teinilä et al. (2003)
MSA		Nov-Dec 2003	sp	Eisele et al. (2007)

Carbon

black carbon	206...295 ng/m ³	Mar 1983	BA	Hansen and Rosen (1984)
black carbon		1989-1990	AL	Hopper et al. (1994b)
black carbon		1989-2003	AL	Sharma et al. (2006)
black carbon		1989-2003	BA	Sharma et al. (2006)
black carbon		1992-1995	ha	Wolff and Cachier (1998)
black carbon		Feb-Mar 2000	AL	Bottenheim et al. (2002b)
oxalic acid		1991-1995	du	Legrand et al. (1998)
oxalic acid		1991-2001	du	Jourdain and Legrand (2002)
oxalic acid		Jan 1994	du	Legrand et al. (1998)
oxalic acid		Aug 1994	SU	Dibb et al. (1996)
oxalic acid		Feb-May 2000	AL	Narukawa et al. (2002)
oxalic acid	mean: 8.6 ng/m ³	Apr-May 2001	NA	Teinilä et al. (2003)
oxalic acid	mean: 9.0 ng/m ³	Feb-Mar 2001	NA	Teinilä et al. (2003)
malonic acid		Feb-May 2000	AL	Narukawa et al. (2002)
succinic acid		Feb-May 2000	AL	Narukawa et al. (2002)
glutaric acid		Feb-May 2000	AL	Narukawa et al. (2002)
adipic acid		Feb-May 2000	AL	Narukawa et al. (2002)
pimelic acid		Feb-May 2000	AL	Narukawa et al. (2002)
suberic acid		Feb-May 2000	AL	Narukawa et al. (2002)
azelaic acid		Feb-May 2000	AL	Narukawa et al. (2002)
sebacic acid		Feb-May 2000	AL	Narukawa et al. (2002)
undecanedioic acid		Feb-May 2000	AL	Narukawa et al. (2002)
methylmalonic acid		Feb-May 2000	AL	Narukawa et al. (2002)
methylsuccinic acid		Feb-May 2000	AL	Narukawa et al. (2002)
2-methylglutaric acid		Feb-May 2000	AL	Narukawa et al. (2002)
4-ketopimelic acid		Feb-May 2000	AL	Narukawa et al. (2002)
maleic acid		Feb-May 2000	AL	Narukawa et al. (2002)
fumaric acid		Feb-May 2000	AL	Narukawa et al. (2002)
methylmaleic acid		Feb-May 2000	AL	Narukawa et al. (2002)
methylfumaric acid		Feb-May 2000	AL	Narukawa et al. (2002)
phthalic acid		Feb-May 2000	AL	Narukawa et al. (2002)
acetate		Mar-May 1986	BA	Li and Winchester (1989a,b)
acetate		Aug 1994	SU	Dibb et al. (1996)
acetate	mean: 0.16 nmol/m ³ (STP)	Jun-Jul 1993	SU	Dibb et al. (1994)
formate		Mar-May 1986	BA	Li and Winchester (1989a,b)

species	value	date	site	reference
Cr		1979-1980	ARC	Heidam (1985)
Cr		1979-1984	ARC	Barrie and Hoff (1985)
Cr		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
Cr		1983-1986	NA, NO	Maenhaut et al. (1989)
Cr	annual mean: 0.04...0.9 ng/m ³	1994-2002	NA	Berg et al. (2004)
Cr	mean: 0.11 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Cu	36 pg/m ³ (STP)	Oct 1970	sp	Zoller et al. (1974)
Cu		1979-1980	ARC	Heidam (1985)
Cu		1979-1984	ARC	Barrie and Hoff (1985)
Cu		Apr-May 1980	MB, IG	Barrie et al. (1981)
Cu		1980-1995	AL	Sirois and Barrie (1999)
Cu		1980-2000	AL	Gong and Barrie (2005)
Cu		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
Cu		1983-1986	NA, NO	Maenhaut et al. (1989)
Cu		1990-2001	SN	Heidam et al. (2004)
Cu	annual mean: 0.25...0.41 ng/m ³	1994-2002	NA	Berg et al. (2004)
Cu	mean: 0.36 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Fe	0.84 ng/m ³ (STP)	Oct 1970	sp	Zoller et al. (1974)
Fe		1979-1980	ARC	Heidam (1985)
Fe		1979-1984	ARC	Barrie and Hoff (1985)
Fe		1980-2000	AL	Gong and Barrie (2005)
Fe		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
Fe		1983-1986	NA, NO	Maenhaut et al. (1989)
Fe	0.1...260 ng/m ³	1988-1989	DY	Mosher et al. (1993)
Fe	0.45...44 ng/m ³	1988-1989	SU	Mosher et al. (1993)
Fe		1990-2001	SN	Heidam et al. (2004)
Fe	mean: 33.42 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Ga	mean: 0.02 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Hg	mean: < 0.4 ng/m ³	1976-1978 (win)	BA	Rahn and McCaffrey (1979)
Hg	mean: 1.44 pg/m ³	1996-1997	PS	Berg et al. (2001)
Hg	mean: 2.67 pg/m ³	1996-1997	NA	Berg et al. (2001)
Hg		Apr-May 1998	AL	Lu et al. (2001)
Hg		2000	sp	Arimoto et al. (2004b)
Hg		2000	NA	Berg et al. (2003)
Hg		Apr-Jun 2001	BA	Lindberg et al. (2002)
Hg	median: 183 pg/m ³	Apr-May 2001	KU	Poissant and Pilote (2003)
Hg		Apr 2002	AL	Steffen et al. (2003)
Hg		Apr 2002	KU	Gauchard et al. (2005b)
Hg		Apr-May 2002	NA	Sommar et al. (2007)
Hg		Apr-May 2003	NA	Sprovieri et al. (2005a,b)
Hg		Apr-May 2003	NA	Aspmo et al. (2005); Gauchard et al. (2005a)
Hg		Nov-Dec 2003	sp	Eisele et al. (2007)
K	0.3 ng/m ³ (STP)	Oct 1970	sp	Zoller et al. (1974)
K		1979-1980	ARC	Heidam (1985)
K ⁺		1980-1995	AL	Sirois and Barrie (1999)
K		1980-2000	AL	Gong and Barrie (2005)
K		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
K ⁺		1983-1996	nm	Wagenbach et al. (1998a)
K		1983-1986	NA, NO	Maenhaut et al. (1989)
K ⁺		Mar-May 1986	BA	Li and Winchester (1989a,b)
K ⁺	3.6...62.8 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)
K ⁺	mean: 37 ng/m ³	May 1989	AL	Kieser et al. (1993)
K		1990-2001	SN	Heidam et al. (2004)
K ⁺		1991-1995	du	Wagenbach et al. (1998a)
K ⁺		1991-1999	du	Jourdain and Legrand (2002)
K ⁺	mean: 3.4 ng/m ³	May-Jul 1993	SU	Bergin et al. (1995)
K ⁺		Jan 1994	du	Legrand et al. (1998)
K ⁺		Aug 1994	SU	Dibb et al. (1996)

species	value	date	site	reference
nss-K ⁺	mean: 6.0 ng/m ³	Apr-May 2001	NA	Teinilä et al. (2003)
nss-K ⁺	mean: 8.8 ng/m ³	Feb-Mar 2001	NA	Teinilä et al. (2003)
K	mean: 42.89 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Mg	1.0 ng/m ³ (STP)	Oct 1970	sp	Zoller et al. (1974)
Mg	mean: 160 ng/m ³	1976-1978 (win)	BA	Rahn and McCaffrey (1979)
Mg		1979-1984	ARC	Barrie and Hoff (1985)
Mg		1980-1995	AL	Sirois and Barrie (1999)
Mg		1980-2000	AL	Gong and Barrie (2005)
Mg		1983-1986	NA, NO	Maenhaut et al. (1989)
Mg ²⁺		1983-1996	nm	Wagenbach et al. (1998a)
Mg	13... 262 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)
Mg	0.69... 92 ng/m ³	1988-1989	DY	Mosher et al. (1993)
Mg	2.5... 27 ng/m ³	1988-1989	SU	Mosher et al. (1993)
Mg ²⁺		1991-1993	ha	Wagenbach et al. (1998a)
Mg ²⁺		1991-1995	du	Wagenbach et al. (1998a)
Mg ²⁺	mean: 6.8 ng/m ³	May-Jul 1993	SU	Bergin et al. (1995)
Mg ²⁺		Jan 1994	du	Legrand et al. (1998)
Mg ²⁺		Aug 1994	SU	Dibb et al. (1996)
nss-Mg ²⁺	mean: 7.3 ng/m ³	Apr-May 2001	NA	Teinilä et al. (2003)
nss-Mg ²⁺	mean: 7.7 ng/m ³	Feb-Mar 2001	NA	Teinilä et al. (2003)
Mn	10.3 pg/m ³ (STP)	Oct 1970	sp	Zoller et al. (1974)
Mn	mean: 1.12 ng/m ³	1976-1978 (win)	BA	Rahn and McCaffrey (1979)
Mn		1979-1980	ARC	Heidam (1985)
Mn		1979-1984	ARC	Barrie and Hoff (1985)
Mn		Apr-May 1980	MB, IG	Barrie et al. (1981)
Mn		1980-1995	AL	Sirois and Barrie (1999)
Mn		1980-2000	AL	Gong and Barrie (2005)
Mn		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
Mn		1983-1986	NA, NO	Maenhaut et al. (1989)
Mn	0.19... 6.7 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)
Mn	0.004... 3.3 ng/m ³	1988-1989	DY	Mosher et al. (1993)
Mn	0.052... 0.84 ng/m ³	1988-1989	SU	Mosher et al. (1993)
Mn		1990-2001	SN	Heidam et al. (2004)
Mn	annual mean: 0.24... 0.57 ng/m ³	1994-2002	NA	Berg et al. (2004)
Mn	mean: 0.60 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Na	7.2 ng/m ³ (STP)	Oct 1970	sp	Zoller et al. (1974)
Na	mean: 770 ng/m ³	1976-1978 (win)	BA	Rahn and McCaffrey (1979)
Na		1976-1980	BA	Berg et al. (1983)
Na		1979-1984	ARC	Barrie and Hoff (1985)
Na		1980-1986	AL	Barrie and Barrie (1990)
Na ⁺		1980-1995	AL	Sirois and Barrie (1999)
Na		1980-2000	AL	Gong and Barrie (2005)
Na ⁺		Apr-May 1980	MB, IG	Barrie et al. (1981)
Na ⁺	74... 289 ng/m ³	Feb 1982	IG	Hoff et al. (1983)
Na	14... 188 ng/m ³	Feb 1982	IG	Hoff et al. (1983)
Na	<40... 236 ng/m ³	spr 1983	ARC	Cahill and Eldred (1984)
Na		1983-1986	NA, NO	Maenhaut et al. (1989)
Na ⁺		1983-1996	nm	Wagenbach et al. (1998a)
Na		1984-1987	PF	Sturges and Shaw (1993)
Na ⁺		Mar-May 1986	BA	Li and Winchester (1989a,b)
Na	24... 1240 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)
Na	0.1... 300 ng/m ³	1988-1989	DY	Mosher et al. (1993)
Na	0.52... 17.4 ng/m ³	1988-1989	SU	Mosher et al. (1993)
Na	mean: 8.0 ng/m ³	1988-1989	DY	Davidson et al. (1993b,a)
Na ⁺	mean: 117ng/m ³	May 1989	AL	Kieser et al. (1993)
Na ⁺		1991-1993	ha	Wagenbach et al. (1998a)
Na ⁺		1991-1995	du	Wagenbach et al. (1998a)
Na ⁺		1991-1999	du	Jourdain and Legrand (2002)
Na ⁺	mean: 14 ng/m ³	May-Jul 1993	SU	Bergin et al. (1995)
Na ⁺		1996-1999	NA	Hara et al. (2002a)

species	value	date	site	reference
Na ⁺	0...1062.0 pmol/mol	1997-1999 (spr)	NA	Beine et al. (2001)
Na	mean: 45 ng/m ³	1998-1999	sp	Arimoto et al. (2001)
Na ⁺		1998, 2000	sp	Arimoto et al. (2004a)
Na ⁺	mean: 339.3 ng/m ³	Apr-May 2000	AL	Ianniello et al. (2002)
Na ⁺	mean: 69.1 ng/m ³	Feb 2000	AL	Ianniello et al. (2002)
Na		Mar-Apr 2000	NA	Hara et al. (2002b)
Na		Jan-Dec 2001	ha	Rankin and Wolff (2003)
Na ⁺	mean: 312 ng/m ³	Feb-Mar 2001	NA	Teinilä et al. (2003)
Na ⁺	mean: 261 ng/m ³	Apr-May 2001	NA	Teinilä et al. (2003)
Na ⁺		Nov-Dec 2003	sp	Eisele et al. (2007)
Ni		1979-1980	ARC	Heidam (1985)
Ni		1979-1984	ARC	Barrie and Hoff (1985)
Ni		Apr-May 1980	MB, IG	Barrie et al. (1981)
Ni		1980-2000	AL	Gong and Barrie (2005)
Ni		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
Ni		1983-1986	NA, NO	Maenhaut et al. (1989)
Ni		1990-2001	SN	Heidam et al. (2004)
Ni	annual mean: 0.07...0.19 ng/m ³	1994-2002	NA	Berg et al. (2004)
Ni	mean: 0.17 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Pb	0.63 ng/m ³ (STP)	Oct 1970	sp	Zoller et al. (1974)
Pb		1979-1980	ARC	Heidam (1985)
Pb		1979-1984	ARC	Barrie and Hoff (1985)
Pb		Apr-May 1980	MB, IG	Barrie et al. (1981)
Pb		1980-1986	AL	Barrie and Barrie (1990)
Pb		1980-1995	AL	Sirois and Barrie (1999)
Pb		1980-2000	AL	Gong and Barrie (2005)
Pb		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
Pb		1983-1986	NA, NO	Maenhaut et al. (1989)
Pb		Feb-Mar 1990	BA	Sturges et al. (1993a)
Pb		1990-2001	SN	Heidam et al. (2004)
Pb	annual mean: 0.48...0.83 ng/m ³	1994-2002	NA	Berg et al. (2004)
Pb		2000	sp	Arimoto et al. (2004b)
Pb	mean: 0.48 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Rb	mean: 0.11 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Se		1983-1986	NA, NO	Maenhaut et al. (1989)
Se	monthly mean: 0.03...0.08 ng/m ³	1984-1987	PF	Sturges and Shaw (1993)
Se	mean: 0.05 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Si		1990-2001	SN	Heidam et al. (2004)
Si	mean: 143.46 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Sr		1979-1980	ARC	Heidam (1985)
Sr		1979-1984	ARC	Barrie and Hoff (1985)
Sr		1983-1986	NA, NO	Maenhaut et al. (1989)
Sr		1990-2001	SN	Heidam et al. (2004)
Sr	mean: 0.79 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Ti		1979-1984	ARC	Barrie and Hoff (1985)
Ti		1980-2000	AL	Gong and Barrie (2005)
Ti		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
Ti		1983-1986	NA, NO	Maenhaut et al. (1989)
Ti		1990-2001	SN	Heidam et al. (2004)
Ti	mean: 3.09 ng/m ³	2002-2005	NU	Skov et al. (2006b)
V	1.5 pg/m ³ (STP)	Oct 1970	sp	Zoller et al. (1974)
V	mean: 0.65 ng/m ³	1976-1978 (win)	BA	Rahn and McCaffrey (1979)
V		1979-1984	ARC	Barrie and Hoff (1985)
V		Apr-May 1980	MB, IG	Barrie et al. (1981)
V		1980-1995	AL	Sirois and Barrie (1999)
V		1980-2000	AL	Gong and Barrie (2005)
V		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)

species	value	date	site	reference
V		1983-1986	NA, NO	Maenhaut et al. (1989)
V		1984-1987	PF	Sturges and Shaw (1993)
V	0.05...1.72 ng/m ³	spr 1988	AL	Bottenheim et al. (1990)
V	0.014...5.5 ng/m ³	1988-1989	DY	Mosher et al. (1993)
V	0.006...25 ng/m ³	1988-1989	SU	Mosher et al. (1993)
V		1990-2001	SN	Heidam et al. (2004)
V	annual mean: 0.07...0.20 ng/m ³	1994-2002	NA	Berg et al. (2004)
V	mean: 0.17 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Zn	30 pg/m ³ (STP)	Oct 1970	sp	Zoller et al. (1974)
Zn	mean: 14.8 ng/m ³	1976-1978 (win)	BA	Rahn and McCaffrey (1979)
Zn		1979-1980	ARC	Heidam (1985)
Zn		1979-1984	ARC	Barrie and Hoff (1985)
Zn		Apr-May 1980	MB, IG	Barrie et al. (1981)
Zn		1980-1995	AL	Sirois and Barrie (1999)
Zn		1980-2000	AL	Gong and Barrie (2005)
Zn		Aug-Sep 1983	ARC	Pacyna and Ottar (1985)
Zn		1983-1986	NA, NO	Maenhaut et al. (1989)
Zn	mean: 0.63 ng/m ³	1988-1989	DY	Davidson et al. (1993b,a)
Zn		1990-2001	SN	Heidam et al. (2004)
Zn	annual mean: 1.2...1.9 ng/m ³	1994-2002	NA	Berg et al. (2004)
Zn	mean: 2.62 ng/m ³	2002-2005	NU	Skov et al. (2006b)
Zr	mean: 0.10 ng/m ³	2002-2005	NU	Skov et al. (2006b)

References

- Albrecht, T., Notholt, J., Wolke, R., Solberg, S., Dye, C., and Malberg, H.: Variations of CH₂O and C₂H₂ determined from ground-based FTIR measurements and comparison with model results, *Adv. Space Res.*, 29, 1713–1718, 2002.
- Allegrini, I., Montagnoli, M., and Sparapani, R.: Evaluation of gas phase and particulate components relevant to polar tropospheric processes, *Int. J. Environ. Anal. Chem.*, 55, 267–283, 1994.
- Allegrini, I., Ianniello, A., Montagnoli, M., Sparapani, R., and Mazziotti Gomez de Teran, C.: Carbon-coated annular denuders and ion chromatographic measurements for the determination of nitrogen-containing species (NO₂ and NO_y) in remote atmospheres, *J. Chromatogr. A*, 846, 265–268, 1999.
- Amoroso, A., Beine, H. J., Sparapani, R., and Nardino, M.: Observation of coinciding Arctic boundary layer ozone depletion and snow surface emissions of nitrous acid, *Atmos. Environ.*, 40, 1949–1956, 2005.
- Anlauf, K. G., Mickle, R. E., and Trivett, N. B. A.: Measurement of ozone during Polar Sunrise Experiment 1992, *J. Geophys. Res.*, 99D, 25 345–25 353, 1994.
- Arimoto, R., Nottingham, A. S., Webb, J., Schloesslin, C. A., and Davis, D. D.: Non-sea salt sulfate and other aerosol constituents at the South Pole during ISCAT, *Geophys. Res. Lett.*, 28, 3645–3648, 2001.
- Arimoto, R., Hogan, A., Grube, P., Davis, D., Webb, J., Schloesslin, C., Sage, S., and Raccah, F.: Major ions and radionuclides in aerosol particles from the South Pole during ISCAT-2000, *Atmos. Environ.*, 38, 5473–5484, 2004a.
- Arimoto, R., Schloesslin, C., Davis, D., Hogan, A., Grube, P., Fitzgerald, W., and Lamborg, C.: Lead and mercury in aerosol particles collected over the South Pole during ISCAT-2000, *Atmos. Environ.*, 38, 5485–5491, 2004b.
- Ariya, P. A., Jobson, B. T., Sander, R., Niki, H., Harris, G. W., Anlauf, K. G., and Hopper, J. F.: Measurements of C₂-C₇ hydrocarbons during the polar sunrise experiment 1994: Further evidence for halogen chemistry in the troposphere, *J. Geophys. Res.*, 103D, 13 169–13 180, 1998.
- Ariya, P. A., Niki, H., Harris, G. W., Anlauf, K. G., and Worthy, D. E. J.: Polar sunrise experiment 1995: Hydrocarbon measurements and tropospheric Cl and Br-atoms chemistry, *Atmos. Environ.*, 33, 931–938, 1999.
- Aspmo, K., Gauchard, P.-A., Steffen, A., Temme, C., Berg, T., Bahlmann, E., Banic, C., Dommergue, A., Ebinghaus, R., Ferrari, C., Pirrone, N., Sprovieri, F., and Wibetoe, G.: Measurements of atmospheric mercury species during an international study of mercury depletion events at Ny-Ålesund, Svalbard, spring 2003. How reproducible are our present methods?, *Atmos. Environ.*, 39, 7607–7619, 2005.
- Bales, R. C., Losleben, M. V., McConnell, J. R., Fuhrer, K., and Neftel, A.: H₂O₂ in snow, air and open pore space in firn at Summit, Greenland, *Geophys. Res. Lett.*, 22, 1261–1264, 1995a.
- Bales, R. C., McConnell, J. R., Losleben, M. V., Conklin, M. H., Fuhrer, K., Neftel, A., Dibb, J. E., Kahl, J. D. W., and Stearns, C. R.: Diel variations of H₂O₂ in Greenland: A discussion of the cause and effect relationship, *J. Geophys. Res.*, 100D, 18 661–18 668, 1995b.
- Banic, C. M., Beauchamp, S. T., Tordon, R. J., Schroeder, W. H., Steffen, A., Anlauf, K. A., and Wong, H. K. T.: Vertical distribution of gaseous elemental mercury in Canada, *J. Geophys. Res.*, 108D, 4264, doi:10.1029/2002JD002116, 2003.
- Barrie, L. A. and Barrie, M. J.: Chemical components of lower tropospheric aerosols in the high Arctic: Six years of observations, *J. Atmos. Chem.*, 11, 211–226, 1990.
- Barrie, L. A. and Delmas, R. J.: Polar atmosphere and snow chemistry, in: *Global Atmospheric-Biospheric Chemistry*, edited by Prinn, R. G., pp. 149–164, Plenum Press, NY, 1994.
- Barrie, L. A. and Hoff, R. M.: The oxidation rate and residence time of sulphur dioxide in the Arctic atmosphere, *Atmos. Environ.*, 18, 2711–2722, 1984.
- Barrie, L. A. and Hoff, R. M.: Five years of air chemistry observations in the Canadian Arctic, *Atmos. Environ.*, 19, 1995–2010, 1985.
- Barrie, L. A., Hoff, R. M., and Daggupaty, S. M.: The influence of mid-latitudinal pollution sources on haze in the Canadian Arctic, *Atmos. Environ.*, 15, 1407–1419, 1981.
- Barrie, L. A., Li, S.-M., Toom, D. L., Landsberger, S., and Sturges, W.: Lower tropospheric measurements of halogens, nitrates, and sulphur oxides during Polar Sunrise Experiment 1992, *J. Geophys. Res.*, 99D, 25 453–25 467, 1994a.
- Barrie, L. A., Staebler, R., Toom, D., Georgi, B., den Hartog, G., Landsberger, S., and Wu, D.: Arctic aerosol size-segregated chemical observations in relation to ozone depletion during Polar Sunrise Experiment 1992, *J. Geophys. Res.*, 99D, 25 439–25 451, 1994b.
- Beine, H. J.: Measurements of CO in the high Arctic, *Chemosphere - Global Change Science*, 1, 145–151, 1999.
- Beine, H. J. and Krognes, T.: The seasonal cycle of peroxyacetyl nitrate (PAN) in the Arctic, *Atmos. Environ.*, 34, 933–940, 2000.
- Beine, H. J., Engardt, M., Jaffe, D. A., Hov, Ø., Holmén, K., and Stordal, F.: Measurements of NO_x and aerosol particles at the Ny-Ålesund Zeppelin mountain-station on Svalbard: Influence of local and regional pollution sources, *Atmos. Environ.*, 30, 1067–1079, 1996a.
- Beine, H. J., Jaffe, D. A., Blake, D. R., Atlas, E., and Harris, J.: Measurements of PAN, alkyl nitrates, ozone and hydrocarbons during spring in interior Alaska, *J. Geophys. Res.*, 101D, 12 613–12 619, 1996b.
- Beine, H. J., Jaffe, D. A., Herring, J. A., Kelley, J. A., Krognes, T., and Stordal, F.: High-latitude springtime photochemistry. Part I: NO_x, PAN and ozone relationship, *J. Atmos. Chem.*, 27, 127–153, 1997a.

- Beine, H. J., Jaffe, D. A., Stordal, F., Engardt, M., Solberg, S., Schmidbauer, N., and Holmen, K.: NO_x during ozone depletion events in the Arctic troposphere at Ny-Ålesund, Svalbard, Tellus, 49B, 556–565, 1997b.
- Beine, H. J., Allegrini, I., Sparapani, R., Ianniello, A., and Valentini, F.: Three years of springtime trace gas and particle measurement at Ny-Ålesund, Svalbard, Atmos. Environ., 35, 3645–3658, 2001.
- Beine, H. J., Honrath, R. E., Dominé, F., Simpson, W. R., and Fuentes, J. D.: NO_x during background and ozone depletion periods at Alert: Fluxes above the snow surface, J. Geophys. Res., 107D, 4584, doi:10.1029/2002JD002082, 2002.
- Beine, H. J., Dominé, F., Ianniello, A., Nardino, M., Allegrini, I., Teinilä, K., and Hillamo, R.: Fluxes of nitrates between snow surfaces and the atmosphere in the European high Arctic, Atmos. Chem. Phys., 3, 335–346, 2003.
- Beine, H. J., Amoroso, A., Dominé, F., King, M., Nardino, M., and A. Ianniello, J. L. F.: Surprisingly small HONO emissions from snow surfaces at Browning Pass, Antarctica, Atmos. Chem. Phys., 6, 2569–2580, 2006.
- Berg, T., Bartnicki, J., Munthe, J., Lattila, H., Hrehoruk, J., and Mazur, A.: Atmospheric mercury species in the European Arctic: Measurements and modelling, Atmos. Environ., 35, 2569–2582, 2001.
- Berg, T., Sekkesæter, S., Steinnes, E., Valdal, A.-K., and Wi-betoe, G.: Springtime depletion of mercury in the European Arctic as observed at Svalbard, Sci. Total Environ., 304, 43–51, 2003.
- Berg, T., Kallenborn, R., and Manø, S.: Temporal trends in atmospheric heavy metal and organochlorine concentrations at Zeppelin, Svalbard, Arct. Antarct. Alp. Res., 36, 284–291, 2004.
- Berg, W. W., Sperry, P. D., Rahn, K. A., and Gladney, E. S.: Atmospheric bromine in the Arctic, J. Geophys. Res., 88C, 6719–6736, 1983.
- Berg, W. W., Heidt, L. E., Pollock, W., Sperry, P. D., and Cicerone, R. J.: Brominated organic species in the Arctic atmosphere, Geophys. Res. Lett., 11, 429–432, 1984.
- Bergin, M. H., Jaffrezo, J. L., Davidson, C. I., Caldow, R., and Dibb, J.: Fluxes of chemical species to the Greenland ice sheet at Summit by fog and dry deposition, Geochim. Cosmochim. Acta, 58, 3207–3215, 1994.
- Bergin, M. H., Jaffrezo, J.-L., Davidson, C. I., Dibb, J. E., Pandis, S. N., Hillamo, R., Maenhaut, W., Kuhns, H. D., and Makela, T.: The contributions of snow, fog, and dry deposition to the summer flux of anions and cations at Summit, Greenland, J. Geophys. Res., 100D, 16 275–16 288, 1995.
- Berresheim, H.: Biogenic sulfur emissions from the Subantarctic and Antarctic oceans, J. Geophys. Res., 92D, 13 245–13 262, 1987.
- Berresheim, H., Huey, J. W., Thorn, R. P., Eisele, F. L., Tanner, D. J., and Jefferson, A.: Measurements of dimethyl sulfide, dimethyl sulfoxide, dimethyl sulfone, and aerosol ions at Palmer Station, Antarctica, J. Geophys. Res., 103D, 1629–1637, 1998.
- Blake, N. J., Blake, D. R., Sive, B. C., Katzenstein, A. S., Meinardi, S., Wingenter, O. W., Atlas, E. L., Flocke, F., Ridley, B. A., and Rowland, F. S.: The seasonal evolution of NMHCs and light alkyl nitrates at middle to high northern latitudes during TOPSE, J. Geophys. Res., 108D, doi:10.1029/2001JD001467, 2003.
- Bloss, W. J., Lee, J. D., Heard, D. E., Salmon, R. A., Bauguitte, S. J.-B., Roscoe, H. K., and Jones, A. E.: Observations of OH and HO₂ radicals in coastal Antarctica, Atmos. Chem. Phys. Discuss., 7, 2893–2935, 2007.
- Bottenheim, J. W., Gallant, A. G., and Brice, K. A.: Measurements of NO_y species and O₃ at 82°N latitude, Geophys. Res. Lett., 13, 113–116, 1986.
- Bottenheim, J. W., Barrie, L. A., Atlas, E., Heidt, L. E., Niki, H., Rasmussen, R. A., and Shepson, P. B.: Depletion of lower tropospheric ozone during Arctic spring: The polar sunrise experiment 1988, J. Geophys. Res., 95D, 18 555–18 568, 1990.
- Bottenheim, J. W., Barrie, L. A., and Atlas, E.: The partitioning of nitrogen oxides in the lower Arctic troposphere during spring 1988, J. Atmos. Chem., 17, 15–27, 1993.
- Bottenheim, J. W., Boudries, H., Brickell, P. C., and Atlas, E.: Alkenes in the Arctic boundary layer at Alert, Nunavut, Canada, Atmos. Environ., 36, 2585–2594, 2002a.
- Bottenheim, J. W., Fuentes, J. D., Tarasick, D. W., and Anlauf, K. G.: Ozone in the Arctic lower troposphere during winter and spring 2000 (ALERT2000), Atmos. Environ., 36, 2535–2544, 2002b.
- Boudries, H. and Bottenheim, J. W.: Cl and Br atom concentrations during a surface boundary layer ozone depletion event in the Canadian high Arctic, Geophys. Res. Lett., 27, 517–520, 2000.
- Boudries, H., Bottenheim, J. W., Guimbaud, C., Grannas, A. M., Shepson, P. B., Houdier, S., Perrier, S., and Dominé, F.: Distribution and trends of oxygenated hydrocarbons in the high Arctic derived from measurements in the atmospheric boundary layer and interstitial snow air during the ALERT2000 field campaign, Atmos. Environ., 36, 2573–2583, 2002.
- Brooks, S. B., Saiz-Lopez, A., Skov, H., Lindberg, S. E., Plane, J. M. C., and Goodsite, M. E.: The mass balance of mercury in the springtime arctic environment, Geophys. Res. Lett., 33, L13812, doi:10.1029/2005GL025525, 2006.
- Cahill, T. A. and Eldred, R. A.: Elemental composition of Arctic particulate matter, Geophys. Res. Lett., 11, 413–416, 1984.

- Carpenter, L. J., Hopkins, J. R., Jones, C. E., Lewis, A. C., Parthipan, R., Wevill, D. J., Poissant, L., Pilote, M., and Constant, P.: Abiotic source of reactive organic halogens in the sub-arctic atmosphere?, *Environ. Sci. Technol.*, 39, 8812–8816, 2005.
- Chance, K.: Analysis of BrO measurements from the global ozone monitoring experiment, *Geophys. Res. Lett.*, 25, 3335–3338, 1998.
- Cicerone, R. J., Heidt, L. E., and Pollock, W. H.: Measurements of atmospheric methyl bromide and bromoform, *J. Geophys. Res.*, 93D, 3745–3749, 1988.
- Clarkson, T. S., Martin, R. J., and Rudolph, J.: Ethane and propane in the Southern marine troposphere, *Atmos. Environ.*, 31, 3763–3771, 1997.
- Clemithshaw, K. C., Ames, D. L., Fleming, Z. L., Salmon, R. A., Bauguitte, S., and Jones, A. E.: Seasonal observations of HONO at Halley, Antarctica during CHABLIS, *Geophys. Res. Abstr.*, 8, 00680, <http://www.cosis.net/abstracts/EGU06/00680/EGU06-J-00680.pdf>, 2006.
- Constant, P., Poissant, L., Villemur, R., Yumvihoze, E., and Lean, D.: Fate of inorganic mercury and methyl mercury within the snow cover in the low arctic tundra on the shore of Hudson Bay (Québec, Canada), *J. Geophys. Res.*, 112D, D08309, doi:10.1029/2006JD007961, 2007.
- Dassau, T. M., Shepson, P. B., Bottenheim, J. W., and Ford, K. M.: Peroxyacetyl nitrate photochemistry and interactions with the Arctic surface, *J. Geophys. Res.*, 109D, D18302, doi:10.1029/2004JD004562, 2004.
- Davidson, C. I., Jaffrezo, J.-L., Mosher, B. W., Dibb, J. E., Borys, R. D., Bodhaine, B. A., Rasmussen, R. A., Boutron, C. F., Ducroz, F. M., Cachier, M., Ducret, J., Colin, J.-L., Heidam, N. Z., Kemp, K., , and (1993), R. H.: Chemical constituents in the air and snow at Dye 3, Greenland — II. Analysis of episodes in April 1989, *Atmos. Environ.*, 27A, 2723–2738, 1993a.
- Davidson, C. I., Jaffrezo, J.-L., Mosher, B. W., Dibb, J. E., Borys, R. D., Bodhaine, B. A., Rasmussen, R. A., Boutron, C. F., Gorlach, U., Cachier, H., Ducret, J., Colin, J.-L., Heidam, N. Z., Kemp, K., , and Hillamo, R.: Chemical constituents in the air and snow at Dye 3, Greenland — I. Seasonal variations, *Atmos. Environ.*, 27A, 2709–2722, 1993b.
- Davis, D., Chen, G., Kasibhatla, P., Jefferson, A., Tanner, D., Eisele, F., Lenschow, D., Neff, W., and Berresheim, H.: DMS oxidation in the Antarctic marine boundary layer: Comparison of model simulations and field observations of DMS, DMSO, DMSO₂, H₂SO₄(g), MSA(g), and MSA(p), *J. Geophys. Res.*, 103D, 1657–1678, 1998.
- Davis, D., Nowak, J. B., Chen, G., Buhr, M., Arimoto, R., Hogan, A., Eisele, F., Mauldin, L., Tanner, D., Shetter, R., Lefer, B., and McMurry, P.: Unexpected high levels of NO observed at South Pole, *Geophys. Res. Lett.*, 28, 3625–3628, 2001.
- Davis, D., Chen, G., Buhr, M., Crawford, J., Lenschow, D., Lefer, B., Shetter, R., Eisele, F., Mauldin, L., and Hogan, A.: South Pole NO_x chemistry: an assessment of factors controlling variability and absolute levels, *Atmos. Environ.*, 38, 5375–5388, 2004.
- de Serves, C.: Gas phase formaldehyde and peroxide measurements in the Arctic atmosphere, *J. Geophys. Res.*, 99D, 25 391–25 398, 1994.
- Dibb, J. E. and Arsenault, M.: Shouldn't snowpacks be sources of monocarboxylic acids?, *Atmos. Environ.*, 36, 2513–2522, 2002.
- Dibb, J. E., Talbot, R. W., and Bergin, M. H.: Soluble acidic species in air and snow at Summit, Greenland, *Geophys. Res. Lett.*, 21, 1627–1630, 1994.
- Dibb, J. E., Talbot, R. W., Shipham, S. I. W. M. C., Winterle, J., McConnell, J., and Bales, R.: Biomass burning signatures in the atmosphere and snow at Summit, Greenland: An event on 5 August 1994, *Atmos. Environ.*, 30, 553–561, 1996.
- Dibb, J. E., Talbot, R. W., Munger, J. W., Jacob, D. J., and Fan, S.-M.: Air-snow exchange of HNO₃ and NO_y at Summit, Greenland, *J. Geophys. Res.*, 103D, 3475–3486, 1998.
- Dibb, J. E., Arsenault, M., Peterson, M. C., and Honrath, R. E.: Fast nitrogen oxide photochemistry in Summit, Greenland snow, *Atmos. Environ.*, 36, 2501–2511, 2002.
- Dibb, J. E., Huey, L. G., Slusher, D. L., and Tanner, D. J.: Soluble reactive nitrogen oxides at South Pole during ISCAT 2000, *Atmos. Environ.*, 38, 5399–5409, 2004.
- Dibb, J. E., Albert, M., Anastasio, C., Atlas, E., Beyersdorf, A. J., Blake, N. J., Blake, D. R., Bocquet, F., Burkhardt, J. F., Chen, G., Cohen, L., Conway, T. J., Courville, Z., Frey, M. M., Friel, D. K., Galbavy, E. S., Hall, S., Hastings, M. G., Helmig, D., Huey, L. G., Hutterli, M. A., Jarvis, J. C., Lefer, B. L., Meinardi, S., Neff, W., Oltmans, S. J., Rowland, F. S., Sjostedt, S. J., Steig, E. J., Swanson, A. L., and Tanner, D. J.: An overview of air-snow exchange at Summit, Greenland: Recent experiments and findings, *Atmos. Environ.*, doi:10.1016/j.atmosenv.2006.12.006, (in press), 2007.
- Dommergue, A., Ferrari, C., Poissant, L., Gauchard, P.-A., and Boutron, C. F.: Diurnal cycles of gaseous mercury within the snowpack at Kuujjuarapik/Whapmagoostui, Québec, Canada, *Environ. Sci. Technol.*, 37, 3289–3297, 2003a.
- Dommergue, A., Ferrari, C. P., Gauchard, P.-A., Boutron, C. F., Poissant, L., Pilote, M., Jitaru, P., and Adams, F. C.: The fate of mercury species in a sub-arctic snowpack during snowmelt, *Geophys. Res. Lett.*, 30, 1621, doi:10.1029/2003GL017308, 2003b.
- Doskey, P. V. and Gaffney, J. S.: Non-methane hydrocarbons in the Arctic atmosphere at Barrow, Alaska, *Geophys. Res. Lett.*, 19, 381–384, 1992.
- Duce, R. A., Winchester, J. W., and van Nahl, T. W.: Iodine, bromine, and chlorine in winter aerosols and snow from Barrow, Alaska, *Tellus*, 18, 238–248, 1966.

- Duce, R. A., Zoller, W. H., and Moyers, J. L.: Particulate and gaseous halogens in the Antarctic atmosphere, *J. Geophys. Res.*, 78, 7802–7811, 1973.
- Ebinghaus, R., Kock, H. H., Temme, C., Einax, J. W., Löwe, A. G., Richter, A., Burrows, J. P., and Schroeder, W. H.: Antarctic springtime depletion of atmospheric mercury, *Environ. Sci. Technol.*, 36, 1238–1244, 2002.
- Eisele, F., Davis, D. D., Helmig, D., Oltmans, S. J., Neff, W., Huey, G., Tanner, D., Chen, G., Crawford, J., Arimoto, R., Buhr, M., Mauldin, L., Hutterli, M., Dibb, J., Blake, D., Brooks, S. B., Johnson, B., Roberts, J. M., Wang, Y., Tan, D., and Flocke, F.: Antarctic tropospheric chemistry investigation (ANTCI) 2003 overview, *Atmos. Environ.*, doi: 10.1016/j.atmosenv.2007.04.013, (in press), 2007.
- Evans, M. J., Jacob, D. J., Atlas, E., Cantrell, C. A., Eisele, F., Flocke, F., Fried, A., Mauldin, R. L., Ridley, B. A., Wert, B., Talbot, R., Blake, D., Heikes, B., Snow, J., Walega, J., Weinheimer, A. J., and Dibb, J.: Coupled evolution of BrO_x-ClO_x-HO_x-NO_x chemistry during bromine-catalyzed ozone depletion events in the Arctic boundary layer, *J. Geophys. Res.*, 108D, 8368, doi:10.1029/2002JD002732, 2003.
- Ferek, R. J., Hobbs, P. V., Radke, L. F., Herring, J. A., Sturges, W. T., and Cota, G. F.: Dimethyl sulfide in the Arctic atmosphere, *J. Geophys. Res.*, 100D, 26 093–26 104, 1995.
- Ferrari, C. P., Dommergue, A., Boutron, C. F., Skov, H., Goodsite, M., and B.Jensen: Nighttime production of elemental gaseous mercury in interstitial air of snow at Station Nord, Greenland, *Atmos. Environ.*, 38, 2727–2735, 2004.
- Fischer, R., Weller, R., Jacobi, H.-W., and Ballschmiter, K.: Levels and pattern of volatile organic nitrates and halocarbons in the air at Neumayer Station (70°S), Antarctic, *Chemosphere*, 48, 981–992, 2002.
- Ford, K., Campbell, B., Shepson, P. B., Bertman, S. B., Honrath, R. E., Peterson, M. C., and Dibb, J. E.: Studies of peroxyacetyl nitrate (PAN) and its interaction with the snowpack at Summit, Greenland, *J. Geophys. Res.*, 107D, doi: 10.1029/2001JD000547, 2002.
- Foster, K. L., Plastridge, R. A., Bottenheim, J. W., Shepson, P. B., Finlayson-Pitts, B. J., and Spicer, C. W.: The role of Br₂ and BrCl in surface ozone destruction at polar sunrise, *Science*, 291, 471–474, 2001.
- Frey, M. M., Stewart, R. W., McConnell, J. R., and Bales, R. C.: Atmospheric hydroperoxides in West Antarctica: Links to stratospheric ozone and atmospheric oxidation capacity, *J. Geophys. Res.*, 110D, D23301, doi:10.1029/2005JD006110, 2005.
- Frieß, U., Wagner, T., Pundt, I., Pfeilsticker, K., and Platt, U.: Spectroscopic measurements of tropospheric iodine oxide at Neumayer station, Antarctica, *Geophys. Res. Lett.*, 28, 1941–1944, 2001.
- Frieß, U., Hollwedel, J., König-Langlo, G., Wagner, T., and Platt, U.: Dynamics and chemistry of tropospheric bromine explosion events in the Antarctic coastal region, *J. Geophys. Res.*, 109D, doi:10.1029/2003JD004133, 2004.
- Führer, K., Hutterli, M. A., and McConnell, J. R.: Overview of recent field experiments for the study of the air-snow transfer of H₂O₂ and HCHO, in: *Chemical Exchange Between the Atmosphere and Polar Snow*, NATO ASI Series, Vol. I43, edited by Wolff, E. W. and Bales, R. C., pp. 307–318, Springer Verlag, Berlin, 1996.
- Galaktionov, V. V., Khattatov, V. U., and Rudakov, V. V.: Aircraft observations of ozone in the Arctic troposphere in April 1994, *Atmos. Res.*, 44, 191–198, 1997.
- Gauchard, P.-A., Aspmo, K., Temme, C., Steffen, A., Ferrari, C., Berg, T., Ström, J., Kaleschke, L., Dommergue, A., Bahlmann, E., Magand, O., Planchon, F., Ebinghaus, R., Banic, C., Nagorski, S., Baumann, P., and Boutron, C.: Study of the origin of atmospheric mercury depletion events recorded in Ny-Ålesund, Svalbard, spring 2003, *Atmos. Environ.*, 39, 7620–7632, 2005a.
- Gauchard, P.-A., Ferrari, C. P., Dommergue, A., Poissant, L., Pilote, M., Guehenneux, G., Boutron, C. F., and Baumann, P.: Atmospheric particle evolution during a nighttime atmospheric mercury depletion event in sub-Arctic at Kuujjuarpik/Whapmagoostui, Québec, Canada, *Sci. Total Environ.*, 336, 215–224, 2005b.
- Gong, S. L. and Barrie, L. A.: Trends of heavy metal components in the Arctic aerosols and their relationship to the emissions in the Northern Hemisphere, *Sci. Total Environ.*, 342, 175–183, 2005.
- Gong, S. L., Walmsley, J. L., Barrie, L. A., and Hopper, J. F.: Mechanisms for surface ozone depletion and recovery during polar sunrise, *Atmos. Environ.*, 31, 969–981, 1997.
- Grannas, A. M., Shepson, P. B., Guimbaud, C., Sumner, A. L., Albert, M., Simpson, W., Dominé, F., Boudries, H., Bottenheim, J., Beine, H. J., Honrath, R., and Zhou, X.: A study of photochemical and physical processes affecting carbonyl compounds in the Arctic atmospheric boundary layer, *Atmos. Environ.*, 36, 2733–2742, 2002.
- Gruzdev, A. N., Elokhov, A. S., Makarov, O. V., and Mokhov, I. I.: Some recent results of Russian measurements of surface ozone in Antarctica. A meteorological interpretation, *Tellus*, 45B, 99–105, 1993.
- Guimbaud, C., Grannas, A. M., Shepson, P. B., Fuentes, J. D., Boudries, H., Bottenheim, J. W., Dominé, F., Houdier, S., Perrier, S., Biesenthal, T. B., and Splawn, B. G.: Snowpack processing of acetaldehyde and acetone in the Arctic atmospheric boundary layer, *Atmos. Environ.*, 36, 2743–2752, 2002.
- Hansen, A. D. A. and Rosen, H.: Vertical distributions of particulate carbon, sulfur, and bromine in the Arctic haze and comparison with ground-level measurements at Barrow, Alaska, *Geophys. Res. Lett.*, 11, 381–384, 1984.
- Hara, K., Osada, K., Matsunaga, K., Iwasaka, Y., Shiba, T., and Furuya, K.: Atmospheric inorganic chlorine and bromine species in Arctic boundary layer of the winter/spring, *J. Geophys. Res.*, 107, doi:10.1029/2001JD001008, 2002a.

- Hara, K., Osada, K., Nishita, C., Yamagata, S., Yamanocuhi, T., Herber, A., Matsunaga, K., Iwasaka, Y., Nagatani, M., and Nakata, H.: Vertical variations of sea-salt modification in the boundary layer of spring Arctic during the ASTAR 2000 campaign, *Tellus*, 54B, 361–376, 2002b.
- Hausmann, M. and Platt, U.: Spectroscopic measurement of bromine oxide and ozone in the high Arctic during Polar Sunrise Experiment 1992, *J. Geophys. Res.*, 99D, 25 399–25 413, 1994.
- Heidam, N. Z.: Crustal enrichments in the Arctic aerosol, *Atmos. Environ.*, 19, 2083–2097, 1985.
- Heidam, N. Z., Christensen, J., Wahlin, P., and Skov, H.: Arctic atmospheric contaminants in NE Greenland: levels, variations, origins, transport, transformations and trends 1990–2001, *Sci. Total Environ.*, 331, 5–28, 2004.
- Helmlig, D., Boulter, J., David, D., Birks, J. W., Cullen, N. J., Steffen, K., Johnson, B. J., and Oltmans, S. J.: Ozone and meteorological boundary-layer conditions at Summit, Greenland, during 3–21 June 2000, *Atmos. Environ.*, 36, 2595–2608, 2002.
- Helmlig, D., Bocquet, F., Cohen, L., and Oltmans, S. J.: Ozone uptake to the polar snowpack at Summit, Greenland, *Atmos. Environ.*, (in press), 2007a.
- Helmlig, D., Johnson, B., Oltmans, S. J., Neff, W., Eisele, F., and Davis, D. D.: Elevated ozone in the boundary layer at South Pole, *Atmos. Environ.*, doi:10.1016/j.atmosenv.2006.12.032, (in press), 2007b.
- Helmlig, D., Johnson, B. J., Warshawsky, M., Morse, T., Neff, W. D., Eisele, F., and Davis, D. D.: Nitric oxide in the boundary-layer at South Pole during the Antarctic Tropospheric Chemistry Investigation (ANTCI), *Atmos. Environ.*, doi:10.1016/j.atmosenv.2007.03.061, (in press), 2007c.
- Helmlig, D., Oltmans, S. J., Carlson, D., Lamarque, J.-F., Jones, A., Labuschagne, C., Anlauf, K., and Hayden, K.: A review of surface ozone in the polar regions, *Atmos. Environ.*, doi:10.1016/j.atmosenv.2006.09.053, (in press), 2007d.
- Helmlig, D., Oltmans, S. J., Morse, T. O., and Dibb, J. E.: What is causing high ozone at Summit, Greenland?, *Atmos. Environ.*, doi:10.1016/j.atmosenv.2006.05.084, (in press), 2007e.
- Herring, J. A., Jaffe, D. A., Beine, H. J., Madronich, S., and Blake, D. R.: High latitude springtime photochemistry part II: Sensitivity studies of ozone production, *J. Atmos. Chem.*, 27, 155–178, 1997.
- Hoff, R. M., Leaitch, W. R., Fellin, P., and Barrie, L. A.: Mass size distribution of chemical constituents of the winter Arctic aerosol, *J. Geophys. Res.*, 88C, 10 947–10 956, 1983.
- Hönninger, G.: Halogen Oxide Studies in the Boundary Layer by Multi Axis Differential Optical Absorption Spectroscopy and Active Longpath-DOAS, Ph.D. thesis, Institut für Umweltphysik, Universität Heidelberg, Germany, <http://www.ub.uni-heidelberg.de/archiv/1940>, 2002.
- Hönninger, G. and Platt, U.: Observations of BrO and its vertical distribution during surface ozone depletion at Alert, *Atmos. Environ.*, 36, 2481–2489, 2002.
- Hönninger, G., Leser, H., Sebastián, O., and Platt, U.: Ground-based measurements of halogen oxides at the Hudson Bay by longpath DOAS and passive MAX-DOAS, *Geophys. Res. Lett.*, 31, doi:10.1029/2003GL018982, 2004.
- Honrath, R. E., Peterson, M. C., Guo, S., Dibb, J. E., Shepson, P. B., and Campbell, B.: Evidence of NO_x production within or upon ice particles in the Greenland snowpack, *Geophys. Res. Lett.*, 26, 695–698, 1999.
- Honrath, R. E., Lu, Y., Peterson, M. C., Dibb, J. E., Arsenault, M. A., Cullen, N. J., and Steffen, K.: Vertical fluxes of NO_x, HONO, and HNO₃ above the snowpack at Summit, Greenland, *Atmos. Environ.*, 36, 2629–2640, 2002.
- Hopper, J. F., Peters, B., Yokouchi, Y., Niki, H., Jobson, B. T., Shepson, P. B., and Muthuramu, K.: Chemical and meteorological observations at ice camp SWAN during Polar Sunrise Experiment 1992, *J. Geophys. Res.*, 99D, 25 489–25 498, 1994a.
- Hopper, J. F., Worthy, D. E. J., Barrie, L. A., and Trivett, N. B. A.: Atmospheric observations of aerosol black carbon, carbon dioxide and methane in the high arctic, *Atmos. Environ.*, 28, 3047–3054, 1994b.
- Hopper, J. F., Barrie, L. A., Silis, A., Hart, W., Gallant, A. J., and Dryfhout, H.: Ozone and meteorology during the 1994 Polar Sunrise Experiment, *J. Geophys. Res.*, 103D, 1481–1492, 1998.
- Hov, Ø., Penkett, S. A., Isaksen, I. S. A., and Semb, A.: Organic gases in the Norwegian Arctic, *Geophys. Res. Lett.*, 11, 425–428, 1984.
- Hov, Ø., Schmidbauer, N., and Oehme, M.: Light hydrocarbons in the Norwegian Arctic, *Atmos. Environ.*, 23, 2471–2482, 1989.
- Huey, L. G., Tanner, D. J., Slusher, D. L., Dibb, J. E., Ariimoto, R., Chen, G., Davis, D., Buhr, M. P., Nowak, J. B., Mauldin III, R. L., Eisele, F. L., and Kosciuch, E.: CIMS measurements of HNO₃ and SO₂ at the South Pole during ISCAT 2000, *Atmos. Environ.*, 38, 5411–5421, 2004.
- Hutterli, M. A., Röhlisberger, R., and Bales, R. C.: Atmosphere-to-snow-to-firn transfer studies of HCHO at Summit, Greenland, *Geophys. Res. Lett.*, 26, 1691–1694, 1999.
- Hutterli, M. A., McConnell, J. R., Stewart, R. W., Jacobi, H.-W., and Bales, R. C.: Impact of temperature-driven cycling of hydrogen peroxide (H₂O₂) between air and snow on the planetary boundary layer, *J. Geophys. Res.*, 106D, 15 395–15 404, 2001.
- Hutterli, M. A., McConnell, J. R., Chen, G., Bales, R. C., Davis, D. D., and Lenschow, D. H.: Formaldehyde and hydrogen peroxide in air, snow and interstitial air at South Pole, *Atmos. Environ.*, 38, 5439–5450, 2004.

- Ianniello, A., Beine, H. J., Sparapani, R., Di Bari, F., Allegrini, I., and Fuentes, J.: Denuder measurements of gas and aerosol species above Arctic snow surfaces at Alert 2000, *Atmos. Environ.*, 36, 5299–5309, 2002.
- Ianniello, A., Sparapani, R., Allegrini, I., Vazzana, C., Mazzotti Gomez de Teran, C., Montagnoli, M., Fino, A., and Felici, A.: Study of nitrogen containing compounds in the polar troposphere, *Ann. Chim. Rome*, 93, 69–76, 2003.
- Impey, G. A., Shepson, P. B., Hastie, D. R., Barrie, L. A., and Anlauf, K. G.: Measurements of photolyzable chlorine and bromine during the Polar Sunrise Experiment 1995, *J. Geophys. Res.*, 102D, 16 005–16 010, 1997.
- Impey, G. A., Mihele, C. M., Anlauf, K. G., Barrie, L. A., Hastie, D. R., and Shepson, P. B.: Measurements of photolyzable halogen compounds and bromine radicals during the Polar Sunrise Experiment 1997, *J. Atmos. Chem.*, 34, 21–37, 1999.
- Jacobi, H.-W. and Schrems, O.: Peroxyacetyl nitrate (PAN) distribution over the South Atlantic Ocean, *Phys. Chem. Chem. Phys.*, 1, 5517–5521, 1999.
- Jacobi, H.-W., Weller, R., and Schrems, T. B. O.: Latitudinal distribution of peroxyacetyl nitrate (PAN) over the Atlantic Ocean, *J. Geophys. Res.*, 104D, 26 901–26 912, 1999.
- Jacobi, H.-W., Weller, R., Jones, A. E., Anderson, P. S., and Schrems, O.: Peroxyacetyl nitrate (PAN) concentrations in the Antarctic troposphere measured during the photochemical experiment at Neumayer (PEAN'99), *Atmos. Environ.*, 34, 5235–5247, 2000.
- Jacobi, H.-W., Frey, M. M., Hutterli, M. A., Bales, R. C., Schrems, O., Cullen, N. J., Steffen, K., and Koehler, C.: Measurements of hydrogen peroxide and formaldehyde exchange between the atmosphere and surface snow at Summit, Greenland, *Atmos. Environ.*, 36, 2619–2628, 2002.
- Jacobi, H.-W., Bales, R. C., Honrath, R. E., Peterson, M. C., Dibb, J. E., Swanson, A. L., and Albert, M. R.: Reactive trace gases measured in the interstitial air of surface snow at Summit, Greenland, *Atmos. Environ.*, 38, 1687–1697, 2004.
- Jacobi, H.-W., Kaleschke, L., Richter, A., Rozanov, A., and Burrows, J. P.: Observation of a fast ozone loss in the marginal ice zone of the Arctic Ocean, *J. Geophys. Res.*, 111D, doi:10.1029/2005JD006715, 2006.
- Jaeschke, W., Beltz, N., Dierssen, J. P., Haunold, W., Krischke, U., Reinecke, A., Salkowski, T., and v. Trümbach, J.: Measurements on the distribution of trace substances in the Arctic troposphere, *Atmos. Res.*, 44, 199–221, 1997.
- Jaffrezo, J. L., Davidson, C. I., Legrand, M., and Dibb, J. E.: Sulfate and MSA in the air and snow on the Greenland ice sheet, *J. Geophys. Res.*, 99D, 1241–1254, 1994.
- Jefferson, A., Tanner, D. J., Eisele, F. L., Davis, D. D., Chen, G., Crawford, J., Huey, J. W., Torres, A. L., and Berresheim, H.: OH photochemistry and methane sulfonic acid formation in the coastal Antarctic boundary layer, *J. Geophys. Res.*, 103D, 1647–1656, 1998.
- Jobson, B. T., Niki, H., Yokouchi, Y., Bottenheim, J., Hopper, F., and Leaitch, R.: Measurements of C₂-C₆ hydrocarbons during the polar sunrise 92 experiment: Evidence for Cl-atom and Br-atom chemistry, *J. Geophys. Res.*, 99D, 25 355–25 368, 1994.
- Johnson, B., Helmig, D., and Oltmans, S. J.: Evaluation of ozone measurements from a tethered balloon sampling platform at South Pole Station in December, 2003, *Atmos. Environ.*, (in press), 2007.
- Jones, A. E., Weller, R., Minikin, A., Wolff, E. W., Sturges, W. T., McIntyre, H. P., Leonard, S. R., Schrems, O., and Bauguitte, S.: Oxidized nitrogen chemistry and speciation in the Antarctic troposphere, *J. Geophys. Res.*, 104D, 21 355–21 366, 1999.
- Jones, A. E., Anderson, P. S., Wolff, E. W., Turner, J., Rankin, A. M., and Colwell, S. R.: A role for newly forming sea ice in springtime polar tropospheric ozone loss? Observational evidence from Halley station, Antarctica, *J. Geophys. Res.*, 111D, doi:10.1029/2005JD006566, 2006.
- Jones, A. E., Wolff, E. W., Ames, D., Bauguitte, S. J.-B., Clemitschaw, K. C., Fleming, Z., Mills, G. P., Saiz-Lopez, A., Salmon, R. A., Sturges, W. T., and Worton, D. R.: The multi-seasonal NO_y budget in coastal Antarctica and its link with surface snow and ice core nitrate: results from the CHABLIS campaign, *Atmos. Chem. Phys. Discuss.*, 7, 4127–4163, 2007.
- Jourdain, B. and Legrand, M.: Seasonal variations of atmospheric dimethylsulfide, dimethylsulfoxide, sulfur dioxide, methanesulfonate, and non-sea-salt sulfate aerosols at Dumont d'Urville (coastal Antarctica) (December 1998 to July 1999), *J. Geophys. Res.*, 106D, 14 391–14 408, 2001.
- Jourdain, B. and Legrand, M.: Year-round records of bulk and size-segregated aerosol composition and HCl and HNO₃ levels in the Dumont d'Urville (coastal Antarctica) atmosphere: Implications for sea-salt aerosol fractionation in the winter and summer, *J. Geophys. Res.*, 107D, doi:10.1029/2002JD002471, 2002.
- Kawamura, K. and Kasukabe, H.: Source and reaction pathways of dicarboxylic acids, ketoacids and dicarbonyls in Arctic aerosols: One year of observations, *Atmos. Environ.*, 30, 1709–1722, 1996.
- Keil, A. D. and Shepson, P. B.: Chlorine and bromine atom ratios in the springtime Arctic troposphere as determined from measurements of halogenated volatile organic compounds, *J. Geophys. Res.*, 111, doi:10.1029/2006JD007119, 2006.
- Khalil, M. A. K. and Rasmussen, R. A.: Gaseous tracers of arctic haze, *Environ. Sci. Technol.*, 17, 157–164, 1983.
- Kieser, B. N., Bottenheim, J. W., Sideris, T., and Niki, H.: Spring 1989 observations of lower tropospheric chemistry in the Canadian high Arctic, *Atmos. Environ.*, 27A, 2979–2988, 1993.
- Kleefeld, C.: Untersuchungen der Saisonalität von atmosphärischem Dimethylsulfid in der Arktis und Antarktis, Ph.D. thesis, Alfred-Wegener-Institut fr Polar- und Meeresforschung, Bremerhaven, Germany, 1998.

- Kreher, K., Johnston, P. V., Wood, S. W., Nardi, B., and Platt, U.: Ground-based measurements of tropospheric and stratospheric BrO at Arrival Heights, Antarctica, *Geophys. Res. Lett.*, 24, 3021–3024, 1997.
- Lahoutifard, N., Poissant, L., and Scott, S. L.: Scavenging of gaseous mercury by acidic snow at Kuujjuaapik, Northern Québec, *Sci. Total Environ.*, 355, 118–126, 2006.
- Lazrus, A. L. and Ferek, R. J.: Acidic sulfate particles in the winter Arctic atmosphere, *Geophys. Res. Lett.*, 11, 417–419, 1984.
- Leaitch, W. R., Barrie, L. A., Bottenheim, J. W., Li, S. M., Shepson, P. B., Muthuramu, K., and Yokouchi, Y.: Airborne observations related to ozone depletion at polar sunrise, *J. Geophys. Res.*, 99D, 25 499–25 517, 1994.
- Legrand, M. and Pasteur, E. C.: Methane sulfonic acid to non-sea-salt sulfate ratio in coastal Antarctic aerosol and surface snow, *J. Geophys. Res.*, 103D, 10 991–11 006, 1998.
- Legrand, M., Ducroz, F., Wagenbach, D., Mulvaney, R., and Hall, J.: Ammonium in coastal Antarctic aerosol and snow: Role of polar ocean and penguin emissions, *J. Geophys. Res.*, 103D, 11 043–11 056, 1998.
- Legrand, M., Sciare, J., Jourdain, B., and Genthon, C.: Sub-daily variations of atmospheric dimethylsulfide, dimethylsulfoxide, methanesulfonate, and non-sea-salt sulfate aerosols in the atmospheric boundary layer at Dumont d'Urville (coastal Antarctica) during summer, *J. Geophys. Res.*, 106D, 14 409–14 422, 2001.
- Li, S.-M.: Equilibrium of particle nitrite with gas phase HONO: Tropospheric measurements in the high Arctic during polar sunrise, *J. Geophys. Res.*, 99D, 25 469–25 478, 1994.
- Li, S.-M. and Winchester, J. W.: Resolution of ionic components of late winter Arctic aerosols, *Atmos. Environ.*, 23, 2387–2399, 1989a.
- Li, S.-M. and Winchester, J. W.: Geochemistry of organic and inorganic ions of late winter Arctic aerosols, *Atmos. Environ.*, 23, 2401–2415, 1989b.
- Li, S.-M., Barrie, L. A., Talbot, R. W., Harriss, R. C., Davidson, C. I., and Jaffrezo, J.-L.: Seasonal and geographic variations of methanesulfonic acid in the Arctic troposphere, *Atmos. Environ.*, 27A, 3011–3024, 1993.
- Li, S.-M., Yokouchi, Y., Barrie, L. A., Muthuramu, K., Shepson, P. B., Bottenheim, J. W., Sturges, W. T., and Landsberger, S.: Organic and inorganic bromine compounds and their composition in the Arctic troposphere during polar sunrise, *J. Geophys. Res.*, 99D, 25 415–25 428, 1994.
- Lindberg, S. E., Brooks, S., Lin, C.-J., Scott, K., Meyers, T., Chambers, L., Landis, M., and Stevens, R.: Formation of reactive gaseous mercury in the Arctic: Evidence of oxidation of Hg^0 to gas-phase Hg-II compounds after Arctic sunrise, *Water Air Soil Pollut. Focus*, 1, 295–302, 2001.
- Lindberg, S. E., Brooks, S., Lin, C.-J., Scott, K. J., Landis, M. S., Stevens, R. K., Goodsite, M., and Richter, A.: Dynamic oxidation of gaseous mercury in the Arctic troposphere at polar sunrise, *Environ. Sci. Technol.*, 36, 1245–1256, 2002.
- Lu, J. Y., Schroeder, W. H., Barrie, L. A., Steffen, A., Welch, H. E., Martin, K., Lockhart, L., Hunt, R. V., Boila, G., and Richter, A.: Magnification of atmospheric mercury deposition to polar regions in springtime: the link to tropospheric ozone depletion chemistry, *Geophys. Res. Lett.*, 28, 3219–3222, 2001.
- Maenhaut, W., Cornille, P., Pacyna, J. M., and Vitols, V.: Trace element composition and origin of the atmospheric aerosol in the Norwegian Arctic, *Atmos. Environ.*, 23, 2551–2569, 1989.
- Martinez, M., Arnold, T., and Perner, D.: The role of bromine and chlorine chemistry for Arctic ozone depletion events in Ny Ålesund and comparison with model calculations, *Ann. Geophys.*, 17, 941–956, 1999.
- Mauldin III, R. L., Cantrell, C. A., Zondlo, M. A., Kosciuch, E., Ridley, B. A., Weber, R., and Eisele, F. E.: Measurements of OH, H_2SO_4 , and MSA during Tropospheric Ozone Production About the Spring Equinox (TOPSE), *J. Geophys. Res.*, 108D, doi:10.1029/2002JD002295, 2003.
- Mauldin III, R. L., Kosciuch, E., Henry, B., Eisele, F. L., Shetter, R., Lefer, B., Chen, G., Davis, D., Huey, G., and Tanner, D.: Measurements of OH, HO_2+RO_2 , H_2SO_4 , and MSA at the South Pole during ISCAT 2000, *Atmos. Environ.*, 38, 5423–5437, 2004.
- Mickle, R. E., Bottenheim, J. W., Leaitch, W. R., and Evans, W.: Boundary layer ozone depletion during AGASP-II, *Atmos. Environ.*, 23, 2443–2449, 1989.
- Miller, H. L., Weaver, A., Sanders, R. W., Arpag, K., and Solomon, S.: Measurements of arctic sunrise surface ozone depletion events at Kangerlussuaq, Greenland ($67^\circ N$, $51^\circ W$), *Tellus*, 49B, 496–509, 1997.
- Mills, G. P., Sturges, W. T., Salmon, R. A., Bauguitte, S. J.-B., Read, K. A., and Bandy, B. J.: Seasonal variation of peroxyacetyl nitrate (PAN) in coastal Antarctica measured with a new instrument for the detection of sub-part per trillion mixing ratios of PAN, *Atmos. Chem. Phys. Discuss.*, 7, 5617–5645, 2007.
- Minikin, A., Legrand, M., Hall, J., Wagenbach, D., Kleefeld, C., Wolff, E., Pasteur, E. C., and Ducroz, F.: Sulfur-containing species (sulfate and methanesulfonate) in coastal Antarctic aerosol and precipitation, *J. Geophys. Res.*, 103D, 10 975–10 990, 1998.
- Morin, S., Hönniger, G., Staebler, R. M., and Bottenheim, J. W.: A high time resolution study of boundary layer ozone chemistry and dynamics over the Arctic Ocean near Alert, Nunavut, *Geophys. Res. Lett.*, 32, doi: 10.1029/2004GL022098, 2005.
- Morin, S., Savarino, J., Bekki, S., Gong, S., and Bottenheim, J. W.: Signature of arctic surface ozone depletion events in the isotope anomaly ($\Delta^{17}O$) of atmospheric nitrate, *Atmos. Chem. Phys.*, 7, 1451–1469, 2007.

- Mosher, B. W., Winkler, P., and Jaffrezo, J.-L.: Seasonal aerosol chemistry at Dye 3, Greenland, *Atmos. Environ.*, 27A, 2761–2772, 1993.
- Munger, J. W., Jacob, D. J., Fan, S.-M., Colman, A. S., and Dibb, J. E.: Concentrations and snow-atmosphere fluxes of reactive nitrogen at Summit, Greenland, *J. Geophys. Res.*, 104D, 13 721–13 734, 1999.
- Murayama, S., Nakazawa, T., Tanaka, M., Aoki, S., and Kawaguchi, S.: Variations of tropospheric ozone concentration over Syowa station, Antarctica, *Tellus*, 44B, 262–272, 1992.
- Muthuramu, K., Shepson, P. B., Bottenheim, J. W., Jobson, B. T., Niki, H., and Anlauf, K. G.: Relationships between organic nitrates and surface ozone destruction during Polar Sunrise Experiment 1992, *J. Geophys. Res.*, 99D, 25 369–25 378, 1994.
- Narukawa, M., Kawamura, K., Li, S.-M., and Bottenheim, J. W.: Dicarboxylic acids in the Arctic aerosols and snow-packs collected during ALERT 2000, *Atmos. Environ.*, 36, 2491–2499, 2002.
- Ockelmann, G. and Georgii, H.-W.: The distribution of sulfur dioxide over the Norwegian Arctic Ocean during summer, *Tellus*, 36B, 179–185, 1984.
- Oltmans, S., Johnson, B., and Helmg, D.: Episodes of high surface ozone amounts at South Pole during summer and their impact on the long-term surface ozone variation, *Atmos. Environ.*, (in press), 2007.
- Oltmans, S. J.: Surface ozone measurements in clean air, *J. Geophys. Res.*, 86C, 1174–1180, 1981.
- Oltmans, S. J. and Komhyr, W. D.: Surface ozone distributions and variations from 1973–1984 measurements at the NOAA geophysical monitoring for climatic change baseline observatories, *J. Geophys. Res.*, 91D, 5229–5236, 1986.
- Oltmans, S. J., Schnell, R. C., Sheridan, P. J., Peterson, R. E., Li, S.-M., Winchester, J. W., Tans, P. P., Sturges, W. T., Kahl, J. D., and Barrie, L. A.: Seasonal surface ozone and filterable bromine relationship in the high Arctic, *Atmos. Environ.*, 23, 2431–2441, 1989.
- Oltmans, S. J., Lefohn, A. S., Harris, J. M., Galbally, I., Scheel, H. E., Bodeker, G., Brunke, E., Claude, H., Tarasick, D., Johnson, B. J., Simmonds, P., Shadwick, D., Anlauf, K., Hayden, K., Schmidlin, F., Fujimoto, T., Akagi, K., Meyer, C., Nichol, S., Davies, J., Redondas, A., and Cuevas, E.: Long-term changes in tropospheric ozone, *Atmos. Environ.*, 40, 3156–3173, 2006.
- Oncley, S. P., Buhr, M., Lenschow, D. H., Davis, D., and Semmer, S. R.: Observations of summertime NO fluxes and boundary-layer height at the South Pole during ISCAT 2000 using scalar similarity, *Atmos. Environ.*, 38, 5389–5398, 2004.
- Pacyna, J. M. and Ottar, B.: Transport and chemical composition of the summer aerosol in the Norwegian Arctic, *Atmos. Environ.*, 19, 2109–2120, 1985.
- Poissant, L. and Pilote, M.: Time series analysis of atmospheric mercury in Kuujjuarapik/Whapmagoostui (Québec), *J. Phys. IV France*, 107, 1079–1082, 2003.
- Radke, L. F., Lyons, J. H., Hegg, D. A., and Hobbs, P. V.: Airborne observations of Arctic aerosols. I: Characteristics of Arctic haze, *Geophys. Res. Lett.*, 11, 393–396, 1984.
- Rahn, K. A. and McCaffrey, R. J.: Compositional differences between Arctic aerosol and snow, *Nature*, 280, 479–480, 1979.
- Ramacher, B., Rudolph, J., and Koppmann, R.: Hydrocarbon measurements during tropospheric ozone depletion events: Evidence for halogen atom chemistry, *J. Geophys. Res.*, 104C, 3633–3653, 1999.
- Rankin, A. M. and Wolff, E. W.: A year-long record of size-segregated aerosol composition at Halley, Antarctica, *J. Geophys. Res.*, 108D, 4775, doi:10.1029/2003JD003993, 2003.
- Rasmussen, A., Kiilholm, S., Sørensen, J. H., and Mikkelsen, I. S.: Analysis of tropospheric ozone measurements in Greenland, *Tellus*, 49B, 510–521, 1997.
- Rasmussen, R. A. and Khalil, M. A. K.: Gaseous bromine in the Arctic and Arctic haze, *Geophys. Res. Lett.*, 11, 433–436, 1984.
- Read, K. A., Salmon, R. A., Lewis, A. C., Jones, A. E., and Bauguitte, S.: OH and halogen atom influence on the variability of non-methane hydrocarbons in the Antarctic boundary layer, *Geophys. Res. Abstr.*, 8, 04105, <http://www.cosis.net/abstracts/EGU06/04105/EGU06-J-04105.pdf>, 2006.
- Read, K. A., Lewis, A. C., Salmon, R. A., Jones, A. E., and Bauguitte, S.: OH and halogen atom influence on the variability of non-methane hydrocarbons in the Antarctic Boundary Layer, *Tellus*, 59B, 22–38, 2007.
- Richter, A., Wittrock, F., Eisinger, M., and Burrows, J. P.: GOME observations of tropospheric BrO in northern hemispheric spring and summer 1997, *Geophys. Res. Lett.*, 25, 2683–2686, 1998.
- Richter, A., Wittrock, F., Ladstätter-Weißenmayer, A., and Burrows, J. P.: Gome measurements of stratospheric and tropospheric BrO, *Adv. Space Res.*, 29, 1667–1672, 2002.
- Ridley, B. A., Atlas, E. L., Montzka, D. D., Browell, E. V., Cantrell, C. A., Blake, D. R., Blake, N. J., Cinquini, L., Coffey, M. T., Emmons, L. K., Cohen, R. C., DeYoung, R. J., Dibb, J. E., Eisele, F. L., Flocke, F. M., Fried, A., Grahek, F. E., Grant, W. B., Hair, J. W., Hannigan, J. W., Heikes, B. J., Lefer, B. L., Mauldin, R. L., Moody, J. L., Shetter, R. E., Snow, J. A., Talbot, R. W., Thornton, J. A., Walega, J. G., Weinheimer, A. J., Wert, B. P., and Wimmers, A. J.: Ozone depletion events observed in the high latitude surface layer during the TOPSE aircraft program, *J. Geophys. Res.*, 108D, doi:10.1029/2001JD001507, 2003.
- Riedel, K., Weller, R., and Schrems, O.: Variability of formaldehyde in the Antarctic troposphere, *Phys. Chem. Chem. Phys.*, 1, 5523–5527, 1999.

- Riedel, K., Weller, R., Schrems, O., and König-Langlo, G.: Variability of tropospheric hydroperoxides at a coastal surface site in Antarctica, *Atmos. Environ.*, 34, 5225–5234, 2000.
- Roscoe, H. K. and Roscoe, J.: Polar tropospheric ozone depletion events observed in the International Geophysical Year of 1958, *Atmos. Chem. Phys.*, 6, 3303–3314, 2006.
- Rudolph, J., Khedim, A., and Wagenbach, D.: The seasonal variation of light nonmethane hydrocarbons in the Antarctic troposphere, *J. Geophys. Res.*, 94, 13 039–13 044, 1989.
- Saiz-Lopez, A., Mahajan, A. S., Salmon, R. A., Bauguitte, S. J.-B., Jones, A. E., Roscoe, H. K., and Plane, J. M. C.: Boundary layer halogens in coastal Antarctica, *Science*, 317, 348–351, 2007.
- Savarino, J., Kaiser, J., Morin, S., Sigman, D. M., and Thiemens, M. H.: Nitrogen and oxygen isotopic constraints on the origin of atmospheric nitrate in coastal Antarctica, *Atmos. Chem. Phys.*, 7, 1925–1945, 2007.
- Schall, C. and Heumann, K. G.: GC determination of volatile organoiodine and organobromine compounds in Arctic seawater and air samples, *Fresenius J. Anal. Chem.*, 346, 717–722, 1993.
- Schnell, R. C., Liu, S. C., Oltmans, S. J., Stone, R. S., Hofmann, D. J., Dutton, E. G., Deshler, T., Sturges, W. T., Harder, J. W., Sewell, S. D., Trainer, M., and Harris, J. M.: Decrease of summer tropospheric ozone concentrations in Antarctica, *Nature*, 351, 726–729, 1991.
- Schofield, R., Johnston, P. V., Thomas, A., Kreher, K., Connor, B. J., Wood, S., Shooter, D., Chipperfield, M. P., Richter, A., von Glasow, R., and Rodgers, C. D.: Tropospheric and stratospheric BrO columns over Arrival Heights, Antarctica, 2002, *J. Geophys. Res.*, 111D, D22310, doi: 10.1029/2005JD007022, 2006.
- Schroeder, W. H., Anlauf, K. G., Barrie, L. A., Lu, J. Y., Steffen, A., Schneeberger, D. R., and Berg, T.: Arctic springtime depletion of mercury, *Nature*, 394, 331–332, 1998.
- Sharma, S., Andrews, E., Barrie, L. A., Ogren, J. A., and Lavoué, D.: Variations and sources of the equivalent black carbon in the high Arctic revealed by long-term observations at Alert and Barrow: 1989–2003, *J. Geophys. Res.*, 111D, doi:10.1029/2005JD006581, 2006.
- Shepson, P. B., Sirju, A.-P., Hopper, J. F., Barrie, L. A., Young, V., Niki, H., and Dryfhout, H.: Sources and sinks of carbonyl compounds in the Arctic ocean boundary layer: Polar ice floe experiment, *J. Geophys. Res.*, 101D, 21 081–21 089, 1996.
- Sigg, A., Staffelbach, T., and Neftel, A.: Gas phase measurements of hydrogen peroxide in Greenland and their meaning for the interpretation of H₂O₂ records in ice cores, *J. Atmos. Chem.*, 14, 223–232, 1992.
- Simpson, W. R., Carlson, D., Hönniger, G., Douglas, T. A., Sturm, M., Perovich, D., and Platt, U.: First-year sea-ice contact predicts bromine monoxide (BrO) levels at Barrow, Alaska better than potential frost flower contact, *Atmos. Chem. Phys.*, 7, 621–627, 2007.
- Sirois, A. and Barrie, L. A.: Arctic lower tropospheric aerosol trends and composition at Alert, Canada: 1980–1995, *J. Geophys. Res.*, 104, 11 599–11 618, 1999.
- Sjostedt, S. J., Huey, L. G., Tanner, D. J., Peischl, J., Chen, G., Dibb, J. E., Lefer, B., Hutterli, M. A., Beyersdorf, A. J., Blake, N. J., Blake, D. R., Sueper, D., Ryerson, T., Burkhardt, J., and Stohl, A.: Observations of hydroxyl and the sum of peroxy radicals at Summit, Greenland during summer 2003, *Atmos. Environ.*, doi:10.1016/j.atmosenv.2006.06.065, (in press), 2007.
- Skov, H., Christensen, J. H., Goodsite, M. E., Heidam, N. Z., Jensen, B., Wåhlén, P., and Geernaert, G.: Fate of elemental mercury in the Arctic during atmospheric mercury depletion episodes and the load of atmospheric mercury to the Arctic, *Environ. Sci. Technol.*, 38, 2373–2382, 2004.
- Skov, H., Brooks, S. B., Goodsite, M. E., Lindberg, S. E., Meyers, T. P., Landis, M. S., Larsen, M. R. B., Jensen, B., McConville, G., and Christensen, J.: Fluxes of reactive gaseous mercury measured with a newly developed method using relaxed eddy accumulation, *Atmos. Environ.*, 40, 5452–5463, 2006a.
- Skov, H., Wahlin, P., Christensen, J., Heidam, N. Z., and Petersen, D.: Measurements of elements, sulphate and SO₂ in Nuuk Greenland, *Atmos. Environ.*, 40, 4775–4781, 2006b.
- Slusher, D. L., Huey, L. G., Tanner, D. J., Chen, G., Davis, D. D., Buhr, M., Nowak, J. B., Eisele, F. L., Kosciuch, E., Mauldin, R. L., Lefer, B. L., Shetter, R. E., and Dibb, J. E.: Measurements of pernitric acid at the South Pole during ISCAT 2000, *Geophys. Res. Lett.*, 29, doi: 10.1029/2002GL015703, 2002.
- Solberg, S., Dye, C., Schmidbauer, N., Herzog, A., and Gehrig, R.: Carbonyls and nonmethane hydrocarbons at rural European sites from the Mediterranean to the arctic, *J. Atmos. Chem.*, 25, 33–66, 1996a.
- Solberg, S., Schmidbauer, N., Semb, A., Stordal, F., and Hov, Ø.: Boundary layer ozone depletion as seen in the Norwegian Arctic in spring, *J. Atmos. Chem.*, 23, 301–332, 1996b.
- Solberg, S., Krognes, T., Stordal, F., Hov, Ø., Beine, H. J., Jaffe, D. A., Clemithshaw, K., and Penkett, S. A.: Reactive nitrogen compounds at Spitsbergen in the Norwegian Arctic, *J. Atmos. Chem.*, 28, 209–225, 1997a.
- Solberg, S., Stordal, F., and Hov, Ø.: Tropospheric ozone at high latitudes in clean and polluted air masses, a climatological study, *J. Atmos. Chem.*, 28, 111–123, 1997b.
- Sommar, J., Wängberg, I., Berg, T., Gårdfeldt, K., Munthe, J., Richter, A., Urba, A., Wittrock, F., and Schroeder, W. H.: Circumpolar transport and air-surface exchange of atmospheric mercury at Ny-Ålesund (79°N), Svalbard, spring 2002, *Atmos. Chem. Phys.*, 7, 151–166, 2007.
- Spicer, C. W., Plastridge, R. A., Foster, K. L., Finlayson-Pitts, B. J., Bottenheim, J. W., Grannas, A. M., and Shepson, P. B.: Molecular halogens before and during ozone depletion events in the Arctic at polar sunrise: concentrations and sources, *Atmos. Environ.*, 36, 2721–2731, 2002.

- Sprovieri, F., Pirrone, N., Hedgecock, I. M., Landis, M. S., and Stevens, R. K.: Intensive atmospheric mercury measurements at Terra Nova Bay in Antarctica during November and December 2000, *J. Geophys. Res.*, 107D, 4722, doi: 10.1029/2002JD002057, 2002.
- Sprovieri, F., Pirrone, N., Landis, M. S., and Stevens, R. K.: Atmospheric mercury behavior at different altitudes at Ny Ålesund during Spring 2003, *Atmos. Environ.*, 39, 7646–7656, 2005a.
- Sprovieri, F., Pirrone, N., Landis, M. S., and Stevens, R. K.: Oxidation of gaseous elemental mercury to gaseous divalent mercury during 2003 polar sunrise at Ny-Ålesund, *Environ. Sci. Technol.*, 39, 9156–9165, 2005b.
- Steffen, A., Schroeder, W., Bottenheim, J., Narayan, J., and Fuentes, J. D.: Atmospheric mercury concentrations: measurements and profiles near snow and ice surfaces in the Canadian Arctic during Alert 2000, *Atmos. Environ.*, 36, 2653–2661, 2002.
- Steffen, A., Schroeder, W. H., Edwards, G., and Banic, C.: Mercury throughout polar sunrise 2002, *J. Phys. IV France*, 107, 1267–1270, 2003.
- Steffen, A., Schroeder, W., Macdonald, R., Poissant, L., and Konoplev, A.: Mercury in the Arctic atmosphere: An analysis of eight years of measurements of GEM at Alert (Canada) and a comparison with observations at Amdarma (Russia) and Kuujjuaqapik (Canada), *Sci. Total Environ.*, 342, 185–198, 2005.
- Sturges, W. T. and Barrie, L. A.: Chlorine, bromine and iodine in Arctic aerosols, *Atmos. Environ.*, 22, 1179–1194, 1988.
- Sturges, W. T. and Shaw, G. E.: Halogens in aerosols in central Alaska, *Atmos. Environ.*, 27A, 2969–2977, 1993.
- Sturges, W. T., Hopper, J. F., Barrie, L. A., and Schnell, R. C.: Stable lead isotope ratios in Alaskan Arctic aerosols, *Atmos. Environ.*, 27A, 2865–2871, 1993a.
- Sturges, W. T., Schnell, R. C., Dutton, G. S., Garcia, S. R., and Lind, J. A.: Spring measurements of tropospheric bromine at Barrow, Alaska, *Geophys. Res. Lett.*, 20, 201–204, 1993b.
- Sturges, W. T., Schnell, R. C., Landsberger, S., Oltmans, S. J., Harris, J. M., and Li, S. M.: Chemical and meteorological influences on surface ozone destruction at Barrow, Alaska, during spring 1989, *Atmos. Environ.*, 27A, 2851–2863, 1993c.
- Sturges, W. T., Sullivan, C. W., Schnell, R. C., Heidt, L. E., and Pollock, W. H.: Bromoalkane production by Antarctic ice algae, *Tellus*, 45B, 120–126, 1993d.
- Sumner, A. L. and Shepson, P. B.: Snowpack production of formaldehyde and its effect on the Arctic troposphere, *Nature*, 398, 230–233, 1999.
- Sumner, A. L., Shepson, P. B., Grannas, A. M., Bottenheim, J. W., Anlauf, K. G., Worthy, D., Schroeder, W. H., Steffen, A., Dominé, F., Perrier, S., and Houdier, S.: Atmospheric chemistry of formaldehyde in the Arctic troposphere at Polar Sunrise, and the influence of the snowpack, *Atmos. Environ.*, 36, 2553–2562, 2002.
- Swanson, A. L., Blake, N. J., Atlas, E., Flocke, F., Blake, D. R., and Rowland, F. S.: Seasonal variations of C₂-C₄ nonmethane hydrocarbons and C₁-C₄ alkyl nitrates at the Summit research station in Greenland, *J. Geophys. Res.*, 108D, doi:10.1029/2001JD001445, 2003.
- Swanson, A. L., Davis, D. D., Arimoto, R., Roberts, P., Atlas, E. L., Flocke, F., Meinardi, S., Rowland, F. S., and Blake, D. R.: Organic trace gases of oceanic origin observed at South Pole during ISCAT 2000, *Atmos. Environ.*, 38, 5463–5472, 2004.
- Taalas, P., Kyrö, E., Supperi, A., Tafuri, V., and Ginzburg, M.: Vertical distribution of tropospheric ozone in Antarctica and in the European Arctic, *Tellus*, 45B, 106–119, 1993.
- Tackett, P. J., Cavender, A. E., Keil, A. D., Shepson, P. B., Bottenheim, J. W., Morin, S., Deary, J., Steffen, A., and Doerge, C.: A study of the vertical scale of halogen chemistry in the Arctic troposphere during polar sunrise at Barrow, Alaska, *J. Geophys. Res.*, D07306, doi: 10.1029/2006JD007785, 2007.
- Tarasick, D. W. and Bottenheim, J. W.: Surface ozone depletion episodes in the Arctic and Antarctic from historical ozonesonde records, *Atmos. Chem. Phys.*, 2, 197–205, 2002.
- Teinalä, K., Hillamo, R., Kerminen, V.-M., and Beine, H. J.: Aerosol chemistry during the NICE dark and light campaigns, *Atmos. Environ.*, 37, 563–575, 2003.
- Trivett, N. B. A., Worthy, D. E. J., and Brice, K. A.: Surface measurements of carbon dioxide and methane at Alert during an Arctic haze event in April, 1986, *J. Atmos. Chem.*, 9, 383–397, 1989.
- Tuckermann, M., Ackermann, R., Götz, C., Lorenzen-Schmidt, H., Senne, T., Stutz, J., Trost, B., Unold, W., and Platt, U.: DOAS-observation of halogen radical-catalysed Arctic boundary layer ozone destruction during the ARCTOC campaign 1995 and 1996 in Ny-Ålesund, Spitzbergen, *Tellus*, 49B, 533–555, 1997.
- Wagenbach, D., Ducroz, F., Mulvaney, R., Keck, L., Minikin, A., Legrand, M., Hall, J. S., and Wolff, E. W.: Sea-salt aerosol in coastal Antarctic regions, *J. Geophys. Res.*, 103D, 10 961–10 974, 1998a.
- Wagenbach, D., Legrand, M., Fischer, H., Pichlmayer, F., and Wolff, E. W.: Atmospheric near-surface nitrate at coastal Antarctic sites, *J. Geophys. Res.*, 103D, 11 007–11 020, 1998b.
- Wagner, T. and Platt, U.: Satellite mapping of enhanced BrO concentrations in the troposphere, *Nature*, 395, 486–490, 1998.
- Wang, Y., Choi, Y., Zeng, T., Davis, D., Buhr, M., Huey, L. G., and Neff, W.: Assessing the photochemical impact of snow NO_x emissions over Antarctica during ANTCI 2003, *Atmos. Environ.*, (submitted), 2006.
- Weller, R., Minikin, A., König-Langlo, G., Schrems, O., Jones, A. E., Wolff, E. W., and Anderson, P. S.: Investigating possible causes of the observed diurnal variability in Antarctic NO_y, *Geophys. Res. Lett.*, 26, 2853–2856, 1999.

- Weller, R., Jones, A. E., Wille, A., Jacobi, H.-W., McIntyre, H. P., Sturges, W. T., Huke, M., and Wagenbach, D.: Seasonality of reactive nitrogen oxides (NO_y) at Neumayer Station, Antarctica, *J. Geophys. Res.*, 107D, doi: 10.1029/2002JD002495, 2002.
- Wessel, S., Aoki, S., Winkler, P., Weller, R., Herber, A., Gerhardt, H., and Schrems, O.: Tropospheric ozone depletion in polar regions: A comparison of observations in the Arctic and Antarctic, *Tellus*, 50B, 34–50, 1998.
- Winchester, J. W., Schnell, R. C., Fan, S., Li, S., Bodhaine, B. A., Naegele, P. S., Hansen, A. D. A., and Rosen, H.: Particulate sulfur and chlorine in Arctic aerosols, spring 1983, *Atmos. Environ.*, 19, 2167–2173, 1985.
- Wingenter, O. W., Sive, B. C., Blake, D. R., Rowland, F. S., and Ridley, B. A.: Unexplained enhancements of CH_3Br in the Arctic and sub-Arctic lower troposphere during TOPSE spring 2000, *Geophys. Res. Lett.*, 30, doi: 10.1029/2003GL018159, 2003.
- Wittrock, F., Müller, R., Richter, A., Bovensmann, H., and Burrows, J. P.: Measurements of iodine monoxide (IO) above Spitsbergen, *Geophys. Res. Lett.*, 27, 1471–1474, 2000.
- Wolff, E. W. and Cachier, H.: Concentrations and seasonal cycle of black carbon in aerosol at a coastal Antarctic station, *J. Geophys. Res.*, 103D, 11 033–11 042, 1998.
- Worthy, D. E. J., Trivett, N. B. A., Hopper, J. F., and Bottenheim, J. W.: Analysis of long-range transport events at Alert, Northwest Territories, during the Polar Sunrise Experiment, *J. Geophys. Res.*, 99D, 25 329–25 344, 1994.
- Yang, J., Honrath, R. E., Peterson, M. C., Dibb, J. E., Sumner, A. L., Shepson, P. B., Frey, M., Jacobi, H.-W., Swanson, A., and Blake, N.: Impacts of snowpack emissions on deduced levels of OH and peroxy radicals at Summit, Greenland, *Atmos. Environ.*, 36, 2523–2534, 2002.
- Yokouchi, Y., Akimoto, H., Barrie, L. A., Bottenheim, J. W., Anlauf, K. G., and Jobson, B. T.: Serial gas chromatographic/mass spectrometric measurements of some volatile organic compounds in the Arctic atmosphere during the 1992 Polar Sunrise Experiment, *J. Geophys. Res.*, 99D, 25 379–25 389, 1994.
- Zhou, X., Beine, H. J., Honrath, R. E., Fuentes, J. D., Simpson, W., Shepson, P. B., and Bottenheim, J. W.: Snowpack photochemical production of HONO: a major source of OH in the Arctic boundary layer in springtime, *Geophys. Res. Lett.*, 28, 4087–4090, 2001.
- Zoller, W. H., Gladney, E. S., and Duce, R. A.: Atmospheric concentrations and sources of trace metals at the South Pole, *Science*, 183, 198–200, 1974.