

Interactive comment on “Aircraft millimeter-wave retrievals of cloud liquid water path during VOCALS-REx” by P. Zuidema et al.

D. G. Feist

dfeast@bgc-jena.mpg.de

Received and published: 8 July 2011

Dear colleagues,

for an overview on how well stratospheric H₂O measurements with an airborne 183 GHz microwave radiometer correlated with H₂O fields from the ECMWF model, you might want to have a look at this article:

Feist, D. G., Geer, A. J., Müller, S., and Kämpfer, N.: Middle atmosphere water vapour and dynamical features in aircraft measurements and ECMWF analyses, *Atmos. Chem. Phys.*, 7, 5291-5307, doi:10.5194/acp-7-5291-2007, 2007.

This one is on validation of the same instrument:

C6125

Müller, S. C., Kämpfer, N., Feist, D. G., Haefele, A., Milz, M., Sitnikov, N., Schiller, C., Kiemle, C., and Urban, J.: Validation of stratospheric water vapour measurements from the airborne microwave radiometer AMSOS, *Atmos. Chem. Phys.*, 8, 3169-3183, doi:10.5194/acp-8-3169-2008, 2008.

Kind regards

Dietrich Feist

Interactive comment on *Atmos. Chem. Phys. Discuss.*, 11, 19581, 2011.

C6126