

1 **Supplementary Material for: A Comparison of the chemical**
2 **sinks of atmospheric organics in the gas and aqueous**
3 **phase**

4


5 **S. A. Epstein and S. A. Nizkorodov***

6 Department of Chemistry, University of California, Irvine, Irvine, CA, USA

7 Correspondence to: S. A. Nizkorodov (nizkorod@uci.edu)

8


9



10


11 Figure S1. The ratio of the rate of gas phase OH oxidation to the rate of aqueous phase
12 oxidation, W , as a function of the dimensionless number, $DN = (LWC_v \cdot R \cdot T \cdot k_H)^{-1}$ for the

1 series of compounds investigated at 298 K. Upper left panel: daytime OH conditions with
 2 LWC = 3 g m⁻³. Upper right panel: nighttime OH conditions with LWC = 3 g m⁻³. Lower
 3 left panel: daytime OH conditions with LWC = 0.001 g m⁻³. Upper right panel: nighttime
 4 OH conditions with LWC = 0.001 g m⁻³. The magenta dashed line indicates the transition
 5 between gaseous reactions being more important, $DN >> 10$ and aqueous reactions being
 6 more important, $DN \ll 10$.



7

8 Figure S1: Upper bound for the ratio of the rate of gas phase OH oxidation to the rate of
 9 gaseous photolysis, Y , as a function of solar zenith angle and altitude for compounds where
 10 the absorption cross sections and quantum yields are published as a function of temperature
 11 and pressure. Rohrer and Berresheim (Rohrer and Berresheim, 2006) use five field missions
 12 to fit their correlation between OH concentration and O₃ photolysis. This analysis uses the
 13 maximum predicted OH values from their correlation.



1

2 Figure S3: Lower bound for the ratio of the rate of gas phase OH oxidation to the rate of
 3 gaseous photolysis, Y , as a function of solar zenith angle and altitude for compounds where
 4 the absorption cross sections and quantum yields are published as a function of temperature
 5 and pressure. Rohrer and Berresheim (Rohrer and Berresheim, 2006) use five field missions
 6 to fit their correlation between OH concentration and O_3 photolysis. This analysis uses the
 7 minimum predicted OH values from their correlation.

8

9 Table S1: List of aqueous and gas phase rate constants and their references. “NAV”
 10 indicates that data were not available in the literature and “NA” indicates that the particular
 11 value is not applicable to the species of interest. Henry’s law constants obtained from
 12 theoretical estimations are indicated by an asterisk in the “kH Reference” column. “SAR”
 13 indicates that the given value was predicted theoretically based on structure from (Kwok and
 14 Atkinson, 1995). Acid dissociation constants were obtained from (Serjeant and Dempsey,
 15 1979; Perrin et al., 1981; Gligorovski et al., 2009; Perrin, 1965). Hydration equilibrium
 16 constants were obtained from (Malik and Joens, 2000; Dong and Dasgupta, 1986; Bell and
 17 McDougall, 1960; Nemet et al., 2004; Betterton and Hoffmann, 1988)

Molecule	CAS	kH at 298 K [M/atm]	kH(T) "B value"	kH Reference	kOHliq (1/s/M)	kOHliq Anion (1/s/M)	kOHliq Ref	kOHgas (mol/cm^3/s)	kOHgas Ref	Gas Photo. Ref
formic acid	64-18-6	8.90E+03	6100	Sander, S.P. 2011	1.00E+08	2.40E+09	Ervens 2003	4.38333E-13	NIST Kinetics	NAV
acetic acid	64-19-7	4.10E+03	6200	Sander, S.P. 2011	1.70E+07	7.00E+07	Ervens 2003	7.56333E-13	NIST Kinetics	NAV
propanoic acid	79-09-4	4.10E+03	NAV	Sander, R. 1999	3.20E+08	8.90E+08	Ervens 2003	1.20E-12	NIST Kinetics	NAV
2-methyl propanoic acid	79-31-2	3.40E+03	NAV	Sander, R. 1999	NAV	1.30E+09	Buxton 1988	2.06E-12	NIST Kinetics	NAV
pentanoic acid	109-52-4	2.20E+03	6741.5	Sander, R. 1999	NAV	2.90E+09	Buxton 1988	6.75E-12	SAR	NAV
3-methyl butanoic acid	503-74-2	1.20E+03	NAV	Sander, R. 1999	4.30E+08	2.40E+09	NIST	8.85E-12	SAR	NAV
2,2-dimethyl 1-propanoic acid	75-98-9	3.50E+02	NAV	Sander, R. 1999	6.50E+08	1.50E+09	NIST	1.69E-12	SAR	NAV
hexanoic acid	142-62-1	1.40E+03	6304	Sander, R. 1999	NAV	4.00E+09	Buxton 1988	8.16E-12	SAR	NAV
malonic acid	141-82-2	4.00E+08	NAV	Sander, R. 1999*	1.60E+07	1.90E+08	NIST	7.19E-13	SAR	NAV
succinic acid	110-15-6	3.00E+08	NAV	Sander, R. 1999*	5.00E+08	1.10E+08	Ervens 2003	5.60E-12	SAR	NAV
glyoxal	107-22-2	4.19E+05	7480	Sander, S.P. 2011	1.10E+09	NA	Buxton 1997	9.70E-12	NIST Kinetics	Sander, S.P. 2011
formaldehyde	50-00-0	3.23E+03	7100	Sander, S.P. 2011	1.00E+09	NA	Buxton 1988	8.50E-12	Sander, S.P. 2011	NAV
acetaldehyde	75-07-0	1.29E+01	5890	Sander, S.P. 2011	2.40E+09	NA	Schuchmann 1988	1.50E-11	Sander, S.P. 2011	NAV
methyl glyoxal	78-98-8	1.79E+04	NAV	Sander, R. 1999	1.10E+09	NA	Ervens 2003	1.30E-11	NIST Kinetics	Atkinson 2006
propanal	123-38-6	1.00E+01	4330	Sander, S.P. 2011	2.20E+09	NA	Mezyk 19994	1.90E-11	Sander, S.P. 2011	Heicklen 1986 / Sander, S.P. 2011
butanal	123-72-8	9.60E+00	6220	Sander, S.P. 2011	3.90E+09	NA	Adams 1965	2.38E-13	NIST Kinetics	Atkinson 2006
acetone	67-64-1	2.78E+01	5050	Sander, S.P. 2011	2.10E+08	NA	Ervens 2003	1.79E-13	Sander, S.P. 2011	Sander, S.P. 2011
2-butanone	78-93-3	1.50E+01	5350	Sander, R. 1999	6.60E+08	NA	Mezyk 1994	1.20E-12	NIST Kinetics	Atkinson 2006
malic acid	6915-15-7	2.00E+13	NAV	Sander, R. 1999*	8.20E+08	8.56E di	Gligorovski 2009	2.30E-11	SAR	NAV
lactic acid	50-21-5	7.00E+07	NAV	Sander, R. 1999*	4.30E+08	8.20E+08	NIST/Logan 1989	6.20E-12	SAR	NAV
tartaric acid (R,R)	87-69-4	1.00E+18	NAV	Sander, R. 1999*	7.00E+08	1.10E+09	NIST/Logan 1989	4.05E-11	SAR	NAV
hydrogen peroxide	7722-84-1	8.44E+04	7600	Sander, S.P. 2011	2.72E+07	NA	NIST	1.70E-12	Sander, S.P. 2011	Sander, S.P. 2011
methyl peroxide	3031-73-0	3.00E+02	5280	Sander, S.P. 2011	6.05E+08	NA	Monod 2007	7.40E-12	Sander, S.P. 2011	Sander, S.P. 2011
methyl nitrate	598-58-3	2.00E+00	4700	Sander, S.P. 2011	NAV	NA	NAV	1.88E-13	NIST Kinetics	Sander, S.P. 2011
dimethyl ether	115-10-6	1.00E+00	NAV	Sander, R. 1999	1.00E+09	NA	NIST	2.98E-12	Atkinson 1985	NAV
methyl tert-butyl ether	1634-04-4	1.60E+00	7700	Sander, R. 1999	1.60E+09	NA	NIST	2.65E-12	Atkinson 1985	NAV
diethyl ether	60-29-7	9.30E-01	5300	Sander, R. 1999	3.55E+09	NA	NIST	1.34E-11	Atkinson 1985	NAV
glycolaldehyde	141-46-8	4.10E+03	4600	Sander, R. 1999	NAV	NA	NAV	1.10E-11	JPL	Sander, S.P. 2011
glutaraldehyde	111-30-8	3.07E+04	NAV	Olson 1998	NAV	NA	NAV	2.375E-11	NIST Kinetics	NAV
glyceraldehyde	367-47-5	2.00E+10	NAV	Saxena 1996*	NAV	NA	NAV	4.05E-11	SAR	NAV
pyruvic acid	127-17-3	3.10E+05	5100	Sander, S.P. 2011	1.20E+08	7.00E+08	Ervens 2003	1.24E-13	NIST Kinetics	NAV
glyoxylic acid	279-12-4	1.09E+04	4810	Sander, S.P. 2011	3.60E+08	2.60E+09	Ervens 2003	1.28E-11	SAR	NAV

1

2

3

4

5

6 References

- 7 Adams, G. E., Boag, J. W., Currant, J., and Michael, B. D.: Absolute rate constants for the
 8 reaction of the hydroxyl radical with organic compounds, in: Pulse Radiolysis, edited by:
 9 Ebert, M., Keene, J. P., Swallow, A. J., and Baxendale, J. H., Academic Press, New York,
 10 131-143, 1965.
- 11 Atkinson, R.: Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical
 12 with organic compounds under atmospheric conditions, Chemical Reviews, 86, 69-201,
 13 10.1021/cr00071a004, 1986.
- 14 Atkinson, R., Baulch, D. L., Cox, R. A., Crowley, J. N., Hampson, R. F., Hynes, R. G.,
 15 Jenkin, M. E., Rossi, M. J., and Troe, J.: Evaluated kinetic and photochemical data for
 16 atmospheric chemistry: Volume II; gas phase reactions of organic species, Atmos. Chem.
 17 Phys., 6, 3625-4055, 10.5194/acp-6-3625-2006, 2006.
- 18 Bell, R. P., and McDougall, A. O.: Hydration equilibria of some aldehydes and ketones,
 19 Transactions of the Faraday Society, 56, 1281-1285, 1960.
- 20 Betterton, E. A., and Hoffmann, M. R.: Henry's law constants of some environmentally
 21 important aldehydes, Environmental Science & Technology, 22, 1415-1418,
 22 10.1021/es00177a004, 1988.

- 1 Buxton, G. V., Greenstock, C. L., Helman, W. P., and Ross, A. B.: Critical Review of rate
2 constants for reactions of hydrated electrons, hydrogen atoms and hydroxyl radicals in
3 aqueous Solution, Journal of Physical and Chemical Reference Data, 17, 513-886, 1988.
- 4 Buxton, G. V., Malone, N. T., and Salmon, G. A.: Oxidation of glyoxal initiated by OH in
5 oxygenated aqueous solution, Journal of the Chemical Society, Faraday Transactions, 93,
6 2889-2891, 1997.
- 7 Dong, S., and Dasgupta, P. K.: Solubility of gaseous formaldehyde in liquid water and
8 generation of trace standard gaseous formaldehyde, Environmental Science & Technology,
9 20, 637-640, 10.1021/es00148a016, 1986.
- 10 Ervens, B., Gligorovski, S., and Herrmann, H.: Temperature-dependent rate constants for
11 hydroxyl radical reactions with organic compounds in aqueous solutions, Physical Chemistry
12 Chemical Physics, 5, 1811-1824, 2003.
- 13 Gligorovski, S., Rousse, D., George, C. H., and Herrmann, H.: Rate constants for the OH
14 reactions with oxygenated organic compounds in aqueous solution, International Journal of
15 Chemical Kinetics, 41, 309-326, 10.1002/kin.20405, 2009.
- 16 Heicklen, J., Desai, J., Bahta, A., Harper, C., and Simonaitis, R.: The temperature and
17 wavelength dependence of the photo-oxidation of propionaldehyde, Journal of
18 Photochemistry, 34, 117-135, 1986.
- 19 Kwok, E. S. C., and Atkinson, R.: Estimation of hydroxyl radical reaction rate constants for
20 gas-phase organic compounds using a structure-reactivity relationship: An update,
21 Atmospheric Environment, 29, 1685-1695, 1995.
- 22 Linstrom, P. J., and Mallard, W. G.: NIST Chemical Kinetics Data, NIST Standard Reference
23 Database Number 69., National Institute of Standards and Technology, Gaithersburg,
24 Maryland, 20899. ,
- 25 Logan, S. R.: Redox reactions of organic radicals with ferrocene/ferricenium species in
26 aqueous solution. Part 1. Radicals derived from carboxylic acids, Journal of the Chemical
27 Society, Perkin Transactions 2, 751-754, 1989.
- 28 Malik, M., and Joens, J. A.: Temperature dependent near-UV molar absorptivities of glyoxal
29 and gluteraldehyde in aqueous solution, Spectrochimica Acta Part A: Molecular and
30 Biomolecular Spectroscopy, 56, 2653-2658, 2000.
- 31 Mezyk, S. P.: Rate constant and activation energy determination for reaction of e-(aq) and OH
32 with 2-butanone and propanal, Canadian Journal of Chemistry, 72, 1116-1119, 10.1139/v94-
33 142, 1994.
- 34 Monod, A., Chevallier, E., Durand Jolibois, R., Doussin, J. F., Picquet-Varrault, B., and
35 Carlier, P.: Photooxidation of methylhydroperoxide and ethylhydroperoxide in the aqueous
36 phase under simulated cloud droplet conditions, Atmospheric Environment, 41, 2412-2426,
37 2007.
- 38 Nemet, I., Vikic-Topic, D., and Varga-Defterdarovic, L.: Spectroscopic studies of
39 methylglyoxal in water and dimethylsulfoxide, Bioorganic Chemistry, 32, 560-570, 2004.
- 40 Olson, J. D.: The vapor pressure of pure and aqueous glutaraldehyde, Fluid Phase Equilibria,
41 150-151, 713-720, 1998.
- 42 Perrin, D. D.: Dissociation Constants of Organic Bases in Aqueous Solution, Butterworths,
43 London, 1965.

- 1 Perrin, D. D., Dempsey, B., and Serjeant, E. P.: pKa Prediction for Organic Acids and Bases,
2 Chapman & Hall, London, 1981.
- 3 Rohrer, F., and Berresheim, H.: Strong correlation between levels of tropospheric hydroxyl
4 radicals and solar ultraviolet radiation, *Nature*, 442, 184-187, 2006.
- 5 Ross, A. B., Mallard, W. G., Helman, W. P., Buxton, G. V., Huie, R. E., and Neta, P.: NDRL-
6 NIST Solution Kinetics Database on the Web, NIST Standard Reference Database 40,
7 Gaithersburg, MD, 2002.
- 8 Saxena, P., and Hildemann, L. M.: Water-soluble organics in atmospheric particles: A critical
9 review of the literature and application of thermodynamics to identify candidate compounds,
10 *Journal of Atmospheric Chemistry*, 24, 57-109, 10.1007/bf00053823, 1996.
- 11 Schuchmann, M. N., and Von Sonntag, C.: The rapid hydration of the acetyl radical. A pulse
12 radiolysis study of acetaldehyde in aqueous solution, *Journal of the American Chemical
13 Society*, 110, 5698-5701, 10.1021/ja00225a019, 1988.
- 14 Serjeant, E. P., and Dempsey, B.: Ionization Constants of Organic Acids in Aqueous Solution,
15 Pergamon, Oxford, 1979.
- 16
- 17