

Interactive comment on “Direct and disequilibrium effects on precipitation in transient climates” by D. McInerney and E. Moyer

R.P. Allan

r.p.allan@reading.ac.uk

Received and published: 18 October 2012

The authors make a valuable contribution to the discussion on physical mechanisms of transient precipitation (P) changes at the largest scales, particularly in considering the land and ocean responses separately and linking this to disequilibrium of the climate system. This extends recent advances (e.g. Allen and Ingram, 2002; Andrews et al. 2010), and I consider that the work should be published.

I found the article challenging (excuse any of my misunderstandings) and I have a number of comments, which were invited by the authors. In particular, some further clarification of the physical mechanisms outlined (and physical meaning of disequilibrium coefficients c_1 and c_2) with some consideration of moisture and energy fluxes between land and ocean would be welcome. I supply a short list of additional refer-

C8360

ences that would be useful to consider, in particular the study by Cao et al. (2012) which is highly relevant.

1) Energetic constraints

My interpretation of Allen and Ingram (2002) is that eq(4) (p.19654, line 13) remains applicable (energy budget constraint) but that the "alpha" term is dependent upon the spatial distribution of surface temperature change (dT) which determines precisely how atmospheric radiative cooling responds to global warming. This is sensitive to the land/ocean warming contrast which is partly influenced by how far from equilibrium the climate system is (although feedbacks independent of disequilibrium also contribute, e.g. Lambert et al. 2011).

It would appear to me that both the Andrews and Forster (2010) and Wu et al. (2010) work (mentioned p. 19652, line 20) is compatible with eq(4) since in the CO₂ ramp-up phase the radiative forcing increase is suppressing P (smaller global dP/dT) while in the ramp-down phase radiative forcing is diminishing yet T continues to rise due to time-scales associated with ocean heat uptake and radiative feedbacks (larger dP/dT). This is also discussed in O’Gorman et al. (2012).

2) Physical Mechanisms

I found the some of the descriptions of physical mechanisms rather confusing (e.g. p.19654, line 25-30). The effects of CO₂/Solar forcing on rapid adjustments over land and ocean are well described by Cao et al. (2012) and it would be useful to refer to this analysis and consider horizontal fluxes of energy and moisture between land and ocean.

Given that land T rises more than ocean T in response to positive radiative forcings (even at equilibrium) this has implications for land dP/dT . The land minus ocean T influences circulation strength, certainly for monsoon systems (e.g. Levermann et al. 2009), while the ocean T sets the moisture burden destined for the land (through the

Clausius Clapeyron equation). Outlining physical mechanisms for transient changes in this context may be useful in relation to p.19658-p.19659, including discussion of moisture and energy transport changes.

The physical basis for c_1 and c_2 (eq(3) and Fig. 5) may need further clarification. As far as I can tell, c_1 seems to be the total dP_{eq}/dT_{eq} which, unlike the fast/slow framework, is dependent upon forcing agent which is not a beneficial property. If $c_2 = -\text{Beta}_{CO_2}/dT_{eq}$, the difference in patterns shown in Fig. 7 are solely between c_1 and α (the total dP_{eq}/dT_{eq} which is dependent on forcing type versus the slow temperature-dependent dP/dT response which is independent of forcing type but has a sensitivity to the pattern of dT which depends partly upon disequilibrium).

A surface energy perspective is presented by the authors in Section 6. Some clarification with regard to the physical mechanisms would be beneficial. For example, on line 1 it is stated that "In the CO₂ forcing case, more than half of the initial heat uptake is accommodated by a reduction in latent heat and therefore precipitation." It is difficult to see how CO₂ increases can directly increase evaporation since the immediate effect will be heating of the atmosphere. It is only by reduced P that water vapour may not be removed from the surface layers, thus inhibiting evaporation. Similarly, more evaporation does not simply lead to more P since the low level water vapour must be uplifted through some mechanism (thereby ventilating the surface) which requires additional radiative cooling of the atmosphere. I did not understand the comment on line 16, "the direct effect is opposite sign than that assumed by Andrews et al." The global response appears as predicted by the fast/slow framework; the land response requires rapid adjustments in moisture and energy fluxes between land and ocean (e.g. Cao et al. 2012).

The authors also argue that "increased solar forcing cannot produce a transient suppression of precipitation in the global average" (line 1 or p.19667). Radiative heating through absorption by water vapour and aerosols will heat the atmosphere (e.g. Andrews et al. 2010), suppressing precipitation initially over the ocean, before the T

C8362

begins to rise (Cao et al. 2012). This is of course not the case over land where direct warming of the surface can occur. Increases in surface evaporation may only be sustained if that water can be removed from the near surface (through convective processes for example) requiring enhanced radiative cooling or removal of energy through lateral fluxes (e.g. inflow of cool ocean air, see Levermann et al. 2009). Consistent with the present study, however, the results from Cao et al. (2012) indeed suggest that the initial effect of increased solar radiative forcing is a global increase in P.

3) Regional Patterns

The regional P response (p.19662, line 20) are related to enhanced moisture fluxes from dry to wet regions (due to larger moisture burdens with warming) which act to enhance P-E patterns (e.g. Held and Soden 2006). Considering an energetic perspective has also been shown to be useful (e.g. Muller and O'Gorman 2011; Levermann et al. 2009 PNAS).

The anti-correlation between α and β in Fig. 6 is interesting. But are the precipitation change patterns merely aliased onto these parameters? Again, If c_2 is just equal to $-\text{Beta}_{CO_2}/dT_{eq}$ the pattern is essentially the same in Fig. 7b, 7d and Fig. 8b. c_1 and c_2 have the same units but α and β_{CO_2} do not. The gradient of α and β is about -1.5 K for CO₂ and -1.25 K for Solar which I think shows the dT at which the "fast" and "slow" components exactly cancel.

4) Additional comments and clarifications

a) The altitude of instantaneous radiative forcing is also thought to be important. Ming et al. (2010) show that absorbing aerosol added to the boundary layer causes adjustments through sensible heat rather than latent heat which is governed by forcings above the lifting condensation level (e.g. O'Gorman et al. 2012).

b) Although it is true that people tend to live on land (e.g. p.19657), a large proportion of of the global population lives within 400km of the oceans so ocean changes and

C8363

ocean-land transports are also important. Nevertheless I agree that understanding mechanisms for land and ocean responses is vital. Energetic constraints still apply regionally (accounting for lateral fluxes) as described by Muller and O’Gorman (2011).

c) Fig. 7: It would be helpful to increase the colour bar range to -30/+30 for Fig. 7a for consistency with Fig. 7b (to show that c_1 is smaller in magnitude than c_2).

d) Fig. 8a It may be worth noting that dP_{eq} is just $c_1 * dT_{eq}$ so the pattern is essentially shown in Fig. 7a. Fig 8b: Is "Initial intercept" simply Beta_{CO_2} shown in Fig. 7d?

e) Fig. 9: The fluxes appear to be defined as upward, out of the surface, apart from the residual (which is the heat flux into the ocean) contrary to the caption. For example in the solar case there is an initial negative solar flux anomaly of 4 Wm^{-2} whereas the forcing is positive 4 Wm^{-2} .

Typos:

p.19656, line 10, typo: "presumably the same"

p.19668, line 11 "all positive forcings"?

p.19668, line 18 "the pure fast/slow"

Fig. 3 caption, last line "appears to be acting"

Additional References:

Cao L, Bala G, Caldeira K (2012) Climate response to changes in atmospheric carbon dioxide and solar irradiance on the time scale of days to weeks. *Environmental Research Letters* 7:034015, DOI 10.1088/1748-9326/7/3/034015

Held IM, Soden BJ (2006) Robust responses of the hydrological cycle to global warming. *J Climate* 19:5686–5699

Levermann A, Schewe J, Petoukhov V, Held H (2009) Basic mechanism for abrupt

C8364

monsoon transitions. *Proc Nat Acad Sci* 106:20,572–20,577

Ming Y, Ramaswamy V, Persad G (2010) Two opposing effects of absorbing aerosols on global-mean precipitation. *Geophys Res Lett* 37:L13701

Muller CJ, O’Gorman PA (2011) An energetic perspective on the regional response of precipitation to climate change. *Nat Clim Change* 1:266–271

O’Gorman PA, Allan RP, Byrne MP, Previdi M (2012) Energetic constraints on precipitation under climate change. *Surveys in Geophys* 33:585–608, DOI 10.1007/s10712-011-9159-6 http://www.met.reading.ac.uk/~sgs02rpa/PAPERS/OGorman12SG_final.pdf

Interactive comment on Atmos. Chem. Phys. Discuss., 12, 19649, 2012.

C8365