Atmos. Chem. Phys. Discuss., 14, C4040–C4041, 2014 www.atmos-chem-phys-discuss.net/14/C4040/2014/ © Author(s) 2014. This work is distributed under the Creative Commons Attribute 3.0 License.



Interactive comment on "Atmospheric oxidation of 1,3-butadiene: characterization of gas and aerosol reaction products and implication for $PM_{2.5}$ " by M. Jaoui et al.

Anonymous Referee #1

Received and published: 24 June 2014

I had one further comment about this manuscript in regards to the 1,4-anhydroerythritol (MW 104) compound observed in the 1,3-BD SOA. The authors should recall work conducted by Lin et al. (2012, ES&T) and Zhang et al. (2012, ACP) by the UNC group. They showed the IEPOX from isoprene oxidation undergoes an acid-catalyzed rearrangement on sulfate aerosol to form cis- and trans-3-methyldihydorxytetrahyrofurans, which are exactly the same as the 1,4-anhydroerythritol found here (minus the methyl group). This is further evidence that 2,3-epoxy-1,4-butanediol (BEPOX) is being formed from the oxidation of 1,3-BD in these experiments and playing a role in forming the SOA constituents found in this study.

C4040

Interactive comment on Atmos. Chem. Phys. Discuss., 14, 14245, 2014.