

Interactive comment on “Global dataset of biogenic VOC emissions calculated by the MEGAN model over the last 30 years” by K. Sindelarova et al.

K. Sindelarova et al.

katerina.sindelarova@latmos.ipsl.fr

Received and published: 30 July 2014

We'd like to thank Michael Barkley for his pertinent comment and for pointing out that the emissions estimated in Barkley et al. (2008) were calculated for the local time corresponding to a satellite overpass. This indeed was not the case for the model data; therefore we replaced a comparison with Barkley et al. (2008) in Table 3 by comparison with results of the recent study Barkley et al. (2013) as suggested.

References

C5436

Barkley, M. P., Palmer, P. I., Kuhn, U., Kesselmeier, J., Chance, K., Kurosu, T. P., Martin, R. V., Helmig, D., and Guenther, A.: Net ecosystem fluxes of isoprene over tropical South America inferred from Global Ozone Monitoring Experiment (GOME) observations of HCHO columns, *J. Geophys. Res.-Atmos.*, 113, D20304, doi:10.1029/2008JD009863, 2008.

Barkley, M. P., De Smedt, I., Van Roozendaal, M., Kurosu, T.P., Chance, K., Arneth, A., Hagberg, D., Guenther, A., Paulot, F., Marais, E., and Mao, J. : Top-down isoprene emissions over tropical South America inferred from SCIAMACHY and OMI formaldehyde columns, *Journal of Geophysical Research*, 118, 6849–6868, doi:10.1002/jgrd.50552, 2013.

Interactive comment on Atmos. Chem. Phys. Discuss., 14, 10725, 2014.

C5437