



*Supplement of*

## A mechanism for biologically-induced iodine emissions from sea-ice

**A. Saiz-Lopez et al.**

*Correspondence to:* A. Saiz-Lopez (a.saiz@csic.es)

**Table 1. Gas Phase Reactions and Rate Constants**

#	Bimolecular Reactions	Rate Constants	References
1.	O( <sup>1</sup> D) + N <sub>2</sub> → O + N <sub>2</sub>	1.8 x 10 <sup>-11</sup> e <sup>(110 / T)</sup>	2
2.	O( <sup>1</sup> D) + O <sub>2</sub> → O + O <sub>2</sub>	3.2 x 10 <sup>-11</sup> e <sup>(70 / T)</sup>	2
3.	O( <sup>1</sup> D) + H <sub>2</sub> O → OH + OH	2.2 x 10 <sup>-10</sup>	2
4.	O( <sup>1</sup> D) + CH <sub>4</sub> → CH <sub>3</sub> + OH (0.75), CH <sub>3</sub> O + H (0.2), HCHO + H <sub>2</sub>	1.5 x 10 <sup>-10</sup>	2
(0.05)			
5.	O( <sup>1</sup> D) + H <sub>2</sub> → OH + H	1.1 x 10 <sup>-10</sup>	2
6.	OH + CO → H + CO <sub>2</sub>	1.5 x 10 <sup>-13</sup> x (1 + 0.6 x P <sub>atm</sub> )	2
7.	HO <sub>2</sub> + NO → NO <sub>2</sub> + OH	3.5 x 10 <sup>-12</sup> e <sup>(250 / T)</sup>	2
8.	O <sub>3</sub> + HO <sub>2</sub> → OH + 2O <sub>2</sub>	1.1 x 10 <sup>-14</sup> e <sup>(-500 / T)</sup>	2
9.	HO <sub>2</sub> + HO <sub>2</sub> → H <sub>2</sub> O <sub>2</sub> + O <sub>2</sub>	2.3 x 10 <sup>-13</sup> e <sup>(600 / T)</sup>	2
10.	OH + H <sub>2</sub> → H <sub>2</sub> O + H	5.5 x 10 <sup>-12</sup> e <sup>(-2000 / T)</sup>	2
11.	O <sub>3</sub> + OH → HO <sub>2</sub> + O <sub>2</sub>	1.6 x 10 <sup>-12</sup> e <sup>(-940 / T)</sup>	2
12.	OH + HNO <sub>3</sub> → H <sub>2</sub> O + NO <sub>3</sub>	k <sub>0</sub> = 7.2 x 10 <sup>-15</sup> e <sup>(785 / T)</sup> k <sub>2</sub> = 4.1 x 10 <sup>-16</sup> e <sup>(1440 / T)</sup> k <sub>3</sub> = 1.9 x 10 <sup>-33</sup> e <sup>(725 / T)</sup> k = k <sub>0</sub> + (k <sub>3</sub> x [M] / (1 + k <sub>3</sub> x [M] / k <sub>2</sub> ))	2
13.	H <sub>2</sub> O <sub>2</sub> + OH → H <sub>2</sub> O + HO <sub>2</sub>	2.9 x 10 <sup>-12</sup> e <sup>(-160 / T)</sup>	2
14.	OH + HO <sub>2</sub> NO <sub>2</sub> → NO <sub>2</sub> + HO <sub>2</sub> + OH	1.3 x 10 <sup>-12</sup> e <sup>(380 / T)</sup>	2
15.	OH + HO <sub>2</sub> → H <sub>2</sub> O + O <sub>2</sub>	4.8 x 10 <sup>-11</sup> e <sup>(250 / T)</sup>	2
16.	OH + HONO → H <sub>2</sub> O + NO <sub>2</sub>	1.8 x 10 <sup>-11</sup> e <sup>(390 / T)</sup>	2
17.	C <sub>2</sub> H <sub>5</sub> + O <sub>2</sub> → C <sub>2</sub> H <sub>4</sub> + HO <sub>2</sub>	2 x 10 <sup>-14</sup>	2,b
18.	OH + CH <sub>4</sub> → CH <sub>3</sub> + H <sub>2</sub> O	2.45 x 10 <sup>-12</sup> e <sup>(-1775 / T)</sup>	2
19.	O( <sup>3</sup> P) + CH <sub>3</sub> → CH <sub>3</sub> O	1.1 x 10 <sup>-10</sup>	2
20.	CH <sub>3</sub> O <sub>2</sub> + HO <sub>2</sub> → CH <sub>3</sub> OOH + O <sub>2</sub>	3.8 x 10 <sup>-13</sup> e <sup>(800 / T)</sup>	2
21.	CH <sub>3</sub> OOH + OH → CH <sub>3</sub> (O)O + H <sub>2</sub> O	0.7 x 3.8 x 10 <sup>-12</sup> e <sup>(200 / T)</sup>	2
22.	CH <sub>3</sub> O + O <sub>2</sub> → CH <sub>2</sub> O + HO <sub>2</sub>	3.9 x 10 <sup>-14</sup> e <sup>(-900 / T)</sup>	2
23.	OH + HCHO → H <sub>2</sub> O + HCO	8.8 x 10 <sup>-12</sup> e <sup>(25 / T)</sup>	2
24.	HCO + O <sub>2</sub> → CO + HO <sub>2</sub>	3.5 x 10 <sup>-12</sup> e <sup>(140 / T)</sup>	2
25.	CH <sub>3</sub> O <sub>2</sub> + CH <sub>3</sub> O <sub>2</sub> → 2CH <sub>3</sub> O + O <sub>2</sub> 29%	0.29 x 2.5 x 10 <sup>-13</sup> e <sup>(190 / T)</sup>	2
26.	NO + CH <sub>3</sub> O <sub>2</sub> → NO <sub>2</sub> + CH <sub>3</sub> O	3 x 10 <sup>-12</sup> e <sup>(280 / T)</sup>	2
27.	NO + O <sub>3</sub> → NO <sub>2</sub> + O <sub>2</sub>	2 x 10 <sup>-12</sup> e <sup>(-1400 / T)</sup>	2
28.	NO + NO <sub>3</sub> → 2NO <sub>2</sub>	1.5 x 10 <sup>-11</sup> e <sup>(170 / T)</sup>	2
29.	NO <sub>3</sub> + HCHO → Products	5.8 x 10 <sup>-16</sup>	2,b
30.	HO <sub>2</sub> + SO <sub>2</sub> → Products	1 x 10 <sup>-18</sup>	2,b
31.	N <sub>2</sub> O <sub>5</sub> + H <sub>2</sub> O → 2HNO <sub>3</sub>	2.5 x 10 <sup>-22</sup>	2,b
32.	NO <sub>2</sub> + O <sub>3</sub> → NO <sub>3</sub> + O <sub>2</sub>	1.2 x 10 <sup>-13</sup> e <sup>(-2450 / T)</sup>	2
33.	OH + O( <sup>3</sup> P) → H + O <sub>2</sub>	2.2 x 10 <sup>-11</sup> e <sup>(120 / T)</sup>	2
34.	O( <sup>3</sup> P) + HO <sub>2</sub> → OH + O <sub>2</sub>	3 x 10 <sup>-11</sup> e <sup>(200 / T)</sup>	2


35.	$\text{H}_2\text{O}_2 + \text{O}(\text{P}) \rightarrow \text{OH} + \text{HO}_2$	$1.4 \times 10^{-12} e^{(-2000 / T)}$	2
36.	$\text{OH} + \text{OH} \rightarrow \text{H}_2\text{O} + \text{O}(\text{P})$	$4.2 \times 10^{-12} e^{(-240 / T)}$	2
37.	$\text{O}_3 + \text{Alkenes} \rightarrow \text{Products}$	$1.2 \times 10^{-14} e^{(-2630 / T)}$	2,b
38.	$\text{NO}_3 + \text{CO} \rightarrow \text{Products}$	$4 \times 10^{-19}$	2,b
39.	$\text{OH} + \text{CH}_3\text{OOH} \rightarrow \text{CH}_2\text{OOH} + \text{H}_2\text{O} \rightarrow \text{CH}_2\text{O} + \text{OH} + \text{H}_2\text{O}$	$0.3 \times 3.8 \times 10^{-12} e^{(200 / T)}$	2
40.	$\text{O}(\text{P}) + \text{HCHO} \rightarrow \text{OH} + \text{HCO}$	$3.4 \times 10^{-11} e^{(-1600 / T)}$	2
41.	$\text{HCHO} + \text{HO}_2 \rightarrow \text{HO}_2\text{CH}_2\text{O}$	$6.7 \times 10^{-15} e^{(600 / T)}$	2
42.	$\text{H} + \text{O}_3 \rightarrow \text{OH} + \text{O}_2$	$1.4 \times 10^{-10} e^{(-470 / T)}$	2
43.	$\text{HO}_2 + \text{H} \rightarrow 2\text{OH}$	$0.9 \times 8.1 \times 10^{-11}$	2
44.	$\text{O}(\text{P}) + \text{HO}_2\text{NO}_2 \rightarrow \text{Products}$	$7.8 \times 10^{-11} e^{(-3400 / T)}$	2
45.	$\text{O}(\text{D}) + \text{O}_3 \rightarrow 2\text{O}_2$	$1.2 \times 10^{-10}$	2
46.	$\text{O}(\text{D}) + \text{O}_3 \rightarrow \text{O}_2 + 2\text{O}$	$1.2 \times 10^{-10}$	2
47.	$\text{CH}_3\text{O}_2 + \text{SO}_2 \rightarrow \text{Products}$	$5 \times 10^{-17}$	1,b
48.	$\text{NO}_3 + \text{HO}_2 \rightarrow \text{OH} + \text{NO}_2 + \text{O}_2$	$3.5 \times 10^{-12}$	2
49.	$\text{CH}_3 + \text{O}_3 \rightarrow \text{Products}$	$5.4 \times 10^{-12} e^{(-220 / T)}$	2
50.	$\text{SO}_2 + \text{O}_3 \rightarrow \text{SO}_3 + \text{O}_2$	$3 \times 10^{-12} e^{(-7000 / T)}$	2,b
51.	$\text{NO}_3 + \text{OH} \rightarrow \text{NO}_2 + \text{HO}_2$	$2.2 \times 10^{-11}$	2
52.	$\text{O}_3 + \text{O}(\text{P}) \rightarrow 2\text{O}_2$	$8 \times 10^{-12} e^{(-2060 / T)}$	2
53.	$\text{O}_3 + \text{HONO} \rightarrow \text{O}_2 + \text{HNO}_3$	$5 \times 10^{-19}$	2,b
54.	$\text{CH}_3\text{O}_2 + \text{O}_3 \rightarrow \text{Products}$	$3 \times 10^{-17}$	2,b
55.	$\text{NO}_3 + \text{Alkenes} \rightarrow \text{HOCH}_2\text{CH}_2 + \text{NO}_2$	$3 \times 10^{-14}$	1
56.	$\text{SO}_2 + \text{NO}_2 \rightarrow \text{Products}$	$2 \times 10^{-26}$	1,b
57.	$\text{NO}_3 + \text{Alkanes} \rightarrow \text{C}_2\text{H}_5 + \text{HNO}_3$	$3.6 \times 10^{-17}$	1
58.	$\text{CH}_3\text{O}_2 + \text{CH}_3\text{O}_2 \rightarrow \text{CH}_2\text{O} + \text{CH}_3\text{OH} + \text{O}_2$	$0.71 \times 2.5 \times 10^{-13} e^{(190 / T)}$	2
59.	$\text{NO}_2 + \text{NO}_3 \rightarrow \text{NO} + \text{NO}_2 + \text{O}_2$	$4.5 \times 10^{-14} e^{(-1260 / T)}$	2
60.	$\text{OH} + \text{Alkanes} \rightarrow \text{C}_2\text{H}_5 + \text{H}_2\text{O}$	$1.1 \times 10^{-11} e^{(-1100 / T)}$	1
61.	$\text{C}_2\text{H}_5\text{O}_2 + \text{NO} \rightarrow \text{NO}_2 + \text{C}_2\text{H}_5\text{O}$	$2.6 \times 10^{-12} e^{(365 / T)}$	2
62.	$\text{CH}_3\text{CHO} + \text{NO}_3 \rightarrow \text{HNO}_3 + \text{CH}_3\text{CO} (\rightarrow \text{CH}_3\text{C(O)O}_2)$	$1.4 \times 10^{-12} e^{(-1900 / T)}$	2
63.	$\text{CH}_3\text{CHO} + \text{O}(\text{P}) \rightarrow \text{OH} + \text{CH}_3\text{CO} (\rightarrow \text{CH}_3\text{C(O)O}_2)$	$1.8 \times 10^{-11} e^{(-1100 / T)}$	2
64.	$\text{CH}_3\text{CHO} + \text{OH} \rightarrow \text{H}_2\text{O} + \text{CH}_3\text{CO} (\rightarrow \text{CH}_3\text{C(O)O}_2)$	$5.6 \times 10^{-12} e^{(270 / T)}$	2
65.	$\text{O}(\text{P}) + \text{H}_2 \rightarrow \text{OH} + \text{H}$	$4.11 \times 10^{-18}$	1
66.	$\text{NO} + \text{CH}_3\text{C(O)O}_2 \rightarrow \text{NO}_2 + \text{CH}_3 + \text{CO}_2$	$5.3 \times 10^{-12} e^{(360 / T)}$	2
67.	$\text{OH} + \text{C}_2\text{H}_5\text{OOH} \rightarrow \text{C}_2\text{H}_4\text{OOH} + \text{H}_2\text{O}$	$3.64 \times 10^{-12}$	1
68.	$\text{OH} + \text{C}_2\text{H}_5\text{OOH} \rightarrow \text{C}_2\text{H}_5\text{O}_2 + \text{H}_2\text{O}$	$5.95 \times 10^{-12}$	1
69.	$\text{NO}_2 + \text{O}(\text{P}) \rightarrow \text{NO} + \text{O}_2$	$6.5 \times 10^{-12} e^{(120 / T)}$	2
70.	$\text{NO}_3 + \text{O}(\text{P}) \rightarrow \text{NO}_2 + \text{O}_2$	$1 \times 10^{-11}$	2
71.	$\text{HNO}_3 + \text{O}(\text{P}) \rightarrow \text{NO}_3 + \text{OH}$	$3 \times 10^{-17}$	2,b
71.	$\text{C}_2\text{H}_5\text{O} + \text{O}_2 \rightarrow \text{CH}_3\text{CHO} + \text{HO}_2$	$6.3 \times 10^{-14} e^{(-550 / T)}$	2
73.	$\text{HO}_2\text{CH}_2\text{O} \rightarrow \text{HO}_2 + \text{CH}_2\text{O}$	$2.4 \times 10^{12} e^{(-7000 / T)}$	1
74.	$\text{HO}_2\text{CH}_2\text{O} + \text{HO}_2 \rightarrow \text{HCOOH} + \text{O}_2 + \text{H}_2\text{O}$	$5.6 \times 10^{-15} e^{(2300 / T)}$	1
<b>Halogen chemistry</b>			
75.	$\text{I} + \text{O}_3 \rightarrow \text{IO} + \text{O}_2$	$2 \times 10^{-11} e^{(-890 / T)}$	2
76.	$\text{I} + \text{HO}_2 \rightarrow \text{HI} + \text{O}_2$	$1.5 \times 10^{-11} e^{(-1190 / T)}$	2
77.	$\text{IO} + \text{NO} \rightarrow \text{I} + \text{NO}_2$	$7.3 \times 10^{-12} e^{(330 / T)}$	2
78.	$\text{IO} + \text{HO}_2 \rightarrow \text{HOI} + \text{O}_2$	$5.8 \times 10^{-11}$	2

79.	$\text{IO} + \text{IO} \rightarrow \text{OIO} + \text{I} / \text{I}_2\text{O}_2$	$8.6 \times 10^{-11}$	3
80.	$\text{IO} + \text{OIO} (+\text{M}) \rightarrow \text{I}_2\text{O}_3$	$1.5 \times 10^{-11}$	3
81.	$\text{IONO}_2 \rightarrow \text{IO} + \text{NO}_2$	$2.07 \times 10^{15} e^{(-11859/T)}$	2
82.	$\text{OH} + \text{HI} \rightarrow \text{I} + \text{H}_2\text{O}$	$3 \times 10^{-11}$	2
83.	$\text{HOI} + \text{OH} \rightarrow \text{IO} + \text{H}_2\text{O}$	$2 \times 10^{-13}$	2
84.	$\text{IO} + \text{DMS} \rightarrow \text{Products}$	$1.2 \times 10^{-14}$	2
85.	$\text{INO}_2 \rightarrow \text{I} + \text{NO}_2$	$(2.4 / 0.005) \times 2.07 \times 10^{15} e^{(-11859/T)}$	2
86.	$\text{Br} + \text{O}_3 \rightarrow \text{BrO} + \text{O}_2$	$1.7 \times 10^{-11} e^{(-800/T)}$	2
87.	$\text{HBr} + \text{OH} \rightarrow \text{Br} + \text{H}_2\text{O}$	$1.1 \times 10^{-11}$	2
88.	$\text{Br} + \text{HO}_2 \rightarrow \text{HBr} + \text{O}_2$	$1.5 \times 10^{-11} e^{(-600/T)}$	2
89.	$\text{Br} + \text{HCHO} \rightarrow \text{HBr} + \text{HCO}$	$7.7 \times 10^{-13} e^{(-580/T)}$	2
90.	$\text{Br} + \text{CH}_3\text{CHO} \rightarrow \text{HBr} \text{ CH}_3\text{CO}$	$1.8 \times 10^{-12} e^{(-460/T)}$	2
91.	$\text{BrO} + \text{HO}_2 \rightarrow \text{HOBr} + \text{O}_2$	$3.4 \times 10^{-12} e^{(540/T)}$	2
92.	$\text{BrO} + \text{NO} \rightarrow \text{Br} + \text{NO}_2$	$8.8 \times 10^{-12} e^{(260/T)}$	2
93.	$\text{BrO} + \text{CH}_3\text{SCH}_3 \rightarrow \text{CH}_3\text{SOCH}_3 + \text{Br}$	$1.5 \times 10^{-14} e^{(850/T)}$	2
94.	$\text{BrO} + \text{BrO} \rightarrow 2\text{Br} + \text{O}_2$	$2.4 \times 10^{-12} e^{(40/T)}$	2
95.	$\text{BrO} + \text{BrO} \rightarrow \text{Br}_2 + \text{O}_2$	$2.8 \times 10^{-14} e^{(860/T)}$	2
96.	$\text{BrONO}_2 \rightarrow \text{BrO} + \text{NO}_2$	$2.8 \times 10^{13} e^{(-12360/T)}$	4
97.	$\text{BrO} + \text{IO} \rightarrow \text{Br} + \text{I} + \text{O}_2 / \text{Br} + \text{OIO}$	$1.5 \times 10^{-12} e^{(510/T)}$	2
98.	$\text{Cl} + \text{CH}_4 \rightarrow \text{HCl} + \text{CH}_3$	$1.1 \times 10^{-11} e^{(-1400/T)}$	2
99.	$\text{HCl} + \text{OH} \rightarrow \text{H}_2\text{O} + \text{Cl}$	$2.6 \times 10^{-12} e^{(-350/T)}$	2
100.	$\text{Cl} + \text{O}_3 \rightarrow \text{ClO} + \text{O}_2$	$2.9 \times 10^{-11} e^{(-260/T)}$	2
101.	$\text{ClO} + \text{HO}_2 \rightarrow \text{HOCl} + \text{O}_2$	$5.0 \times 10^{-12} e^{(700/T)}$	2
102.	$\text{ClO} + \text{NO} \rightarrow \text{Cl} + \text{NO}_2$	$6.4 \times 10^{-12} e^{(290/T)}$	2
103.	$\text{ClO} + \text{IO} \rightarrow 0.2 (\text{I} + \text{Cl} + \text{O}_2)$	$1.3 \times 10^{-12} e^{(280/T)}$	2
104.	$\text{Cl} + \text{Alkanes} \rightarrow \text{HCl} + \text{CH}_3\text{OO}$	$5.7 \times 10^{-11} e^{(-90/T)}$	2,1
105.	$\text{Cl} + \text{Alkenes} \rightarrow \text{HCl} + \text{CH}_3\text{OO}$	$1.0 \times 10^{-10}$	2,1
106.	$\text{Cl} + \text{HCHO} \rightarrow \text{HCl} + \text{HO}_2 + \text{CO}$	$7.3 \times 10^{-11} e^{(-30/T)}$	2
107.	$\text{ClO} + \text{CH}_3\text{OO} \rightarrow \text{Cl} + \text{HCHO} + \text{HO}_2$	$2.2 \times 10^{-12} e^{(-115/T)}$	2
108.	$\text{ClO} + \text{ClO} \rightarrow \text{Cl}_2\text{O}_2$	$3.5 \times 10^{-13}$	2
109.	$\text{Cl}_2\text{O}_2 \rightarrow \text{ClO} + \text{ClO}$	50	2
110.	$\text{ClONO}_2 \rightarrow \text{ClO} + \text{NO}_2$	0.0022	2
111.	$\text{Cl} + \text{ClONO}_2 \rightarrow \text{Cl}_2 + \text{NO}_3$	$9.6 \times 10^{-12} e^{(140/T)}$	2
112.	$\text{Cl} + \text{H}_2\text{O}_2 \rightarrow \text{HCl} + \text{HO}_2$	$4.1 \times 10^{-13} e^{(-980/T)}$	2
113.	$\text{Br}_2 + \text{Cl} \rightarrow \text{BrCl} + \text{Br}$	$1.2 \times 10^{-10} e^{(-260/T)}$	2,1
114.	$\text{BrCl} + \text{Br} \rightarrow \text{Br}_2 + \text{Cl}$	$3.3 \times 10^{-15}$	2,1
115.	$\text{Cl}_2 + \text{Br} \rightarrow \text{BrCl} + \text{Cl}$	$1.1 \times 10^{-15}$	2,1
116.	$\text{BrCl} + \text{Cl} \rightarrow \text{Cl}_2 + \text{Br}$	$1.5 \times 10^{-11}$	2,1
117.	$\text{ClO} + \text{BrO} \rightarrow \text{Br} + \text{OCLO}$	$6.0 \times 10^{-12} e^{(550/T)}$	2,1
118.	$\text{ClO} + \text{BrO} \rightarrow \text{Br} + \text{Cl} + \text{O}_2$	$5.6 \times 10^{-12} e^{(260/T)}$	2,1
119.	$\text{ClO} + \text{BrO} \rightarrow \text{BrCl} + \text{O}_2$	$1.1 \times 10^{-12} e^{(290/T)}$	2,1

#### Recombination Reactions

- $\text{O}^1\text{D} + \text{N}_2 (+\text{M}) \rightarrow \text{N}_2\text{O} (+\text{M})$   $[\text{M}] \times 3.5 \times 10^{-37} \times (\text{T} / 300)^{-0.6}$  2
- $\text{HO}_2 + \text{HO}_2 (+\text{M}) \rightarrow \text{H}_2\text{O}_2 (+\text{M})$   $[\text{M}] \times 1.7 \times 10^{-33} e^{(1000/T)}$  2
- $\text{H} + \text{O}_2 (+\text{M}) \rightarrow \text{HO}_2 (+\text{M})$   $k_0 = 5.7 \times 10^{-32} \times (\text{T} / 300)^{-1.6}$  2

		$k_* = 7.5 \times 10^{-11}$	
4.	$O_2 + O(^3P) \rightarrow O_3$	$[M] \times 6 \times 10^{-34} \times (T / 300)^{-2.3}$	2
5.	$NO_2 + OH \rightarrow HNO_3$	$k_0 = 2.5 \times 10^{-30} \times (T / 300)^{-4.4}$	2
6.	$NO + OH (+ M) \rightarrow HONO (+ M)$	$k_* = 1.6 \times 10^{-11} \times (T / 300)^{-1.7}$	
7.	$HO_2 + NO_2 (+ M) \rightarrow HO_2NO_2 (+ M)$	$k_0 = 7 \times 10^{-31} \times (T / 300)^{-2.6}$	2
8.	$HO_2NO_2 \rightarrow HO_2 + NO_2$	$k_* = 1.5 \times 10^{-11} \times (T / 300)^{-0.5}$	
9.	$O_2 + CH_3 (+ M) \rightarrow CH_3O_2 (+ M)$	$k_0 = 1.8 \times 10^{-31} \times (T / 300)^{-3.2}$	2
10.	$NO_2 + NO_3 (+ M) \rightarrow N_2O_5 (+ M)$	$k_0 = 4.7 \times 10^{-12} \times (T / 300)^{-1.4}$	
11.	$N_2O_5 (+ N_2) \rightarrow NO_2 + NO_3 (+ N_2)$	$k_R = k_F / k_{EQ}$	2
12.	$OH + OH (+ M) \rightarrow H_2O_2 (+ M)$	$k_R = k_F / (2.1 \times 10^{-27} e^{(10900 / T)})$	
13.	$NO + O(^3P) (+ M) \rightarrow NO_2 (+ M)$	$k_0 = 4.5 \times 10^{-31} \times (T / 300)^{-3}$	2
14.	$NO_2 + O(^3P) (+ M) \rightarrow NO_3 (+ M)$	$k_* = 1.8 \times 10^{-12} \times (T / 300)^{-1.7}$	
15.	$SO_2 + OH (+ M) \rightarrow HOSO_2 (+ M)$	$k_0 = 2.2 \times 10^{-30} \times (T / 300)^{-3.9}$	2
16.	$CH_3C(O)O_2 + NO_2 (+ M) \rightarrow PAN (+ M)$	$k_* = 1.5 \times 10^{-12} \times (T / 300)^{-0.7}$	
17.	$PAN (+ M) \rightarrow CH_3C(O)O_2 + NO_2 (+ M)$	$k_R = k_F / k_{EQ}$	2
18.	$OH + Alkenes (+ M) \rightarrow HOCH_2CH_2 (+ M)$	$k_R = k_F / (9 \times 10^{-29} e^{(14000 / T)})$	2,1
19.	$C_2H_5 + O_2 (+ M) \rightarrow C_2H_5O_2 (+ M)$	$k_0 = 1.5 \times 10^{-28} \times (T / 300)^{-0.8}$	2
20.	$NO_2 + CH_3O_2 (+ M) \rightarrow CH_3O_2NO_2 (+ M)$	$k_* = 8.8 \times 10^{-12}$	
21.	$CH_3O_2NO_2 \rightarrow CH_3O_2 + NO_2$	$k_0 = 1.5 \times 10^{-28} \times (T / 300)^{-3.8}$	
22.	$I + NO_2 (+ M) \rightarrow INO_2 (+ M)$	$k_* = 8 \times 10^{-12}$	
23.	$IO + NO_2 (+ M) \rightarrow IONO_2 (+ M)$	$k_0 = 1.5 \times 10^{-30} \times (T / 300)^{-4}$	2
24.	$Br + NO_2 + M \rightarrow BrNO_2$	$k_* = 6.5 \times 10^{-12} \times (T / 300)^{-2}$	
25.	$BrO + NO_2 + M \rightarrow BrONO_2$	$k_R = k_F / (1.3 \times 10^{-28} e^{(11200 / T)})$	2
		$k_0 = 3 \times 10^{-31} \times (T / 300)^{-1}$	
		$k_* = 6.6 \times 10^{-11}$	
		$F_c = e^{(-T / 650)} + e^{(-2600 / T)}$	
		$k_0 = 7.7 \times 10^{-31} \times (T / 300)^{-5}$	2
		$k_* = 1.6 \times 10^{-11}$	
		$F_c = 0.4$	
		$k_0 = 4.2 \times 10^{-31} \times (T / 300)^{-2.4}$	2
		$k_* = 2.7 \times 10^{-11} \times (T / 300)^{0}$	
		$k_0 = 5.2 \times 10^{-31} \times (T / 300)^{-3.2}$	2



Photochemical Reactions		References
J1.	$\text{O}_3 + h\nu \rightarrow \text{O}_2 + \text{O}({}^1\text{D})$	2,1,c
J2.	$\text{H}_2\text{O}_2 + h\nu \rightarrow 2\text{OH}$	2,1,c
J3.	$\text{HNO}_3 + h\nu \rightarrow \text{OH} + \text{NO}_2$	2,1,c
J4.	$\text{HO}_2\text{NO}_2 + h\nu \rightarrow \text{OH} + \text{NO}_3$	2,1,c
J5.	$\text{HONO} + h\nu \rightarrow \text{OH} + \text{NO}$	2,1,c
J6.	$\text{CH}_3\text{OOH} + h\nu \rightarrow \text{CH}_3\text{O} + \text{OH}$	2,1,c
J7.	$\text{CH}_2\text{O} + h\nu \rightarrow \text{HCO} + \text{H}$	2,1,c
J8.	$\text{CH}_2\text{O} + h\nu \rightarrow \text{CO} + \text{H}_2$	2,1,c
J9.	$\text{NO}_2 + h\nu \rightarrow \text{NO} + \text{O}$	2,1,c
J10.	$\text{NO}_3 + h\nu \rightarrow \text{NO}_2 + \text{O}$	2,1,c
J11.	$\text{N}_2\text{O}_5 + h\nu \rightarrow \text{NO}_2 + \text{NO}_3$	2,1,c
J12.	$\text{C}_2\text{H}_5\text{O}_2\text{H} + h\nu \rightarrow \text{OH} + \text{C}_2\text{H}_5\text{O}$	2,1,c
J13.	$\text{CH}_3\text{CHO} + h\nu \rightarrow \text{CH}_3 + \text{HCO}$	2,1,c
J15.	$\text{PAN} (\text{CH}_3\text{C(O)O}_2\text{NO}_2) + h\nu \rightarrow \text{CH}_3\text{C(O)O}_2 + \text{NO}_2$	2,1,c
J16.	$\text{NO}_3 + h\nu \rightarrow \text{NO} + \text{O}_2$	2,1,c
J17.	$\text{CH}_3\text{I} + h\nu \rightarrow \text{CH}_3 + \text{I}$	2,1,c
J18.	$\text{CH}_2\text{I}_2 + h\nu \rightarrow \text{CH}_2\text{I} + \text{I} \rightarrow \text{CH}_2 + 2\text{I}$	2,1,c
J19.	$\text{CH}_2\text{IBr} + h\nu \rightarrow \text{CH}_2\text{Br} + \text{I}$	2,1,c
J20.	$\text{I}_2 + h\nu \rightarrow 2\text{I}$	2,1,c
J21.	$\text{INO}_2 + h\nu \rightarrow \text{I} + \text{NO}_2 / \text{IO} + \text{NO}$	2,1,c
J22.	$\text{IO} + h\nu \rightarrow \text{I} + \text{O}$	2,1,c
J23.	$\text{OIO} + h\nu \rightarrow \text{I} + \text{O}_2$	2,1,c
J24.	$\text{IONO}_2 + h\nu \rightarrow \text{I} + \text{NO}_3$	2,1,c
J25.	$\text{HOI} + h\nu \rightarrow \text{I} + \text{OH}$	2,1,c
J26.	$\text{BrO} + h\nu \rightarrow \text{Br} + \text{O}$	2,1,c
J27.	$\text{Br}_2 + h\nu \rightarrow 2\text{Br}$	2,1,c
J28.	$\text{IBr} + h\nu \rightarrow \text{Br} + \text{I}$	2,1,c
J29.	$\text{BrCl} + h\nu \rightarrow \text{Br} + \text{Cl}$	2,1,c
J30.	$\text{BrNO}_2 + h\nu \rightarrow \text{Br} + \text{NO}_2$	2,1,c
J31.	$\text{BrONO}_2 + h\nu \rightarrow 0.7 (\text{BrO} + \text{NO}_2) / 0.3 (\text{Br} + \text{NO}_3)$	2,1,c
J32.	$\text{HOBr} + h\nu \rightarrow \text{Br} + \text{OH}$	2,1,c
J33.	$\text{Cl}_2 + h\nu \rightarrow 2\text{Cl}$	2,1,c
J34.	$\text{ICl} + h\nu \rightarrow \text{I} + \text{Cl}$	2,1,c
J35.	$\text{ClO} + h\nu \rightarrow \text{Cl} + \text{O}$	2,1,c
J36.	$\text{HOCl} + h\nu \rightarrow \text{Cl} + \text{OH}$	2,1,c
J37.	$\text{ClNO}_2 + h\nu \rightarrow \text{Cl} + \text{NO}_2$	2,1,c
J38.	$\text{ClONO}_2 + h\nu \rightarrow 0.9 (\text{Cl} + \text{NO}_3) / 0.1 (\text{ClO} + \text{NO}_2)$	2,1,c

Species	Deposition velocities, cm s <sup>-1</sup>	References
HOI	1.0	5
HOBr	1.0	d
HOCl	1.0	d
HBr	2.0	d
HCl	2.0	d
HI	1.0	5
BrONO <sub>2</sub>	1.0	d
IONO <sub>2</sub>	1.0	5
ClONO <sub>2</sub>	1.0	d
INO <sub>2</sub>	1.0	d

<sup>a</sup>Units: unimolecular reactions, s<sup>-1</sup>; photolysis rate constants, s<sup>-1</sup>; bimolecular reactions, cm<sup>3</sup> molecule<sup>-1</sup> s<sup>-1</sup>; termolecular reactions, cm<sup>6</sup> molecule<sup>-2</sup> s<sup>-1</sup>, calculated using the formalism of Sander *et al.* (2006), where  $k = ((k_0 [M]/(1 + k_0[M]/k_\infty)) \times F_c^n)$ ,  $F_c = 0.6$  (unless otherwise noted) and  $n = (1 + (\log_{10}(k_0[M]/k_\infty))^2)^{-1}$ .

<sup>b</sup>set as upper limit.

<sup>c</sup>absorption cross-sections taken from Atkinson *et al.*, 2000.

<sup>d</sup>deposition velocities estimated.

**Table 2. QLL Reactions and Rate Constants**

#	Reactions	Rate Constants	References
1.	HOI + I <sup>-</sup> + H <sup>+</sup> → I <sub>2</sub> + H <sub>2</sub> O	4.4 × 10 <sup>12</sup> M <sup>-2</sup> s <sup>-1</sup> /(volumetric) <sup>2</sup>	6
2.	I <sub>2</sub> + H <sub>2</sub> O → HOI + I <sup>-</sup> + H <sup>+</sup>	0 s <sup>-1</sup>	
3.	HOI + Br <sup>-</sup> + H <sup>+</sup> → IBr + H <sub>2</sub> O	3.3 × 10 <sup>12</sup> M <sup>-2</sup> s <sup>-1</sup> /(volumetric) <sup>2</sup>	7
4.	IBr + H <sub>2</sub> O → HOI + Br <sup>-</sup> + H <sup>+</sup>	8.0 × 10 <sup>5</sup> s <sup>-1</sup>	7
5.	HOI + Cl <sup>-</sup> + H <sup>+</sup> → ICl + H <sub>2</sub> O	2.9 × 10 <sup>10</sup> M <sup>-2</sup> s <sup>-1</sup> /(volumetric) <sup>2</sup>	8
6.	ICl + H <sub>2</sub> O → HOI + Cl <sup>-</sup> + H <sup>+</sup>	2.4 × 10 <sup>6</sup> s <sup>-1</sup>	8
7.	HOBr + Br <sup>-</sup> + H <sup>+</sup> → Br <sub>2</sub> + H <sub>2</sub> O	1.6 × 10 <sup>10</sup> M <sup>-2</sup> s <sup>-1</sup> /(volumetric) <sup>2</sup>	9
8.	Br <sub>2</sub> + H <sub>2</sub> O → HOBr + Br <sup>-</sup> + H <sup>+</sup>	9.7 × 10 <sup>1</sup> s <sup>-1</sup>	9
9.	HOBr + Cl <sup>-</sup> + H <sup>+</sup> → BrCl + H <sub>2</sub> O	5.6 × 10 <sup>9</sup> M <sup>-2</sup> s <sup>-1</sup> /(volumetric) <sup>2</sup>	10
10.	BrCl + H <sub>2</sub> O → HOBr + Cl <sup>-</sup> + H <sup>+</sup>	1.0 × 10 <sup>5</sup> s <sup>-1</sup>	10
11.	BrCl + Br <sup>-</sup> → Br <sub>2</sub> Cl <sup>-</sup>	5.0 × 10 <sup>9</sup> M <sup>-1</sup> s <sup>-1</sup> /(volumetric)	10
12.	Br <sub>2</sub> Cl <sup>-</sup> → BrCl + Br <sup>-</sup>	2.8 × 10 <sup>5</sup> s <sup>-1</sup>	10
13.	Br <sub>2</sub> Cl <sup>-</sup> → Br <sub>2</sub> + Cl <sup>-</sup>	3.8 × 10 <sup>9</sup> s <sup>-1</sup>	10
14.	Br <sub>2</sub> + Cl <sup>-</sup> → Br <sub>2</sub> Cl <sup>-</sup>	5.0 × 10 <sup>9</sup> M <sup>-1</sup> s <sup>-1</sup> /(volumetric)	10
15.	BrCl + Cl <sup>-</sup> → BrCl <sub>2</sub> <sup>-</sup>	5.0 × 10 <sup>9</sup> M <sup>-1</sup> s <sup>-1</sup> /(volumetric)	11

16.	$\text{BrCl}_2^- \rightarrow \text{BrCl} + \text{Cl}^-$	$1.3 \times 10^9 \text{ s}^{-1}$	11
17.	$\text{HOBr} + \text{I}^- \rightarrow \text{IBr} + \text{OH}^-$	$5.0 \times 10^9 \text{ M}^{-1} \text{ s}^{-1}/(\text{volumetric})$	12
18.	$\text{HOCl} + \text{Cl}^- + \text{H}^+ \rightarrow \text{Cl}_2 + \text{H}_2\text{O}$	$2.2 \times 10^4 e^{(-3508/T)} \text{ M}^{-2} \text{ s}^{-1}/(\text{volumetric})^2$	13
19.	$\text{Cl}_2 + \text{H}_2\text{O} \rightarrow \text{HOCl} + \text{Cl}^- + \text{H}^+$	$2.2 \times 10^1 e^{(-8012/T)} \text{ s}^{-1}$	13
20.	$\text{HOCl} + \text{Br}^- + \text{H}^+ \rightarrow \text{BrCl} + \text{H}_2\text{O}$	$3.5 \times 10^{11} \text{ M}^{-2} \text{ s}^{-1}/(\text{volumetric})^2$	14
21.	$\text{BrCl} + \text{H}_2\text{O} \rightarrow \text{HOCl} + \text{Br}^- + \text{H}^+$	$0 \text{ s}^{-1}$	
22.	$\text{HOCl} + \text{I}^- + \text{H}^+ \rightarrow \text{ICl} + \text{H}_2\text{O}$	$3.9 \times 10^{-14} e^{(-900/T)} \text{ M}^{-2} \text{ s}^{-1}/(\text{volumetric})^2$	15
23.	$\text{ICl} + \text{H}_2\text{O} \rightarrow \text{HOCl} + \text{I}^- + \text{H}^+$	$0 \text{ s}^{-1}$	

**Table 3. Henry Constants**

Species	Henry Constants	References
IO	$4.5 \times 10^2 e^{(5862(1/T - 1/T_0))} \text{ M atm}^{-1}$	16
HOI	$4.5 \times 10^2 e^{(5862(1/T - 1/T_0))} \text{ M atm}^{-1}$	16,17
I <sub>2</sub>	$3.0 \times 10^0 e^{(4431(1/T - 1/T_0))} \text{ M atm}^{-1}$	18
ICl	$1.1 \times 10^2 e^{(5600(1/T - 1/T_0))} \text{ M atm}^{-1}$	19
IBr	$2.4 \times 10^1 e^{(5600(1/T - 1/T_0))} \text{ M atm}^{-1}$	20
HOBr	$9.3 \times 10^1 e^{(5862(1/T - 1/T_0))} \text{ M atm}^{-1}$	16,20
Br <sub>2</sub>	$7.6 \times 10^{-1} e^{(4094(1/T - 1/T_0))} \text{ M atm}^{-1}$	21
BrCl	$9.4 \times 10^{-1} e^{(5600(1/T - 1/T_0))} \text{ M atm}^{-1}$	17
HOCl	$6.7 \times 10^2 e^{(5862(1/T - 1/T_0))} \text{ M atm}^{-1}$	17
Cl <sub>2</sub>	$9.1 \times 10^{-2} e^{(2500(1/T - 1/T_0))} \text{ M atm}^{-1}$	22

## References

- 80 1. Atkinson, R., Baulch, D. L., and Cox, R. A.: *J. Phys. Chem. Ref. Data*, 29, 2005.
2. Sander, S. P., Friedl, R. R., Golden, D. M., Kurylo, M. J., Moortgat, G. K., Keller-Rudek, H., Wine, P. H., Ravishankara, A. R., Kolb, C. E., Molina, M. J., Finlayson-Pitts, B. J., Huie, R. E., and Orkin, V. L.: Chemical kinetics and photochemical data for use in atmospheric studies, JPL-NASA, 2006.
- 85 3. Martin, J. C. G., Spietz, P., Burrows, J. P.: Spectroscopic studies of the I<sub>2</sub>/O<sub>3</sub> photochemistry - Part 1: Determination of the absolute absorption cross sections of iodine oxides of atmospheric relevance, *J. Photochemistry and Photobiology A.*, 176, 15-38, 2005.
- 90 4. Orlando, J. & Tyndall, G. S.: Rate coefficients for the thermal decomposition of BrONO<sub>2</sub> and the heat of formation of BrONO<sub>2</sub>, *J. Phys. Chem. A.*, 100, 19398-19405, 1996.
- 95 5. Jenkin, M. E.: Environ. and Energy Rep. AEA EE-0405, Harwell Lab., Oxfordshire, England, 1992.
6. Eigen, M. & Kustin, K.: Kinetics of halogen hydrolysis, *J. Am. Chem. Soc.*, 84, 1355-1361 (1962).
- 100 7. Troy, R. C., Kelley, M. D., Nagy, J. C., and Margerum, D. W.: Nonmetal redox kinetics - iodine monobromide reaction with iodide-ion and the hydrolysis of IBr, *Inorg. Chem.*, 30, 4838- 4845, 1991.
8. Wang, Y. L., Nagy, J. C., and Margerum, D. W.: Kinetics of hydrolysis of iodine monochloride measured by the pulsed-accelerator-flow method, *J. Am. Chem. Soc.*, 111, 7838- 7844, 1989.
9. Beckwith, R. C., Wang, T. X., Margerum, D. W.: Equilibrium and kinetics of bromine hydrolysis, *Inorg. Chem.*, 35, 995-1000, 1996.
- 105 10. Wang, T. X., Kelly, M. D., Cooper, J. N., Beckwith, R. C., and Margerum, D. W.: Equilibrium, kinetic, and UV-spectral characteristics of aqueous bromine chloride, bromine, and chlorine species, *Inorg. Chem.*, 33, 5872-5878, 1994.

11. Liu, Q. & Margerum, D. W.: Equilibrium and kinetics of bromine chloride hydrolysis, Environ. Sci. Technol., 35, 1127-1133, 2001.
- 110 12. Troy, R. C. & Margerum, D. W.: Nonmetal redox kinetics – hypobromite and hypobromous acid reactions with iodide and with sulfite and the hydrolysis of bromosulfate, Inorg. Chem., 30, 3538-3543, 1991.
- 115 13. Wang, T. X. & Margerum, D. W.: Kinetics of reversible chlorine hydrolysis: temperature dependence and general- acid/based-assisted mechanisms, Inorg. Chem., 33, 1050-1055, 1994.
14. Kumar, K. & Margerum, D. W.: Kinetics and mechanism of general-acid-assisted oxidation of bromide by hypochloriteand hypochlorous acid, Inorg. Chem., 26, 2706-2711, 1987.
- 120 15. Nagy, J. C., Kumar, K., and Margerum, D. W.: Non-metal Redox Kinetics - Oxidation of iodide by hypochlorous acid and by nitrogen trichloride measured by the pulsed-accelerated-flow method, Inorg. Chem., 27, 2773-2780, 1988.
16. Huthwelker, T., Peter, Th., Luo, B. P., Clegg, S. L., Carslaw, K. S., and Brimblecombe, P.: Solubility of HOCl in water and aqueous H<sub>2</sub>SO<sub>4</sub> to stratospheric temperatures, J. Atmos. Chem., 21, 81-95, 1995.
- 125 17. Chatfield, R. B. & Crutzen, P. J.: Are there interactions of iodine and sulfur species in marine air photochemistry, J. Geophys. Res., 95D, 22319-22341, 1990.
18. Palmer, D. A., Ramette, R. W., and Mesmer, R. E.: The hydrolysis of iodine – equilibria at high-temperatures, J. Nucl. Mater., 130, 280-286, 1985.
- 120 19. Bartlett, W. P. & Margerum, D. W.: Temperature dependencies of the Henry's Law constant and the aqueous phase dissociation constant of bromine chloride, Environ. Sci. Technol., 33, 3410-3414, 1999.
- 130 20. Vogt, R., Crutzen, P. J., and Sander, R.: A mechanism for halogen release from sea-salt aerosol in the remote marine boundary layer, Nature, 383, 327-330, 1996.
21. Dean, J. A.: Lange's Handbook of Chemistry, McGraw-Hill, Inc.,1992.
- 135 22. Wilhelm, E., Battino, R., and Wilcock, R. J.: Low-pressure solubility of gases in liquid water, Chem. Rev., 77, 219-262, 1977.

