

1 Introduction: The Pan-Eurasian Experiment (PEEX) – multi- 2 disciplinary, multi-scale and multi-component research and capacity 3 building initiative

4
5 M. Kulmala¹, H. K. Lappalainen^{1,2}, T. Petäjä¹, T. Kurten³, V.-M. Kerminen¹, Y. Viisanen², P.
6 Hari⁴, S. Sorvari², J. Bäck⁴, V. Bondur⁵, N. Kasimov⁶, V. Kotlyakov⁷, G. Matvienko⁸, A.
7 Baklanov⁹, H. D. Guo¹⁰, A. Ding¹¹, H.-C. Hansson¹² and S. Zilitinkevich^{1,2,13}

8
9 ¹Department of Physics, University of Helsinki, FI-00014 Helsinki, Finland

10 ²Finnish Meteorological Institute, Research and Development, FI-00101 Helsinki, Finland

11 ³Department of Chemistry, University of Helsinki, FI-00014 Helsinki, Finland.

12 ⁴Department of Forest Sciences, University of Helsinki, FI-00014 Viikki, Helsinki, Finland

13 ⁵ AEROCOSMOS Research Institute for Aerospace Monitoring, Moscow, Russia

14 ⁶Lomonosov Moscow State University, Moscow 119991, Russia

15 ⁷Glaciology Department, Institute of Geography, Russian Academy of Sciences, Moscow, Russia

16 ⁸Institute of Atmospheric Optics, SB, Russian Academy of Sciences, Russia

17 ⁹World Meteorological Organization, 1211 Genève, Switzerland

18 ¹⁰Institute of Remote Sensing and Digital Earth, Chinese Academy of Sciences, Beijing 100101,
19 China

20 ¹¹Institute for Climate and Global Change Research & School of Atmospheric Sciences, University
21 of Nanjing, 210097 Nanjing, China

22 ¹² Department of Environmental Science and Analytical Chemistry (ACES), Stockholm University,
23 106 91 Stockholm, Sweden

24 ¹³ Department of Radiophysics, Nizhny Novgorod State University, 603950 Nizhny Novgorod,
25 Russia

26
27 Correspondence to M. Kulmala (markku.kulmala@helsinki.fi)

28 29 **Abstract**

30 The Pan-Eurasian Experiment (PEEX) is a multi-disciplinary, multi-scale and multi-component
31 research, research infrastructure and capacity building program. PEEX has originated from a bottom-
32 up approach by the science communities, and is aiming at resolving the major uncertainties in Earth
33 System Science and global sustainability issues concerning the Arctic and boreal Pan-Eurasian
34 regions, as well as China. The vision of PEEX is to solve interlinked global grand challenges
35 influencing human well-being and societies in northern Eurasia and China. Such challenges include
36 climate change, air quality, biodiversity loss, urbanization, chemicalization, food and fresh water
37 availability, energy production and use of natural resources by mining, industry, energy production
38 and transport sectors. Our approach is integrative and supra-disciplinary, recognizing the important
39 role of the Arctic and boreal ecosystems in the Earth system. The PEEX vision includes establishing
40 and maintaining long-term, coherent and coordinated research activities as well as continuous,
41 comprehensive research and educational infrastructures and related capacity building across the
42 PEEX domain. In this paper we present the PEEX structure, summarize its motivation, objectives and
43 future outlook.

44 **1. Introduction and Background**

45 The Earth system is facing several global-scale environmental challenges, called “Grand Challenges”,
46 such as climate change, air quality, migration of peoples and other changes in human population,
47 ocean acidification, fresh water and food supplies. Grand Challenges are main factors affecting the
48 human well-being, security and stability of future societies. All the grand challenges are interlinked
49 via complex feedbacks in the Earth system (Fig. 1). The dynamics of grand challenges are driven by
50 “global forces” identified as demographics, increasing demand for natural resources, globalization
51 and climate change (e.g. Smith, 2010). The global forces are strongly geographically oriented and
52 variable phenomena, depending on migration trends of human populations, variations in the
53 availability of natural resources, capital flows within the economy, and the diverse impacts of global
54 and regional climate change.

55 Coping with climate change and transformations of civilizations and ecosystems on a global scale is
56 one of the ultimate challenges of the 21st century. Since the Grand Challenges are highly coupled and
57 interlinked, they cannot be solved separately. Therefore, a framework is needed where a
58 multidisciplinary scientific approach has the required critical mass and is strongly connected to fast-
59 track policy making. The potential solutions are typically tightly coupled with each other.

60 The Northern Pan Eurasian regions, specifically the Arctic-boreal regions including the Arctic Ocean,
61 are located at latitudes higher than 45°N (Fig. 2). These areas are expected to undergo substantial
62 changes during the next decades (IPCC, 2014). The Arctic region, for example, is warming faster
63 than any other region of the world (Smith et al., 2015), and this warming may reach levels as high as
64 8.3 ± 1.9 °C by the end of this century (IPCC, 2013). The importance of northern regions on a global
65 scale is foreseen to increase in terms of all the four global forces: not only climate change, but also
66 globalization, demographics and the use of natural resources (Smith, 2010). Furthermore, it is worth
67 recognizing the important role of China in setting global trends and in affecting the development of
68 Northern environments and societies.

69 The specific characteristics of Pan-Eurasian Arctic-boreal natural environments are linked to the
70 global climate. Thawing of permafrost and northward migration of the taiga zone will have significant
71 consequences for the climate system, as these phenomena influence the sources and sinks of
72 greenhouse gases (GHG) and biogenic volatile organic compounds (BVOC). The forests and
73 peatlands in Siberia and elsewhere at high northern latitudes sequester large amounts of GHG
74 compared to the net global emissions (Bondur et al., 2009; Bondur, 2011, 2014, 2015; Frohling et al.,
75 2011; Pan et al., 2011; Graven et al., 2013). BVOCs emitted by boreal forests contribute to
76 atmospheric aerosol and cloud condensation nuclei formation processes, and thereby to both aerosol-
77 radiation and aerosol-cloud interactions (Spracklen et al., 2008; Kulmala et al., 2013; Paasonen et al.,
78 2013; Scott et al., 2014). The magnitude of BVOC emissions is linked to the total area of boreal
79 forests, and to structural changes in the forest ecosystems (Laohawornkitkul et al., 2009). Due to the
80 critical role of Siberian forests in global GHG and aerosol budgets, there is a specific need for
81 comprehensive and continuous atmosphere-ecosystem data from the Northern Eurasian region
82 (Kulmala et al., 2011b; Quinn et al., 2014).

83 In addition to changing GHG exchange and BVOC emissions, major structural ecosystem changes
84 are also predicted to take place in the Pan-Eurasian Arctic and boreal natural environments. These
85 include the appearance of invasive species and the extinction of existing ones, changes in ecosystem
86 productivity and structure, as well as modifications in the ecosystems’ roles as sinks or sources of
87 climatically relevant gases (Epstein et al., 2013; Pearson et al., 2013; Buermann et al., 2014; Reich
88 et al., 2015). The latter concerns vast areas of boreal forests and peatlands. The ecosystem changes

89 may have unpredictable consequences on *e.g.* food webs, and on interactions between different
90 ecosystems and human activities.

91 The other geographical area dominating the acceleration of climate change is the Arctic Ocean and
92 its maritime environments. One major consequence of the warming of northern latitudes is related to
93 changes in the cryosphere, including the thawing of permafrost and the Arctic Ocean becoming ice
94 free part of the year (Tarnocai et al., 2009; Hayes et al., 2014; Schaefer et al., 2014; Döscher et al.,
95 2014). This will boost global trade activities in the Arctic if the Northern sea route is opened for
96 shipping between the Atlantic and Asia's Far East. The Arctic Ocean is currently covered by ice for
97 most of the year (from October to June), preventing ship traffic. However, the amount of sea ice is
98 declining rapidly. The predicted shortening of the ice cover period draws attention to exploitable
99 natural resources (oil, natural gas and minerals) in the region. It has been predicted that the role of
100 natural resources originated from the Arctic Ocean in the global energy market will become
101 significant, as the region may hold 25 % or more of the world's undiscovered oil and gas resources
102 (Yenikieff and Krysiak, 2007). Future thawing of permafrost threatens the durability of
103 infrastructure (power networks, buildings, ice roads, oil drilling) and may have large influences on
104 the living conditions and culture of indigenous people living in the north.

105 A strong involvement and international collaboration between European, Russian and Chinese
106 partners are needed to answer the Grand Challenges in the northern context: how will northern
107 societies cope with environmental changes? A new large-scale initiative called the Pan-Eurasian
108 Experiment (PEEX), started in 2012, is contributing to solving the grand challenges in the Northern
109 Pan-Eurasian and Chinese context (Lappalainen et al., 2014). PEEX is a bottom-up initiative by
110 European, Russian and Chinese partners, and it is open to a broader collaboration in the future.
111 Presently over 110 institutes from over 20 different countries are contributing to PEEX. The promoter
112 institutes of this program have been the University of Helsinki and the Finnish Meteorological
113 Institute in Finland; the Moscow State University, AEROCOSMOS Research Institute for Aerospace
114 Monitoring (Moscow), the Department of Geography of Moscow State University and the Institute
115 of Atmospheric Optics of the Siberian branch of the Russian Academy of Sciences (RAS) in Russia;
116 the Institute of Remote Sensing and Digital Earth (RADI) of the Chinese Academy of Sciences (CAS)
117 and the Institute for Climate and Global Change research of Nanjing University in China, with the
118 endorsement of the International Geosphere Biosphere Program core project Integrated Land
119 Ecosystem Atmosphere Process Study. Today, the PEEX community includes scientists from various
120 disciplines as well as representatives of international organizations and programs (*e.g.* WMO GAW,
121 IIASA, IGBP/Future Earth), stakeholders from industry, transport, renewable natural resources
122 management, agricultural production and trade. The PEEX community will aim at co-designing
123 research in the region in the spirit of the Future Earth initiative as well as Climate and Clean Air
124 Coalition.

125 **2. Vision, Mission and Objectives**

126 The vision of PEEX is to solve interlinked global grand challenges influencing human well-being and
127 societies in northern Eurasia and China in an integrative way, recognizing the significant role of
128 boreal and Arctic regions in the context of global change. The PEEX vision includes the establishment
129 and maintenance of long-term, coherent and coordinated research and education activities and
130 continuous, comprehensive research infrastructures in the PEEX domain. PEEX aims to contribute
131 to the Earth system science agenda and climate policy in topics important to the Pan-Eurasian
132 environment, and to provide adaptation and mitigation strategies for the Northern Pan-Eurasian and
133 Chinese societies related to Grand Challenges, in particular climate change and air quality.

134 The mission of PEEEX is to be a next-generation natural sciences and socio-economic research
135 initiative using excellent multi-disciplinary science with clear impacts on future environmental,
136 socio-economic and demographic development of the Arctic and boreal regions as well as China.
137 The PEEEX initiative consists of four main focus areas (F-i) described in detail in section 3. Each focus
138 area has its own specific objectives listed below.

139 ■ F-1: PEEEX research agenda

- 140 – to understand the Earth system and the influence of environmental, societal and
141 economic changes, interactions and feedbacks in pristine and industrialized Pan-
142 Eurasian environments (systems understanding: land – atmosphere – aquatic –
143 anthropogenic /society)
- 144 – to determine processes in multidimensional and multidisciplinary way relevant to
145 climate change, demographic development and the use of energy and mineral
146 resources in the Arctic-boreal regions (understanding of processes)

147 ■ F-2: PEEEX infrastructures

- 148 – to establish and sustain long-term, continuous and comprehensive ground-based,
149 airborne and seaborne observation infrastructures together with satellite data
150 (observation component)
- 151 – to develop the new data sets and archives with continuous, comprehensive data flows
152 in a joint manner (data component)
- 153 – to implement the validated and harmonized data products in models of appropriate
154 spatial and temporal scales and topical focus (modeling component)

155 ■ F-3: PEEEX impact on society

- 156 – to use new research knowledge together with the research infrastructure services for
157 producing:
 - 158 ■ as reliable scenarios and assessments as possible, to support practical
159 solutions for addressing the grand challenges in the northern context and in
160 China (climate change, natural resources, human health)
 - 161 ■ early warning systems for the sustainable development of societies
162 (demography development)
- 163 – to promote technological innovations needed for coherent global environmental,
164 technological, economical or social processes in an interconnected world
165 (globalization)

166 ■ F-4: PEEEX knowledge transfer and capacity building

- 167 – to educate the next generation of multidisciplinary experts and scientists capable of
168 finding tools for solving grand challenges (young scientist multidisciplinary
169 advancement)
- 170 – to increase public awareness of climate change impacts in the Pan-Eurasian region
171 (public outreach)
- 172 – to distribute the new knowledge and data products to scientific communities
173 (enhance multidisciplinary research)

174 – to deliver tools, scenarios and assessments for climate policy makers and authorities
175 (policy support)

176

177 3. PEEEX structure and interlinks

178 The research agenda (F-1) defines the large-scale key topics and research questions of the land-
179 atmosphere-aquatic-anthropogenic systems in an Arctic-boreal context as well as megacity-climate
180 interactions and air quality issues including socio-economical research aspects. The research
181 infrastructure (F-2) introduces the current state of the art observation systems in the Pan-Eurasian
182 regions and presents the future base for the coherent and coordinated research infrastructures in the
183 PEEEX domain. The impact on society (F-3) addresses key aspects related to mitigation and adaptation
184 strategies supporting development of useful and effective policy strategies. It also involves planning
185 for preparing northern societies to cope with environmental changes, developing reliable early-
186 warning systems, and addressing the role of new technology in the implementation of these strategies
187 and plans. Knowledge transfer and capacity building (F-4) is focused on improving education
188 programs at multiple levels, strengthening future research communities, and raising awareness of
189 global changes and environmental issues. The summary of PEEEX structure is presented in Figure 3.

190 3.1. Research Agenda (F-1)

191 The PEEEX research agenda is designed as a research chain (Kulmala et al., 2011a), which aims to
192 advance our understanding of the interactions in the Earth system (encompassing not only the
193 atmosphere and the land and ocean ecosystems, but also human activities and societies) through a
194 series of connected activities. These research activities start at the molecular scale, to understand key
195 atmospheric processes, and extend to regional and global scales, to understand the complex processes
196 in e.g. the climate system and its interaction with society. Our focus is to understand the complex
197 land-atmosphere-ocean-society system in an Arctic, northern Pan-Eurasian and Chinese context.

198 A very important aspect is that the research agenda covers a large area with studies covering diverse
199 spatial and temporal scales, and it encompasses diverse geographical regions including both natural
200 and urban environments. The major large-scale systems studied by PEEEX are the land, atmosphere
201 and aquatic systems, along with anthropogenic activities (Fig. 3). The PEEEX research agenda also
202 addresses various feedbacks and interactions between these systems, as well as the major
203 biogeochemical cycles (water, carbon, nitrogen, phosphorus, sulfur). The key topics and related large-
204 scale research questions associated with these components are summarized in Table 1. These
205 questions have been identified during the PEEEX meetings with a preliminary list of questions
206 presented earlier by Lappalainen et al. (2014). The present version introduced in Table 1 was accepted
207 at the PEEEX meeting in February 2015.

208 Human decision-making concerning, for example, land use and fossil fuel burning are represented by
209 agent-based models, integrated assessment models and climate scenarios, which will be utilized and
210 further developed for the Northern Pan-Eurasian region. In urban and industrialized regions, the
211 process understanding of biogeochemical cycles includes anthropogenic sources, such as industry
212 and fertilizers, as essential parts of the biogeochemical cycles. PEEEX climate studies, especially
213 estimates of the type and frequency of natural hazards in the future, will be used to improve climate
214 prediction capacities in Europe, Russia and China. Furthermore, PEEEX socio-economic research
215 covers the superposition of natural and socio-economic factors, dependence of the consequences of
216 climate change on socio-economic condition and its dynamics, identification of opportunities and
217 methods of mitigation and adaptation to climate and socio-economic changes, as well as the spatial

218 differentiation of responses of the societies to environmental, demographical and socio-economic
219 challenges in national, regional and local levels (regional and local, urban and rural cases).

220 Feedbacks are essential components of our climate system as they either increase or decrease the
221 changes in climate-related parameters in the presence of external forcings (IPCC, 2013). The PEEEX
222 domain covers a wide range of interactions and feedback processes involving human activities,
223 natural systems and biogeochemical cycles (Heimann and Reicstein, 2008; Arneth et al., 2010), with
224 humans acting both as the source of climate or environmental changes and the recipients of the
225 impacts. One of the first feedback mechanisms to be quantified is that connecting the atmospheric
226 carbon dioxide concentration, ambient temperature, gross primary production, secondary biogenic
227 aerosol formation, clouds and radiative transfer with each other (Kulmala et al., 2014). Covering the
228 PEEEX area with several comprehensive stations enables us to understand feedbacks and interlinks in
229 quantitative ways (Ding et al., 2013a, b). Although these feedback mechanism and several processes
230 have been investigated in several flagship stations like at SMEAR II Hyytiälä, Finland, there is need
231 to establish a flagship station network and also improve other tools to be able to meet research
232 challenges in PEEEX domain.

233 Measurements of the changes in the hydrological and biogeochemical cycles in different temporal
234 scales are needed to construct and parameterize to improve the next generation of Earth System
235 Models. Such measurements should include, for example, the following quantities: concentrations
236 and fluxes of aerosol particles, greenhouse gases and reactive trace gases, cloud microphysical and
237 rain-forming properties, ecosystem functioning, and land use change. Earth System models are the
238 best tools available for analyzing the effect of different environmental changes on future climate, and
239 for studying the role of different processes in the Earth system as a whole. These types of analyzes
240 and predictions of future change are especially important in the high latitudes, where climate change
241 is proceeding the fastest, and where near-surface warming has been about twice the global average
242 during the recent decades.

243 **3.2. Research infrastructures (F-2)**

244 **3.2.1. Coherent and coordinated observation program and data systems**

245 Solutions to the interconnected global environmental problems can be provided only by a harmonized
246 and holistic comprehensive observational approach utilizing all available modeling tools representing
247 different spatial and temporal scales. However, all the tools, including models and
248 observational/experimental devices, need to be developed further in order to answer the research
249 questions and solve challenges. The PEEEX approach uses methods ranging from nanometer and sub-
250 second observations and process studies to global and decadal-scale measurement activities, datasets
251 and model simulations. The vision of the PEEEX infrastructure is to provide comprehensive,
252 continuous and reliable harmonized data products for forecasting services, and for the science
253 community.

254 The PEEEX research infrastructure aims to establish a long-term comprehensive field station network
255 in the region covering Europe, particularly Scandinavia, Greenland and the Baltic countries, Russia
256 and China. The conceptual philosophy of the network design relies on physical conservation laws of
257 mass, energy and momentum, as well as on concentration gradients that act as driving forces for the
258 atmosphere-biosphere exchange. The network will be composed of standard, flux/advanced and
259 flagship stations, each of having specific and identified tasks (Hari et al., 2015). Each ecosystem type
260 has its own characteristic features that have to be taken into consideration when planning the station
261 network. The hierarchical network as a whole is able to tackle problems related to large spatial scales,

262 heterogeneity of ecosystems and their complexity. The most comprehensive observations are to be
263 conducted at the flagship stations. The process-level understanding can then be expanded to
264 continental and global scales through hierarchical station network, advanced data analysis, Earth
265 system modelling and satellite remote sensing. The denser networks of flux and standard stations
266 allow application and up-scaling of the results obtained from flagship stations to the global level. In
267 the first phase, the land-based station network will be based on existing infrastructures consisting of
268 standard stations such as weather stations, flux (FLUXNET) stations, flagship stations and satellite
269 receiving stations. The strategic focus is to ensure the long-term continuation of advanced (using e.g.
270 mass spectrometers, cloud radars and other state-of-the-art and beyond methods, observing over 1000
271 different variables) measurements of aerosols, clouds, GHGs, trace gases and land surfaces and their
272 interactions in the northern Eurasian area.

273 The cryosphere in the Arctic is changing rapidly (Döscher et al., 2014; Hayes et al., 2014; Vihma et
274 al., 2014) Measurements of the current and past conditions of the cryosphere are made at deep
275 boreholes, permafrost sites, buoy / floating stations in the Arctic Ocean, onboard ships, and through
276 geophysical observations onboard aircraft. The preliminary concept of a hierarchical network for
277 aquatic observations in the surrounding seas would consist of simple buoys deployed on sea ice in
278 the open sea, sophisticated buoys, research vessels, floating flagship stations, manned drifting ice
279 stations, and permanent coastal and archipelago stations.

280 The PEEEX flagship stations simultaneously measure meteorological and atmospheric parameters,
281 together with ecosystem-relevant processes (incl. carbon, nutrient and water cycles, vegetation
282 dynamics, biotic and abiotic stresses). Ideally, the ground flagship station network will contain one
283 flagship station in all major ecosystems, in practice a station for every 1000 to 2500 km (in details
284 see Hari et al., 2015). The future PEEEX research infrastructure will include aircraft and satellite
285 observations, which provide complementary (to the local *in-situ* observations) information on the
286 spatial variability of atmospheric composition (aerosols, trace gases, greenhouse gases, clouds), and
287 on land and ocean surface properties including vegetation and snow/ice (Bondur et al., 2009). *Vice*
288 *versa*, the PEEEX infrastructure has an important role in the validation, integration and full exploitation
289 of satellite data on the Earth system.

290 The PEEEX program will produce an extensive amount of observational measurement data,
291 publications, method descriptions and modeling results. The PEEEX data product plan is built on the
292 establishment of permanent PEEEX integrated platforms, documenting the variability of the various
293 components of the ecosystem (atmosphere, terrestrial, marine), and utilizing state-of-the-art data
294 management procedures including automatic data submission directly from the measurement sites,
295 data processing, quality control, and conversion to formats used by the international user and storage
296 communities. The PEEEX data will be harmonized with international measurement systems and data
297 formats, in collaboration with existing global observation systems, such as the Global Atmosphere
298 Watch Program by World Meteorological Organization (WMO-GAW, 2009), and with Arctic and
299 boreal infrastructure projects, such as IASOA (International Arctic Systems for Observing the
300 Atmosphere), INTERACT (International Network for Terrestrial Research and Monitoring in the
301 Arctic), the Russian System of Atmospheric Monitoring (RSAM), Integrated Land Information
302 System (ILIS), US AERONET (AERosol RObotic NETwork), NDACC (Network for the Detection
303 of Atmospheric Composition Change) and TCCON (Total Column Carbon Observing Network), and
304 European research infrastructures such as ICOS (Integrated Carbon Observation System), ACTRIS
305 (Aerosols, Clouds, and Trace gases Research InfraStructure Network), SIOS (Svalbard Integrated
306 Earth Observing System) and ANAEE (Infrastructure for Analysis and Experimentation on
307 Ecosystems).

308 **3.2.2. Modeling platform**

309 The PEEEX modeling platform is characterized by a multi-scale approach starting from the molecular
310 and cell levels and extending all the way to complex integrated Earth system modeling, in
311 combination with specific models of different processes and elements of the system, acting on
312 different temporal and spatial scales. We have preliminary tested this kind of a multi-scale approach
313 in a framework of an integrated European research project (Kulmala et al., 2011a). PEEEX takes an
314 ensemble approach to the integration of modeling results from different models, participants and
315 countries. PEEEX utilizes the full potential of a hierarchy of models: inverse modeling, emission
316 modeling based on economical and energy models, scenario analysis, process modeling based on
317 measurement, regional and global chemical transport models and climate models, as well as Earth
318 system models. The models will be validated and constrained by PEEEX *in-situ* and remote sensing
319 data of various spatial and temporal scales using data assimilation and top-down modeling. The
320 analysis of the anticipated large volumes of data produced by PEEEX models and sensors will be
321 supported by a dedicated virtual research environment developed for this purpose.

322 There has been criticism that the processes, and hence parameterizations, in Earth system models are
323 based on insufficient knowledge of the physical, chemical and biological mechanisms involved in the
324 climate system, and that the spatial or temporal resolution of known processes is insufficient (e.g.
325 Nobre et al., 2010; Baklanov et al., 2014). PEEEX will tackle this issue by forwarding the necessary
326 process understanding effectively to Earth system modeling frameworks. The PEEEX modeling
327 platform will include also integrated assessment models, agent based models, economical and energy
328 system models well as sociological and policy analysis.

329 **3.3. Impact on society (F-3)**

330 The PEEEX research agenda supports the planning of the sustainable use of natural resources, climate
331 change adaptation and mitigation strategies. PEEEX provides scientific knowledge on natural and
332 climatic processes, which are needed for assessing the extent of climate risks in the future. PEEEX will
333 accumulate scientific knowledge on how societies in Europe, Russia and China are able to adapt to
334 and mitigate climate change, developing useful and realistic mitigation and adaptation strategies. This
335 will include economical and political analysis based on integrated modeling analysis using
336 multidisciplinary PEEEX data with open access.

337 The scientific results of PEEEX intend to fill the current gaps in our knowledge of the processes,
338 feedbacks and links within and between the major components of the Earth system in the Arctic-
339 boreal context, including biogeochemical cycles and human activities. Reliable climate information
340 and scenarios for the coming decades are crucial for supporting the adaptation of northern societies
341 to the impacts of climate and cryospheric changes.

342 The PEEEX research results are used for producing different types of scenarios on the impacts of
343 climate change and air quality changes on human population, society, energy resources and capital
344 flows. PEEEX will provide information on mitigation and adaptation strategies for the changing Arctic
345 environments and societies, in addition to which it will carry out risk analyses of both human activities
346 and natural hazards (floods, forest fires, droughts, air pollution, high impact weather events). These
347 plans take into account different key aspects, such as sustainable land use, public health and energy
348 production. The improved knowledge and scenarios on climate phenomena and impacts are needed
349 to provide relevant climate predictions, and also to support adaptation measures. In particular,

350 estimates of the type and frequency of extreme events, and possible nonlinear climate responses, are
351 needed for past, present and future conditions.

352 Another main outcome of the PEEEX Preliminary Phase (2012-2017) is the PEEEX observation
353 network, which will fill the current observational gap in the Northern Pan-Eurasian region and
354 eventually provide data services for different types of users. The aim is to bring the observational
355 setup into an international context with standardized or comparable procedures. The development of
356 the European research infrastructures provides a model for the harmonized PEEEX data products, and
357 for the calibration of network measurements with international standards. PEEEX will adopt the
358 common European data formats and procedures for the PEEEX research infrastructure development,
359 including open data policy. Furthermore, PEEEX will actively collaborate in a frame of the circumpolar
360 projects.

361 PEEEX will provide new early-warning systems for the Arctic-boreal regions. The increasing
362 utilization of natural resources in the Arctic region, together with increasing traffic, will increase the
363 risk of accidents such as oil spills, as well as increasing anthropogenic emissions to the land,
364 atmosphere and water systems, and cause negative land use changes in both forests and agricultural
365 areas (Shvidenko et al. 2013). The thawing permafrost and extreme weather events accelerate both
366 the risk of natural disasters, such as forest fires, floods and landslides, and the destruction of
367 infrastructures, such as buildings, roads and energy distribution systems (UNEP 2013, Bondur et al.,
368 2009; Bondur, 2011, 2015). The coherent and coordinated PEEEX observation network, together with
369 the PEEEX modeling approach, form the backbone of the next generation early warning systems across
370 the PEEEX geographical domain.

371 The advanced knowledge on environmental changes and their feedbacks to economy and society
372 enables us to address future scenarios and narratives for future food production, forestry and other
373 ecosystem services, development of transport, energy production, use of minerals as well as changes
374 in local and regional culture and networks. These interlinks are in most cases very nonlinear, and
375 therefore we need deep multidisciplinary understanding for finding practical solutions to the grand
376 challenges discussed earlier.

377 Society and research are tightly connected with each other. Society provides resources for the basic
378 research, which generates new knowledge to be used in applied research. Applied research generates
379 new innovations, which produce welfare and new resources back to society. PEEEX is an active player
380 in each part of this cycle. Technological development can answer some of the questions arising in F-
381 1. However, the whole society, including economic and cultural aspects, must be considered in the
382 search for sustainable answers to grand challenges.

383 **3.4. Knowledge transfer and capacity building (F-4)**

384 One of the first activities of PEEEX will be the establishment of a PEEEX education and capacity
385 building program. The main emphasis is on facilitating the dissemination of existing educational
386 material and on promoting the collaboration of national and regional programs. PEEEX intends to
387 participate in the training of researchers throughout their career, from undergraduate and graduate
388 studies to the level of experts, professors and research institute leaders. Building bridges between the
389 different natural sciences, as well as between natural and social sciences, is one of the most important
390 goals of the international and interdisciplinary education collaboration.

391 PEEEX will contribute to the building of a new, integrated Earth system research community in the
392 Pan-Eurasian region. In practice this means an open access to the research and modeling

393 infrastructures, as well as invitation of international partners and organizations to share their
394 development and use. PEEEX will be a major factor in integrating the socioeconomic and natural
395 science communities to work together toward solving the major challenges influencing the wellbeing
396 of humans, societies and ecosystems in the Arctic-boreal region.

397 PEEEX will distribute information to the general public in order to raise awareness on climate change,
398 and on the human impacts at different scales of the climate problem. This will also increase the
399 visibility of PEEEX activities in Europe, Russia and China.

400 **4. Summary and outlook of PEEEX in the future society**

401 As a multicomponent, multidimensional and multidisciplinary program, PEEEX will provide future
402 societies the tools for finding out sustainable ways to meet existing and also future grand challenges.
403 The base for this are comprehensive research stations with proper satellite data and modeling
404 framework, which enable us to improve our understanding, to answer our current research questions,
405 and also to renew these questions in a proper way.

406 The scientific results of PEEEX will be used to develop new scenarios in order to help decision makers
407 and other stakeholders to meet and manage grand challenges also in the future. Since the global
408 population will increase, the use of fresh water, food supply, and the use and production of energy
409 need to be organized in a sustainable manner. The health problems related to air pollution and
410 epidemic diseases need to be solved. PEEEX will contribute significantly to climate scenarios on global
411 and regional scales, and provide novel services such as early warning systems for the Arctic-boreal
412 regions. PEEEX aims to contribute to the Earth system science agenda, to climate policy concerning
413 topics important to the Pan-Eurasian environment, and also to help societies of this region in building
414 up a sustainable future.

415 Because of the already observable effects of climate change on society, and the specific role of the
416 Arctic and boreal regions in this context, PEEEX emphasizes the need for establishing next-generation
417 research and research infrastructures in this area. PEEEX will provide fast-track assessments of global
418 environmental change issues for climate policy-making, and for mitigation and adaptation strategies
419 for the Northern Pan-Eurasian region.

420 In practice, PEEEX will develop and utilize an integrated observational and modeling framework to
421 identify different climate forcing and feedback mechanisms in the northern parts of the Earth system,
422 and therefore enable more reliable predictions of future regional and global climate. Besides climate
423 change-air quality issues, PEEEX aims to provide a continuum from deep scientific understanding to
424 socioeconomic solutions. The timescale of the first phase of PEEEX extends from 2013 to 2033, with
425 a vision to continue several decades. The long timescale is required for solving the current and
426 emerging interlinked grand challenges.

427 PEEEX aims to be operational in the beginning of 2018. It will start designing and building long-term,
428 continuous and comprehensive research infrastructures in Northern Pan-Eurasia. At first, the PEEEX
429 infrastructure will be based on the re-organization of the existing facilities, and includes ground-
430 based, aircraft, marine and satellite observations, as well as multi-scale modeling platforms. The
431 PEEEX domain covers the Eurasian boreal zone and the Arctic regions of the hemisphere, including
432 marine areas such as the Baltic, the North Sea and the Arctic Ocean. The PEEEX area includes also
433 China due to its crucial impact and influence on the Boreal and Arctic regions. The PEEEX research
434 agenda focuses on the multidisciplinary process understanding of the Earth system on all relevant
435 spatial and temporal scales, ranging from the nano-scale to the global scale. The strategic focus is to

436 ensure the long-term continuation of comprehensive measurements in the land-atmosphere-ocean
437 continuum in the northern Eurasian area, as well as the interactions and feedbacks related to
438 urbanization and megacities, and to educate the next generation of multidisciplinary scientists and
439 technical experts capable of solving the large-scale research questions with societal impact of the
440 PEEEX geographical domain.

441 For successful operation PEEEX needs to have:

442

443 ■ excellent science: quality, critical mass and inter- and multidisciplinary research

444 ■ world-class Research Infrastructures and an integrated network of RIs, open data

445 ■ education and training: knowledge exchange and capacity building

446 ■ innovations and contributions to an innovative environment

447 ■ science to society: continuous dialog, stakeholder involvement

448

449 **Acknowledgements**

450 This work is supported by the Academy of Finland Centre of Excellence program (project numbers
451 1118615 and 272041), by the Academy of Finland project ABBA (project number 280700), by the
452 Nordic Centre of Excellence projects CRAICC and DEFROST, by the Integrated Land Ecosystem
453 Atmosphere Processes Study (iLEAPS), by Finnish Cultural Foundation, Grant: Prof. Markku
454 Kulmala “International Working Groups”, by the Erasmus+ CBHE project ECOIMPACT (561975-
455 EPP-1-2015-1-FI-EPPKA2-CBHE-JP), by the Russian Ministry of Education and Science (Mega-
456 grant No 11.G34.31.0048, project No 14.583.21.0003 (unique identifier of the project
457 RFMEFI58314X0003), project No 14.604.21.0100 (identification code RFMTFIBBB210290),
458 project No 14.586.21.0004 (unique identifier of the project RFMEFI58614X0004)), by the Russian
459 Science Foundation (project numbers 15-17-20009 and 15-17-30009), by the RFBR Grant № 14-
460 05-91759 (ISR “AEROCOSMOS”), and by the Institute of Geography, Russian Academy of
461 Sciences, and Russian Science Foundation (project number 14-27-00133).

462

463 **References**

464 Arneth, A., Harrison, S. P., Zaehle, S., Tsigaridis, K., Menon, S., Bartlein, P. J., Feichter, J.,
465 Korhola, A., Kulmala, M., O'Donnell, D., Schurgers, G., Sorvari, S., and Vesala, T.: Terrestrial
466 biogeochemical feedbacks in the climate system, *Nature Geosci.*, 3, 525–532, doi:10.1038/ngeo905,
467 2010.

468 Baklanov, A., Schlünzen, K., Suppan, P., Baldasano, J., Brunner, D., Aksoyoglu, S., Carmichael,
469 G., Douros, J., Flemming, J., Forkel, R., Galmarini, S., Gauss, M., Grell, G., Hirtl, M., Joffre, S.,
470 Jorba, O., Kaas, E., Kaasik, M., Kallos, G., Kong, X., Korsholm, U., Kurganskiy, A., Kushta, J.,
471 Lohmann, U., Mahura, A., Manders-Groot, A., Maurizi, A., Moussiopoulos, N., Rao, S. T., Savage,
472 N., Seigneur, C., Sokhi, R. S., Solazzo, E., Solomos, S., Sørensen, B., Tsegas, G., Vignati, E.,

473 Vogel, B., and Zhang, Y.: Online coupled regional meteorology chemistry models in Europe:
474 current status and prospects, *Atmos. Chem. Phys.* 14, 317–398, doi:10.5194/acp-14-317-2014, 2014.

475 Bondur, V. G., Krapivin, V. F., and Savinykh, V. P.: Monitoring and forecasting of natural
476 disasters, Moscow: Nauchny Mir, 692 p, 2009.

477 Bondur V. G.: Satellite Monitoring of Wildfires during the Anomalous Heat Wave of 2010 in
478 Russia, *Izv., Atmos. Ocean. Phys.*, 47, 1039–1048, 2011.

479 Bondur V. G.: Modern Approaches to Processing Large Hyperspectral and Multispectral
480 Aerospace Data Flows, *Izv., Atmos. Ocean. Phys.*, 50, 840–852. DOI:
481 10.1134/S0001433814090060, 2014.

482 Bondur V. G.: Space-borne Monitoring of Trace Gas and Aerosol Emissions During Wildfires in
483 Russia, *Issledovanie Zemli iz kosmosa*, No 6., 21–35, 2015.

484 Buermann, W., Parida, B., Jung, M., MacDonald, G. M., Tucker, C. J., and Reichsteing, M.: Recent
485 shift in Eurasian boreal forest greening response may be associated with warmer and drier summers.
486 *Geophys. Res. Lett.*, 41, 1995–2002, 2014.

487 Ding, A. J., Fu, C. B., Yang, X. Q., Sun, J. N., Petäjä, T., Kerminen, V.-M., Wang, T., Xie., Y. N.,
488 Herrmann, E., Zheng, L. F., Nie, W., Liu, Q., Wei X. L., and Kulmala, M.: Intense atmospheric
489 pollution modifies weather: a case of mixed biomass burning with fossil fuel combustion
490 pollution in the eastern China, *Atmos. Chem. Phys.*, 13, 10545–10554, 2013.

491 Ding, A.J., Fu, C. B., Yang, X. Q., Sun, J. N., Zheng, L. F., Xie, Y. N., Herrmann, E., Nie, W.,
492 Petäjä, T., Kerminen, V.-M., and Kulmala, M.: Ozone and fine particle in the western Yangtze
493 River Delta: an overview of 1 yr data at the SORPES station, *Atmos. Chem. Phys.*, 13, 5813–5830,
494 2013.

495 Döscher, R., Vihma, T. and Maksimovich, E.: Recent advances in understanding the Arctic climate
496 system state and change from sea ice perspective: a review, *Atmos. Chem. Phys.*, 14, 13571–13600,
497 2014.

498 Graven, H. D., Keeling, R. F., Piper, S. C., Patra, P. K., Stephends, B. B., Wofsy, S. C., Welp, L.
499 R., Sweeney, C., Tans, P. P., Kelley, J. J., Daube, B. C., Kort, E. A., Santoni, G. W., and Bent, J.
500 D.: Enhanced seasonal exchange of CO₂ by Northern ecosystems since 1960, *Science*, 341,
501 1085–1089, 2013.

502 Epstein, H. E., Myers-Smith, I., and Walker, D.: Recent dynamics of arctic and sub-arctic
503 vegetation, *Environ. Res. Lett.*, 8, 015040, doi:10.1088/1748-9326/8/1/015040, 2013.

504 Frohking, S., Talbot, J., Jones, M. C., Treat, C. C., Kauffman, J. B., Tuittila, E.-s., and Roulet, R.:
505 Peatlands in the Earth's 21st century climate system, *Environ. Rev.*, 19, 371–396, 2011.

506 Hari, P., Petäjä, T., Bäck, J., Kerminen, V.-M., Lappalainen, H.K., Vihma, T., Laurila, T., Viisanen,
507 Y., Vesala, T., and Kulmala, M.: Conceptual Design of a measurement network of the global
508 change, *Atmos. Chem. Phys. Discuss.*, 15, 21063-21093, doi:10.5194/acpd-15-21063-2015, 2015.

509 Hayes, D. J., Kickligher, D. W., McGuire, A. D., Chen, M., Zhuang, Q., Yan, F., Melillo, J. M., and
510 Wullschleger, S. D.: The impacts of recent permafrost thaw on land-atmosphere greenhouse gas
511 exchange, *Environ. Res. Lett.*, 9, 045005, doi:10.1088/1748-9326/9/4/045005, 2014.

- 512 Heimann, M. and Reichstein, M.: Terrestrial ecosystem carbon dynamics and climate feedbacks,
513 Nature, 451, 289–292, 2008.
- 514 Huadong, G. (2013) “Earth Observation in China and the World: History and Development in 50
515 Years”, Bulletin of the Chinese Academy of Sciences, Vol.27 No.2
- 516 IPCC 2013. Climate Change 2013: The Physical Science Basis. Working Group I Contribution to
517 the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Stocker T.F., Qin
518 D., Plattner G.-K. , Tignor M., Allen S.K., Boschung J., Nauels A., Xia Y., Bex V. & Midgley P.
519 M. (eds.). Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- 520 IPCC 2014. Climate Change 2014: Impacts, Adaptation, and Vulnerability. Working Group II
521 Contribution to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.
- 522 Kerr, R.A.: Ice-free Arctic sea may be years, not decades, away: Science, 337, 1591,
523 doi:10.1126/science.337.6102.1591, 2012.
- 524 Kulmala M., A. Asmi, H. K. Lappalainen, U. Baltensperger, J.-L. Brenguier, M. C. Facchini, H.-C.
525 Hansson, Ø. Hov, C. D. O’Dowd, U. Pöschl, A. Wiedensohler, R. Boers, O. Boucher, G. de Leeuw,
526 H. A. C. Denier van der Gon, J. Feichter, R. Krejci, P. Laj, H. Lihavainen, U. Lohmann, G.
527 McFiggans, T. Mentel, C. Pilinis, I. Riipinen, M. Schulz, A. Stohl, E. Swietlicki, E. Vignati, C. Alves,
528 M. Amann, M. Ammann, S. Arabas, P. Artaxo, H. Baars, D. C. S. Beddows, R. Bergström, J. P.
529 Beukes, M. Bilde, J. F. Burkhart, F. Canonaco, S. L. Clegg, H. Coe, S. Crumeyrolle, B. D’Anna, S.
530 Decesari, S. Gilardoni, M. Fischer, A. M. Fjaeraa, C. Fountoukis, C. George, L. Gomes, P. Halloran,
531 T. Hamburger, R. M. Harrison, H. Herrmann, T. Hoffmann, C. Hoose, M. Hu, A. Hyvärinen, U.
532 Hõrrak, Y. Iinuma, T. Iversen, M. Josipovic, M. Kanakidou, A. Kiendler-Scharr, A. Kirkevåg, G.
533 Kiss, Z. Klimont, P. Kolmonen, M. Komppula, J.-E. Kristjánsson, L. Laakso, A. Laaksonen, L.
534 Labonnote, V. A. Lanz, K. E. J. Lehtinen, L. V. Rizzo, R. Makkonen, H. E. Manninen, G.
535 McMeeking, J. Merikanto, A. Minikin, S. Mirme, W. T. Morgan, E. Nemitz, D. O’Donnell, T. S.
536 Panwar, H. Pawlowska, A. Petzold, J. J. Pienaar, C. Pio, C. Plass-Duelmer, A. S. H. Prevot, S.
537 Pryor, C. L. Reddington, G. Roberts, D. Rosenfeld, J. Schwarz, Ø. Seland, K. Sellegri, X. J. Shen,
538 M. Shiraiwa, H. Siebert, B. Sierau, D. Simpson, J. Y. Sun, D. Topping, P. Tunved, P. Vaattovaara, V.
539 Vakkari, J. P. Veefkind, A. Visschedijk, H. Vuollekoski, R. Vuolo, B. Wehner, J. Wildt, S.
540 Woodward, D. R. Worsnop, G.-J. van Zadelhoff, A. A. Zardini, K. Zhang, P. G. van Zyl, V.-M.
541 Kerminen, K. S. Carslaw⁵², and S. N. Pandis³⁶ General overview: European Integrated project on
542 Aerosol Cloud Climate and Air Quality interactions (EUCAARI) – integrating aerosol research from
543 nano to global scales Atmos. Chem. Phys., 11, 13061–13143, 2011, doi:10.5194/acp-11-13061-2011,
544 2011a.
- 545 Kulmala, M., Alekseychik, P., Paramonov, M., Laurila, T., Asmi, E., Arneth, A., Zilitinkevich, S.,
546 and Kerminen, V.-M.: On measurements of aerosol particles and greenhouse gases in Siberia and
547 future research needs, Boreal Env. Res., 16, 337–362, 2011b.
- 548 Kulmala, M., Kontkanen, J., Junninen, H., Lehtipalo, K., Manninen, H. E., Nieminen, T., Petäjä, T.,
549 Sipilä, M., Schobesberger, S., Rantala, P., Franchin, A., Jokinen, T., Järvinen, E., Äijälä, M.,
550 Kangasluoma, J., Hakala, J., Aalto, P. P., Paasonen, P., Mikkilä, J., Vanhanen, J., Aalto, J., Hakola,
551 H., Makkonen, U., Ruuskanen, T., Mauldin III, R. L., Duplissy, J., Vehkamäki, H., Bäck, J.,
552 Kortelainen, A., Riipinen, I., Kurten, T., Johnston, M. V., Smith, J. N., Ehn, M., Mentel, T.,
553 Lehtinen, K. E. J., Laaksonen, A., Kerminen, V.-M., and Worsnop, D. R.: Direct observations of
554 atmospheric aerosol nucleation, Science, 339, 943–946, 2013.

555 Kulmala, M., Nieminen T., Nikandrova A., Lehtipalo K., Manninen H. E., Kajos M. K., Kolari P.,
556 Lauri A., Petäjä T., Krejci R., Hansson H.-C., Swietlicki E., Lindroth A., Christensen T. R., Arneth
557 A., Hari P., Bäck J., Vesala T. and Kerminen V.-M.: CO₂-induced terrestrial feedback mechanism:
558 From carbon sink to aerosol source and back. *Boreal Env. Res.*, 19, suppl. B, 122–131, 2014.

559 Lappalainen, H. K., Petäjä, T., Kujansuu, J., Kerminen, V.-M., Shvidenko, A., Bäck, J., Vesala, T.,
560 Vihma, T., de Leeuw, G., Lauri, A., Ruuskanen, T., Lapshin, V. B., Zaitseva, N., Glezer, O.,
561 Arshinov, M., Spracklen, D. V., Arnold, S. R., Juhola, S., Lihavainen, H., Viisanen, Y., Chubarova,
562 N., Chalov, S., Filatov, N., Skorokhod, A., Elansky, N., Dyukarev, E., Esau, I., Hari, P.,
563 Kotlyakov, V., Kasimov, N., Bondur, V., Matvienko, G., Baklanov, A., Mareev, E., Troitskaya, Y.,
564 Ding, A., Guo, H., Zilitinkevich, Z., and Kulmala, M.: Pan-Eurasian Experiment (PEEX)- a
565 research initiative meeting the grand challenges of the changing environment of the northern Pan-
566 Eurasian arctic-boreal areas, *J. Geography Environment Sustainability*, 2, 13–48, 2014.

567
568 Laothawornkitkul, J., Taylor, J. E., Paul, N. D., and Hewitt, C. N.: Biogenic volatile organic
569 compounds in the Earth System, *New Phytologist*, 183, 27–51, 2009.

570 Melillo, J.M, Steudler, P.A, Aber, J.D, Newkirk, K., Lux, H., Bowles, F.P., Catricala, C., Magill,
571 A., Ahrens, T. and Morrisseau, S. (2002) Soil warming and carbon-cycle feedbacks to the climate
572 system. *Science*, 298, pp. 2173–2176.

573 Nobre, C., Brasseur, G. P., Shapiro, M. A., Lahsen, M., Brunet, G., Busalacchi, A. J., Hibbard, K.,
574 Seitzinger, S., Noone, K., and Ometto, J. P.: Addressing the complexity of the Earth system, *Bull.*
575 *Amer. Meteor. Soc.*, 91, 1389–1396.

576 Paasonen, P., Asmi, A., Petäjä, T., Kajos, M. K., Äijälä, M., Junninen, H., Holst, T., Abbatt, J. P. D.,
577 Arneth, A., Birmili, W., Denier van der Gon, H., Hamed, A., Hoffer, A., Laakso, L., Laaksonen, A.,
578 Leaitch, W. R., Plass-Dulmer, C., Pryor, S. C., Räisänen, P., Swietlicki, E., Wiedensohler, A.,
579 Worsnop, D. R., Kerminen, V.-M., and Kulmala, M.: Warming-induced increase in aerosol number
580 concentration likely to moderate climate change, *Nature Geosci.*, 6, 438–442, 2013.

581 Pan, Y., Birdsey, R. A., Fang, J., Houghton, R., Kauppi, P. E., Kurz, W. A., Phillips, O. L.,
582 Shvidenko, A., Lewis, S. L., Canadell, J. G., Ciais, P., Jackson, R. B., Pacala, S. W., McGuire, A.
583 D., Piao, S., Rautiainen A., Sitch, S., and Hayes, D.: A large and persistent carbon sink in the
584 world's forests, *Science*, 333, 988–993, 2011.

585 Pearson, R. G., Phillips, S. J., Lorant, M. M., Beck, P. S. A., Damoulas, T., Knight, S. J., and
586 Goetz, S. J.: Shifts in Arctic vegetation and associated feedbacks under climate change, *Nature*
587 *Clim. Change*, 3, 673–677, 2013.

588 Piao S, P. Ciais, P. Friedlingstein, P. Peylin, M. Reichstein, S. Luysaert, H. Margolis, J. Fang, A.
589 Barr, A. Chen, A. Grelle, D.Y. Hollinger, T. Laurila, A. Lindroth, A.D. Richardson and T. Vesala
590 (2008): Net carbon dioxide losses of northern ecosystems in response to autumn warming. *Nature*
591 451, pp. 49-53.

592 Quinn, P.K., A. Stohl, A. Baklanov, M.G. Flanner, A. Herber, K. Kupiainen, K.S. Law, J. Schmale,
593 S. Sharma, V. Vestreng, K. von Salzen: The Arctic, Radiative forcing by black carbon in the Arctic
594 in “State of the Climate in 2013”, *Bulletin of the American Meteorological Society*, 95(7): 124-125,
595 2014.

596 Reich, P. B., Sendall, K. M., Rice, K., Rich, R. L., Stefanski, A., Hobbie, S. E., and Montgomery,
597 R. A.: Geographic range predicts photosynthetic and growth response in co-occurring tree species,
598 *Nature Clim. Change*, 5, 148–152, 2015.

599 Schaefer, K., Lantuit, H., Romanovski, V. E., Schuur, E. A. G., and Witt, R.: The impact of the
600 permafrost carbon feedback on global climate, *Environ. Res. Lett.*, 9, 085003, doi:10.1088/1748-
601 9326/9/8/085003, 2014.

602 Scott, C. E., Rap, A., Spracklen, D. V., Forster, P. M., Carslaw, K. S., Mann, G. W., Pringle, K. J.,
603 Kivekäs, N., Kulmala, M., Lihavainen, H., and Tunved, P.: The direct and indirect radiative effects
604 of biogenic secondary organic aerosol, *Atmos. Chem. Phys.*, 14, 447–470, 2014.

605 Smith, L. (2010) *The New North- the World in 2050*.

606 Smith, S. J., Edmonds, J., Harting, C. A., Mundra, A., and Calvin, K.: Near-term acceleration in the
607 rate of temperature increase, *Nature Clim. Change*, 5, 333–336, 2015.

608 Spracklen, D. V., Bonn, B., and Carslaw, K. S: Boreal forests, aerosols and the impacts on clouds
609 and climate, *Philos. Trans. R. Soc. Ser. A*, 266, 1–11, 2008.

610 Shvidenko, A., Gustafson, E., Mc Guire, A. D., Kharuk, V. I., Svhepaschenko, D. G., Shugart, H.
611 H., Tchebakova, N. M., Vygodskaya, N. N., Onuchin, A. A., Hayes, D. J., McCallum, I.,
612 Maksyutov, S., Mukhortova, L.V., Soja, A. J., Belelli-Marchesini, L., Kurbatova, J. A., Oltchev, A.
613 V., Parfenova, E. I., and Shuman, J. K.: Terrestrial ecosystems and their change. In *Regional
614 Environmental Changes in Siberia and Their Global Consequences*, P.Ya. Groisman and G. Gutman
615 (eds.), Springer, pp.171–249, 2013.

616 Tarnocai, C., Canadell, J. G., Schuur, E. A. G., Kuhry, P., Mazhitova, G., and Zimov, S.: Soil
617 organic carbon pools in the northern circumpolar permafrost regions, *Glob. Biogeochem. Cycles*,
618 23, GB2023, doi:10.1029/2008GB003327, 2009.

619 Vihma, T., Pirazzini, R., Fer, I., Renfrew, I. A., Sedlar, J., Tjernström, M., Lüpkes, C., Nygård, T.,
620 Notz, D., Weiss, J., Marsan, D., Cheng, B., Birnbaum, G., Gerland, S., Chechin, D., and Gascard, J.
621 C.: Advances in understanding and parameterization of small-scale physical processes in the marine
622 Arctic climate system: a review. *Atmos. Chem. Phys.*, 14, 9403–9450, doi:10.5194/acp-14-9403-
623 2014, 2014.

624 Zilitinkevich S., Kulmala M., Esau I., and Baklanov A.: Megacities – refining models to personal
625 environment. *WMO Bulletin* 64, 20–22, 2015.


626 UNEP Year Book 2013: Emerging issues in our global environment. United Nation Environmental
627 program. 78 pp. 978-92-807-3284-9 DEW/1565/NA

628 WMO-GAW, 2009: WMO Global Atmosphere Watch (GAW) Strategic Plan: 2008 – 2015. WMO
629 TD NO. 1384, GAW Report No. 172, 104 p.

630

631

632




633

634 **Figure 1.** The interlinked Global forces (Climate Change, natural resources, globalization,
635 demography) (Smith, 2010) modifying the northern regions future within next 40 years. The
636 technological development provides the framework for the future development trends.

637

638



639


640 **Figure 2.** Northern Pan-Eurasian geographical region encompasses both permafrost and boreal zones.

641

642

643

644



645

646 **Figure 3.** Schematic figure of the PEEEX Structure.

647

649 **Table. 1 List of PEEEX - Large-scale research questions.**

Main Component	<i>Large-scale research questions</i>	<i>key topic for research</i>
LAND SYSTEM	<p><i>Q-1 How could the land regions and processes that are especially sensitive to climate change be identified, and what are the best methods to analyze their responses?</i></p> <p><i>Q-2 How fast will permafrost thaw proceed, and how will it affect ecosystem processes and ecosystem-atmosphere feedbacks, including hydrology and greenhouse gas fluxes?</i></p> <p><i>Q-3 What are the structural ecosystem changes and tipping points in the future evolution of the Pan-Eurasian ecosystem?</i></p>	<p>shifting of vegetation zones, Arctic greening</p> <p>risk areas of permafrost thawing</p> <p>Ecosystem structural changes</p>
ATMOSPHERIC SYSTEM	<p><i>Q-4 What are the critical atmospheric physical and chemical processes with large-scale climate implications in a northern context?</i></p> <p><i>Q-5 What are the key feedbacks between air quality and climate at northern high latitudes and in China?</i></p> <p><i>Q-6 How will atmospheric dynamics (synoptic scale weather, boundary layer) change in the Arctic-boreal regions?</i></p>	<p>atmospheric composition and chemistry</p> <p>urban air quality, megacities and changing PBL</p> <p>weather and atmospheric circulation</p>
AQUATIC SYSTEMS – THE ARCTIC OCEAN	<p><i>Q-7 How will the extent and thickness of the Arctic sea ice and terrestrial snow cover change?</i></p> <p><i>Q-8 What is the joint effect of Arctic warming, ocean freshening, pollution load and acidification on the Arctic marine ecosystem, primary production and carbon cycle?</i></p> <p><i>Q-9 What is the future role of Arctic-boreal lakes, wetlands and large river systems, including thermokarst lakes and running waters of all size, in biogeochemical cycles, and how will these changes affect societies (livelihoods, agriculture, forestry, industry)?</i></p>	<p>The Arctic Ocean in the climate system</p> <p>The Arctic maritime environment lakes, wetlands and large river systems in the Siberian region</p>

<p>ANTHROPOGENIC ACTIVITIES</p>	<p><i>Q-10 How will human actions such as land-use changes, energy production, the use of natural resources, changes in energy efficiency and the use of renewable energy sources influence further environmental changes in the region?</i></p> <p><i>Q-11 How do the changes in the physical, chemical and biological state of the different ecosystems, and the inland, water and coastal areas affect the economies and societies in the region, and vice versa?</i></p> <p><i>Q-12 In which ways are populated areas vulnerable to climate change? How can their vulnerability be reduced and their adaptive capacities improved? What responses can be identified to mitigate and adapt to climate change?</i></p>	<p>Anthropogenic impact</p> <p>Environmental impact</p> <p>Natural hazards</p>
<p>FEEDBACKS – INTERACTIONS</p>	<p><i>Q-13 How will the changing cryospheric conditions and the consequent changes in ecosystems feed back to the Arctic climate system and weather, including the risk of natural hazards?</i></p> <p><i>Q-14 What are the net effects of various feedback mechanisms on (i) land cover changes, (ii) photosynthetic activity, (iii) GHG exchange and BVOC emissions (iv) aerosol and cloud formation and radiative forcing ? How do these vary with climate change on regional and global scales?</i></p> <p><i>Q-15 How are intensive urbanization processes changing the local and regional climate and environment?</i></p>	<p>Atmospheric composition, biogeochemical cycles: water, C, N, P, S</p>

650

651