

1 Dear Editor,

2

3 Our responses to the referee comments have been summarized below. In addition to these  
4 changes, we added 3 new references (Bondur 2011, 2014, 2015) and 2 authors (Back,  
5 Sorvary) because of their very important contribution to this paper. We also updated  
6 acknowledgements and modified slightly the final list of issues given on page 22585.

7

8 After our responses to reviewers below, we have included such a version of the manuscript  
9 that illustrates the changes made to it.

10

11 Your sincerely,

12

13 Authors

14

15

16 **Referee Noe: We would like to thank the reviewer for the constructive comments. Our**  
17 **responses to each comment is given below in bold text.**

18  
19 General

20  
21 The manuscript presents the structure, motivation and objectives of the Pan-Eurasian-  
22 Experiment (PEEX) project. The ambitious vision is clearly set in section 2 where the  
23 projects structure is listed as four focus areas. Consequently, the manuscript follows later  
24 on in section three the same construction. Overall, the manuscript presents and introduces  
25 well the PEEX projects and aims. In some few places (see below) I made some suggestions  
26 to reorder sentences for clarity.

27  
28 Detailed comments

29  
30 Page 22569, line 20: The term "urban environment" is used as one of the "Grand  
31 Challenges". From my viewpoint, "urban environment" is a wrong term here.  
32 It is not the "urban environment" as such but the change of it. This change might be driven  
33 by processes like migration from rural to urban areas, extension of urban area on cost of  
34 rural area etc.

35  
36 **We agree on this error. We replaced "Urban environment" with "migration of**  
37 **peoples and other changes in human population"**

38  
39 Page 22571ff, line28ff: The sentence starting with: "The durability of infrastructure..." is  
40 not very clear. I would turn its logic around and center it around the "thawing permafrost",  
41 which is responsible for the future changes in durability of infrastructure and the loss (or  
42 dramatic change) of environmental structures needed for the survival of indigenous people.

43  
44 **In line with the suggestion by the referee, we modified this sentence into the following**  
45 **form: "Future thawing of permafrost threatens the durability of infrastructures**  
46 **(power networks, buildings, ice roads, oil drilling) and may have large influences on**  
47 **the living conditions and culture of indigenous people living in the north."**

48  
49 Page 22577, line 6ff: The sentence starting "Although these feedback..." in the part after  
50 the comma I would change the sentence accordingly: "...Finland, there is need to establish a  
51 flagship station network...". It makes the statement clearer, that this network need to be set  
52 up to meet the PEEX needs. Further in the same sentence, the it would be more clear if the  
53 "other tools" are noted.

54  
55 **We fully agree. Corrected.**

56  
57 Page 22582, line 1: Here you speak about the "PEEX Preliminary Phase". Is there some  
58 time interval of this preliminary phase given? Is it still ahead or already passed? That is not  
59 clear at that point.

60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103

**We added the time interval (2012-2017) into the text.**

Page 22582, line 8: Here you mention the PEEEX-RI. Is it planned to move with PEEEX into the direction of an ESFRI (ERIC) type infrastructure? If so, there should be some note in the introduction on that goal.

**We clarified this sentence. It now reads: “PEEX will adopt the common European data formats and procedures for the PEEEX research infrastructure development, including open data policy.”**

Page 22582, line 22: I would replace”... enables to us find out ...” with ”... enables us to address ...”.

**Modified as suggested.**

Page 22582, line 25: What do you mean in this sentence? Do you mean ”in nature” or ”in real” in this context? Of what the ”deep multidisciplinary understanding” is needed? For what the ”practical solutions” should be found?

**We modified the sentence into the following form: “These interlinks are in most cases very nonlinear, and therefore we need deep multidisciplinary understanding for finding practical solutions to the grand challenges discussed earlier.”**

Page 22583, line 1: I would write ”PEEX is an active...” here.

**Corrected.**

Page 22583, line 14ff: This sentence does not read well (fragmented) and is not very clear. I understand, that PEEEX contributes to the formation of a new, integrated Earth system research community in the projects target area. The way to do this is to have an open access policy to the PEEEX research and modeling infrastructure and to invite international partners and organizations to do the same.

**We agree. We modified this sentence into the following form: “PEEX will contribute to the building of a new, integrated Earth system research community in the Pan-Eurasian region. In practice this means an open access to the research and modeling infrastructure, as well as invitation of international partners and organizations to share their development and use.”**

Page 22585, line 1ff: Parts of the paragraph starting from here would better fit to the introduction part as here some overall goals are presented that have not been noted before. Some abbreviations, like PEEEX-RI, would also be already introduced then. However, as the whole manuscript introduces the project and the major part of section four concludes it is

104 not very easy to find a compromise where to present these topics, but it is worth to think a  
105 bit to restructure to set overall project goals more clear.

106

107 **As also the reviewer points out, this is not a typical research paper that has its own**  
108 **scientific goals that are then addressed in the paper. Rather, the given project goals**  
109 **are planned to be addressed in the future. Therefore, we feel that the overall project**  
110 **goals fit better to section 4 with project future outlook than in the introduction part of**  
111 **this paper.**

112

113

114 **Referee 2: We would like to thank the reviewer for the constructive comments. Our**  
115 **responses to each comment are given below in bold text.**

116  
117

118 The manuscript Introduction: The Pan-Eurasian Experiment (PEEX) – multidisciplinary,  
119 multi-scale and multi-component research and capacity building initiative is as stated an  
120 Introduction to aS cientific research initiative of large scale and impact. As such irt can be  
121 seen diferently in terms of the current evaluation namely not assessed at this stage with  
122 respect to the results but the potential and the design of the intiative. Having this in mind  
123 the manuscript provides well thought documentation of the means in terms of human and  
124 infrastructure capacity it encompasses in order to solve the knowledge gaps and challemges  
125 it is designed to tackle. Some specific corrections and suggestion are given below for the  
126 revision of the manuscript.

127

128 Section2 P 22753, Line 22 instead of “processs understanding” better use understanding of  
129 processes.

130

131 **Corrected.**

132

133 P22754 line 10 instead of health use —human health or public health.

134

135 **Corrected.**

136

137 P22577 line 10 Measurements of the changes. . . . . This is too general Provide a l  
138 paragraph explaining what some of these main measurements are (i.e hygroscopicity, cloud  
139 formation potential etc) and the techniques to achieve it.

140

141 **We partly agree. We added a list of measurements that we consider very important,**  
142 **but did not go in the detail of listing the required experimental techniques, since there**  
143 **are several hundreds of those.**

144

145 P22578 line 21 “. . .long term continuation of advanced measurements os aerosols, clouds,  
146 GHGS, trace gases” Again provide a description of what these advance measurements are  
147 envisaged to be and what is here considered advanced. Maybe state of the art is adequate,  
148 provide some references of the type of measuremnts techniques implied

149

150 **We added a short list of examples of the advanced measurement techniques.**

151

152 P22580 lines from 10-20 A suite of models is mentioned with a general descriptpion. It  
153 would be helpful for the reader to have one representative reference of each type of model  
154 or modeling system

155

156 **The problem here is that we do not want to restrict the set of models to be used in this**  
157 **project to one or two individual models of each type. Giving an example of each model**

158 **type would easily give such (wrong) impression to the reader. Having several**  
159 **examples of each model type would, in turn, make the reference list exhaustive and**  
160 **imbalanced compared with other parts of this manuscript. As a result, we feel that it**  
161 **is best to list the types of models planned to be used without references to different**  
162 **model types. In order to provide some reasoning to our approach, we added the**  
163 **following sentence after the first sentence of this paragraph (in line 9 on page 22580):**  
164 **“We have preliminary tested this kind of a multi-scale approach in a framework of an**  
165 **integrated European research project (Kulmala et al., 2011a).”**

166

167 P22582 line 25 “ these interlinks are mainly very nonlinear” Instead of mainly probably is  
168 best to use often or in most cases.

169

170 **We agree. Corrected.**

171

172 P22583 line 23 Section 4 Title For this title since it is the concluding section is best to use:  
173 Summary and outlook of PEEEX in the future society

174

175 **We modified the title as suggested by the referee.**

176

177

178

179

180

181 **Introduction: The Pan-Eurasian Experiment (PEEX) – multi-**  
182 **disciplinary, multi-scale and multi-component research and capacity**  
183 **building initiative**

184

185 M. Kulmala<sup>1</sup>, H. K. Lappalainen<sup>1,2</sup>, T. Petäjä<sup>1</sup>, T. Kurten<sup>3</sup>, V.-M. Kerminen<sup>1</sup>, Y. Viisanen<sup>2</sup>, P.  
186 Hari<sup>4</sup>, S. Sorvari<sup>2</sup>, J. Bäck<sup>4</sup>, V. Bondur<sup>5</sup>, N. Kasimov<sup>6</sup>, V. Kotlyakov<sup>7</sup>, G. Matvienko<sup>8</sup>, A.  
187 Baklanov<sup>9</sup>, H. D. Guo<sup>10</sup>, A. Ding<sup>11</sup>, H.-C. Hansson<sup>12</sup> and S. Zilitinkevich<sup>1,2,13</sup>

188

189 <sup>1</sup>Department of Physics, University of Helsinki, FI-00014 Helsinki, Finland

190 <sup>2</sup>Finnish Meteorological Institute, Research and Development, FI-00101 Helsinki, Finland

191 <sup>3</sup>Department of Chemistry, University of Helsinki, FI-00014 Helsinki, Finland.

192 <sup>4</sup>Department of Forest Sciences, University of Helsinki, FI-00014 Viikki, Helsinki, Finland

193 <sup>5</sup> AEROCOSMOS Research Institute for Aerospace Monitoring, Moscow, Russia

194 <sup>6</sup>Lomonosov Moscow State University, Moscow 119991, Russia

195 <sup>7</sup>Glaciology Department, Institute of Geography, Russian Academy of Sciences, Moscow, Russia

196 <sup>8</sup>Institute of Atmospheric Optics, SB, Russian Academy of Sciences, Russia

197 <sup>9</sup>World Meteorological Organization, 1211 Genève, Switzerland

198 <sup>10</sup>Institute of Remote Sensing and Digital Earth, Chinese Academy of Sciences, Beijing 100101,  
199 China

200 <sup>11</sup>Institute for Climate and Global Change Research & School of Atmospheric Sciences, University  
201 of Nanjing, 210097 Nanjing, China

202 <sup>12</sup> Department of Environmental Science and Analytical Chemistry (ACES), Stockholm University,  
203 106 91 Stockholm, Sweden

204 <sup>13</sup> Department of Radiophysics, Nizhny Novgorod State University, 603950 Nizhny Novgorod,  
205 Russia

206

207 Correspondence to M. Kulmala (markku.kulmala@helsinki.fi)

208

209 **Abstract**

210 The Pan-Eurasian Experiment (PEEX) is a multi-disciplinary, multi-scale and multi-component  
211 research, research infrastructure and capacity building program. PEEX has originated from a bottom-  
212 up approach by the science communities, and is aiming at resolving the major uncertainties in Earth  
213 System Science and global sustainability issues concerning the Arctic and boreal Pan-Eurasian  
214 regions, as well as China. The vision of PEEX is to solve interlinked global grand challenges  
215 influencing human well-being and societies in northern Eurasia and China. Such challenges include  
216 climate change, air quality, biodiversity loss, urbanization, chemicalization, food and fresh water  
217 availability, energy production and use of natural resources by mining, industry, energy production  
218 and transport sectors. Our approach is integrative and supra-disciplinary, recognizing the important  
219 role of the Arctic and boreal ecosystems in the Earth system. The PEEX vision includes establishing  
220 and maintaining long-term, coherent and coordinated research activities as well as continuous,  
221 comprehensive research and educational infrastructures and related capacity building across the  
222 PEEX domain. In this paper we present the PEEX structure, summarize its motivation, objectives and  
223 future outlook.

224

**1. Introduction and Background**

225 The Earth system is facing several global-scale environmental challenges, called “Grand Challenges”,  
226 such as climate change, air quality, migration of peoples and other changes in human  
227 population demography, urban environment, ocean acidification, fresh water and food supplies. Grand  
228 Challenges are main factors affecting the human well-being, security and stability of future societies.  
229 All the grand challenges are interlinked via complex feedbacks in the Earth system (Fig. 1). The  
230 dynamics of grand challenges are driven by “global forces” identified as demographics, increasing  
231 demand for natural resources, globalization and climate change (e.g. Smith, 2010). The global forces  
232 are strongly geographically oriented and variable phenomena, depending on migration trends of  
233 human populations, variations in the availability of natural resources, capital flows within the  
234 economy, and the diverse impacts of global and regional climate change.

235 Coping with climate change and transformations of civilizations and ecosystems on a global scale is  
236 one of the ultimate challenges of the 21<sup>st</sup> century. Since the Grand Challenges are highly coupled and  
237 interlinked, they cannot be solved separately. Therefore, a framework is needed where a  
238 multidisciplinary scientific approach has the required critical mass and is strongly connected to fast-  
239 track policy making. The potential solutions are typically tightly coupled with each other.

240 The Northern Pan Eurasian regions, specifically the Arctic-boreal regions including the Arctic Ocean,  
241 are located at latitudes higher than 45°N (Fig. 2). These areas are expected to undergo substantial  
242 changes during the next decades (IPCC, 2014). The Arctic region, for example, is warming faster  
243 than any other region of the world (Smith et al., 2015), and this warming may reach levels as high as  
244  $8.3 \pm 1.9$  °C by the end of this century (IPCC, 2013). The importance of northern regions on a global  
245 scale is foreseen to increase in terms of all the four global forces: not only climate change, but also  
246 globalization, demographics and the use of natural resources (Smith, 2010). Furthermore, it is worth  
247 recognizing the important role of China in setting global trends and in affecting the development of  
248 Northern environments and societies.

249 The specific characteristics of Pan-Eurasian Arctic-boreal natural environments are linked to the  
250 global climate. Thawing of permafrost and northward migration of the taiga zone will have significant  
251 consequences for the climate system, as these phenomena influence the sources and sinks of  
252 greenhouse gases (GHG) and biogenic volatile organic compounds (BVOC). The forests and  
253 peatlands in Siberia and elsewhere at high northern latitudes sequester large amounts of GHG  
254 compared to the net global emissions (Bondur et al., 2009; Bondur, 2011, 2014, 2015; Frolking et al.,  
255 2011; Pan et al., 2011; Graven et al., 2013). BVOCs emitted by boreal forests contribute to  
256 atmospheric aerosol and cloud condensation nuclei formation processes, and thereby to both aerosol-  
257 radiation and aerosol-cloud interactions (Spracklen et al., 2008; Kulmala et al., 2013; Paasonen et al.,  
258 2013; Scott et al., 2014). The magnitude of BVOC emissions is linked to the total area of boreal  
259 forests, and to structural changes in the forest ecosystems (Laohawornkitkul et al., 2009). Due to the  
260 critical role of Siberian forests in global GHG and aerosol budgets, there is a specific need for  
261 comprehensive and continuous atmosphere-ecosystem data from the Northern Eurasian region  
262 (Kulmala et al., 2011b; Quinn et al., 2014).

263 In addition to changing GHG exchange and BVOC emissions, major structural ecosystem changes  
264 are also predicted to take place in the Pan-Eurasian Arctic and boreal natural environments. These  
265 include the appearance of invasive species and the extinction of existing ones, changes in ecosystem  
266 productivity and structure, as well as modifications in the ecosystems’ roles as sinks or sources of  
267 climatically relevant gases (Epstein et al., 2013; Pearson et al., 2013; Buermann et al., 2014; Reich  
268 et al., 2015). The latter concerns vast areas of boreal forests and peatlands. The ecosystem changes



269 may have unpredictable consequences on *e.g.* food webs, and on interactions between different  
270 ecosystems and human activities.

271 The other geographical area dominating the acceleration of climate change is the Arctic Ocean and  
272 its maritime environments. One major consequence of the warming of northern latitudes is related to  
273 changes in the cryosphere, including the thawing of permafrost and the Arctic Ocean becoming ice  
274 free part of the year (Tarnocai et al., 2009; Hayes et al., 2014; Schaefer et al., 2014; Döscher et al.,  
275 2014). This will boost global trade activities in the Arctic if the Northern sea route is opened for  
276 shipping between the Atlantic and Asia's Far East. The Arctic Ocean is currently covered by ice for  
277 most of the year (from October to June), preventing ship traffic. However, the amount of sea ice is  
278 declining rapidly. The predicted shortening of the ice cover period draws attention to exploitable  
279 natural resources (oil, natural gas and minerals) in the region. It has been predicted that the role of  
280 natural resources originated from the Arctic Ocean in the global energy market will become  
281 significant, as the region may hold 25 % or more of the world's undiscovered oil and gas resources  
282 (Yenikieff and Krysiak, 2007). Future thawing of permafrost threatens the durability of  
283 infrastructure (power networks, buildings, ice roads, oil drilling) and may have large influences  
284 on built on thawing permafrost areas may change dramatically in the future, as may environments  
285 related to ensuring the living conditions and culture of indigenous people living in the north.

286 A strong involvement and international collaboration between European, Russian and Chinese  
287 partners are needed to answer the Grand Challenges in the northern context: how will northern  
288 societies cope with environmental changes? A new large-scale initiative called the Pan-Eurasian  
289 Experiment (PEEX), started in 2012, is contributing to solving the grand challenges in the Northern  
290 Pan-Eurasian and Chinese context (Lappalainen et al., 2014). PEEX is a bottom-up initiative by  
291 European, Russian and Chinese partners, and it is open to a broader collaboration in the future.  
292 Presently over 110 institutes from over 20 different countries are contributing to PEEX. The promoter  
293 institutes of this program have been the University of Helsinki and the Finnish Meteorological  
294 Institute in Finland; the Moscow State University, AEROCOSMOS Research Institute for Aerospace  
295 Monitoring (Moscow), the Department of Geography of Moscow State University and the Institute  
296 of Atmospheric Optics of the Siberian branch of the Russian Academy of Sciences (RAS) in Russia;  
297 the Institute of Remote Sensing and Digital Earth (RADI) of the Chinese Academy of Sciences (CAS)  
298 and the Institute for Climate and Global Change research of Nanjing University in China, with the  
299 endorsement of the International Geosphere Biosphere Program core project Integrated Land  
300 Ecosystem Atmosphere Process Study. Today, the PEEX community includes scientists from various  
301 disciplines as well as representatives of international organizations and programs (*e.g.* WMO GAW,  
302 IIASA, IGBP/Future Earth), stakeholders from industry, transport, renewable natural resources  
303 management, agricultural production and trade. The PEEX community will aim at co-designing  
304 research in the region in the spirit of the Future Earth initiative as well as Climate and Clean Air  
305 Coalition.

## 306 **2. Vision, Mission and Objectives**

307 The vision of PEEX is to solve interlinked global grand challenges influencing human well-being and  
308 societies in northern Eurasia and China in an integrative way, recognizing the significant role of  
309 boreal and Arctic regions in the context of global change. The PEEX vision includes the establishment  
310 and maintenance of long-term, coherent and coordinated research and education activities and  
311 continuous, comprehensive research infrastructures in the PEEX domain. PEEX aims to contribute  
312 to the Earth system science agenda and climate policy in topics important to the Pan-Eurasian

313 environment, and to provide adaptation and mitigation strategies for the Northern Pan-Eurasian and  
314 Chinese societies related to Grand Challenges, in particular climate change and air quality.

315 The mission of PEEEX is to be a next-generation natural sciences and socio-economic research  
316 initiative using excellent multi-disciplinary science with clear impacts on future environmental,  
317 socio-economic and demographic development of the Arctic and boreal regions as well as China.  
318 The PEEEX initiative consists of four main focus areas (F-i) described in detail in section 3. Each focus  
319 area has its own specific objectives listed below.

320 ■ F-1: PEEEX research agenda

- 321 – to understand the Earth system and the influence of environmental, societal and  
322 economic changes, interactions and feedbacks in pristine and industrialized Pan-  
323 Eurasian environments (systems understanding: land – atmosphere – aquatic –  
324 anthropogenic /society)
- 325 – to determine processes in multidimensional and multidisciplinary way relevant to  
326 climate change, demographic development and the use of energy and mineral  
327 resources in the Arctic-boreal regions (~~process~~-understanding of processes)

328 ■ F-2: PEEEX infrastructures

- 329 – to establish and sustain long-term, continuous and comprehensive ground-based,  
330 airborne and seaborne observation infrastructures together with satellite data  
331 (observation component)
- 332 – to develop the new data sets and archives with continuous, comprehensive data flows  
333 in a joint manner (data component)
- 334 – to implement the validated and harmonized data products in models of appropriate  
335 spatial and temporal scales and topical focus (modeling component)

336 ■ F-3: PEEEX impact on society

- 337 – to use new research knowledge together with the research infrastructure services for  
338 producing:
  - 339 ■ as reliable scenarios and assessments as possible, to support practical  
340 solutions for addressing the grand challenges in the northern context and in  
341 China (climate change, natural resources, human health)
  - 342 ■ early warning systems for the sustainable development of societies  
343 (demography development)
- 344 – to promote technological innovations needed for coherent global environmental,  
345 technological, economical or social processes in an interconnected world  
346 (globalization)

347 ■ F-4: PEEEX knowledge transfer and capacity building

- 348 – to educate the next generation of multidisciplinary experts and scientists capable of  
349 finding tools for solving grand challenges (young scientist multidisciplinary  
350 advancement)
- 351 – to increase public awareness of climate change impacts in the Pan-Eurasian region  
352 (public outreach)

- 353           – to distribute the new knowledge and data products to scientific communities  
354           (enhance multidisciplinary research)  
355           – to deliver tools, scenarios and assessments for climate policy makers and authorities  
356           (policy support)

357

### 358       3. PEEEX structure and interlinks

359       The research agenda (F-1) defines the large-scale key topics and research questions of the land-  
360       atmosphere-aquatic-anthropogenic systems in an Arctic-boreal context as well as megacity-climate  
361       interactions and air quality issues including socio-economical research aspects. The research  
362       infrastructure (F-2) introduces the current state of the art observation systems in the Pan-Eurasian  
363       regions and presents the future base for the coherent and coordinated research infrastructures in the  
364       PEEX domain. The impact on society (F-3) addresses key aspects related to mitigation and adaptation  
365       strategies supporting development of useful and effective policy strategies. It also involves planning  
366       for preparing northern societies to cope with environmental changes, developing reliable early-  
367       warning systems, and addressing the role of new technology in the implementation of these strategies  
368       and plans. Knowledge transfer and capacity building (F-4) is focused on improving education  
369       programs at multiple levels, strengthening future research communities, and raising awareness of  
370       global changes and environmental issues. The summary of PEEEX structure is presented in Figure 3.

#### 371       3.1. Research Agenda (F-1)

372       The PEEEX research agenda is designed as a research chain (Kulmala et al., 2011a), which aims to  
373       advance our understanding of the interactions in the Earth system (encompassing not only the  
374       atmosphere and the land and ocean ecosystems, but also human activities and societies) through a  
375       series of connected activities. These research activities start at the molecular scale, to understand key  
376       atmospheric processes, and extend to regional and global scales, to understand the complex processes  
377       in e.g. the climate system and its interaction with society. Our focus is to understand the complex  
378       land-atmosphere-ocean-society system in an Arctic, northern Pan-Eurasian and Chinese context.

379       A very important aspect is that the research agenda covers a large area with studies covering diverse  
380       spatial and temporal scales, and it encompasses diverse geographical regions including both natural  
381       and urban environments. The major large-scale systems studied by PEEEX are the land, atmosphere  
382       and aquatic systems, along with anthropogenic activities (Fig. 3). The PEEEX research agenda also  
383       addresses various feedbacks and interactions between these systems, as well as the major  
384       biogeochemical cycles (water, carbon, nitrogen, phosphorus, sulfur). The key topics and related large-  
385       scale research questions associated with these components are summarized in Table 1. These  
386       questions have been identified during the PEEEX meetings with a preliminary list of questions  
387       presented earlier by Lappalainen et al. (2014). The present version introduced in Table 1 was accepted  
388       at the PEEEX meeting in February 2015.

389       Human decision-making concerning, for example, land use and fossil fuel burning are represented by  
390       agent-based models, integrated assessment models and climate scenarios, which will be utilized and  
391       further developed for the Northern Pan-Eurasian region. In urban and industrialized regions, the  
392       process understanding of biogeochemical cycles includes anthropogenic sources, such as industry  
393       and fertilizers, as essential parts of the biogeochemical cycles. PEEEX climate studies, especially  
394       estimates of the type and frequency of natural hazards in the future, will be used to improve climate  
395       prediction capacities in Europe, Russia and China. Furthermore, PEEEX socio-economic research  
396       covers the superposition of natural and socio-economic factors, dependence of the consequences of

397 climate change on socio-economic condition and its dynamics, identification of opportunities and  
398 methods of mitigation and adaptation to climate and socio-economic changes, as well as the spatial  
399 differentiation of responses of the societies to environmental, demographical and socio-economic  
400 challenges in national, regional and local levels (regional and local, urban and rural cases).

401 Feedbacks are essential components of our climate system as they either increase or decrease the  
402 changes in climate-related parameters in the presence of external forcings (IPCC, 2013). The PEEEX  
403 domain covers a wide range of interactions and feedback processes involving human activities,  
404 natural systems and biogeochemical cycles (Heimann and Reicstein, 2008; Arneth et al., 2010), with  
405 humans acting both as the source of climate or environmental changes and the recipients of the  
406 impacts. One of the first feedback mechanisms to be quantified is that connecting the atmospheric  
407 carbon dioxide concentration, ambient temperature, gross primary production, secondary biogenic  
408 aerosol formation, clouds and radiative transfer with each other (Kulmala et al., 2014). Covering the  
409 PEEEX area with several comprehensive stations enables us to understand feedbacks and interlinks in  
410 quantitative ways (Ding et al., 2013a, b). Although these feedback mechanism and several processes  
411 have been investigated in several flagship stations like at SMEAR II Hyytiälä, Finland, there is need  
412 to ~~establish~~ have flagship station network and also improve other tools to be able to meet research  
413 challenges in PEEEX domain.

414 Measurements of the changes in the hydrological and biogeochemical cycles in different temporal  
415 scales are needed to construct and parameterize to improve the next generation of Earth System  
416 Models. Such measurements should include, for example, the following quantities: concentrations  
417 and fluxes of aerosol particles, greenhouse gases and reactive trace gases, cloud microphysical and  
418 rain-forming properties, ecosystem functioning, and land use change. Earth System models are the  
419 best tools available for analyzing the effect of different environmental changes on future climate, and  
420 for studying the role of different processes in the Earth system as a whole. These types of analyzes  
421 and predictions of future change are especially important in the high latitudes, where climate change  
422 is proceeding the fastest, and where near-surface warming has been about twice the global average  
423 during the recent decades.

## 424 **3.2. Research infrastructures (F-2)**

### 425 **3.2.1. Coherent and coordinated observation program and data systems**

426 Solutions to the interconnected global environmental problems can be provided only by a harmonized  
427 and holistic comprehensive observational approach utilizing all available modeling tools representing  
428 different spatial and temporal scales. However, all the tools, including models and  
429 observational/experimental devices, need to be developed further in order to answer the research  
430 questions and solve challenges. The PEEEX approach uses methods ranging from nanometer and sub-  
431 second observations and process studies to global and decadal-scale measurement activities, datasets  
432 and model simulations. The vision of the PEEEX infrastructure is to provide comprehensive,  
433 continuous and reliable harmonized data products for forecasting services, and for the science  
434 community.

435 The PEEEX research infrastructure aims to establish a long-term comprehensive field station network  
436 in the region covering Europe, particularly Scandinavia, Greenland and the Baltic countries, Russia  
437 and China. The conceptual philosophy of the network design relies on physical conservation laws of  
438 mass, energy and momentum, as well as on concentration gradients that act as driving forces for the  
439 atmosphere-biosphere exchange. The network will be composed of standard, flux/advanced and  
440 flagship stations, each of having specific and identified tasks (Hari et al., 2015). Each ecosystem type

441 has its own characteristic features that have to be taken into consideration when planning the station  
442 network. The hierarchical network as a whole is able to tackle problems related to large spatial scales,  
443 heterogeneity of ecosystems and their complexity. The most comprehensive observations are to be  
444 conducted at the flagship stations. The process-level understanding can then be expanded to  
445 continental and global scales through hierarchical station network, advanced data analysis, Earth  
446 system modelling and satellite remote sensing. The denser networks of flux and standard stations  
447 allow application and up-scaling of the results obtained from flagship stations to the global level. In  
448 the first phase, the land-based station network will be based on existing infrastructures consisting of  
449 standard stations such as weather stations, flux (FLUXNET) stations, flagship stations and satellite  
450 receiving stations. The strategic focus is to ensure the long-term continuation of advanced ([using e.g.  
451 mass spectrometers, cloud radars and other state-of-the-art and beyond methods, observing over 1000  
452 different variables](#)) measurements of aerosols, clouds, GHGs, trace gases and land surfaces and their  
453 interactions in the northern Eurasian area.

454 The cryosphere in the Arctic is changing rapidly (Döscher et al., 2014; Hayes et al., 2014; Vihma et  
455 al., 2014) Measurements of the current and past conditions of the cryosphere are made at deep  
456 boreholes, permafrost sites, buoy / floating stations in the Arctic Ocean, onboard ships, and through  
457 geophysical observations onboard aircraft. The preliminary concept of a hierarchical network for  
458 aquatic observations in the surrounding seas would consist of simple buoys deployed on sea ice in  
459 the open sea, sophisticated buoys, research vessels, floating flagship stations, manned drifting ice  
460 stations, and permanent coastal and archipelago stations.

461 The PEEEX flagship stations simultaneously measure meteorological and atmospheric parameters,  
462 together with ecosystem-relevant processes (incl. carbon, nutrient and water cycles, vegetation  
463 dynamics, biotic and abiotic stresses). Ideally, the ground flagship station network will contain one  
464 flagship station in all major ecosystems, in practice a station for every 1000 to 2500 km (in details  
465 see Hari et al., 2015). The future PEEEX research infrastructure will include aircraft and satellite  
466 observations, which provide complementary (to the local *in-situ* observations) information on the  
467 spatial variability of atmospheric composition (aerosols, trace gases, greenhouse gases, clouds), and  
468 on land and ocean surface properties including vegetation and snow/ice (Bondur et al., 2009). *Vice*  
469 *versa*, the PEEEX infrastructure has an important role in the validation, integration and full exploitation  
470 of satellite data on the Earth system.

471 The PEEEX program will produce an extensive amount of observational measurement data,  
472 publications, method descriptions and modeling results. The PEEEX data product plan is built on the  
473 establishment of permanent PEEEX integrated platforms, documenting the variability of the various  
474 components of the ecosystem (atmosphere, terrestrial, marine), and utilizing state-of-the-art data  
475 management procedures including automatic data submission directly from the measurement sites,  
476 data processing, quality control, and conversion to formats used by the international user and storage  
477 communities. The PEEEX data will be harmonized with international measurement systems and data  
478 formats, in collaboration with existing global observation systems, such as [the](#) Global Atmosphere  
479 Watch Program by World Meteorological Organization (WMO-GAW, 2009), and with Arctic and  
480 boreal infrastructure projects, such as IASOA (International Arctic Systems for Observing the  
481 Atmosphere), INTERACT (International Network for Terrestrial Research and Monitoring in the  
482 Arctic), the Russian System of Atmospheric Monitoring (RSAM), Integrated Land Information  
483 System (ILIS), US AERONET (AErosol RObotic NETwork), NDACC (Network for the Detection  
484 of Atmospheric Composition Change) and TCCON (Total Column Carbon Observing Network), and  
485 European research infrastructures such as ICOS (Integrated Carbon Observation System), ACTRIS  
486 (Aerosols, Clouds, and Trace gases Research InfraStructure Network), SIOS (Svalbard Integrated

487 Earth Observing System) and ANAEE (Infrastructure for Analysis and Experimentation on  
488 Ecosystems).

### 489 **3.2.2. Modeling platform**

490 The PEEEX modeling platform is characterized by a multi-scale approach starting from the molecular  
491 and cell levels and extending all the way to complex integrated Earth system modeling, in  
492 combination with specific models of different processes and elements of the system, acting on  
493 different temporal and spatial scales. We have preliminary tested this kind of a multi-scale approach  
494 in a framework of an integrated European research project (Kulmala et al., 2011a). PEEEX takes an  
495 ensemble approach to the integration of modeling results from different models, participants and  
496 countries. PEEEX utilizes the full potential of a hierarchy of models: inverse modeling, emission  
497 modeling based on economical and energy models, scenario analysis, process modeling based on  
498 measurement, regional and global chemical transport models and climate models, as well as Earth  
499 system models. The models will be validated and constrained by PEEEX *in-situ* and remote sensing  
500 data of various spatial and temporal scales using data assimilation and top-down modeling. The  
501 analysis of the anticipated large volumes of data produced by PEEEX models and sensors will be  
502 supported by a dedicated virtual research environment developed for this purpose.

503 There has been criticism that the processes, and hence parameterizations, in Earth system models are  
504 based on insufficient knowledge of the physical, chemical and biological mechanisms involved in the  
505 climate system, and that the spatial or temporal resolution of known processes is insufficient (e.g.  
506 Nobre et al., 2010; [Baklanov et al., 2014](#)). PEEEX will tackle this issue by forwarding the necessary  
507 process understanding effectively to Earth system modeling frameworks. The PEEEX modeling  
508 platform will include also integrated assessment models, agent based models, economical and energy  
509 system models well as sociological and policy analysis.

### 510 **3.3. Impact on society (F-3)**

511 The PEEEX research agenda supports the planning of the sustainable use of natural resources, climate  
512 change adaptation and mitigation strategies. PEEEX provides scientific knowledge on natural and  
513 climatic processes, which are needed for assessing the extent of climate risks in the future. PEEEX will  
514 accumulate scientific knowledge on how societies in Europe, Russia and China are able to adapt to  
515 and mitigate climate change, developing useful and realistic mitigation and adaptation strategies. This  
516 will include economical and political analysis based on integrated modeling analysis using  
517 multidisciplinary PEEEX data with open access.

518 The scientific results of PEEEX intend to fill the current gaps in our knowledge of the processes,  
519 feedbacks and links within and between the major components of the Earth system in the Arctic-  
520 boreal context, including biogeochemical cycles and human activities. Reliable climate information  
521 and scenarios for the coming decades are crucial for supporting the adaptation of northern societies  
522 to the impacts of climate and cryospheric changes.

523 The PEEEX research results are used for producing different types of scenarios on the impacts of  
524 climate change and air quality changes on human population, society, energy resources and capital  
525 flows. PEEEX will provide information on mitigation and adaptation strategies for the changing Arctic  
526 environments and societies, in addition to which it will carry out risk analyses of both human activities  
527 and natural hazards (floods, forest fires, droughts, air pollution, high impact weather events). These  
528 plans take into account different key aspects, such as sustainable land use, public health and energy  
529 production. The improved knowledge and scenarios on climate phenomena and impacts are needed

530 to provide relevant climate predictions, and also to support adaptation measures. In particular,  
531 estimates of the type and frequency of extreme events, and possible nonlinear climate responses, are  
532 needed for past, present and future conditions.

533 Another main outcome of the PEEEX Preliminary Phase [\(2012-2017\)](#) is the PEEEX observation  
534 network, which will fill the current observational gap in the Northern Pan-Eurasian region and  
535 eventually provide data services for different types of users. The aim is to bring the observational  
536 setup into an international context with standardized or comparable procedures. The development of  
537 the European research infrastructures provides a model for the harmonized PEEEX data products, and  
538 for the calibration of network measurements with international standards. PEEEX will adopt the  
539 common European data formats and procedures for the PEEEX [research infrastructure -RI](#)  
540 [development, including open data policy](#). Furthermore, PEEEX will actively collaborate in a frame of  
541 the circumpolar projects.

542 PEEEX will provide new early-warning systems for the Arctic-boreal regions. The increasing  
543 utilization of natural resources in the Arctic region, together with increasing traffic, will increase the  
544 risk of accidents such as oil spills, as well as increasing anthropogenic emissions to the land,  
545 atmosphere and water systems, and cause negative land use changes in both forests and agricultural  
546 areas (Shvidenko et al. 2013). The thawing permafrost and extreme weather events accelerate both  
547 the risk of natural disasters, such as forest fires, floods and landslides, and the destruction of  
548 infrastructures, such as buildings, roads and energy distribution systems (UNEP 2013, Bondur et al.,  
549 2009; Bondur, 2011, 2015). The coherent and coordinated PEEEX observation network, together with  
550 the PEEEX modeling approach, form the backbone of the next generation early warning systems across  
551 the PEEEX geographical domain.

552 The advanced knowledge on environmental changes and their feedbacks to economy and society  
553 enables ~~us to address~~~~to us find out~~ future scenarios and narratives for future food production, forestry  
554 and other ecosystem services, development of transport, energy production, use of minerals as well  
555 as changes in local and regional culture and networks. These interlinks are [in most cases mainly](#) very  
556 nonlinear, ~~in nature~~ and therefore we need deep multidisciplinary understanding [for finding](#) practical  
557 solutions [to the grand challenges discussed earlier](#).

558 Society and research are tightly connected with each other. Society provides resources for the basic  
559 research, which generates new knowledge to be used in applied research. Applied research generates  
560 new innovations, which produce welfare and new resources back to society. PEEEX is [an](#) active player  
561 in each part of this cycle. Technological development can answer some of the questions arising in F-  
562 1. However, the whole society, including economic and cultural aspects, must be considered in the  
563 search for sustainable answers to grand challenges.

#### 564 **3.4. Knowledge transfer and capacity building (F-4)**

565 One of the first activities of PEEEX will be the establishment of a PEEEX education and capacity  
566 building program. The main emphasis is on facilitating the dissemination of existing educational  
567 material and on promoting the collaboration of national and regional programs. PEEEX intends to  
568 participate in the training of researchers throughout their career, from undergraduate and graduate  
569 studies to the level of experts, professors and research institute leaders. Building bridges between the  
570 different natural sciences, as well as between natural and social sciences, is one of the most important  
571 goals of the international and interdisciplinary education collaboration.

572 PEEEX will contribute to the building of a new, integrated Earth system research community in the  
573 Pan-Eurasian region. In practice this means an open access to the ~~by opening its~~ research and  
574 modeling infrastructures, as well as ~~and by~~ invitation of ~~ing~~ international partners and organizations to  
575 share their ~~its~~ development and use. PEEEX will be a major factor in integrating the socioeconomic and  
576 natural science communities to work together toward solving the major challenges influencing the  
577 wellbeing of humans, societies and ecosystems in the Arctic-boreal region.

578 PEEEX will distribute information to the general public in order to raise awareness on climate change,  
579 and on the human impacts at different scales of the climate problem. This will also increase the  
580 visibility of PEEEX activities in Europe, Russia and China.

#### 581 **4. Summary and outlook of PEEEX in the future society**

582 As a multicomponent, multidimensional and multidisciplinary program, PEEEX will provide future  
583 societies the tools for finding out sustainable ways to meet existing and also future grand challenges.  
584 The base for this are comprehensive research stations with proper satellite data and modeling  
585 framework, which enable us to improve our understanding, to answer our current research questions,  
586 and also to renew these questions in a proper way.

587 The scientific results of PEEEX will be used to develop new scenarios in order to help decision makers  
588 and other stakeholders to meet and manage grand challenges also in the future. Since the global  
589 population will increase, the use of fresh water, food supply, and the use and production of energy  
590 need to be organized in a sustainable manner. The health problems related to air pollution and  
591 epidemic diseases need to be solved. PEEEX will contribute significantly to climate scenarios on global  
592 and regional scales, and provide novel services such as early warning systems for the Arctic-boreal  
593 regions. PEEEX aims to contribute to the Earth system science agenda, to climate policy concerning  
594 topics important to the Pan-Eurasian environment, and also to help societies of this region in building  
595 up a sustainable future.

596 Because of the already observable effects of climate change on society, and the specific role of the  
597 Arctic and boreal regions in this context, PEEEX emphasizes the need for establishing next-generation  
598 research and research infrastructures in this area. PEEEX will provide fast-track assessments of global  
599 environmental change issues for climate policy-making, and for mitigation and adaptation strategies  
600 for the Northern Pan-Eurasian region.

601 In practice, PEEEX will develop and utilize an integrated observational and modeling framework to  
602 identify different climate forcing and feedback mechanisms in the northern parts of the Earth system,  
603 and therefore enable more reliable predictions of future regional and global climate. Besides climate  
604 change-air quality issues, PEEEX aims to provide a continuum from deep scientific understanding to  
605 socioeconomic solutions. The timescale of the first phase of PEEEX extends from 2013 to 2033, with  
606 a vision to continue several decades. The long timescale is required for solving the current and  
607 emerging interlinked grand challenges.

608 PEEEX aims to be operational in the beginning of 201~~8~~<sup>7</sup>. It will start designing and building long-  
609 term, continuous and comprehensive research infrastructures ~~(RI)~~ in Northern Pan-Eurasia. At first,  
610 the PEEEX infrastructure will be based on the re-organization of the existing facilities, and includes  
611 ground-based, aircraft, marine and satellite observations, as well as multi-scale modeling platforms.  
612 The PEEEX domain covers the Eurasian boreal zone and the Arctic regions of the hemisphere,  
613 including marine areas such as the Baltic, the North Sea and the Arctic Ocean. The PEEEX area  
614 includes also China due to its crucial impact and influence on the Boreal and Arctic regions. The




615 PEEEX research agenda focuses on the multidisciplinary process understanding of the Earth system  
616 on all relevant spatial and temporal scales, ranging from the nano-scale to the global scale. The  
617 strategic focus is to ensure the long-term continuation of comprehensive measurements in the land-  
618 atmosphere-ocean continuum in the northern Eurasian area, as well as the interactions and feedbacks  
619 related to urbanization and megacities, and to educate the next generation of multidisciplinary  
620 scientists and technical experts capable of solving the large-scale research questions with societal  
621 impact of the PEEEX geographical domain.


622 For successful operation PEEEX needs to have:


623


624  [excellent science: quality, critical mass and inter- and multidisciplinary research](#)

625  world-class Research Infrastructures and an integrated network of RIs, [open data](#)

626  ~~[excellent science: quality, critical mass and interdisciplinary research](#)~~

627  education and training: knowledge exchange and capacity building

628  innovations and contributions to an innovative environment

629  science to society: continuous dialog, [stakeholder involvement](#)

630

### 631 **Acknowledgements**

632 This work is supported by the Academy of Finland Centre of Excellence program (project numbers  
633 1118615 and 272041), by the Academy of Finland project ABBA (project number 280700), by the  
634 Nordic Centre of Excellence projects CRAICC and DEFROST, by the Integrated Land Ecosystem  
635 Atmosphere Processes Study (iLEAPS), by Finnish Cultural Foundation, Grant: Prof. Markku  
636 Kulmala “International Working Groups”, by the Erasmus+ CBHE project ECOIMPACT (561975-  
637 EPP-1-2015-1-FI-EPPKA2-CBHE-JP), by the Russian Ministry of Education and Science (Mega-  
638 grant No 11.G34.31.0048, project No 14.583.21.0003 (unique identifier of the project  
639 RFMEFI58314X0003), project No 14.604.21.0100 (identification code RFMTFIBBB210290),  
640 project No 14.586.21.0004 (unique identifier of the project RFMEFI58614X0004)), by the Russian  
641 Science Foundation (project numbers 15-17-20009 and 15-17-30009), by the RFBR Grant № 14-  
642 05-91759 (ISR “AEROCOSMOS”), and by the Institute of Geography, Russian Academy of  
643 Sciences, and Russian Science Foundation (project number 14-27-00133).

644

645

### 646 **References**

647 Arneth, A., Harrison, S. P., Zaehle, S., Tsigaridis, K., Menon, S., Bartlein, P. J., Feichter, J.,  
648 Korhola, A., Kulmala, M., O'Donnell, D., Schurgers, G., Sorvari, S., and Vesala, T.: Terrestrial  
649 biogeochemical feedbacks in the climate system, *Nature Geosci.*, 3, 525–532, doi:10.1038/geo905,  
650 2010.

651 Baklanov, A., Schlünzen, K., Suppan, P., Baldasano, J., Brunner, D., Aksoyoglu, S., Carmichael,  
652 G., Douros, J., Flemming, J., Forkel, R., Galmarini, S., Gauss, M., Grell, G., Hirtl, M., Joffre, S.,  
653 Jorba, O., Kaas, E., Kaasik, M., Kallos, G., Kong, X., Korsholm, U., Kurganskiy, A., Kushta, J.,  
654 Lohmann, U., Mahura, A., Manders-Groot, A., Maurizi, A., Moussiopoulos, N., Rao, S. T., Savage,  
655 N., Seigneur, C., Sokhi, R. S., Solazzo, E., Solomos, S., Sørensen, B., Tsegas, G., Vignati, E.,  
656 Vogel, B., and Zhang, Y.: Online coupled regional meteorology chemistry models in Europe:  
657 current status and prospects, *Atmos. Chem. Phys.* 14, 317–398, doi:10.5194/acp-14-317-2014, 2014.

658 Bondur, V. G., Krapivin, V. F., and Savinykh, V. P.: Monitoring and forecasting of natural  
659 disasters, Moscow: Nauchny Mir, 692 p, 2009.

660 Bondur V. G.: Satellite Monitoring of Wildfires during the Anomalous Heat Wave of 2010 in  
661 Russia, *Izv., Atmos. Ocean. Phys.*, 47, 1039–1048, 2011.

662 Bondur V. G.: Modern Approaches to Processing Large Hyperspectral and Multispectral  
663 Aerospace Data Flows, *Izv., Atmos. Ocean. Phys.*, 50, 840–852. DOI:  
664 10.1134/S0001433814090060, 2014.

665 Bondur V. G.: Space-borne Monitoring of Trace Gas and Aerosol Emissions During Wildfires in  
666 Russia, *Issledovanie Zemli iz kosmosa*, No 6., 21–35, 2015.

667 Buermann, W., Parida, B., Jung, M., MacDonald, G. M., Tucker, C. J., and Reichsteing, M.: Recent  
668 shift in Eurasian boreal forest greening response may be associated with warmer and drier summers.  
669 *Geophys. Res. Lett.*, 41, 1995–2002, 2014.

670 Ding, A. J., Fu, C. B., Yang, X. Q., Sun, J. N., Petäjä, T., Kerminen, V.-M., Wang, T., Xie., Y. N.,  
671 Herrmann, E., Zheng, L. F., Nie, W., Liu, Q., Wei X. L., and Kulmala, M.: Intense atmospheric  
672 pollution modifies weather: a case of mixed biomass burning with fossil fuel combustion  
673 pollution in the eastern China, *Atmos. Chem. Phys.*, 13, 10545–10554, 2013.

674 Ding, A.J., Fu, C. B., Yang, X. Q., Sun, J. N., Zheng, L. F., Xie, Y. N., Herrmann, E., Nie, W.,  
675 Petäjä, T., Kerminen, V.-M., and Kulmala, M.: Ozone and fine particle in the western Yangtze  
676 River Delta: an overview of 1 yr data at the SORPES station, *Atmos. Chem. Phys.*, 13, 5813–5830,  
677 2013.

678 Döscher, R., Vihma, T. and Maksimovich, E.: Recent advances in understanding the Arctic climate  
679 system state and change from sea ice perspective: a review, *Atmos. Chem. Phys.*, 14, 13571–13600,  
680 2014.

681 Graven, H. D., Keeling, R. F., Piper, S. C., Patra, P. K., Stephends, B. B., Wofsy, S. C., Welp, L.  
682 R., Sweeney, C., Tans, P. P., Kelley, J. J., Daube, B. C., Kort, E. A., Santoni, G. W., and Bent, J.  
683 D.: Enhanced seasonal exchange of CO<sub>2</sub> by Northern ecosystems since 1960, *Science*, 341,  
684 1085–1089, 2013.

685 Epstein, H. E., Myers-Smith, I., and Walker, D.: Recent dynamics of arctic and sub-arctic  
686 vegetation, *Environ. Res. Lett.*, 8, 015040, doi:10.1088/1748-9326/8/1/015040, 2013.

687 Frohking, S., Talbot, J., Jones, M. C., Treat, C. C., Kauffman, J. B., Tuittila, E.-s., and Roulet, R.:  
688 Peatlands in the Earth's 21st century climate system, *Environ. Rev.*, 19, 371–396, 2011.

689 Hari, P., Petäjä, T., Bäck, J., Kerminen, V.-M., Lappalainen, H.K., Vihma, T., Laurila, T., Viisanen,  
690 Y., Vesala, T., and Kulmala, M.: Conceptual Design of a measurement network of the global  
691 change, *Atmos. Chem. Phys. Discuss.*, 15, 21063-21093, doi:10.5194/acpd-15-21063-2015, 2015.

692 Hayes, D. J., Kickligher, D. W., McGuire, A. D., Chen, M., Zhuang, Q., Yan, F., Melillo, J. M., and  
693 Wullschlegel, S. D.: The impacts of recent permafrost thaw on land-atmosphere greenhouse gas  
694 exchange, *Environ. Res. Lett.*, 9, 045005, doi:10.1088/1748-9326/9/4/045005, 2014.

695 Heimann, M. and Reichstein, M.: Terrestrial ecosystem carbon dynamics and climate feedbacks,  
696 *Nature*, 451, 289–292, 2008.

697 Huadong, G. (2013) “Earth Observation in China and the World: History and Development in 50  
698 Years”, *Bulletin of the Chinese Academy of Sciences*, Vol.27 No.2

699 IPCC 2013. *Climate Change 2013: The Physical Science Basis. Working Group I Contribution to  
700 the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.* Stocker T.F., Qin  
701 D., Plattner G.-K., Tignor M., Allen S.K., Boschung J., Nauels A., Xia Y., Bex V. & Midgley P.  
702 M. (eds.). Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

703 IPCC 2014. *Climate Change 2014: Impacts, Adaptation, and Vulnerability. Working Group II  
704 Contribution to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.*

705 Kerr, R.A.: Ice-free Arctic sea may be years, not decades, away: *Science*, 337, 1591,  
706 doi:10.1126/science.337.6102.1591, 2012.

707 Kulmala M., A. Asmi, H. K. Lappalainen, U. Baltensperger, J.-L. Brenguier, M. C. Facchini, H.-C.  
708 Hansson, Ø. Hov, C. D. O’Dowd, U. Pöschl, A. Wiedensohler, R. Boers, O. Boucher, G. de Leeuw,  
709 H. A. C. Denier van der Gon, J. Feichter, R. Krejci, P. Laj, H. Lihavainen, U. Lohmann, G.  
710 McFiggans, T. Mentel, C. Pilinis, I. Riipinen, M. Schulz, A. Stohl, E. Swietlicki, E. Vignati, C. Alves,  
711 M. Amann, M. Ammann, S. Arabas, P. Artaxo, H. Baars, D. C. S. Beddows, R. Bergström, J. P.  
712 Beukes, M. Bilde, J. F. Burkhardt, F. Canonaco, S. L. Clegg, H. Coe, S. Crumeyrolle, B. D’Anna, S.  
713 Decesari, S. Gilardoni, M. Fischer, A. M. Fjaeraa, C. Fountoukis, C. George, L. Gomes, P. Halloran,  
714 T. Hamburger, R. M. Harrison, H. Herrmann, T. Hoffmann, C. Hoose, M. Hu, A. Hyvärinen, U.  
715 Hõrrak, Y. Iinuma, T. Iversen, M. Josipovic, M. Kanakidou, A. Kiendler-Scharr, A. Kirkevåg, G.  
716 Kiss, Z. Klimont, P. Kolmonen, M. Komppula, J.-E. Kristjánsson, L. Laakso, A. Laaksonen, L.  
717 Labonnote, V. A. Lanz, K. E. J. Lehtinen, L. V. Rizzo, R. Makkonen, H. E. Manninen, G.  
718 McMeeking, J. Merikanto, A. Minikin, S. Mirme, W. T. Morgan, E. Nemitz, D. O’Donnell, T. S.  
719 Panwar, H. Pawlowska, A. Petzold, J. J. Pienaar, C. Pio, C. Plass-Duelmer, A. S. H. Prevot, S.  
720 Pryor, C. L. Reddington, G. Roberts, D. Rosenfeld, J. Schwarz, Ø. Seland, K. Sellegri, X. J. Shen,  
721 M. Shiraiwa, H. Siebert, B. Sierau, D. Simpson, J. Y. Sun, D. Topping, P. Tunved, P. Vaattovaara, V.  
722 Vakkari, J. P. Veefkind, A. Visschedijk, H. Vuollekoski, R. Vuolo, B. Wehner, J. Wildt, S.  
723 Woodward, D. R. Worsnop, G.-J. van Zadelhoff, A. A. Zardini, K. Zhang, P. G. van Zyl, V.-M.  
724 Kerminen, K. S Carslaw<sup>52</sup>, and S. N. Pandis<sup>36</sup> General overview: European Integrated project on  
725 Aerosol Cloud Climate and Air Quality interactions (EUCAARI) – integrating aerosol research from  
726 nano to global scales *Atmos. Chem. Phys.*, 11, 13061–13143, 2011, doi:10.5194/acp-11-13061-2011,  
727 2011a.

728 Kulmala, M., Alekseychik, P., Paramonov, M., Laurila, T., Asmi, E., Arneth, A., Zilitinkevich, S.,  
729 and Kerminen, V.-M.: On measurements of aerosol particles and greenhouse gases in Siberia and  
730 future research needs, *Boreal Env. Res.*, 16, 337–362, 2011b.

- 731 Kulmala, M., Kontkanen, J., Junninen, H., Lehtipalo, K., Manninen, H. E., Nieminen, T., Petäjä, T.,  
732 Sipilä, M., Schobesberger, S., Rantala, P., Franchin, A., Jokinen, T., Järvinen, E., Äijälä, M.,  
733 Kangasluoma, J., Hakala, J., Aalto, P. P., Paasonen, P., Mikkilä, J., Vanhanen, J., Aalto, J., Hakola,  
734 H., Makkonen, U., Ruuskanen, T., Mauldin III., R. L., Duplissy, J., Vehkamäki, H., Bäck, J.,  
735 Kortelainen, A., Riipinen, I., Kurten, T., Johnston, M. V., Smith, J. N., Ehn, M., Mentel, T.,  
736 Lehtinen, K. E. J., Laaksonen, A., Kerminen, V.-M., and Worsnop, D. R.: Direct observations of  
737 atmospheric aerosol nucleation, *Science*, 339, 943–946, 2013.
- 738 Kulmala, M., Nieminen T., Nikandrova A., Lehtipalo K., Manninen H. E., Kajos M. K., Kolari P.,  
739 Lauri A., Petäjä T., Krejci R., Hansson H.-C., Swietlicki E., Lindroth A., Christensen T. R., Arneth  
740 A., Hari P., Bäck J., Vesala T. and Kerminen V.-M.: CO<sub>2</sub>-induced terrestrial feedback mechanism:  
741 From carbon sink to aerosol source and back. *Boreal Env. Res.*, 19, suppl. B, 122–131, 2014.
- 742 Lappalainen, H. K., Petäjä, T., Kujansuu, J., Kerminen, V.-M., Shvidenko, A., Bäck, J., Vesala, T.,  
743 Vihma, T., de Leeuw, G., Lauri, A., Ruuskanen, T., Lapshin, V. B., Zaitseva, N., Glezer, O.,  
744 Arshinov, M., Spracklen, D. V., Arnold, S. R., Juhola, S., Lihavainen, H., Viisanen, Y., Chubarova,  
745 N., Chalov, S., Filatov, N., Skorokhod, A., Elansky, N., Dyukarev, E., Esau, I., Hari, P.,  
746 Kotlyakov, V., Kasimov, N., Bondur, V., Matvienko, G., Baklanov, A., Mareev, E., Troitskaya, Y.,  
747 Ding, A., Guo, H., Zilitinkevich, Z., and Kulmala, M.: Pan-Eurasian Experiment (PEEX)- a  
748 research initiative meeting the grand challenges of the changing environment of the northern Pan-  
749 Eurasian arctic-boreal areas, *J. Geography Environment Sustainability*, 2, 13–48, 2014.
- 750  
751 Laothawornkitkul, J., Taylor, J. E., Paul, N. D., and Hewitt, C. N.: Biogenic volatile organic  
752 compounds in the Earth System, *New Phytologist*, 183, 27–51, 2009.
- 753 Melillo, J.M., Steudler, P.A, Aber, J.D, Newkirk, K., Lux, H., Bowles, F.P., Catricala, C., Magill,  
754 A., Ahrens, T. and Morrisseau, S. (2002) Soil warming and carbon-cycle feedbacks to the climate  
755 system. *Science*, 298, pp. 2173–2176.
- 756 Nobre, C., Brasseur, G. P., Shapiro, M. A., Lahsen, M., Brunet, G., Busalacchi, A. J., Hibbard, K.,  
757 Seitzinger, S., Noone, K., and Ometto, J. P.: Addressing the complexity of the Earth system, *Bull.*  
758 *Amer. Meteor. Soc.*, 91, 1389–1396.
- 759 Paasonen, P., Asmi, A., Petäjä, T., Kajos, M. K., Äijälä, M., Junninen, H., Holst, T., Abbatt, J. P. D.,  
760 Arneth, A., Birmili, W., Denier van der Gon, H., Hamed, A., Hoffer, A., Laakso, L., Laaksonen, A.,  
761 Leaitch, W. R., Plass-Dulmer, C., Pryor, S. C., Räisänen, P., Swietlicki, E., Wiedensohler, A.,  
762 Worsnop, D. R., Kerminen, V.-M., and Kulmala, M.: Warming-induced increase in aerosol number  
763 concentration likely to moderate climate change, *Nature Geosci.*, 6, 438–442, 2013.
- 764 Pan, Y., Birdsey, R. A., Fang, J., Houghton, R., Kauppi, P. E., Kurz, W. A., Phillips, O. L.,  
765 Shvidenko, A., Lewis, S. L., Canadell, J. G., Ciais, P., Jackson, R. B., Pacala, S. W., McGuire, A.  
766 D., Piao, S., Rautiainen A., Sitch, S., and Hayes, D.: A large and persistent carbon sink in the  
767 world's forests, *Science*, 333, 988–993, 2011.
- 768 Pearson, R. G., Phillips, S. J., Lorant, M. M., Beck, P. S. A., Damoulas, T., Knight, S. J., and  
769 Goetz, S. J.: Shifts in Arctic vegetation and associated feedbacks under climate change, *Nature*  
770 *Clim. Change*, 3, 673–677, 2013.
- 771 Piao S, P. Ciais, P. Friedlingstein, P. Peylin, M. Reichstein, S. Luysaert, H. Margolis, J. Fang, A.  
772 Barr, A. Chen, A. Grelle, D.Y. Hollinger, T. Laurila, A. Lindroth, A.D. Richardson and T. Vesala  
773 (2008): Net carbon dioxide losses of northern ecosystems in response to autumn warming. *Nature*  
774 451, pp. 49-53.

775 Quinn, P.K., A. Stohl, A. Baklanov, M.G. Flanner, A. Herber, K. Kupiainen, K.S. Law, J. Schmale,  
776 S. Sharma, V. Vestreng, K. von Salzen: The Arctic, Radiative forcing by black carbon in the Arctic  
777 in “State of the Climate in 2013”, *Bulletin of the American Meteorological Society*, 95(7): 124-125,  
778 2014.

779 Reich, P. B., Sendall, K. M., Rice, K., Rich, R. L., Stefanski, A., Hobbie, S. E., and Montgomery,  
780 R. A.: Geographic range predicts photosynthetic and growth response in co-occurring tree species,  
781 *Nature Clim. Change*, 5, 148–152, 2015.

782 Schaefer, K., Lantuit, H., Romanovski, V. E., Schuur, E. A. G., and Witt, R.: The impact of the  
783 permafrost carbon feedback on global climate, *Environ. Res. Lett.*, 9, 085003, doi:10.1088/1748-  
784 9326/9/8/085003, 2014.

785 Scott, C. E., Rap, A., Spracklen, D. V., Forster, P. M., Carslaw, K. S., Mann, G. W., Pringle, K. J.,  
786 Kivekäs, N., Kulmala, M., Lihavainen, H., and Tunved, P.: The direct and indirect radiative effects  
787 of biogenic secondary organic aerosol, *Atmos. Chem. Phys.*, 14, 447–470, 2014.

788 Smith, L. (2010) *The New North- the World in 2050*.

789 Smith, S. J., Edmonds, J., Harting, C. A., Mundra, A., and Calvin, K.: Near-term acceleration in the  
790 rate of temperature increase, *Nature Clim. Change*, 5, 333–336, 2015.

791 Spracklen, D. V., Bonn, B., and Carslaw, K. S: Boreal forests, aerosols and the impacts on clouds  
792 and climate, *Philos. Trans. R. Soc. Ser. A*, 266, 1–11, 2008.

793 Shvidenko ,A., Gustafson, E., Mc Guire, A. D., Kharuk, V. I., Svhepaschenko, D. G., Shugart, H.  
794 H., Tchebakova, N. M., Vygodskaya, N. N., Onuchin, A. A., Hayes, D. J., McCallum, I.,  
795 Maksyutov, S., Mukhortova, L.V., Soja, A. J., Belelli-Marchesini, L., Kurbatova, J. A., Oltchev, A.  
796 V., Parfenova, E. I., and Shuman, J. K.:Terrestrial ecosystems and their change. In *Regional  
797 Environmental Changes inSiberia and Their Global Consequences*, P.Ya. Groisman and G. Gutman  
798 (eds.), Springer, pp.171–249, 2013.

799 Tarnocai, C., Canadell, J. G., Schuur, E. A. G., Kuhry, P., Mazhitova, G., and Zimov, S.: Soil  
800 organic carbon pools in the northern circumpolar permafrost regions, *Glob. Biogeochem. Cycles*,  
801 23, GB2023, doi:10.1029/2008GB003327, 2009.

802 Vihma, T., Pirazzini, R., Fer, I., Renfrew, I. A., Sedlar, J., Tjernström, M., Lüpkes, C., Nygård, T.,  
803 Notz, D., Weiss, J., Marsan, D., Cheng, B., Birnbaum, G., Gerland, S., Chechin, D., and Gascard, J.  
804 C.: Advances in understanding and parameterization of small-scale physical processes in the marine  
805 Arctic climate system: a review. *Atmos. Chem. Phys.*, 14, 9403–9450, doi:10.5194/acp-14-9403-  
806 2014, 2014.

807 Zilitinkevich S., Kulmala M., Esau I., and Baklanov A.: Megacities – refining models to personal  
808 environment. *WMO Bulletin* 64, 20–22, 2015.


809 UNEP Year Book 2013: Emerging issues in our global environment. United Nation Environmental  
810 program.78 pp. 978-92-807-3284-9 DEW/1565/NA

811 WMO-GAW, 2009: WMO Global Atmosphere Watch (GAW) Strategic Plan: 2008 – 2015. WMO  
812 TD NO. 1384, GAW Report No. 172, 104 p.

813

814

815




816

817 **Figure 1.** The interlinked Global forces (Climate Change, natural resources, globalization,  
818 demography) (Smith, 2010) modifying the northern regions future within next 40 years. The  
819 technological development provides the framework for the future development trends.

820

821



822


823 **Figure 2.** Northern Pan-Eurasian geographical region encompasses both permafrost and boreal zones.

824

825

826

827



828

829 **Figure 3.** Schematic figure of the PEEEX Structure.

830



Main Component	<i>Large-scale research questions</i>	<i>key topic for research</i>
LAND SYSTEM	<p><i>Q-1 How could the land regions and processes that are especially sensitive to climate change be identified, and what are the best methods to analyze their responses?</i></p> <p><i>Q-2 How fast will permafrost thaw proceed, and how will it affect ecosystem processes and ecosystem-atmosphere feedbacks, including hydrology and greenhouse gas fluxes?</i></p> <p><i>Q-3 What are the structural ecosystem changes and tipping points in the future evolution of the Pan-Eurasian ecosystem?</i></p>	<p>shifting of vegetation zones, Arctic greening</p> <p>risk areas of permafrost thawing</p> <p>Ecosystem structural changes</p>
ATMOSPHERIC SYSTEM	<p><i>Q-4 What are the critical atmospheric physical and chemical processes with large-scale climate implications in a northern context?</i></p> <p><i>Q-5 What are the key feedbacks between air quality and climate at northern high latitudes and in China?</i></p> <p><i>Q-6 How will atmospheric dynamics (synoptic scale weather, boundary layer) change in the Arctic-boreal regions?</i></p>	<p>atmospheric composition and chemistry</p> <p>urban air quality, megacities and changing PBL</p> <p>weather and atmospheric circulation</p>
AQUATIC SYSTEMS – THE ARCTIC OCEAN	<p><i>Q-7 How will the extent and thickness of the Arctic sea ice and terrestrial snow cover change?</i></p> <p><i>Q-8 What is the joint effect of Arctic warming, ocean freshening, pollution load and acidification on the Arctic marine ecosystem, primary production and carbon cycle?</i></p> <p><i>Q-9 What is the future role of Arctic-boreal lakes, wetlands and large river systems, including thermokarst lakes and running waters of all size, in biogeochemical cycles, and how will these changes affect societies (livelihoods, agriculture, forestry, industry)?</i></p>	<p>The Arctic Ocean in the climate system</p> <p>The Arctic maritime environment lakes, wetlands and large river systems in the Siberian region</p>

<p><b>ANTHROPOGENIC ACTIVITIES</b></p>	<p><i>Q-10 How will human actions such as land-use changes, energy production, the use of natural resources, changes in energy efficiency and the use of renewable energy sources influence further environmental changes in the region?</i></p> <p><i>Q-11 How do the changes in the physical, chemical and biological state of the different ecosystems, and the inland, water and coastal areas affect the economies and societies in the region, and vice versa?</i></p> <p><i>Q-12 In which ways are populated areas vulnerable to climate change? How can their vulnerability be reduced and their adaptive capacities improved? What responses can be identified to mitigate and adapt to climate change?</i></p>	<p>Anthropogenic impact</p> <p>Environmental impact</p> <p>Natural hazards</p>
<p><b>FEEDBACKS – INTERACTIONS</b></p>	<p><i>Q-13 How will the changing cryospheric conditions and the consequent changes in ecosystems feed back to the Arctic climate system and weather, including the risk of natural hazards?</i></p> <p><i>Q-14 What are the net effects of various feedback mechanisms on (i) land cover changes, (ii) photosynthetic activity, (iii) GHG exchange and BVOC emissions (iv) aerosol and cloud formation and radiative forcing ? How do these vary with climate change on regional and global scales?</i></p> <p><i>Q-15 How are intensive urbanization processes changing the local and regional climate and environment?</i></p>	<p>Atmospheric composition, biogeochemical cycles: water, C, N, P, S</p>

833

834