# Aerosol Optical Properties in the Southeastern United

# States in Summer-Part 1: Hygroscopic Growth

Charles A. Brock<sup>1</sup>, Nicholas L. Wagner<sup>1,2</sup>, Bruce E. Anderson<sup>3</sup>, Alexis R. Attwood<sup>1,2,4</sup>, Andreas Beyersdorf<sup>3</sup>, Pedro Campuzano-Jost<sup>2,5</sup>, Annmarie G. Carlton<sup>6</sup>, Douglas A. Day<sup>2,5</sup>, Glenn S. Diskin<sup>3</sup>, Timothy D. Gordon<sup>1,2,7</sup>, Jose L. Jimenez<sup>2,5</sup>, Daniel A. Lack<sup>1,2,8</sup>, Jin Liao<sup>1,2,9</sup>, Milos Z. Markovic<sup>1,2,10</sup>, Ann M. Middlebrook<sup>1</sup>, Nga L. Ng<sup>11,12</sup>, Anne E. Perring<sup>1,2</sup>, Matthews S. Richardson<sup>1,2</sup>, Joshua P. Schwarz<sup>1</sup>, Rebecca A. Washenfelder<sup>1,2</sup>, Andre Welti<sup>1,2,13</sup>, Lu Xu<sup>12</sup>, Luke D. Ziemba<sup>3</sup>, and Daniel M. Murphy<sup>1</sup> [1] {NOAA Earth System Research Laboratory, Boulder, Colorado, USA} [2] {Cooperative Institute for Research in Environmental Sciences, University of Colorado, Boulder, Colorado, [3] {NASA Langley Research Center, Hampton, Virginia, USA} [4] {Now at: Horiba Scientific, Edison, New Jersey, USA} [5] {Department of Chemistry and Biochemistry, University of Colorado, Boulder, Colorado, USA} [6] {Department of Environmental Sciences, Rutgers University, New Brunswick, New Jersey, USA} [7] {Now at: Handix Scientific LLC, Boulder, Colorado, USA} [8] {Now at: TEAC Consulting, Brisbane, Australia} [9] {Now at: NASA Goddard Space Flight Center, Greenbelt, Maryland, USA } [10] {Now at: Air Quality Research Division, Environment Canada, Toronto, Ontario, Canada} [11] {School of Earth and Atmospheric Sciences, Georgia Institute of Technology, Atlanta, Georgia, USA} [12] {School of Chemical and Biomolecular Engineering, Georgia Institute of Technology, Atlanta, Georgia, USA} [13] {Now at: Leibniz Institute for Tropospheric Research, Department of Physics, Leipzig, Germany} Correspondence to: C. A. Brock (charles.a.brock@noaa.gov) Abstract. Aircraft observations of meteorological, trace gas, and aerosol properties were made during May-

Abstract. Aircraft observations of meteorological, trace gas, and aerosol properties were made during May-September 2013 in the southeastern United States (US) under fair-weather, afternoon conditions with well-defined planetary boundary layer structure. Optical extinction at 532 nm was directly measured at relative humidities (RHs) of ~15%, ~70%, and ~90% and compared with extinction calculated from measurements of aerosol composition and size distribution using the  $\kappa$ -Köhler approximation for hygroscopic growth. The calculated enhancement in hydrated aerosol extinction with relative humidity, f(RH), calculated by this method agreed well with the observed f(RH) at ~90% RH. The dominance of organic aerosol, which comprised 65±10% of particulate matter with aerodynamic diameter <1  $\mu$ m in the planetary boundary layer, resulted in relatively low f(RH) values of 1.43±0.67 at 70% RH and 2.28±1.05 at 90% RH. The subsaturated  $\kappa$ -Köhler hygroscopicity parameter  $\kappa$  for the organic fraction of the aerosol must have been <0.10 to be consistent with 75% of the observations within uncertainties, with a best estimate of  $\kappa$ =0.05. This subsaturated  $\kappa$  value for the organic aerosol in the southeastern US is broadly consistent with field studies in rural environments. A new, physically based, single-parameter representation was developed that better described f(RH) than did the widely used gamma power-law approximation.

### 1 Introduction

- 2 Particles in the atmosphere scatter and absorb solar radiation. Atmospheric aerosol extinction
- 3 (=scattering+absorption) reduces visibility and usually cools the earth, especially over dark surfaces such as
- 4 oceans and forests. Uncertainty in the direct radiative forcing due to anthropogenic aerosols is the second largest
- 5 contributor to total uncertainty in climate forcing (IPCC, 2013; Bond et al., 2013).
- 6 One of the most important factors affecting ambient aerosol optical extinction-hence visibility, aerosol optical
- depth (AOD), and direct radiative effects—is the particulate water mass, which depends on both the hydrophilic
- 8 properties of the aerosol components and the relative humidity (RH). Hygroscopic water uptake changes particle
- 9 size and refractive index and can lead to dramatic changes in the extinction as a function of RH due to changes
- 10 in the amount of aerosol liquid water, even when dry mass is constant. Atmospheric RH is highly variable
- temporally, horizontally, and especially vertically, so aerosol water modulates the relationship between ambient
- 12 extinction and dry aerosol mass.
- 13 The relationship between atmospheric extinction and humidity has long been recognized (e.g., Wright, 1939).
- 14 The coupling between particle hygroscopicity and composition and optical extinction has been evaluated
- 15 experimentally and quantitatively since the work of Pilat and Charlson (1966), Covert and Charlson (1972) and
- Hänel (1972a; 1972b). Understanding the factors controlling the change in extinction or scattering as a function
- of RH, known as f(RH), is important for evaluating remote sensing measurements (e.g., Brock et al., 2015;
- 18 Crumeyrolle et al., 2014; Esteve et al., 2012; Ferrare et al., 1998; Hegg et al., 1993; Kotchenruther et al., 1999;
- van Donkelaar et al., 2015; Voss et al., 2001; Zieger et al., 2011, 2012; Ziemba et al., 2012), aerosol direct
- radiative forcing calculations (e.g., Attwood et al., 2014; IPCC, 2013; Kahn, 2011; Koloutsou-Vakakis et al.,
- 21 1998; Nemesure et al., 1995), and atmospheric visibility estimates (e.g., Charlson et al., 1967; Malm et al.,
- 22 2000). In general, particles composed primarily of organic material and dust are less hygroscopic (Duplissy et
- al., 2011; Petters and Kreidenweis, 2007; Zieger et al., 2015), while those that are predominantly inorganic take
- 24 up water more readily (e.g., Petters and Kreidenweis, 2007; Quinn et al., 2005). Particles may exhibit sharp
- 25 phase transitions as they deliquesce, as well as hysteresis as they effloresce, especially for inorganic
- 26 compositions (e.g., Santarpia et al., 2005; Tang, 1996; Zieger et al., 2014). Particles dominated by organic
- 27 compounds are more likely to present more gradual hygroscopic growth with increasing RH without evident
- phase transition behavior (e.g., Carrico et al., 2005; Zieger et al., 2015).
- 29 Because of the chemical complexity of particles and the difficulty in measuring precise molecular composition
- 30 and relating that to water uptake with increasing RH, it is common to use simplified parameterizations to
- describe the change in extinction (or scattering) with atmospheric RH relative to a dry or low-RH state. The most
- 32 frequently used of these parameterizations is a power-law function known as the "gamma" parameterization,
- 33 which was first used by Kasten et al. (1969). This empirically derived, single parameter equation is often written
- 34 as

35 
$$\frac{\sigma(RH)}{\sigma(RH_0)} \equiv f(RH) = \left[\frac{(100 - RH_0)}{(100 - RH)}\right]^{\gamma}$$
, (1)

- where  $\sigma(RH)$  is the bulk aerosol extinction at the ambient RH condition,  $\sigma(RH_0)$  the extinction at the dry (low
- 37 RH) condition  $RH_0$ , and  $\gamma$  is a parameter fitted to the observed data. The  $\gamma$  parameterization has been widely used

- to describe aerosol hygroscopicity (e.g., Attwood et al., 2014; Doherty et al, 2005; Kasten, 1969; Massoli et al.,
- 2 2009; Quinn et al., 2005). Doherty et al. (2005) and Quinn et al. (2005) showed that in many environments the
- 3 value of  $\gamma$  varies systematically with composition, and especially with the ratio of submicron organic aerosol
- 4 (OA) mass to the mass of submicron sulfate plus OA. This relationship ignores other aerosol components
- 5 (e.g. nitrate, ammonia and BC) that are important in controlling hygroscopicity (e.g., Zieger et al., 2015), as well
- 6 as aerosol size, and thus provides only an approximate prediction of f(RH) when given information on bulk
- 7 submicron particle composition.
- 8 In this paper we examine the change in aerosol extinction at 532 nm wavelength as a function of RH based on
- 9 measurements from two airborne field projects in the southeastern US in the summer. This analysis focuses on
- mid-day and afternoon data collected when the planetary boundary layer was fully developed because 1) prior to
- daytime atmospheric mixing, aerosols may be chemically diverse and externally mixed, leading to complex
- hygroscopic growth patterns that are hard to characterize (Santarpia, 2005); 2) we wish to develop an
- understanding of aerosol hygroscopicity that is regionally representative, and the well-developed, cloud-topped
- boundary layer structure examined here is typical of the southeastern US in summertime (Warren et al., 1986);
- and 3) most of the airborne data were taken in the late morning and afternoon in fair weather. We describe the
- 16 observed variability in aerosol composition, size distribution, and hygroscopicity characteristics in this
- 17 environment and evaluate the suitability of  $\kappa$ -Köhler and Mie theories to represent f(RH). We develop and use a
- new single-parameter equation that better describe f(RH) in this environment than does the  $\gamma$  parameterization
- 19 (Eq. 1).

- 20 This paper is the second of three that analyze in detail the same airborne measurements of aerosol optical
- 21 properties in the southeastern US. In the first paper (Wagner et al., 2015) we described in detail the flights, the
- 22 instruments and the observations associated with vertical profiles conducted in this region. In the final paper
- 23 (Brock et al., 2015), the understanding of aerosol hygroscopicity developed here and the vertical profiles
- analyzed in Wagner et al. (2015) are used to evaluate the sensitivity of AOD to a range of aerosol and
- 25 meteorological parameters.

### 2 Methods

26

27

### 2.1 Aircraft instrumentation

- We analyze airborne, in situ data measured during the May-July 2013 Southeastern Nexus of Air Quality and
- 29 Climate (SENEX) and the portions of the August-September 2013 Study of Emissions and Atmospheric
- 30 Composition, Clouds, and Climate Coupling by Regional Surveys (SEAC<sup>4</sup>RS) projects that were made in the
- 31 southeastern US. The SENEX project used the NOAA WP-3D aircraft (typical airspeed ~100 m s<sup>-1</sup>), while the
- 32 SEAC<sup>4</sup>RS project used the NASA DC-8 aircraft (~160 m s<sup>-1</sup>) Details of the instruments, measurements, and
- 33 methodology for generating regionally representative vertical profiles of aerosol, gas-phase, and meteorological
- 34 parameters are given by Wagner et al. (2015). Briefly, measurements of the composition of sub-1 μm vacuum
- 35 aerodynamic diameter (approximately <0.7 μm physical diameter) non-refractory particles were made by aerosol
- mass spectrometers (AMS, Aerodyne, Billerica, Massachusetts, US; Canagaratna et al., 2007; DeCarlo et al.,
- 37 2006) each with extensive customization for aircraft use (Bahreini et al., 2008; Dunlea et al., 2009; Middlebrook

- et al., 2012). The AMS used during SENEX employed a compact time-of-flight mass spectrometer (C-ToF)
- 2 while that used during SEAC<sup>4</sup>RS employed a high-resolution time-of-flight mass spectrometer with greater
- 3 resolving power (HR-ToF, DeCarlo et al., 2006). The mass of black carbon (BC) particles was measured on both
- 4 projects with the same humidified tandem single-particle soot photometer (SP2; Droplet Measurement
- 5 Technologies, Boulder, CO, US; Schwarz et al., 2015). Dry particle size distributions from  $\sim$ 0.07 to 1.0  $\mu$ m were
- 6 measured with two separate ultra-high sensitivity aerosol size spectrometers (UHSAS, Particle Metrics, Inc.,
- 7 Boulder, Colorado, US; Brock et al., 2011; Cai et al., 2008), one on each project. Aerosol extinction at 532nm
- 8 wavelength and three relative humidities (~15%, ~70%, and ~90%) was measured simultaneously with a custom
- 9 built multichannel cavity ringdown spectrometer (CRDS; Langridge et al., 2011) on both projects.
- Air entering the CRDS passed through a 40cm long carbon monolith denuder (210cpi/30mm OD, MAST
- 11 Carbon, Basingstoke, United Kingdom) to remove semivolatile inorganic and organic gases. The flow was then
- was dried to a low RH (~15%, range 8-24%), below the efflorescence point of atmospherically relevant salts,
- using multitube Nafion dryers (PD-200T-12MSS, Permapure Inc., Toms River, New Jersey, US) with a sample
- 14 residence time of 0.25 s. For measurement by the two elevated RH channels, the sample was humidified to
- 15 >90% RH by cooling the sample flow inside Nafion humidifiers (MH-110-12-S-4, Permapure Inc., Toms River,
- New Jersey, US), causing deliquescence. The sample flow was then reheated to the temperatures of the
- 17 measurement cells in the instrument, which were controlled using RH sensors (Model HMP110, Vaisala Inc.,
- 18 Helsinki, Finland) to achieve the desired measurement RH. Typically, one elevated-RH channel measured at
- 19 ~70% RH (actual range 70-73%) and the other measured at ~90% RH (actual range 86-94%). Data were
- 20 excluded from analysis when the RH of high-RH channel was <85%.
- 21 Histograms of measured RH values for each CRDS channel are given in the Supplemental Materials. The
- 22 cooling in the humidifiers was 10-15K and 1-3K below the cell temperatures of the medium- and high-RH
- 23 channels respectively. Total time of exposure to elevated humidities was ~4s, of which 0.4 s was in the cooled
- section and 3.6 s was in the warmed section. Calculated and measured f(RH) for 300nm ammonium sulfate
- particles are in agreement within uncertainties (Langridge et al., 2011), indicating that the humidified residence
- time is sufficient to allow hygroscopic particles to grow to equilibrium. However, the instrument has not been
- 27 tested with less hygroscopic organic particles that might exhibit kinetic limitations to water uptake. This remains
- an uncharacterized uncertainty.
- 29 The changes in sample temperature in the inlet, sample line, humidifiers, and CRDS cells may lead to loss of
- 30 semi-volatile species. Submicron ammonium nitrate was <0.04 μg m<sup>-3</sup> in the daytime during contemporaneous
- 31 measurements at a ground site in Centreville, Alabama in June 2013 (Attwood et al., 2014; Guo et al., 2015).
- 32 The upstream denuder excludes condensation of semi-volatile compounds. Because of the initial high level of
- 33 humidification prior to reheating, the CRDS measurements at elevated RH were made on the metastable
- 34 (humidified) branch of any deliquescence/efflorescence hysteresis curve. This better represents the likely state of
- 35 the aged atmospheric aerosol in the cloud-topped planetary boundary layer than would measurements made on
- 36 the deliquescence branch of the curve. We did not attempt to measure aerosol extinction at ambient humidity
- because it is difficult to regulate instrument humidity rapidly enough to respond to ambient RH changes in flight.

A low-turbulence inlet and sampling system (Brock et al., 2011) was used during SENEX. During this project the AMS, CRDS, SP2, and UHSAS sampled downstream of an impactor with 50% efficiency at 1.0 µm aerodynamic diameter (PM1). Accounting for particle and air density, typical 50% impactor efficiency was ~0.7 μm physical diameter at the inlet RH, which was measured at <50% due to dynamic heating during sampling. Particle loses in the CRDS system were characterized experimentally by Langridge et al. (2011) using particles size-selected with a custom-built differential mobility analyzer (DMA) of the design now available commercially (Brechtel Manufacturing, Inc., Hayward, CA, US). Losses within the instrument were <1.25% for submicron particles at RH values up to 92%. Transmission of 0.1-0.7 µm particles in the turbulent transmission line (inner diameter 0.95 cm, length 3 m, flowrate 20 l min<sup>-1</sup>) between the impactor and the AMS, CRDS, SP2, and UHSAS was calculated for inertial, gravitational, and diffusive losses using the aerocalc.xls spreadsheet (Baron, 2001) and was >0.992 for the range of flight conditions encountered. Based on the known particle transmission characteristics of the AMS focusing lens inlet and the measured size distribution, the AMS was estimated to sample >97% of PM1 particle volume (Wagner et al., 2015). During SEAC<sup>4</sup>RS, the aerosol instruments sampled ambient air using a shrouded conical diffusing inlet that transmitted particles smaller than 2.8 µm aerodynamic diameter with efficiency >95% (McNaughton et al., 2007). The CRDS and UHSAS sampled downstream of the same 1.0 µm impactor used in SENEX. Calculated particle transmission through the tubing between the inlet and the CRDS and UHSAS instruments was >0.99. The AMS, CRDS, SP2, and UHSAS all comparably and quantitatively sampled PM1 aerosol during both SENEX and SEAC<sup>4</sup>RS.

1 2

3

4

5

6

7

8

9

10

11

12

13 14

15

16

17

18

19

2021

2223

2425

26

27

28

29

3031

32

33

3435

36

37

The accuracy of the f(RH) measurement made by the CRDS instrument was reported in Langridge et al. (2011) using ammonium sulfate particles size selected with a differential mobility analyzer (DMA) as an atmospherically relevant model hygroscopic aerosol and PSL as a model hydrophobic aerosol. The accuracy of f(RH) determined by this approach was within  $\pm 2\%$  (at RH=76%) and  $\pm 14\%$  (at RH=95%) of values calculated by  $\kappa$ -Köhler theory, well within experimental uncertainty. The optical power in the sample cells of the CRDS is much less than the 40-100 mW lasers that illuminate the optical cavities, and the aerosol is not measurably heated. The humidity is controlled by direct measurement of RH within each ringdown cell. Because the CRDS provides a fundamental measurement of extinction, repeated extinction calibrations are not necessary. The gasphase extinction measurement was periodically checked with an ozone source measured by an independent ozone sensor (Thermo Environmental Instruments, Model 49i Ozone Analyzer) and showed no systematic biases in the CRDS extinction during SENEX or SEAC<sup>4</sup>RS. The probes measuring the RH of the sample cells (Vaisala HMP110) were calibrated before and after the SENEX and SEAC<sup>4</sup>RS missions using the equilibrium water vapor pressure over salt solutions (Vaisala HMK15) providing nominal RH values of 33% (MgCl<sub>2</sub>), 75% (NaCl), and 97% (K<sub>2</sub>SO<sub>4</sub>). The RH values reported by probes were within the manufacturer's stated uncertainty of ±2% for RH<90% and ±3% for RH≥90% for these salt solutions. The total accuracy in the 1-s humidified extinction measurement is estimated to be  $\pm 5\%$ ,  $\pm 10\%$ , and  $\pm 15\%$  at  $\sim 15$ ,  $\sim 70$ , and  $\sim 90\%$  RH, respectively. Thus the uncertainty in f(RH) is estimated to be  $\pm 11\%$  and  $\pm 16\%$  for the medium and high RH channels, respectively. This uncertainty estimate does not account for possible residual water present in particles in the ~15% RH channel, which could bias the f(RH) values low.

### 2.2 Corrections to UHSAS size distributions for refractive index

The size distribution reported by the UHSAS is a function of the amount of light scattered onto the instrument's photodetectors, and the quantity of scattered light is itself a function of the composition-dependent aerosol refractive index. Hence, it is necessary to correct the measured UHSAS size distributions for changing aerosol composition during flight. This correction was accomplished by first calibrating the instrument to an aerosol of known refractive index to relate scattering amplitude to discrete pulse height channels. Next, the Mie scattering over the optical geometry of the instrument was calculated to determine how each channel was related to particle diameter for an atmospherically relevant range of real refractive index. Finally, a look-up table of this relationship was used to determine the actual diameter represented by each channel as refractive index, calculated from the AMS measurements as described in Section 2.3, varied. The UHSAS exhibits a monotonic

response function for submicron particles (Cai et al., 2008).

The UHSAS operated during SENEX was calibrated using atomized, dried ammonium sulfate particles sized with the DMA previously described. The sizing accuracy of the DMA was better than 2% as determined using NIST-traceable PSL microspheres in eight sizes from 0.1 to 1.2 μm (Thermo Fisher Scientific, Inc., Waltham, MA, US). The UHSAS was calibrated on five days with >36 separate ammonium sulfate particle sizes during the SENEX mission, in addition to pre-flight daily calibration checks using four PSL microsphere sizes. The UHSAS that was operated by the NASA Langley group during SEAC<sup>4</sup>RS was calibrated using PSL microspheres and the calibration was checked twice during each flight by generating an aerosol containing four microsphere sizes and introducing it into the inlet sample flow as the aircraft was flying.

The response of the UHSAS was simulated using numerical Mie calculations (Bohren and Huffman, 1983) of the light scattered over the solid angle that is imaged onto the instrument's photodetectors. Assumptions include spherical, homogeneous particles with composition that is invariant with particle diameter. The geometry of the detection optics was determined from a review of technical drawings with the manufacturer. Light is scattered perpendicularly to the beam from a neodymium-doped yttrium lithium fluoride laser (1053 nm) and is imaged onto solid state photodetectors on each side of the scattering cell using pairs of Mangin mirrors in clamshell configurations. The signal from each detector is amplified through two gain stages, for a total of four independent gain stages. Each detector samples the light scattered by particles over a circularly symmetric angle from 33-147°. The center region of the angle, between 75.2 and 104.8° is not sampled because of the hole cut in the outer of the Mangin mirrors (the detector area is a negligible fraction of this hole area). Thus the imaged solid angle is a conical annulus. This geometry is consistent with that reported by Petzold et al. (2013), but contrasts with that reported for the UHSAS by Cai et al., (2008), who appear to have incorrectly used a 22-158° scattering angle to simulate UHSAS instrument response..

Using the calibrations, the relationship between the 99 size channels and the amount of light scattered onto the detectors was determined. Knowing that each channel represents a certain amount of scattered light, the Mie model was used to calculate the particle diameter corresponding to each channel for a range of particle real refractive indices from 1.40 to 1.60, in increments of 0.01, producing a look-up table relating channel number to particle diameter as a function of real refractive index. Using the AMS data and the composition model described in Section 2.3, the real refractive index was determined by volume-weighted averaging for each AMS

data point using the values in Table 1. The mean and standard deviation of the real part of the calculated

refractive index was 1.547±0.004 for the data analyzed here. Using the real refractive index for each point, the

look-up table was then applied to determine the physical diameter for each UHSAS channel for each

measurement interval. Residual water content in the dry (~15% RH) aerosol was not considered. The variation in

instrument response due to the imaginary component of the refractive index, k, also was not considered. Because

BC concentrations measured by the SP2 were very low (averaging  $< 0.05 \mu g \text{ m}^{-3}$  for the data analyzed here), k

7 was calculated to be  $0.006 \pm 0.004$ , and thus was ignored in the generation of the UHSAS look-up table.

However, the BC component was included in the calculation of  $\kappa_{chem}$ , refractive index, and extinction as

9 described in Section 2.3 below.

1

2

3

4

5

6

8

10

15

16

17

18

30

35

36

### 2.3 Method to calculate ambient extinction

To determine ambient extinction, measurements of extinction made at three discrete RH values of ~15%, ~70%,

and ~90% may be interpolated or extrapolated to ambient conditions at arbitrary RH based on a parametric

model such as the  $\gamma$  function. However, because the measurements analyzed here include submicron aerosol size

distributions and composition, a more explicit method to determine ambient extinction can also be used (Fig.

1a). Petters and Kreidenweis (2007) proposed the  $\kappa$ -Köhler parameterization that describes the water activity of

an aqueous solution without considering explicitly the effect of individual ionic components. The  $\kappa$ -Köhler

approach has been used widely to predict subsaturated particle growth as well as the activation of cloud

condensation nuclei (CCN). Ignoring curvature effects for particles diameters >100 nm, the hygroscopic growth

of a water-soluble aerosol can be approximated as

$$20 gf_{diam} \cong \left(1 + \kappa_{chem} \frac{RH}{100 - RH}\right)^{1/3}, (2)$$

where  $gf_{diam}$  is the diameter growth factor, the ratio of the particle's wet diameter to its dry diameter. An equation

of this form was first used by Rissler et al. (2006) to describe observed hygroscopic growth factors. The value of

23  $\kappa_{chem}$  for a mixed particle composition may be calculated from the volume weighted average of the  $\kappa_{chem}$  of each

species i,  $\kappa_i$ , which contributes to the aerosol composition:

25 
$$\kappa_{chem} = \frac{\sum_{i} (\kappa_{i} X_{i} / \rho_{i})}{\sum_{i} (X_{i} / \rho_{i})},$$
 (3)

where  $X_i$  is the mass concentration and  $\rho_i$  the dry density of species i. The  $\kappa_i$ , are determined from

27 thermodynamic model calculations or by experimentally determining the growth factors for individual

28 compounds. This volume-weighted approach follows the Zdanovskii-Stokes-Robinson (Stokes and Robinson,

29 1966) mixing rule, which states that each component of the mixture acts independently and that the optical

properties are linearly additive. The accuracy of the particle diameter growth factor calculated using  $\kappa_{chem}$ 

determined from Eq. (3) varies depending on the specifics of the aerosol composition and mixing state and on

the accuracy of the  $\kappa_i$ , but is generally observed to be better than 30% (Petters and Kreidenweis, 2007).

33 Using the methodology shown schematically in Fig. 1a, the measurements of aerosol composition and size

distribution were used to calculate the extinction expected at the dry, medium, and high RH values measured in

the CRDS. This calculation serves two purposes: it evaluates the closure of the optical, chemical, and size

distribution measurements, and it helps determine how well the  $\gamma$  parameterization, Eq. (1), describes f(RH) in

the southeastern US. The AMS measured the mass concentrations of sulfate, nitrate, chloride, ammonium, and 2 OA. From these measurements, an electrolyte composition model (Zaveri, 2005) was used to calculate the 3 concentrations of ammonium sulfate, ammonium bisulfate, letovicite, sulfuric acid, ammonium nitrate, 4 ammonium chloride, nitric acid, and hydrochloric acid. Contributions from ions associated with electrolytes of 5 magnesium and sodium are likely to be insignificant contributors to the submicron aerosol mass in the 6 continental boundary layer (Washenfelder et al., 2015). Organosulfates were estimated to contribute <4% to the 7 submicron aerosol mass and therefore are not considered (Liao et al., 2015). The contribution of particulate 8 organic nitrates (pON) to measured nitrate has been estimated using the method described in Fry et al (2009) for 9 the SEAC<sup>4</sup>RS flights on which the HR-ToF-AMS was operated (Day et al., 2015). The pON, likely in the form 10 of oxidized monoterpene nitrates (Boyd et al., 2015; Draper et al., 2015; Xu et al., 2015a,b) is estimated to be 11 between 15 and 40% of the total measured nitrate above the surface in the well-mixed and transition layers, and 12 more than 63% across the southeastern US at the surface (Xu et al., 2015a). However, nitrate represented <5% of 13 fine aerosol mass in the data analyzed here. Lacking specific information on pON density or hygroscopicity, and 14 given its relatively small contribution to aerosol mass in summer (<12% of OA and <8% of submicron mass; Xu 15 et al., 2015b), all measured nitrate is treated as ammonium nitrate. Finally, potential phase separation phenomena 16 that have been found in laboratory studies of OA/inorganic mixtures (e.g., Hodas et al., 2015), insoluble 17 inclusions that might influence hygroscopicity (Pringle et al., 2010), and the diameter dependence of  $\kappa_{chem}$ 18 discussed by Good et al. (2010a) are ignored.

1

19

20

21

22

23

24

32

33

34

35

36

The bulk aerosol  $\kappa_{chem}$  was determined from the volume-weighted  $\kappa_i$  values (Table 1) using Eq. (3). Aerosol extinction at the measured low, medium and high humidities was then calculated as follows (Fig. 1a). First, as detailed in Section 2.2., the optically equivalent dry diameters measured by the UHSAS were converted into physical dry diameters, accounting for the effects of varying composition on the real refractive index, which varied only slightly (interdecile range 1.54-1.56). Next, the particle diameter at the ambient RH,  $D_{RH}$ , was calculated using  $\kappa$ -Köhler theory (including the Kelvin effect) by numerically solving

25 
$$\frac{RH}{100} = \frac{D_{RH}^3 - D_d^3}{D_{RH}^3 - D_d^3 (1 - \kappa_{chem})} exp\left(\frac{4\sigma_s M_w}{RT\rho_w D_{RH}}\right)$$
(4)

26 where  $D_d$  is the dry diameter,  $\sigma_s$  the surface tension of water at the particle/air interface, and  $M_w$  and  $\rho_w$  the 27 molecular weight and density of water, respectively (Petters and Kreidenweis, 2007). Finally, Mie theory 28 (Bohren and Huffman, 1983) was used to calculate the expected extinction coefficient,  $\sigma_{ext}$ , at the ambient RH 29 using the water-swelled  $D_{RH}$  and water-corrected, volume-weighted refractive index n, as

30 
$$\sigma_{ext} = \int_{4 nm}^{700 nm} \frac{\pi}{4} D_{RH}^2 \alpha(D_{RH}, n) N(D_{RH}) dD_{RH},$$
 (5)

where  $\alpha$  is the extinction efficiency and N the number concentration of particles in diameter interval  $dD_{RH}$ . 31

In calculating ambient extinction using Eq. (5) it is assumed that there is no size dependence to  $\kappa_{chem}$ ; instead it is assumed that all optically active particles are spherical, internally mixed and have the same composition regardless of size. This assumption is supported qualitatively by inspection of the size-dependent composition periodically measured by the AMS instruments. The differences in the real refractive index between the UHSAS sensing laser (1053 nm) and the humidified CRDS (532 nm) wavelengths of about 0.02 (Toon et al., 1976) are

- 1 not considered. We also ignore the contribution of submicron soil components, which were not separately
- 2 measured but whose concentrations measured at a surface site nearby were negligible (Washenfelder et al.,
- 3 2015), and of sea-salt, which has low concentrations in the southeastern US in summer (Guo et al., 2015).

### 2.4 Uncertainty in calculated and measured extinction

- 5 Extinctions were calculated from the measured composition and the UHSAS size distributions for the low
- 6 (~15% RH) medium (~70% RH) and high (~90% RH) conditions of measurement in the CRDS instrument. The
- 7 uncertainties in these extinctions are difficult to estimate because of the multiple steps of processing (Fig. 1a),
- 8 including modeling the UHSAS instrument response, and the assumptions inherent in the calculation (e.g.,
- 9 internally mixed, homogeneous, spherical particles). We assume that  $\kappa_{\rm chem}$  for inorganic electrolytes can be
- estimated to within ~20%, based on ranges found in the cited literature. This uncertainty includes the uncertainty
- in the composition determined by the AMS. This uncertainty may appear low, since AMS accuracy for absolute
- concentrations is ~35%, driven in large part by uncertainties in particle collection efficiency (Middlebrook et al.,
- 13 2012). However, only the mass fractions of the individual aerosol constituents are used when calculating  $\kappa_{\text{chem}}$ ,
- so the collection efficiency does not contribute to the uncertainty assuming that all components of a particle are
- 15 collected with the same efficiency. Instead, the uncertainty is dominated by other factors such as relative
- ionization efficiency for different compounds, and is taken to be ~20%; this uncertainty is an area of current
- 17 research (Murphy et al., 2016). For OA, the uncertainty in the  $\kappa_{chem}$  is much larger because the OA composition
- 18 is largely unknown. Values of  $\kappa_{chem}$  for various OA compositions measured in the laboratory vary from 0 to 0.5
- 19 (e.g., Petters and Kreidenweis, 2007; Rickards et al., 2013). To achieve consistency with the observed f(RH), we
- 20 have chosen a  $\kappa_{\text{chem}}$  for OA,  $\kappa_{\text{chem,org}}$ , of 0.050. The range of  $\kappa_{\text{chem,org}}$  values that are consistent with our
- observations within uncertainties is discussed further in Section 3.3.
- 22 The uncertainty in the size distribution measured by the UHSAS has been examined in detail elsewhere (Cai et
- 23 al., 2008; Brock et al., 2011). For particle diameters <0.5 μm, and an assumed a range in real refractive index of
- 24 1.43-1.56 with negligible absorption, the actual diameter may deviate by up to 8% from the reported diameter,
- 25 which is based on ammonium sulfate calibration. However, because we correct the size distribution for refractive
- 26 index effects as described in Section 2.2, the error in the diameters used to calculate extinction is estimated to be
- 27 <3% based on calibration precision. Concentration uncertainty due to counting statistics is <4% for the cases
- analyzed here, and that due to the sample flow measurement is <1.6%.
- The uncertainties described above propagate to extinction nonlinearly through the  $\kappa$ -Köhler equation (Eq. (4))
- and through the Mie calculation (Eq. (5)). We use a Monte Carlo approach to simulate the expected uncertainty
- in the extinction determined at the three relative humidities. Three values each of geometric mean diameter,
- 32 geometric standard deviation, and  $\kappa_{chem}$  were chosen spanning the interdecile range of observed values, creating a
- total of 27 cases. For each case, the extinction at the three RH values was calculated, as described in Section 2.3
- 34 (Fig. 1a), 1000 times while median diameter, standard deviation,  $\kappa_{chem}$ , and RH each was simultaneously varied
- 35 by a normally-distributed random error corresponding to the uncertainty in that parameter. In addition, a
- 36 normally-distributed random uncertainty was added to represent counting statistics and flow uncertainty. The
- 37 resulting total relative errors for calculated extinction varied only slightly as function of extinction, with a mean

- 1 relative error of ±34%. This value is used as the best estimate of total uncertainty in calculated ambient
- 2 extinction.
- 3 The calibration accuracy in directly-measured CRDS extinction varies with measurement RH, and is  $\pm 2\%$  at
- 4  $\sim$ 15% RH,  $\pm$ 5% at  $\sim$ 70% RH, and  $\pm$ 15% at  $\sim$ 90% RH for extinction values exceeding 20 Mm<sup>-1</sup>. Instrument
- 5 precision for 1-s data is  $\pm 5\%$  at 50 Mm<sup>-1</sup>.
- 6 For the seven flights analyzed for this study, the extinction calculated from the AMS and size distribution data
- 7 (Section 2.3) and the extinction measured by the CRDS agreed within the combined experimental uncertainty at
- 8 all three measurement humidities (Table 2). During the SEAC<sup>4</sup>RS flight of 6 September 2013, the UHSAS did
- 9 not function, so for this flight extinction was not calculated from the composition and size distribution
- 10 measurements, although the extinction values measured directly by CRDS are used.
- All aerosol data used in this analysis have been corrected to conditions of 1013 hPa and 273.15 K. All aerosol
- data were measured at 1 s intervals, with the exception of the C-ToF-AMS measurements during SENEX, which
- were made over 10 s intervals. When calculating extinction from the AMS and size distributions (Fig. 1a), the
- 14 SENEX data were averaged to match the C-ToF-AMS measurement frequency. The SEAC<sup>4</sup>RS data, including
- that from the HR-ToF-AMS, were averaged to 10s to maintain statistical consistency with the SENEX data.

### 16 3. Results and analysis

- 17 In this section we describe the observed aerosol properties and their vertical structure, explore the relationship
- 18 between particle composition and hygroscopicity, place constraints on the hygroscopicity of the OA component
- 19 of the submicron aerosol, and present a new parameterization to describe the f(RH) curve.

### 20 3.1 Selection of data

- 21 This analysis focuses on in situ measurements obtained during vertical profiles from the SENEX and SEAC<sup>4</sup>RS
- 22 flights made in the southeastern states of Louisiana, Mississippi, and Georgia (Fig. 2). These data were selected
- because they were the focus of analysis by Wagner et al. (2015) of particle vertical mixing and mass production,
- and because the results of this analysis and these profiles are used in a companion paper evaluating the
- 25 sensitivity of AOD to several aerosol parameters and to RH (Brock et al., 2015). Wagner et al. (2015) describe in
- detail the selection criteria for the profiles. Briefly, profiles were included in the analysis if they were in the
- afternoon during fair-weather cumulus conditions, exhibited a well-mixed layer between the surface and cloud
- base, and contained a distinct transition (cloud) layer between the well-mixed layer and the free troposphere
- above. The well-mixed and transition layers were defined on the basis of the oxidation lifetime of the gas-phase
- 30 species CO and isoprene. Air within the well-mixed layer was in immediate (<1 hr) contact with surface
- 31 isoprene emission, while the transition layer was evidently a result of mixing between the well-mixed layer and
- the free troposphere over time scales of hours.
- 33 Of the 74 profiles made in the geographic area of interest, 37 met the criteria of Wagner et al. (2015) and 25 met
- both the meteorological criterion and the criterion that the high RH channel be at RH<85%. The aircraft flight
- tracks and locations of these profiles are shown in Fig. 2. Brock et al. (2015) show that the AOD values

- 1 calculated by vertically integrating the ambient extinction derived from the in situ measurements in the profiles
- 2 are regionally representative and are consistent with ground-based climatologies of AOD determined from
- 3 sunphotometer measurements. Thus the measurements presented here are typical of the daytime, summertime
- 4 background and moderately polluted rural aerosol of this region.

### 3.2 Observed aerosol composition and hygroscopicity

- 6 Data from a single example profile measured in east central Alabama on 20130622 are shown in Fig. 3. The
- 7 measured extinction at the low, medium, and high RH values (Fig. 3a), along with the RH values measured in
- 8 the CRD cells and ambient air (Fig. 3b) are the fundamental measurements. The f(RH) values from the medium
- 9 and high RH channels are shown in Fig 3c. Within the well-mixed layer the dry extinction was nearly constant
- 10 (Fig. 3a). The ambient RH reached a maximum at the top of the well-mixed layer (Fig. 3b), where the bases of
- the fair-weather cumulus clouds were typically found. The fraction of PM1 dry mass that was measured by the
- 12 AMS to be inorganic was  $\sim$ 0.3 in the well-mixed and transition layers, and increased to  $\sim$ 0.55 in the free
- troposphere. Because inorganic compounds are generally more hygroscopic that are organic species (e.g., Petters
- and Kreidenweis, 2007), the f(RH) at ~90% RH increased from <1.7 in the well-mixed and transition layers to
- >2.5 in the free troposphere. For comparison, the f(RH) for pure 300 nm ammonium sulfate particles at 532nm
- wavelength is expected to be ~2 at 70% RH and ~4 at 90% RH (Langridge et al., 2011). Because the extinction
- and mass of the aerosol within the free troposphere was only ~15% of that within the well-mixed layer, the well-
- mixed layer aerosol dominated aerosol composition and hygroscopicity within the transition layer.
- Wagner et al. (2015) present a method to generate a composite profile while maintaining distinction between the
- 20 mixed, transition, and free tropospheric layers. Composite profiles of the subset of 25 profiles that contained
- 21 valid f(RH) data were generated by this technique (Fig. 4). As in the individual profile shown in Fig. 3, the
- 22 median dry extinction was a maximum in the well-mixed layer, declined through the transition layer, and was a
- 23 minimum in the free troposphere (Fig. 4a). The values of f(RH), on the other hand, slightly increased with
- 24 altitude in the well-mixed and transition layers, and were a maximum in the free troposphere (Fig. 4b,c). Values
- of f(RH) were highly variable in the free troposphere, primarily because extinction values were low and signal
- levels were noisy. The median inorganic fraction of PM1 increased from 0.35±0.10 averaged over the well
- 27 mixed and transition layers to ~0.45 in the free troposphere. The organic aerosol in the well-mixed layer in
- daytime was composed of aged secondary organic matter, primarily from biogenic sources (Kim et al., 2015; Xu
- 29 et al, 2015a,b). The measured mean values of f(RH) for all layers was 1.43±0.67 at ~70% RH and 2.28±1.05 at
- 30 ~90% RH.

- 31 Using the method described in Fig. 1a and Sect. 2.3, the expected extinction at the dry, ~70%, and ~90% RH
- 32 conditions was calculated. The f(RH) values from these calculated extinctions are compared with the f(RH)
- 33 values from the CRDS measurements in Fig. 5. The calculated and measured f(RH) are in excellent agreement
- 34 (slope=1.13,  $r^2$ =0.81) for the ~90% RH condition, but are less well correlated ( $r^2$ =0.29) for the ~70% RH
- 35 condition. This poorer correlation at the medium RH value may be associated with variability in organic
- 36 hygroscopicity, which dominates aerosol hygroscopicity at RH<80%. In section 3.3 we examine the range of
- 37 organic hygroscopicity that is consistent with our measurements within experimental uncertainty.

### 3.3 Constraints on the hygroscopicity of OA

1

37

38

2 Organic matter dominated the composition of the submicron particles during both SENEX and SEAC<sup>4</sup>RS, 3 averaging 65±10% of the fine aerosol mass in the data analyzed here (Section 3.1). Published values for the 4 hygroscopic growth parameter of OA,  $\kappa_{chem.OA}$ , vary widely between  $\sim 0$  and 0.4 (e.g., Petters and Kreidenweis, 5 2007; Rickards et al., 2013; Suda et al., 2012). A parameterization linking  $\kappa_{chem,OA}$  to the ratio of the oxidized OA 6 fragment m/z 44 to total OA mass (f44) as measured in the AMS has been developed (Duplissy et al., 2011). 7 However, Rickards et al., (2013) find that this parameterization does not fit many available data, and that 8 significant variations in aerosol chemical functionality, composition, and oxidation history affect  $\kappa_{chem.O.4}$ . 9 Cerully et al. (2015) show that, in the southeastern U. S.,  $\kappa_{chem,OA}$  is not simply related to oxidation level, but to 10 additional parameters including OA volatility. Values of  $\kappa_{chem}$  for atmospheric aerosols are commonly 11 determined experimentally using measurements of droplet activation diameter in the supersaturated regime (e.g., 12 Cerully et al., 2015; Chang et al. 2010; Dusek et al., 2010; Gunthe et al., 2009; Levin et al. 2012; Sihto et al., 13 2011) or using hygroscopic growth measurements in the subsaturated regime (Cappa et al., 2011; Cheung et al. 14 2015; Hersey et al., 2013; Malm et al., 2000; Mikhailov 2013; Nguyen et al., 2014; Sihto et al., 2011). 15 Atmospheric variability in these measurements is compounded by potential measurement artifacts (Good et al., 16 2010b). Although not always explicitly calculated, the value of  $\kappa_{chem,OA}$  often can be inferred from these studies. 17 A review of results from the publications cited above suggests a range of mass-weighted total  $\kappa_{chem,QA}$  from 0 to 18 0.2 well represents the organic hygroscopicity of the ambient aerosol in a variety of environments, with best 19 estimates of <0.1 for subsaturated (hygroscopic growth) measurements and >0.1 for supersaturated (CCN) 20 measurements. 21 Given the high organic fraction of the aerosol, the value of  $\kappa_{chem,OA}$  is an important factor determining observed 22 f(RH). We can examine which values of  $\kappa_{chem,OA}$  are consistent with our measurements within experimental 23 uncertainty to place constraints on this parameter. Some of the errors in the calculated extinction-UHSAS sizing 24 bias, UHSAS counting statistics, and UHSAS and AMS flow uncertainties (Sect. 2.4)-are not independent and 25 should cancel when calculating f(RH). Ignoring these error terms, relative errors in calculated  $f(RH)_{70}$  of  $\pm 7\%$ 26 and in  $f(RH)_{90}$  of  $\pm 24\%$  were determined using the Monte Carlo method described in Section 2.4. To calculate 27 the range in  $\kappa_{chem,OA}$  that was consistent with the observed  $f(RH)_{70}$  and  $f(RH)_{90}$ , the following approach was used: 1) For each measurement point, the inorganic  $\kappa_{\text{chem}}$  determined from the AMS measurements was held constant. 28 29 2) A Monte Carlo simulation assigned a random  $\kappa_{chem,org}$  between 0.0 and 0.5, and the values of  $f(RH)_{70}$  and  $f(RH)_{90}$  were calculated. 3) When the calculated  $f(RH)_{70}$  and  $f(RH)_{90}$  both agreed with the measured values 30 31 within their uncertainties, the value of  $\kappa_{chem,OA}$  was recorded; otherwise step (2) was repeated. This process was 32 repeated 50 times for each data point, and the mean value of each  $\kappa_{chem,OA}$  that was consistent with the data was recorded. Thus statistics were built for the values of  $\kappa_{chem,OA}$  that were consistent with observed hygroscopic 33 34 growth at both the high and medium RH conditions. 35 A histogram of the values of mean  $\kappa_{chem,OA}$  that were consistent with the f(RH) observations within uncertainty 36 (Fig. 6) is heavily skewed toward zero, with the 50th, 75th, and 90th percentile values being 0.05, 0.10, and 0.17.

This outcome demonstrates that a low value of  $\kappa_{chem,OA}$  is necessary to match the observed f(RH) values, with a

best estimate of 0.05. Only values of  $\kappa_{chem,OA}$ <0.10 can be consistent with the relatively small increase in f(RH) at

- the medium RH value of ~70% (Fig. 7a) in most (75%) of our data. Our analysis assumes a homogeneous, size-
- 2 independent internal mixture of the aerosol components, and does not account for the possible presence of
- sparingly soluble OA compounds (Wex et al., 2009) or for the diameter dependence of  $\kappa_{chem}$  (Good et al., 2010a).
- Nguyen et al. (2014) suggest that  $\kappa_{chem}$  itself is a function of RH due to an increasing osmotic coefficient with
- decreasing RH. We find that a single, constant  $\kappa_{chem}$  explains the f(RH) at 90% RH, but only if  $\kappa_{chem,OA}$  is <0.10
- for >75% of our data.

### 3.4 Parameterizing f(RH)

- 8 The hygroscopic growth of particles and f(RH) can be calculated using the technique shown in Fig. 1a and Table
- 9 2 if discrete phase transitions can be ignored. However, a simplified parameterization based on optical
- measurements alone (Fig. 1b) is useful when compositional or size distribution observations are not available, as
- is often the case for in situ data from monitoring networks or measurements from mobile platforms. The often-
- used  $\gamma$  parameterization (Eq. (1)) has the desired simplicity. In Fig. 7a we plot the observed f(RH) found within
- 13 the well mixed layer in the single profile in Fig. 3. The  $\gamma$  parameterization with RH<sub>0</sub>=0 did not match within
- uncertainties the f(RH) directly observed by the medium RH channel of the CRDS. This bias at ~70% RH
- occurred frequently, as shown in the composite profiles (Fig. 4b) and in histogram form (Fig. 7c). The planetary
- boundary layer in the southeastern US is often at humidities between 50 and 90% where the  $\gamma$  parameterization
- 17 could lead to overprediction of the ambient extinction by 20% or more. Because of these biases we have sought
- a different single-parameter representation of the *f(RH)* curve.
- In the Appendix, we use  $\kappa$ -Köhler and Mie theories to develop an alternative parameterization for f(RH). This
- 20 parameterization is given by

$$21 f(RH) \cong 1 + \kappa_{ext} \frac{RH}{100 - RH}, (6)$$

- where  $\kappa_{\rm ext}$  is the fitted parameter. When fitted to the three-point f(RH) measurements in SENEX and SEAC<sup>4</sup>RS,
- both the  $\kappa_{\rm ext}$  and  $\gamma$  parameterizations fit the high RH condition well (Figs. 4c, 7a). However, the  $\kappa_{\rm ext}$
- parameterization predicts the medium-RH extinction values better than does the  $\gamma$  parameterization for most of
- 25 the data (Figs. 4b, 7a). In 17 of the 25 profiles for which valid hygroscopicity measurements were made, the  $\kappa_{\rm ext}$
- 26 parameterization described the observed hygroscopic growth better than did the y parameterization, as
- determined by a  $\chi^2$  statistic. This improved performance is shown Fig. 7c, where the fitted and measured f(RH)
- values at the medium (70%) RH condition for the two parameterizations are compared. The ratio of fitted to
- measured f(RH) values at 70% RH for  $\kappa_{\text{ext}}$  is centered near 1 and is symmetric, while that for  $\gamma$  is >1 for most of
- 30 the data. Further, there are distinct differences in the fitted f(RH) curves for the two approaches for RH>90%,
- 31 with the  $\kappa_{\rm ext}$  parameterization showing a more rapid increase in f(RH) with increasing RH for these high
- 32 humidity conditions (Fig. 7a). Preliminary evaluation of ambient atmospheric data acquired in February 2015 in
- Boulder, Colorado, US (Appendix) provides an example where the  $\kappa_{\rm ext}$  curve more closely follows the observed
- 34 f(RH) for ambient particles at RH >90% than does the  $\gamma$  parameterization. In the Supplemental Materials we also
- 35 present additional analysis of data from the work of Zieger et al. (2013) that support the use of the  $\kappa_{\rm ext}$
- parameterization (Eq. (6)) in polluted and background continental cases where organic aerosol matter is likely to
- be a dominant component.

- 1 The  $\gamma$  parameterization (Eq. 1) is sometimes used with RH<sub>0</sub> set to some value other than 0, which is used here. In
- 2 this application, f(RH) is assumed to be zero for RH $\leq$ RH<sub>0</sub>, then increases sharply for RH $\geq$ RH<sub>0</sub>. That approach
- 3 may produce a better fit to the measured f(RH) values (e.g., Fig. 3a), but is probably most suitable for aerosols
- 4 dominated by inorganic constituents which exhibit sharp deliquescence features. This approach is not
- 5 appropriate for the continuous hygroscopic growth expected for the organic-dominated aerosols found in the
- 6 southeastern US, and in particular for the deliquesced f(RH) curve measured by the CRDS system.
- 7 In the Appendix we examine the relationship between  $\kappa_{\rm ext}$  determined from fitting the f(RH) values (Eq. (6)) and
- 8  $\kappa_{\rm chem}$  calculated from particle composition measurements (Eq. (3)). These parameters are related but not
- 9 identical.

### 3.5 Comparison of airborne and ground-based data

- 11 The airborne data can be compared with contemporaneous measurements at the SOAS ground site in Centreville
- of the change in  $\sigma_{ext}$  at wavelengths of 360-420 nm at two RH values (Attwood et al., 2014). Wagner et al.
- 13 (2015) show that the airborne data measured in the well-mixed afternoon boundary layer near the Centreville site
- 14 agree well with the surface measurements. Attwood et al. (2014) fit the ground site data using the  $\gamma$
- parameterization (Eq. (1)) and find a decrease in hygroscopicity with increasing OA mass fraction that is
- 16 consistent with earlier studies in different aerosol types. Using the f(RH) measurements by Attwood et al. and
- solving Eq. (6),  $\kappa_{ext}$  can be calculated and compared with the airborne data. These values are plotted in Fig. 8
- against the fraction of the total submicron non-refractory OA mass (note that this differs slightly from the  $F_{oa}$
- parameter reported by Attwood et al., 2014), as measured by a HR-ToF-AMS at the Centreville site (Xu et al.,
- 20 2015a,b). Also plotted are the values from the airborne data used in this analysis, restricted to AMS mass
- 21 concentrations >8 μg m<sup>-3</sup> to compare boundary layer air only. The airborne and ground data are similar, with
- slopes of -0.24±0.01 and -0.24±0.04, respectively (95% confidence intervals). The  $\kappa_{ext}$  values from the ground
- 23 site are higher; however, the  $\kappa_{ext}$  determined from a two-point f(RH) measurement is particularly sensitive to the
- 24 accuracy of the RH measurements in the extinction cell, as shown by the dashed lines in Fig. 8, which represent
- 25 the variation in  $\kappa_{ext}$  due to the stated absolute uncertainty in the RH measurement at the ground site of  $\pm 3\%$ .
- Extrapolating the central fits to an OA fraction of 1 yields a  $\kappa_{ext}$  of 0.030 for the airborne data and 0.067 for the
- data from the ground site. The ratio of  $\kappa_{ext}$  to  $\kappa_{chem}$  is expected to be ~0.5 to 1 for typical accumulation-mode size
- distributions (Appendix), so a value of  $\kappa_{chem,OA}$  of ~0.07-0.14 would be expected at the SOAS ground site. These
- values are generally consistent with the airborne results showing a relatively low value of  $\kappa_{chem,OA}$  (<0.10 for
- 30 75% of the data).

31

### 4 Discussion and Conclusions

- 32 The submicron aerosol observed in typical summertime, fair-weather, afternoon conditions in the southeastern
- 33 US displayed a vertical structure of a well-mixed layer between the surface and ~1100 m above the surface, a
- transition layer from ~1100 to ~2100 m, and the free troposphere above ~2100 m. Wagner et al. (2015) more
- 35 fully describe this vertical structure and the gas-phase and aerosol characteristics of each layer, and show that
- 36 ammonium and sulfate were the dominant inorganic aerosol constituents in all the layers. Within the well-mixed

- layer, the aerosol was ~65% OA, and declined to ~50% OA in the free troposphere. As a result of this
- 2 composition, the aerosol on average was modestly hygroscopic, with  $f(RH) = 1.43 \pm 0.67$  at ~70% RH and
- 3 2.28 $\pm$ 1.05 at ~90% RH. Ammonium sulfate exhibits an f(RH) of ~2 at ~70% RH (Langridge et al., 2011),
- 4 attesting to the low hygroscopicity of the OA component.
- 5 The hygroscopicity of OA varies with level of oxidation (O:C ratio), oxidation state, and solubility, among other
- 6 parameters (e.g., Cappa et al., 2011; Cerully et al., 2015; Duplissy et al., 2011; Rickards et al., 2013). The large
- 7 number of possible OA sources, oxidation histories, and compositions suggest a broad range of OA
- 8 hygroscopicities. While the slope of the least-squares fit between the calculated and measured f(RH) values at
- 9  $\sim$ 70% RH is 0.35, the r<sup>2</sup> value is only 0.43 and most of the data cluster near the 1:1 line; the low slope and poor
- 10 correlation are driven by a small number of points. At  $\sim$ 90% RH, the calculated and measured f(RH) are in
- excellent agreement and are well correlated (Fig. 5b).. This agreement at ~90% RH, where the signal-to-noise
- ratio in the f(RH) measurement is high, precludes a high value of  $\kappa_{chem,OA}$ . For >75% of the data, a value of
- $\kappa_{chem,OA}$  < 0.1 represents a reasonable upper bound on subsaturated OA hygroscopicity in this environment.
- 14 The value of  $\kappa_{chem,OA}$  <0.1 is broadly consistent most previous work measuring atmospheric aerosol
- hygroscopicity in the subsaturated regime (Cheung et al. 2015; Hersey et al., 2013; Mikhailov 2013; Nguyen et
- al., 2014; Sihto et al., 2011). Many chemistry-climate models use  $\kappa$ -Köhler theory to predict the hygroscopic
- 17 growth and ambient radiative properties of the aerosol (e.g., Liu et al., 2012). Because OA is a substantial
- component of the aerosol in many environments (Zhang et al., 2007), it should be a priority to use atmospheric
- 19 measurements to continue to improve understanding of the factors that control OA hygroscopicity and to
- evaluate the extent to which the findings reported here apply to other organic-rich environments. Further, the
- 21 variation in composition and hygroscopicity as a function of particle size, which we ignore here, should be
- 22 examined more thoroughly. As shown by Zieger et al. (2010), particle size and hygroscopicity can have
- compensating effects; for example, smaller and less hygroscopic particles (e.g. dominated by organics) can have
- 24 the same f(RH) as larger and more hygroscopic particles (e.g. sea spray).
- Finally, the  $\gamma$  power-law parameterization, which is widely used to describe f(RH) for atmospheric aerosols, did
- 26 not effectively replicate many of the observations of f(RH) in this environment, primarily because actual
- 27 hygroscopic growth was lower than parameterized growth at 70% RH. An alternative parameterization based on
- 28  $\kappa$ -Köhler theory was developed and found to better describe the observed f(RH) in the southeastern US in
- summer. This  $\kappa_{\rm ext}$  parameterization may be applicable to background and moderately polluted cases where the
- 30 extinction is dominated by organic particles with diameters <0.7 μm.

### Appendix

31

32

### A.1 Derivation of the $\kappa_{\rm ext}$ parameterization

- 33 The cube of the diameter growth factor  $gf_{diam}$  (Eq. (2)) is the volume growth factor. Relating the volume growth
- 34 factor to bulk f(RH) however, involves the complicated variation of aerosol extinction efficiency as a function of
- 35 particle diameter, often described using Mie theory. As particles grow due to water uptake as RH increases, the
- extinction cross section can change non-linearly, and can even decrease (e.g., Bohren and Huffman, 1983).

However, as pointed out earlier (Chylek, 1978; Pinnick et al., 1980), for a physically realistic, polydisperse aerosol composed of particles predominantly smaller than the wavelength of light (but larger than Rayleigh scatterers),  $\sigma_{ext}$  is roughly proportional to integrated particle volume or mass. This proportionality results because the extinction efficiency  $\alpha(D_n,n)$  for visible light can be approximated as a linear function of particle diameter over the relatively broad size range of a polydisperse accumulation mode atmospheric aerosol (i.e.,  $\alpha$  is proportional to  $D_p$ , Fig. A1). It then follows from Eq. (5) that  $\sigma_{ext} \propto D_p^3$ : extinction is proportional to volume. Thus the relative change in extinction, f(RH), is roughly proportional to the relative change in volume, which for the case of a deliquescing aerosol is the volume growth factor  $gf_{vol}$ . The approximate proportionality between extinction and volume is valid for particles smaller than the wavelength of light, which for these measurements is 532 nm. The 10<sup>th</sup> to 90<sup>th</sup> percentile range for the geometric median diameters considered here was 120-170 nm, so this approximation is valid, even for particles at high RH. The approximate (no Kelvin effect) diameter growth factor from  $\kappa$ -Köhler theory is given in Eq. (2). The cube of this this is then roughly proportional to  $gf_{vol}$ and f(RH):

14 
$$gf_{vol} \propto f(RH) \approx 1 + \kappa_{ext} \frac{RH}{100 - RH}$$
, (A1)

where  $\kappa_{\text{ext}}$  is a dimensionless parameter fitted to observed f(RH).

The volume-extinction approximate proportionality in Eq. (A1) applies for an aerosol of constant refractive index, which is not the case for an atmospheric aerosol particle growing by addition of water with increasing RH (Hänel, 1976; Hegg et al., 1993). The methodology to calculate ambient extinction (Section 2.3), which incorporates the aerosol composition and size distribution measurements, can be used to estimate the effect of aerosol water on the refractive index and its impact on extinction. Using this approach, the calculated mean decrease in refractive index caused by condensed water reduces extinction by a factor of  $0.81\pm0.03$  for the ~70% RH channel and by  $0.71\pm0.03$  for the ~90% RH channel. Because of this effect and the rough proportionality between particle volume and extinction, Eq. A1 is only an approximation that should be used parametrically to interpolate and extrapolate from discrete measurements on the f(RH) curve. However, it is a physically based representation of the expected functional form of f(RH), unlike alternative parameterizations.

We caution that, like the  $\gamma$  parameterization, the  $\kappa_{\rm ext}$  parameterization may not accurately describe f(RH) in many circumstances. For example, the abrupt phase transitions of inorganic salts sometimes observed in the atmosphere (e.g., Santarpia et al, 2005) clearly cannot be described by this smooth function (nor by the  $\gamma$  parameterization). More complex, multi-parameter descriptions of aerosol deliquescence and efflorescence (e.g., Kotchenruther et al., 1999; Mikhailov et al., 2013; Zieger et al., 2011) are underconstrained by our three-point f(RH) deliquescence measurement. Further, the hygroscopic growth of aerosols dominated by larger particles, such as sea-salt, dust, and primary plant materials is unlikely to follow the  $\kappa_{\rm ext}$  parameterization because the midvisible extinction efficiency for particles larger than 0.6  $\mu$ m does not monotonically increase (Fig. A1). However, for a broad range of typical aged continental aerosol size distributions and organic-rich compositions ranging from background to moderately polluted, from the boundary layer to the free troposphere, the  $\kappa_{\rm ext}$  parameterization may effectively describe the f(RH) curve for the deliquesced aerosol. Further examples from the literature are presented in the Supplemental Materials, and Section A.3 provides additional data from wintertime rooftop measurements supporting the use of the  $\kappa_{\rm ext}$  parameterization.

### A.2 Relationship between $\kappa_{chem}$ and $\kappa_{ext}$

1

23

24

25

26

27

28

29

30

2 Equations (2) and (A1), which define  $\kappa_{\text{chem}}$  and  $\kappa_{\text{ext}}$ , are of similar form, but the f(RH) term in Eq. (A1) 3 incorporates aerosol extinction, which is a complex function of the particle size distribution and refractive index 4 (Fig. A1). We use a size distribution and Mie scattering model to examine the relationship between  $\kappa_{\rm chem}$  and  $\kappa_{\rm ext}$ . The aerosol was represented as a single-mode lognormal size distribution with a fixed geometric standard 5 6 deviation of 1.5; the observed interdecile range for the data analyzed here was 1.42-1.60. The geometric mean 7 diameter was varied from 0.04 to 0.5  $\mu$ m and the  $\kappa_{chem}$  value was varied from 0 to 1. The dry refractive index 8 was fixed at 1.53+0i. At each geometric mean diameter and each value of  $\kappa_{\rm chem}$ , the water uptake was determined 9 at 10, 70, and 90% RH, which approximately matched the measurement RH values for the low, medium and high CRDS channels, and the extinction from the deliquesced size distribution was calculated. After determining 10 11 the extinction at all three RH levels, Eq. (A1) was fitted to the calculated f(RH) values to determine  $\kappa_{\text{ext}}$ . Thus the 12 chemically derived  $\kappa_{\rm chem}$  could be compared with the optically derived  $\kappa_{\rm ext}$  over a range of median particle 13 diameters and  $\kappa_{\rm chem}$  values. As shown in Fig. A2, the ratio of  $\kappa_{\rm ext}/\kappa_{\rm chem}$  varied from <0.4 to >2.0 over this range of 14 modal diameters and  $\kappa_{\rm chem}$  values. However, for the range of  $\kappa_{\rm chem}$  values of ~0.1 to ~0.4 and the geometric mean 15 diameter range from ~0.1 to ~0.2, approximately matching the ranges observed in the southeastern US (Cerully 16 et al., 2015), the  $\kappa_{ext}/\kappa_{chem}$  ratio generally lies between 0.6 and 1.0. Thus  $\kappa_{ext}$  and  $\kappa_{chem}$  are expected to be roughly 17 equivalent in magnitude, with  $\kappa_{\rm ext}$  tending toward smaller values, and to vary approximately proportionally (i.e., 18 the value of  $\kappa_{\text{ext}}/\kappa_{\text{chem}}$  does not change much with changing  $\kappa_{\text{chem}}$ ). 19 The  $\kappa_{\text{ext}}/\kappa_{\text{chem}}$  ratio from the simulation described above can be compared with the same ratio determined from 20 the airborne extinction and aerosol composition measurements, also shown in Fig. A2. The measured mean 21  $\kappa_{\rm ext}/\kappa_{\rm chem}$  was 0.52, with considerable dispersion. This ratio is lower than that expected from the simple single-22 mode lognormal model. This difference may arise because the atmospheric size distribution is not purely

the airborne extinction and aerosol composition measurements, also shown in Fig. A2. The measured mean  $\kappa_{\rm ext}/\kappa_{\rm chem}$  was 0.52, with considerable dispersion. This ratio is lower than that expected from the simple single-mode lognormal model. This difference may arise because the atmospheric size distribution is not purely lognormal, and the magnitude of the modeled  $\kappa_{\rm ext}/\kappa_{\rm chem}$  shown in Fig. A2 (i.e., the color scale) is sensitive to the assumed geometric standard deviation (although the overall shape of the pattern is not). Over the course of the measurements,  $\kappa_{\rm ext}$  and  $\kappa_{\rm chem}$  were correlated (Fig. A3). The relationships were more linear and with less dispersion for individual flights than for the dataset as a whole, suggesting day-to-day variability in mean size distribution, composition, and/or instrument performance. These data emphasize that  $\kappa_{\rm ext}$  and  $\kappa_{\rm chem}$  are related but substantially different parameters, coupled nonlinearly by Mie theory and the particle size distribution function, and cannot be substituted directly for one another.

### A.3. Additional data supporting use of the $\kappa_{ext}$ parameterization

The data presented in this manuscript show f(RH) at only three RH values in the summertime, background aerosol of the southeastern US. To provide evidence of the broader applicability of the  $\kappa_{ext}$  parameterization, in this section we present additional measurements of f(RH) obtained over a wide range of ambient RH values in a different environment. Data were obtained from an open-path cavity ringdown spectrometer (OP-CRDS; Gordon et al., 2015), which measured extinction at ambient conditions at a suburban rooftop site, the NOAA Earth System Research Laboratory in Boulder, Colorado. The aircraft CRDS system was used to provide a dry extinction value at RH<10% for calculating f(RH). An f(RH) curve was obtained as the ambient RH varied due

- to changing meteorological conditions. The same cTOF-AMS flown during SENEX measured simultaneously
- 2 and reported an aerosol that was 57±14% organic, with ammonium nitrate and ammonium sulfate the dominant
- inorganic species. Figure A3 shows f(RH) for all periods when  $\kappa_{chem}$ <0.4 during nearly continuous operation
- 4 from 2015/03/05 to 2015/06/04. These data are well fit by the  $\kappa_{ext}$  parameterization and less well by the  $\gamma$
- 5 parameterization (Fig. A3). This f(RH) curve extends from 11-97% RH and shows a sharp increase in f(RH)
- 6 above 80% RH that is well captured by the  $\kappa_{ext}$  functional form.

8

#### Author contribution

- 9 All authors contributed measurements and/or analyses for this manuscript. CB prepared the manuscript with
- substantial contributions from NLW, TDG, JLJ, PC-J, RAW, AMM, and DMM.

### 11 Acknowledgements

- 12 This work was supported in part by NOAA's Health of the Atmosphere and Atmospheric Chemistry, Carbon
- 13 Cycle, and Climate Programs. PC-J, DAD, and JLJ were supported by NASA award
- 14 NNX12AC03G/NNX15AH33A and NSF award AGS-1243354. AGC was supported by NSF award AGS-
- 15 1242155. LX and NLN were supported by EPA award R834799 and NSF award AGS-1242258. This
- publication's contents do not necessarily represent the official views of the respective granting agencies. The use
- 17 or mention of commercial products or services does not represent an endorsement by the authors or by any
- 18 agency.

### 19 References

- 1 Attwood, A. R., Washenfelder, R. A., Brock, C. A., Hu, W., Baumann, K., Campuzano-Jost, P., Day, D. A.,
- Edgerton, E. S., Murphy, D. M., Palm, B. B., McComiskey, A., Wagner, N. L., Sá, S. S., Ortega, A., Martin, S.
- 3 T., Jimenez, J. L. and Brown, S. S.: Trends in sulfate and organic aerosol mass in the Southeast U.S.: Impact on
- 4 aerosol optical depth and radiative forcing, Geophys. Res. Lett., 41, 7701-7709, doi:10.1002/2014GL061669,
- 5 2014.
- 6 Bahreini, R., Dunlea, E. J., Matthew, B. M., Simons, C., Docherty, K. S., DeCarlo, P. F., Jimenez, J. L., Brock,
- 7 C. A. and Middlebrook, A. M.: Design and operation of a pressure-controlled inlet for airborne sampling with an
- 8 aerodynamic aerosol lens. Aerosol Sci. Technol., 42, 465–471, http://doi.org/10.1080/02786820802178514,
- 9 2008.
- 10 Baron, P: Aerosol Calculator Spreadsheet for Excel. Accessed 7 Dec. 2013 at
- 11 http://aerosols.wustl.edu/AAARworkshop08/software/AEROCALC-11-3-03.xls, 2001.
- Bohren, C. F. and Huffman, D. R.: Absorption and Scattering of Light by Small Particles, John Wiley & Sons,
- 13 1983.
- Boyd, C. M., Sanchez, J., Xu, L., Eugene, A. J., Nah, T., Tuet, W. Y., Guzman, M. I., and Ng, N. L.: Secondary
- organic aerosol formation from the  $\beta$ -pinene+NO<sub>3</sub> system: effect of humidity and peroxy radical fate, Atmos.
- 16 Chem. Phys., 15, 7497-7522, doi:10.5194/acp-15-7497-2015, 2015.
- 17 Brock, C. A., Cozic, J., Bahreini, R., Froyd, K. D., Middlebrook, A. M., McComiskey, A., Brioude, J., Cooper,
- O. R., Stohl, A., Aikin, K. C., de Gouw, J. A., Fahey, D. W., Ferrare, R. A., Gao, R. S., Gore, W., Holloway, J.
- 19 S., Hübler, G., Jefferson, A., Lack, D. A., Lance, S., Moore, R. H., Murphy, D. M., Nenes, A., Novelli, P. C.,
- Nowak, J. B., Ogren, J. A., Peischl, J., Pierce, R. B., Pilewskie, P., Quinn, P. K., Ryerson, T. B., Schmidt, K. S.,
- Schwarz, J. P., Sodemann, H., Spackman, J. R., Stark, H., Thomson, D. S., Thornberry, T., Veres, P., Watts, L.
- A., Warneke, C. and Wollny, A. G.: Characteristics, sources, and transport of aerosols measured in spring 2008
- during the aerosol, radiation, and cloud processes affecting Arctic Climate (ARCPAC) Project, Atmos. Chem.
- 24 Phys., 11, 2423–2453, doi:10.5194/acp-11-2423-2011, 2011.
- Brock, C. A., Wagner, N. L., Anderson, B. E., Beyersdorf, A., Campuzano-Jost, P., Day, D. A., Diskin, G. S.,
- Gordon, T. D., Jimenez, J. L., Lack, D. L., Liao, J., Middlebrook, A. M. Richardson, M. S., Welti, A., Ziemba,
- 27 L. D., and Murphy, D. M.: Aerosol optical properties in the southeastern United States in summer--Part 2:
- 28 Sensitivity of aerosol optical depth to meteorological and aerosol parameters, submitted to Atmos. Chem. Phys.
- 29 Disc., 2015.
- Cai, Y., Montague, D. and Mooiweer-Bryan, W.: Performance characteristics of the ultra high sensitivity aerosol
- 31 spectrometer for particles between 55 and 800 nm: Laboratory and field studies, J. Aerosol Sci., 39, 759-769,
- 32 doi:10.1016/j.jaerosci.2008.04.007, 2008.
- Canagaratna, M., Jayne, J., Jimenez, J., Allan, J., Alfarra, M., Zhang, Q., Onasch, T. B., Drewnick, F., Coe, H.,
- Middlebrook, A. M., Delia, A., Williams, L. R., Trimborn, A. M., Northway, M. J., DeCarlo, P. F., Kolb, C. E.,
- 35 Davidovits, P., Worsnop, D. R.: Chemical and microphysical characterization of ambient aerosols with the
- aerodyne aerosol mass spectrometer, Mass Spec. Rev., 26, 185–222, 2007.

Brock et al. Aerosol Hygroscopicity in the Southeastern US

- 1 Cappa, C. D., Che, D. L, Kess.er, S. H., Kroll, J. H. and Wilson, K. L: Variations in organic aerosol optical and
- 2 hygroscopic properties upon heterogeneous OH oxidation, J. Geophys. Res., 116, D15204,
- 3 doi:10.1029/2011JD015918, 2011.
- 4 Carrico, C. M., Kreidenweis, S. M., Malm, W. C., Day, D. E., Lee, T., Carrillo, J., McMeeking, G. R. and
- 5 Collett Jr., J. L.: Hygroscopic growth behavior of a carbon-dominated aerosol in Yosemite National Park,
- 6 Atmos. Environ., 39, 1393–1404, doi:10.1016/j.atmosenv.2004.11.029, 2005.
- 7 Cerully, K. M., Bougiatioti, A., Hite Jr., J. R., Guo, H., Xu, L., Ng, N. L, Weber, R., and Nenes, A.: On the link
- 8 between hygroscopicity, volatility, and oxidation state of ambient and water-soluble aerosols in the southeastern
- 9 United States, Atmos. Chem. Phys., 15, 8679–8694, doi:10.5194/acp-15-8679-2015, 2015.
- 10 Chang, R. Y.-W., Slowik, J. G., Shantz, N. C., Vlasenko, A., Liggio, J., Sjostedt, S. J., Leaitch, W. R. and
- 11 Abbatt, J. P. D.: The hygroscopicity parameter (κ) of ambient organic aerosol at a field site subject to biogenic
- 12 and anthropogenic influences: relationship to degree of aerosol oxidation, Atmos. Chem. Phys., 10, 5047–5064,
- doi:10.5194/acp-10-5047-2010, 2010.
- 14 Charlson, R. J., Horvath, H. and Pueschel, R. F.: The direct measurement of atmospheric light scattering
- 15 coefficient for studies of visibility and pollution, Atmos. Environ. 1, 469-478, 1967.
- 16 Cheung, H. H. Y., Yeung, M. C., Li, Y. J., Lee, B. P. and Chan, C. K.: Relative humidity-dependent HTDMA
- measurements of ambient aerosols at the HKUST supersite in Hong Kong, China, Aerosol. Sci. Technol., 49,
- 18 643–654, doi:10.1080/02786826.2015.1058482, 2015.
- 19 Chylek, P.: Extinction and liquid water content of fogs and clouds, J. Atmos. Sci., 35, 296–300, 1978.
- 20 Covert, D. S. and Charlson, R. J.: A study of the relationship of chemical composition and humidity to light
- 21 scattering by aerosols, J. Appl. Meteor., 11, 968-976, 1972.
- 22 Crumeyrolle, S., Chen, G., Ziemba, L., Beyersdorf, A., Thornhill, L., Winstead, E., Moore, R. H., Shook, M. A.,
- 23 Hudgins, C. and Anderson, B. E.: Factors that influence surface PM2.5 values inferred from satellite
- 24 observations: perspective gained for the U.S. Baltimore–Washington metropolitan area during DISCOVER-AQ,
- 25 Atmos. Chem. Phys., 14, 2139–2153, doi:10.5194/acp-14-2139-2014, 2014.
- Day, D. A, Campuzano-Jost, P., Palm, B. B., 1,2, Hu, W., Nault, B. A., Wooldridge, P. J., Cohen, R. C.,
- 27 Docherty, K. S., Wagner, N. L., Jimenez, J. L.: Observations of particle organic nitrate from airborne and ground
- 28 platforms in North America: Insights into vertical and geographical distributions, gas/particle partitioning,
- losses, and contributions to total particle nitrate, manuscript in preparation, 2015.
- 30 DeCarlo, P. F., Kimmel, J. R., Trimborn, A., Northway, M. J., Jayne, J. T., Aiken, A. C., Gonin, M., Fuhrer, K.,
- 31 Horvath, T., Docherty, K. S., Worsnop, D. R. and Jimenez, J. L.: Field-deployable, high-resolution, time-of-
- 32 flight aerosol mass spectrometer, Anal. Chem., 78, 8281–8289, doi:10.1021/ac061249n, 2006.
- 33 Doherty, S. J P. K. Quinn, A. Jefferson, C. M. Carrico, T. L. Anderson, and D. Hegg.: A comparison and
- 34 summary of aerosol optical properties as observed in situ from aircraft, ship, and land during ACE-Asia, J.
- 35 Geophys. Res, 110, D04201, doi:10.1029/2004JD004964, 2005.

- Draper, D. C., Farmer, D. K., Desyaterik, Y. and Fry, J. L.: A comparison of secondary organic aerosol (SOA)
- 2 yields and composition from ozonolysis of monoterpenes at varying concentrations of NO<sub>2</sub>, Atmos. Chem. Phys.
- 3 Disc., 15, 14923–14960, doi:10.5194/acpd-15-14923-2015, 2015.
- 4 Dunlea, E. J., DeCarlo, P. F., Aiken, A. C., Kimmel, J. R., Peltier, R. E., Weber, R. J., Tomlinson, J.,
- 5 Collins, D. R., Shinozuka, Y., McNaughton, C. S., Howell, S. G., Clarke, A. D., Emmons, L. K., Apel, E. C.,
- 6 Pfister, G. G., van Donkelaar, A., Martin, R. V., Millet, D. B., Heald, C. L., and Jimenez, J. L.: Evolution of
- Asian aerosols during transpacific transport in INTEX-B, Atmos. Chem. Phys., 9, 7257-7287, doi:10.5194/acp-
- 8 9-7257-2009, 2009.
- 9 Duplissy, J., DeCarlo, P. F., Dommen, J., Alfarra, M. R., Metzger, A., Barmpadimos, I., Prevot, A. S. H.,
- Weingartner, E., Tritscher, T., Gysel, M., Aiken, A. C., Jimenez, J. L., Canagaratna, M. R., Worsnop, D. R.,
- 11 Collins, D. R., Tomlinson, J. and Baltensperger, U.: Relating hygroscopicity and composition of organic aerosol
- 12 particulate matter, Atmos. Chem. Phys., 11, 1155–1165, doi:10.5194/acp-11-1155-2011, 2011.
- Dusek, U., Frank, G. P., Curtius, J., Drewnick, F., Schneider, J., Kürten, A., Rose, D., Andreae, M. O.,
- 14 Borrmann, S. and Pöschl, U.: Enhanced organic mass fraction and decreased hygroscopicity of cloud
- 15 condensation nuclei (CCN) during new particle formation events, Geophys. Res. Lett., 37, L03804,
- doi:10.1029/2009GL040 930, 2010.
- 17 Esteve, A. R., Ogren, J. A., Sheridan, P. J., Andrews, E., Holben, B. N., and Utrillas, M. P.: Sources of
- discrepancy between aerosol optical depth obtained from AERONET and in-situ aircraft profiles, Atmos. Chem.
- 19 Phys., 12, 2987-3003, doi:10.5194/acp-12-2987-2012, 2012.
- Ferrare, R., Melfi, S., Whiteman, D., Evans, K. and Leifer, R.: Raman lidar measurements of aerosol extinction
- and backscattering 1. Methods and comparisons, J. Geophys. Res., 103, 19663-19672, doi:10.1029/98JD01646,
- 22 1998.
- Fry, J. L., Kiendler-Scharr, A., Rollins, A. W., Wooldridge, P. J., Brown, S. S., Fuchs, H., Dubé, W., Mensah,
- 24 A., dal Maso, M., Tillmann, R., Dorn, H.-P., Brauers, T., and Cohen, R. C.: Organic nitrate and secondary
- 25 organic aerosol yield from NO<sub>3</sub> oxidation of α-pinene evaluated using a gas-phase kinetics/aerosol partitioning
- 26 model, Atmos. Chem. Phys., 9, 1431–1449, doi:10.5194/acp-9-1431-2009, 2009.
- Good, N., Topping, D. O., Allan, J. D., Flynn, M., Fuentes, E., Irwin, M., Williams, P. I., Coe, H. and
- 28 McFiggans, G.: Consistency between parameterisations of aerosol hygroscopicity and CCN activity during the
- 29 RHaMBLe discovery cruise, Atmos. Chem. Phys., 10, 3189–3203, 2010a.
- Good, N., Topping, D. O., Duplissy, J., Gysel, M., Meyer, N. K., Metzger, A., Turner, S. F., Baltensperger, U.,
- 31 Ristovski, Z., Weingartner, E., Coe, H., and McFiggans, G.: Widening the gap between measurement and
- 32 modelling of secondary organic aerosol properties? Atmos. Chem. Phys., 10, 2577–2593, 2010b.
- 33 Gordon, T. D., Wagner, N. L., Richardson, M. S., Law, D. C., Wolfe, D., Eloranta, E. W., Brock, C. A., Erdesz,
- F. and Murphy, D. M.: Design of a novel open-path aerosol extinction cavity ringdown spectrometer, Aerosol
- 35 Science and Technology, 49, 717-726, doi:10.1080/02786826.2015.1066753, 2015.

- Gunthe, S. S., King, S. M., Rose, D., Chen, Q., Roldin, P., Farmer, D. K., Jimenez, J. L., Artaxo, P., Andreae, M.
- 2 O., Martin, S. T. and Pöschl, U.: Cloud condensation nuclei in pristine tropical rainforest air of Amazonia: size-
- 3 resolved measurements and modeling of atmospheric aerosol composition and CCN activity, Atmos. Chem.
- 4 Phys., 9, 7551–7575, doi:10.5194/acp-9-7551-2009, 2009.
- 5 Guo, H., Xu, L., Bougiatioti, A., Cerully, K. M., Capps, S. L., Hite Jr., J. R., Carlton, A. G., Lee, S.-H., Bergin,
- 6 M. H., Ng, N. L., Nenes, A., and Weber, R. J.: Fine-particle water and pH in the southeastern United States,
- 7 Atmos. Chem. Phys., 15, 5211–5228, doi:10.5194/acp-15-5211-2015, 2015.
- 8 Hale, G. M. and Querry, M. R.: Optical constants of water in the 200-nm to 200-um wavelength region, Appl.
- 9 Opt., 12, 555–563, 1973.
- 10 Hand, J. L. and Kreidenweis, S. M.: A new method for retrieving particle refractive index and effective density
- from aerosol size distribution data, Aerosol. Sci. Tech., 36, 1012-1026, doi:10.1080/02786820290092276, 2002.
- Hänel, G.: Computation of the extinction of visible radiation by atmospheric aerosol particles as a function of the
- 13 relative humidity, based upon measured properties, J. Aerosol Sci., 3, 377-386, doi
- 14 http://dx.doi.org/10.1016/0021-8502(72)90092-4, 1972a.
- Hänel, G.: The ratio of the extinction coefficient to the mass of atmospheric aerosol particles as a function of the
- 16 relative humidity, J. Aerosol Sci., 3, 455-460, doi: http://dx.doi.org/10.1016/0021-8502(72)90075-4, 1972b.
- Hänel, G.: Single-scattering albedo of atmospheric aerosol particles as a function of relative humidity, J. Atmos.
- 18 Sci., 33, 1120-1124, 1976.
- 19 Haynes, W. M., Lide, D. R. and Bruno, T. J.: CRC handbook of chemistry and physics: a ready-reference book
- of chemical and physical data, CRC Press, Boca Raton, FL, USA, 2014.
- 21 Hegg, D., Larson, T. and Yuen, P. F.: A theoretical study of the effect of relative humidity on light scattering by
- 22 tropospheric aerosols, J. Geophys. Res., 98, 18435–18439, 1993.
- Hersey, S. P., Craven, J. S., Metcalf, A. R., Lin, J., Lathem, T., Suski, K. J., Cahill, J. F., Duong, H. T.,
- 24 Sorooshian, A., Jonsson, H. H., Shiraiwa, M., Zuend, A., Nenes, A., Prather, K. A., Flagan, R. C. and Seinfeld,
- 25 J. H.: Composition and hygroscopicity of the Los Angeles Aerosol: CalNex, J. Geophys. Res., 118, 3016–3036,
- 26 doi:10.1002/jgrd.50307, 2013.
- Hodas, N., Zuend, A., Mui, W., Flagan, R. C. and Seinfeld, J. H.: Influence of particle phase state on the
- 28 hygroscopic behavior of mixed organic-inorganic aerosols, Atmos. Chem. Phys., 15, 5027-5045,
- 29 doi:10.5194/acp-15-5027-2015, 2015.
- 30 IPCC [Stocker, T. F., Qin, D., Plattner, G.-K., Tignor, M., Allen, S. K., Boschung, J., Nauels, A., Xia, Y., Bex,
- V. and Midgley, P. M. (Eds.)]: Climate Change 2013: The Physical Science Basis. Contribution of Working
- 32 Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge
- 33 University Press, Cambridge, United Kingdom and New York, NY, USA, doi:10.1017/CBO9781107415324,
- 34 2013.

- 1 Kahn, R. A.: Reducing the uncertainties in direct aerosol radiative forcing, Surv. Geophys, 33, 701–721,
- 2 doi:10.1007/s10712-011-9153-z, 2011.
- 3 Kasten, F.: Visibility forecast in the phase of pre-condensation, Tellus, 21, 631st in the p
- 4 Kim, P. S., Jacob, D. J., Fisher, J. A., Travis, K., Yu, K., Zhu, L., Yantosca, R. M., Sulprizio, M. P., Jimenez, J.
- 5 L., Campuzano-Jost, P., Froyd, K. D., Liao, J., Hair, J. W., Fenn, M. A., Butler, C. F., Wagner, N. L., Gordon, T.
- 6 D., Welti, A., Wennberg, P. O., Crounse, J. D., St. Clair, J. M., Teng, A. P., Millet, D. B., Schwarz, J. P.,
- 7 Markovic, M. Z., and Perring, A. E.: Sources, seasonality, and trends of southeast US aerosol: an integrated
- 8 analysis of surface, aircraft, and satellite observations with the GEOS-Chem chemical transport model, Atmos.
- 9 Chem. Phys., 15, 10411-10433, doi:10.5194/acp-15-10411-2015, 2015.
- 10 Koloutsou-Vakakis, S., Rood, M. J., Nenes, A. and Pilinis, C.: Modeling of aerosol properties related to direct
- 11 climate forcing, J. Geophys. Res., 103, 17009–17032, 1998.
- 12 Kotchenruther, R. A., Hobbs, P. V. and Hegg, D. A.: Humidification factors for atmospheric aerosols off the
- mid-Atlantic coast of the United States, J. Geophys. Res., 104, 2239–2251, 1999.
- Langridge, J. M., Richardson, M. S., Lack, D., Law, D. and Murphy, D. M.: Aircraft instrument for
- comprehensive characterization of aerosol optical properties, Part I: Wavelength-dependent optical extinction
- and its relative humidity dependence measured using cavity ringdown spectroscopy, Aerosol Sci. Tech., 45,
- 17 1305–1318, doi:10.1080/02786826.2011.592745, 2011.
- Levin, E. J. T., Prenni, A. J., Petters, M. D., Kreidenweis, S. M., Sullivan, R. C., Atwood, S. A., Ortega, J.,
- 19 DeMott, P. J. and Smith, J. N.: An annual cycle of size-resolved aerosol hygroscopicity at a forested site in
- 20 Colorado, J. Geophys. Res, 117, D06201, doi:10.1029/2011JD016854, 2012.
- Liao, J., Froyd, K. D., Murphy, D. M., Keutsch, F. N., Yu, G., Wennberg, P. O., St. Clair, J. M., Crounse, J. D.,
- Wisthaler, A., Mikoviny, T., Jimenez, J. L, Campuzano-Jost, P., Day, D. A., Hu, W., Ryerson, T. B., Pollack, I.
- 23 B., Peischl, J., Anderson, B. E., Ziemba, L. D., Blake, D. R., Meinardi, S. and Diskin, G.: Airborne
- 24 measurements of organosulfates over the continental U.S., J. Geophy. Res, 120, 2990-3005,
- 25 doi:10.1002/2014JD022378, 2015.
- Liu, X., Easter, R. C., Ghan, S. J., Zaveri, R., Rasch, P., Shi, X., Lamarque, J. F., Gettelman, A., Morrison, H.,
- 27 Vitt, F., Conley, A., Park, S., Neale, R., Hannay, C., Ekman, A. M. L., Hess, P., Mahowald, N., Collins, W.,
- 28 Iacono, M. J., Bretherton, C. S., Flanner, M. G. and Mitchell, D.: Toward a minimal representation of aerosols in
- 29 climate models: description and evaluation in the Community Atmosphere Model CAM5, Geosci. Model Dev.,
- 30 5, 709–739, doi:10.5194/gmd-5-709-2012, 2012.
- 31 Malm, W. C., Day, D. E. and Kreidenweis, S. M.: Light scattering characteristics of aerosols as a function of
- 32 relative humidity: Part I—A comparison of measured scattering and aerosol concentrations using the theoretical
- 33 models, J, Air Waste Mgmt. Assoc., 50, 686-700, doi: 10.1080/10473289.2000.10464117, 2000.

- 1 Massoli, P., Bates, T., Quinn, P. and Lack, D.: Aerosol optical and hygroscopic properties during TexAQS-
- 2 GoMACCS 2006 and their impact on aerosol direct radiative forcing, J. Geophys. Res., 114,
- 3 D00F07,doi:10.1029/2008JD011604, 2009.
- 4 McNaughton, C. S., Clarke, A. D., Howell, S. G., Pinkerton, M., Anderson, B., Thornhill, L., Hudgins, C.,
- 5 Winstead, E., Dibb, J. E., Scheuer, E. and Maring, H.: Results from the DC-8 Inlet Characterization Experiment
- 6 (DICE): Airborne versus surface sampling of mineral dust and sea salt aerosols, Aerosol Sci. Technol., 41, 136-
- 7 159, doi: 10.1080/02786820601118406, 2007.
- 8 Middlebrook, A. M., Bahreini, R., Jimenez, J. L. and Canagaratna, M. R.: Evaluation of composition-dependent
- 9 collection efficiencies for the Aerodyne aerosol mass spectrometer using field data, Aerosol Sci. Tech., 46, 258–
- 10 271, doi:10.1080/02786826.2011.620041, 2012.
- 11 Mikhailov, E., Vlasenko, S., Rose, D. and Pöschl, U.: Mass-based hygroscopicity parameter interaction model
- and measurement of atmospheric aerosol water uptake, Atmos. Chem. Phys., 13, 717–740, doi:10.5194/acp-13-
- 13 717-2013, 2013.
- Murphy, D. M.: The effects of molecular weight and thermal decomposition on the sensitivity of a thermal
- 15 desorption aerosol mass spectrometer, Aerosol Sci. Technol., 50, 118-125,
- 16 doi:10.1080/02786826.2015.1136403, 2016.
- 17 Nemesure, S., Wagener, R. and Schwartz, S. E.: Direct shortwave forcing of climate by the anthropogenic
- sulfate aerosol: Sensitivity to particle size, composition, and relative humidity, J. Geophys. Res., 100,
- 19 26105,26116, 1995.
- Nguyen, T. K. V., Petters, M. D., Suda, S. R., Guo, H., Weber, R. J. and Carlton, A. G.: Trends in particle-phase
- 21 liquid water during the Southern Oxidant and Aerosol Study, Atmos. Chem. Phys., 14, 10911-10930,
- 22 doi:10.5194/acp-14-10911-2014, 2014.
- 23 Petters, M. D. and Kreidenweis, S. M.: A single parameter representation of hygroscopic growth and cloud
- condensation nucleus activity, Atmos. Chem. Phys., 7, 1961-1971, 2007.
- Petzold, A., Formenti, P., Baumgardner, D., Bundke, U., Coe, H., Curtius, J., DeMott, P. J., Flagan, R. C.,
- Fiebig, M., Hudson, J. G., McQuaid, J., Minikin, A., Roberts, G. C., and Wang, J.: In situ measurements of
- 27 aerosol particles, in: Airborne Measurements for Environmental Research: Methods and Instruments, J. Wiley &
- 28 Sons, ISBN: 978-3-527-40996-9, 157-224, 2013.
- 29 Pilat, M. J. and Charlson, R. J.: Theoretical and optical studies of humidity effects on the size distribution of a
- 30 hygroscopic aerosol, J. Rech. Atmos., 165-170, 1966.
- Pinnick, R. G., Jennings, S. G. and Chýlek, P.: Relationships between extinction, absorption, backscattering, and
- mass content of sulfuric acid aerosols, J. Geophys. Res., 85, 4059–4066, 1980.
- Pringle, K. J., Tost, H., Pozzer, A., Pöschl, U. and Lelieveld, J.: Global distribution of the effective aerosol
- 34 hygroscopicity parameter for CCN activation, Atmos. Chem. Phys., 10, 5241–5255, doi:10.5194/acp-10-5241-
- 35 2010, 2010.

Brock et al. Aerosol Hygroscopicity in the Southeastern US

- 1 Quinn, P. K., Bates, T. S., Baynard, T., Clarke, A. D., Onasch, T. B., Wang, W., Rood, M. J., Andrews, E.,
- 2 Allan, J., Carrico, C. M., Coffman, D. and Worsnop, D.: Impact of particulate organic matter on the relative
- 3 humidity dependence of light scattering: A simplified parameterization, Geophys. Res. Lett., 32, L22809,
- 4 doi:10.1029/2005GL024322, 2005.
- 5 Rickards, A. M. J., Miles, R. E. H., Davies, J. F., Marshall, F. H. and Reid, J. P.: Measurements of the sensitivity
- 6 of aerosol hygroscopicity and the κ parameter to the O/C ratio, J. Phys. Chem. A, 117, 14120–14131,
- 7 doi:10.1021/jp407991n, 2013.
- 8 Rissler, J., Vestin, A., Swietlicki, E., Fisch, G., Zhou, J., Artaxo, P. and Andreae, M. O.: Size distribution and
- 9 hygroscopic properties of aerosol particles from dry-season biomass burning in Amazonia, Atmos. Chem. Phys.,
- 10 6, 471–491, 2006.
- Santarpia, J. L., R. Gasparini, R. Li, and D. R. Collins: Diurnal variations in the hygroscopic growth cycles of
- 12 ambient aerosol populations, J. Geophys. Res., 110, D03206, doi:10.1029/2004JD005279, 2005.
- 13 Schwarz, J. P., Perring, A. E., Markovic, M. Z., Gao, R. S., Ohata, S., Langridge, J., Law, D., McLaughlin, R.
- 14 and Fahey, D. W.; Technique and theoretical approach for quantifying the hygroscopicity of black-carbon-
- 15 containing aerosol using a single particle soot photometer J. Aerosol Sci., 81., 110-126,
- 16 doi:10.1016/j.jaerosci.2014.11.009, 2015.
- 17 Sihto, S. L., Mikkilä, J., Vanhanen, J., Ehn, M., Liao, L., Lehtipalo, K., Aalto, P. P., Duplissy, J., Petäjä, T.,
- 18 Kerminen, V. M., Boy, M. and Kulmala, M.: Seasonal variation of CCN concentrations and aerosol activation
- 19 properties in boreal forest, Atmos. Chem. Phys., 11, 13269–13285, doi:10.5194/acp-11-13269-2011, 2011.
- Stokes, R. H. and Robinson, R. A.: Interactions in aqueous nonelectrolyte solutions. I. Solute-solvent equilibria,
- 21 J. Phys. Chem., 70, 2126–2131, doi:10.1021/j100879a010, 1966.
- Suda, S. R., Petters, M. D., Matsunaga, A., Sullivan, R. C., Ziemann, P. J. and Kreidenweis, S. M.:
- 23 Hygroscopicity frequency distributions of secondary organic aerosols, J. Geophys. Res, 117, D04207,
- 24 doi:10.1029/2011JD016823, 2012.
- Tang, I. N.: Chemical and size effects of hygroscopic aerosols on light scattering coefficients, J. Geophys. Res.,
- 26 101, 19245–19250, 1996.
- 27 Toon, O. B., Pollack, J. B., and Khare, B. N., The optical constants of several atmospheric aerosol species:
- 28 Ammonium sulfate, aluminum oxide, and sodium chloride, J. Geophys. Res., 81, 5733-
- 29 5748,doi:10.1029/JC081i033p05733, 1976.
- 30 van Donkelaar A., Martin, R. V., Brauer, M., and Boys B. L.: Use of satellite observations for long-term
- exposure assessment of global concentrations of fine particulate matter, Environ. Health Perspect. 123, 135–143,
- 32 doi:10.1289/ehp.1408646, 2015.
- Varma, R. M., Ball, S. M., Brauers, T., Dorn, H. P., Heitmann, U., Jones, R. L., Platt, U., Pöhler, D., Ruth, A.
- 34 A., Shillings, A. J. L., Thieser, J., Wahner, A. and Venables, D. S.: Light extinction by secondary organic

- 1 aerosol: an intercomparison of three broadband cavity spectrometers, Atmos. Meas. Tech., 6, 3115–3130,
- 2 doi:10.5194/amt-6-3115-2013, 2013.
- Voss, K., Welton, E., Quinn, P., Frouin, R., Miller, M. and Reynolds, R.: Aerosol optical depth measurements
- 4 during the Aerosols99 experiment, J. Geophys. Res., 106, 20821–20831, doi:10.1029/2000JD900783, 2001.
- 5 Wagner, N. L., Brock, C. A., Angevine, W. M., Beyersdorf, A., Campuzano-Jost, P., Day, D. A., de Gouw, J. A.,
- 6 Diskin, G. S., Gordon, T. D., Graus, M. G., Huey, G., Jimenez, J. L., Lack, D. A., Liao, J., Liu, X., Markovic, M.
- 7 Z., Middlebrook, A. M., Mikoviny, T., Peischl, J., Perring, A. E., Richardson, M. S., Ryerson, T. B., Schwarz, J.
- 8 P., Warneke, C., Welti, A., Wisthaler, A., Ziemba, L. D. and Murphy, D. M.: In situ vertical profiles of aerosol
- 9 extinction, mass, and composition over the southeast United States during SENEX and SEAC<sup>4</sup>RS: observations
- of a modest aerosol enhancement aloft, Atmos. Chem. Phys., 15, 7085-7102, doi:10.5194/acp-15-7085-2015,
- 11 2015.
- Warren, S. G., Hahn, C. J., London, J., Chervin, R. M., and Jenne, R. L.: Global Distribution of Total Cloud
- 13 Cover and Cloud Type Amounts over Land., NCAR Tech. Note TN-273\_STR, 1-232,
- 14 http://www.atmos.washington.edu/CloudMap/Publications/index.html, 1986.
- Washenfelder, R. A., Attwood, A. R., Brock, C. A., Guo, H., Xu, L., Weber, R. J., Ng, N. L., Allen, H. M.,
- Ayres, B. R., Baumann, K., Cohen, R. C., Draper, D. C., Duffey, K. C., Edgerton, E., Fry, J. L., Hu, W. W.,
- 17 Jimenez, J. L., Palm, B. B., Romer, P., Stone, E. A., Wooldridge, P. J. and Brown, S. S.: Biomass burning
- dominates brown carbon absorption in the rural southeastern United States, Geophys. Res. Lett., 42,
- 19 10.1002/2014GL062444, 2015.
- Wex, H., Petters, M. D. and Carrico, C. M.: Towards closing the gap between hygroscopic growth and activation
- for secondary organic aerosol: Part 1-Evidence from measurements, Atmos. Chem. Phys., 9, 3987-3997, 2009.
- Wright, H. L.: Atmospheric opacity: a study of visibility observations in the British Isles, Q. J. R. Meteor. Soc.,
- 23 65, 411-442, 1939.
- 24 Xu, L., Guo, H., Boyd, C. M., Klein, M., Bougiatioti, A., Cerully, K. M., Hite, J. R., Isaacman-VanWertz, G.,
- Kreisberg, N. M., Knote, C., Olson, K.; Koss, A., Goldstein, A. H., Hering, S. V., de Gouw, J., Baumann, K.,
- Lee, S.-H., Nenes, A., Weber, R. J., and Ng, N. L.: Effects of anthropogenic emissions on aerosol formation
- from isoprene and monoterpenes in the southeastern United States, Proc. Nat. Acad. Sci., 112, 37-42, 2015a.
- 28 Xu, L., Suresh, S., Guo, H., Weber, R. J. and Ng, N. L.: Aerosol characterization over the southeastern United
- 29 States using high-resolution aerosol mass spectrometry: spatial and seasonal variation of aerosol composition
- and sources with a focus on organic nitrates, Atmos. Chem. Phys., 15, 7307-7336, doi:10.5194/acp-15-7307-
- 31 2015, 2015b.
- 32 Zaveri, R. A.: A new method for multicomponent activity coefficients of electrolytes in aqueous atmospheric
- 33 aerosols, J. Geophys. Res., 110, D02201, doi:10.1029/2004JD004681, 2005.
- Zhang, Q., Jimenez, J. L., Canagaratna, M. R., Allan, J. D., Coe, H., Ulbrich, I., Alfarra, M. R., Takami, A.,
- 35 Middlebrook, A. M., Sun, Y. L., Dzepina, K., Dunlea, E., Docherty, K., DeCarlo, P. F., Salcedo, D., Onasch, T.,

- Jayne, J. T., Miyoshi, T., Shimono, A., Hatakeyama, S., Takegawa, N., Kondo, Y., Schneider, J., Drewnick, F.,
- Borrmann, S., Weimer, S., Demerjian, K., Williams, P., Bower, K., Bahreini, R., Cottrell, L., Griffin, R. J.,
- Rautiainen, J., Sun, J. Y., Zhang, Y. M. and Worsnop, D. R.: Ubiquity and dominance of oxygenated species in
- 4 organic aerosols in anthropogenically-influenced Northern Hemisphere midlatitudes, Geophys. Res. Lett., 34,
- 5 L13801, doi:10.1029/2007GL029979, 2007.
- 6 Zieger, P., Fierz-Schmidhauser, R., Gysel, M., Ström, J., Henne, S., Yttri, K. E., Baltensperger, U., and
- Weingartner, E.: Effects of relative humidity on aerosol light scattering in the Arctic, Atmos. Chem. Phys., 10,
- 8 3875-3890, doi:10.5194/acp-10-3875-2010, 2010.
- 2 Zieger, P., Weingartner, E., Henzing, J., Moerman, M., de Leeuw, G., Mikkilä, J., Ehn, M., Petäjä, T., Clémer,
- 10 K., van Roozendael, M., Yilmaz, S., Frieß, U., Irie, H., Wagner, T., Shaiganfar, R., Beirle, S., Apituley, A.,
- Wilson, K., and Baltensperger, U.: Comparison of ambient aerosol extinction coefficients obtained from in-situ,
- MAX-DOAS and LIDAR measurements at Cabauw, Atmos. Chem. Phys., 11, 2603–2624, doi:10.5194/acp-11-
- 13 2603-2011, 2011.
- 214 Zieger, P., Kienast-Sjögren, E., Starace, M., von Bismarck, J., Bukowiecki, N., Baltensperger, U., Wienhold, F.
- G., Peter, T., Ruhtz, T., Collaud Coen, M., Vuilleumier, L., Maier, O., Emili, E., Popp, C. and Weingartner, E.:
- Spatial variation of aerosol optical properties around the high-alpine site Jungfraujoch (3580m a.s.l.), Atmos.
- 17 Chem. Phys., 12, 7231–7249, doi:10.5194/acp-12-7231-2012, 2012.
- Zieger, P., Fierz-Schmidhauser, R., Weingartner, E. and Baltensperger, U.: Effects of relative humidity on
- aerosol light scattering: results from different European sites, Atmos. Chem. Phys., 13, 10609-10631,
- 20 doi:10.5194/acp-13-10609-2013, 2013.
- 21 Zieger, P., Fierz-Schmidhauser, R., Poulain, L., Müller, T., Birmili, W., Spindler, G., Wiedensohler, A.,
- 22 Baltensperger, U. and Weingartner, E.: Influence of water uptake on the aerosol particle lightscattering
- coefficients of the Central European aerosol, Tellus B, 66, 22716, doi:10.3402/tellusb.v66.22716, 2014.
- 24 Zieger, P., Aalto, P. P., Aaltonen, V., Äijälä, M., Backman, J., Hong, J., Komppula, M., Krejci, R., Laborde, M.,
- Lampilahti, J., de Leeuw, G., Pfüller, A., Rosati, B., Tesche, M., Tunved, P., Väänänen, R. and Petäjä, T.: Low
- hygroscopic scattering enhancement of boreal aerosol and the implications for a columnar optical closure study,
- 27 Atmos. Chem. Phys., 15, 7247-7267, doi:10.5194/acp-15-7247-2015, 2015.
- 28 Ziemba, L. D., Hudgins, C. H., Obland, M. D., Rogers, R. R., Scarino, A. J., Winstead, E. L., Anderson, B. E.,
- Thornhill, K. L., Ferrare, R., Barrick, J., Beyersdorf, A. J., Chen, G., Crumeyrolle, S., Hair, J. and Hostetler, C.
- 30 A.: Airborne observations of aerosol extinction by in-situ and remote-sensing techniques: Evaluation of particle
- 31 hygroscopicity, Geophys Res Lett, doi:10.1029/2012GL054428, 2012.

### Table 1. Parameters used to calculate ambient extinction.

Species	Refractive	reference	$\kappa_{ m chem}$	reference	Density	reference	
	Index				(g cm <sup>-3</sup> )		
$H_2O$	1.33	(Hale and Querry, 1973)	N/A	N/A	1.00	N/A	
OA	1.48	(Varma et al., 2013)	0.050	1	1.4	(Hand and Kreidenweis,	
						2002)	
$H_2SO_4$	1.408	(Hand and Kreidenweis, 2002;)	0.870	(Good et al., 2010a;	1.8	(Hand and Kreidenweis,	
				Petters and		2002)	
				Kreidenweis, 2007)			
(NH <sub>4</sub> )HSO <sub>4</sub>	1.479	(Hand and Kreidenweis, 2002)	0.543	(Good et al., 2010a)	1.78	(Hand and Kreidenweis,	
						2002)	
$(NH_4)_3H(SO_4)_2$	1.53	(Hand and Kreidenweis, 2002)	0.579	(Good et al., 2010a;	1.83	( Hand and Kreidenweis,	
						2002)	
(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub>	1.527	( Hand and Kreidenweis, 2002)	0.483	(Good et al., 2010a)	1.76	(Hand and Kreidenweis,	
						2002; Nguyen et al.,	
						2014)	
$HNO_3$	1.393	(Haynes et al., 2014)	0.999	(Good et al., 2010a)	1.5129	(Good et al., 2010;	
						Haynes et al., 2014)	
$NH_4NO_3$	1.553	(Tang, 1996))	0.597	(Good et al., 2010a)	1.725	(Tang, 1996)	
HC1	1.329	(Haynes et al., 2014)	0.5	<sup>2</sup> assumed	1.49	(Haynes et al., 2014)	
NH <sub>4</sub> Cl	1.64	(Haynes et al., 2014)	0.5	<sup>2</sup> assumed	1.519	(Haynes et al., 2014)	

 $<sup>^{1}</sup>$   $\kappa_{\rm org}$ =0.05 is estimated as described in Sect. 3.3.

<sup>&</sup>lt;sup>2</sup>No literature values found. These species contributed negligibly to aerosol mass and hygroscopicity.

4

Table 2. Linear regression parameters between calculated extinction and measured extinction at 532nm

and 3 relative humidities for each flight analyzed in this work.

	Low RH (~15%)			Medium RH	Medium RH (~70%)				High RH (~90%)		
Date	r <sup>2</sup>	slope	intercept	$r^2$	slope	intercept	r <sup>2</sup>	slope	intercept		
20130603	0.87 <sup>a</sup>	1.02 <sup>b</sup>	-3.7	0.96	0.87	-3.6	0.97	1.12	-9.5		
20130611	0.95 <sup>c</sup>	0.89	-3.9	l l	l .		l l	L			
20130612	0.98	0.87	-0.85	0.98	0.87	-2.4	0.97	1.13	-10.5		
20130616	0.95	0.74	2.0	0.93	0.81	0.87	0.95	0.88	1.5		
20130622	0.95	0.74	-4.5	0.95	0.87	-6.4	0.97	0.96	-12.5		
20130629	0.97	0.73	-0.59	0.92	0.92	-1.7	0.96	0.87	-1.2		
20130830	0.94	1.04	-3.0	0.93	1.05	-2.6	0.93	1.04	1.2		

20130906<sup>d</sup>

<sup>&</sup>lt;sup>a</sup>r<sup>2</sup> values calculated from single-sided linear least squares

<sup>&</sup>lt;sup>b</sup>Slope and intercept values calculated from orthogonal distance regression

No humidified CRDS data available

<sup>8</sup> dNo UHSAS data available.

### **Figure Captions**

Figure 1. Schematics showing the process of calculating ambient extinction from a) measurements of composition, size distribution, and ambient RH and b) measurements of ambient RH and of extinction at three instrument RH values.

Figure 2. Map of the southeastern U.S. showing state borders and tracks of the flights during SENEX and SEAC4RS. Triangles show the locations of the 37 vertical profiles that are used in this analysis; 25 of these had valid f(RH) measurements. The location of the groundsite in Centreville, Alabama is indicated. The inset shows the eastern portion of the U.S.; the dashed box indicates the sample region.

Figure 3. A vertical profile measured from 18:29 to 18:35 UTC on 22 June 2013 over east-central Alabama. a) Extinction measured in the dry, medium, and high RH channels of the CRDS, extinction calculated using the fitting method described in Section 3.4, and extinction at ambient RH calculated using this method. The dashed horizontal lines show the boundaries between the well-mixed and transition layers and between the transition layer and free troposphere, as defined by Wagner et al. (2015). b) Measured RH values within the dry, medium, and high RH channels of the CRDS, and ambient RH. c) f(RH) measured at the medium and high RH conditions, and calculated from fitted values as in (a). Circles show the f(RH) values from fitting Eq. 6 to the f(RH) data. Triangles show the fraction of sub-0.7 µm aerosol mass measured by the AMS that is inorganic (top axis).

Figure 4. Composite vertical profiles of a) dry extinction, b) f(RH) at ~70 %RH, and c) f(RH) at ~90% RH. Shaded areas represent the interdecile and interquartile ranges. The dashed horizontal lines in (a) show the boundary between the well-mixed and transition layers and between the transition layer and free troposphere, as defined by Wagner et al. (2015). The circles and dashed lines in (b) and (c) show the mean f(RH) values determined by fitting the  $\kappa_{ext}$  and  $\gamma$  parameterizations, respectively, to the raw data before altitude binning and averaging. The triangles in (c) show the fraction of sub-0.7  $\mu$ m aerosol mass measured by the AMS that is inorganic (top axis); error bars show the interquartile range.

Figure 5. a) Calculated f(RH) compared with observed f(RH) at  $\sim$ 70% RH using the methodology in Fig. 1a for all analyzed data. Lines are 2-sided least squares (orthogonal distance regression) fits to the data. The dashed line is calculated assuming the line passes through (1,1). b) As in (a), but for  $\sim$ 90% RH. Organic hygroscopicity ( $\kappa_{chem,OA}$ ) is assumed to be 0.05.

Figure 6. Histogram of results from a Monte Carlo analysis showing values of the organic  $\kappa_{chem}$  that, given the observed inorganic composition and size distribution, are consistent within experimental uncertainty with the measured f(RH). Vertical lines indicate the 50th, 75th, and 90th percentile values of the histogram.

Figure 7. a) Mean values of f(RH) determined profile data in the well-mixed and transition layers (below 2000 m altitude) on 22 June 2013 over central Alabama from Fig. 3c (symbols), and curves from the  $\gamma$  power-law parameterization (dashed line, Eq. (1)) and the  $\kappa_{ext}$  parameterization (solid line, Eq. (6)) fitted to the three data points. The green hashed line shows a fit to the  $\gamma$  parameterization assuming

 $RH_0$ =35% (see Sect. 3.4). Error bars show the propagated measurement uncertainties and measurement standard deviation. b) Histograms of values of f(RH) measured at medium RH (70+/-3%) and at high RH (86-94%) for all of the data selected for this study. c) Ratio of calculated to measured f(RH) at ~70% RH for the  $\gamma$  and  $\kappa_{ext}$  parameterizations for all of the data selected for this study.

Figure 8. Comparison of  $\kappa_{ext}$  as function of the fraction of sub-0.7 $\mu$ m non-refractory OA for the data analyzed in this paper (crosses) and similar measurements at the SOAS ground site in Centreville, Alabama, U.S. (Washenfelder et al., 2014) between the hours of 11:00 and 17:00 local time (circles).

Figure A1. Calculated extinction efficiency for a particle with a refractive index of 1.52+0i (solid line) and linear least-squares fit for  $0.1 < D_p < 0.6$  (dashed line). The extinction efficiency averaged across the size range of hygroscopic growth of a typical accumulation mode aerosol is approximately linear. Extinction efficiency curves for 1.58+0i and 1.40+0i are also shown.

Figure A2. Ratio of optically determined  $\kappa_{ext}$  to chemically determined  $\kappa_{chem}$  as a function of particle geometric median diameter and  $\kappa_{chem}$ . Values of  $\kappa_{ext}$  were calculated for a lognormal particle size distribution with a geometric standard deviation of 1.5 and a geometric median diameter given by the abscissa. Points are instantaneous values of  $\kappa_{ext}/\kappa_{chem}$  determined from the in situ f(RH) and composition measurements.

Figure A3. Values of  $\kappa_{ext}$  determined from fitting Eq. (6) to the f(RH) data plotted as a function of  $\kappa_{chem}$  calculated from aerosol composition measurements using  $\kappa$ -Köhler theory (Eq. 3).

Figure A4. Values of f(RH) from rooftop measurements of ambient and dry extinction made at Boulder, Colorado, US, from 2015/03/05 to 2015/06/04. Curves are two-sided least-squares fits to the data using the  $\kappa_{ext}$  and g parameterizations. Data are selected for periods when  $\kappa_{chem}$  determined from measurements made with the C-TOF-AMS were <0.4.

## Explicit $\kappa$ -Köhler method

Measure aerosol composition

Aerosol mass spectrometer & single-particle soot photometer

Calculate electrolyte concentrations

Composition model (Zaveri et al., 2007)

Two approaches to calculate extinction at ambient RH from in situ measurements

Calculate volumeweighted  $\kappa_{chem}$ 

Literature values, Eq. (3)

Correct size distribution measurements for refractive index

Mie-theory model of response of ultra-high sensitivity aerosol spectrometer

Determine ambient RH

Tunable diode laser H<sub>2</sub>O

Calculate RH-dependent growth of particles

κ-Köhler theory Eq. (4)


Adjust refractive index & particle diameter for water, calculate extinction

Diameter growth factor, volume-weighted refractive index, Mie theory

Extinction at ambient RH

a

# Curve-fitting ( $\gamma$ or $\kappa_{ext}$ ) method



Aerosol cavity rindown extinction spectrometer

Fit f(rh) curve

 $\gamma$  or  $\kappa_{ext}$  parameterization

Determine ambient RH, interpolate or extrapolate *f*(*RH*)

Tunable diode laser H<sub>2</sub>O

Extinction at ambient RH

b

