



Moisture pathways
and H₂O-δD pairs in
the subtropical North
Atlantic free
troposphere

Y. González et al.

This discussion paper is/has been under review for the journal Atmospheric Chemistry and Physics (ACP). Please refer to the corresponding final paper in ACP if available.

Detecting moisture transport pathways to the subtropical North Atlantic free troposphere using paired H₂O-δD in situ measurements

Y. González^{1,2}, M. Schneider³, C. Dyroff³, S. Rodríguez², E. Christner³,
O. E. García², E. Cuevas², J. J. Bustos², R. Ramos², C. Guirado-Fuentes²,
S. Barthlott³, A. Wiegele³, and E. Sepúlveda²

¹Sieltec Canarias, S. L., Hábitat 2, 38204, San Cristóbal de La Laguna, Santa Cruz de Tenerife, Islas Canarias, Spain

²Izaña Atmospheric Research Centre (IARC), Agencia Estatal de Meteorología (AEMET), Santa Cruz de Tenerife, Islas Canarias, Spain

³Institute of Meteorology and Climate Research (IMK-ASF), Karlsruhe Institute of Technology (KIT), Karlsruhe, Germany

Received: 13 August 2015 – Accepted: 14 September 2015 – Published: 8 October 2015

Correspondence to: Y. González (ygonzalezr@aemet.es)

Published by Copernicus Publications on behalf of the European Geosciences Union.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures



Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



Abstract

We present two years of measurements of water vapour (H_2O) and its isotopologue ratio (δD , the standardized ratio between H_2^{16}O and HD^{16}O) made at two remote mountain sites on Tenerife Island in the subtropical North Atlantic. We show that the data – if measured during nighttime – are well representative for the lower/middle free troposphere. We use the measured H_2O - δD pairs, together with dust measurements and back-trajectory modelling for analysing the moisture pathways to this region. We can identify four principally different transport pathways. The first two pathways are linked to transport from high altitudes and high latitudes, whereby the respective air can be dry, due to last condensation occurring at low temperatures, as well as humid, due to cross isentropic mixing with lower level and more humid air during transport since last condensation. The third pathway is transport from lower latitudes and lower altitudes, whereby we can identify rain re-evaporation as an occasional source of moisture. The fourth pathway is linked to the African continent, where during summer dry convection processes over the Sahara very effectively inject humidity from the boundary layer to higher altitudes. This so-called Saharan Air Layer (SAL) is then advected westward over the Atlantic and contributes to moisten the free troposphere. We demonstrate that different pathways leave distinct fingerprints on the measured H_2O - δD pairs.

1 Introduction

In the subtropical free troposphere, in the region of the descending branch of the Hadley cell, the humidity is not conserved along the mean subsidence (Pierrehumbert, 1998). Instead, this dry air is often moistened (Galewsky and Hurley, 2010; Couhert et al., 2010; Risi et al., 2012). The few studies based on atmospheric modelling points the turbulent transport of water vapour from the surface upward as the dominant moistening process balancing the drying in the subtropical free troposphere (Couhert et al., 2010; Risi et al., 2012). Additional processes, such as evaporation of condensate and

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures



Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



isentropic eddy transport of moist air from the tropics, are suggested to also contribute to moist this region (Galewsky and Hurley, 2010, and references therein); but the sources and dynamics involved in this moistening are still unclear.

Several studies indicate that water vapour isotopologue observations are very promising for investigating the different moisture pathways in this region, such observations can be used to distinguish between the different mechanisms associated to the moistening (e.g., Galewsky and Hurley, 2010; Noone et al., 2011; Kimberly et al., 2014; Dyroff et al., 2015; Schneider et al., 2015). However, so far, works related to continuous high quality in situ water isotopologues measurements have not been reported.

In this paper, we present and discuss the first multi-year observational in situ data set of free tropospheric water vapour isotopologues from the subtropics. In the following we express the isotopologues H_2^{16}O and HD^{16}O as H_2O and HDO . The δ -notation expresses the per mil difference of the stable isotopic composition of a water sample ($R = \text{HDO}/\text{H}_2\text{O}$) from that of the isotope ratio of Vienna Standard Mean Ocean Water, i.e., $\delta\text{D} = 1000 \times (R/R_{\text{VSMOW}} - 1)$ ($R_{\text{VSMOW}} = 3.1152 \times 10^{-4}$, Craig, 1961).

In Sect. 2 of this paper we present the measurement sites and discuss the methodology of our study. In Sect. 3 we document that our nighttime measurements are representative for the subtropical North Atlantic lower free troposphere. We use backward trajectories and dust measurements as tracers for detecting the main meteorological processes. Then, we document that these processes leave unique fingerprints in the H_2O - δD distribution. Section 4 resumes the work.

2 Methodology

2.1 Measurement site

As study area we use Tenerife (Canary Islands, Spain; 28.3° N, 16.5° W). At this island, two high mountain sites are run by the Izaña Atmospheric Research Centre. IZO is a mountain top station located at 2367 m a.s.l., whereas TDE is a small measurement

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



Moisture pathways and H₂O- δ D pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



site located at the volcanic cone at 3550 m a.s.l. In the context of the project MUSICA (MUlti-platform remote Sensing of Isotopologues for investigating the Cycle of Atmospheric water), we installed two Picarro instruments at IZO and TDE stations. These instruments provide continuous isotopologues data for altitudes above 2000 m which are unique for the subtropical North Atlantic.

A schematic depiction of the locations of IZO and TDE and the meteorological processes affecting the measurement sites is shown in Fig. 1. In the subtropical North Atlantic region, the atmospheric stability is determined by the combination of two synoptic processes that well define the Marine Boundary Layer (MBL) and the Free Troposphere (FT). In the MBL, a quasi-permanent North-northeast (NNE) trade wind blows (< 1000 m a.s.l., Palmén and Newton, 1969). In the FT, the descendent branch of the Hadley cell around 30° N results in a North-west (NW) subsidence regime (Galewsky et al., 2005; Cuevas et al., 2013). This subsidence is frequently alternated in summer with South-east (SE) Saharan dust outbreaks (Chiapello et al., 1999). Episodes of air-mass transport from from South-west (SW) direction are also occasionally observed.

The local moisture exchange between the MBL and the FT is limited by a Temperature Inversion Layer (TIL). In the surroundings of the island, the top of the MBL, which is frequently located just below the TIL, is characterized by a stratocumulus layer formed by condensation of water vapour onto the pre-existing particles (Rodríguez et al., 2009). This layer creates a quasi-continuous foggy and rainy regime between 800 and 2000 m a.s.l., that is more pronounced on the northern part of the island. The effectiveness of the TIL in separating the MBL from the FT is reflected in the relative humidity (RH) profile. In the FT, the RH is typically around 20 %; while is normally above 60 % in the MBL (Cuevas et al., 2013). Vertical mixing between MBL and FT air is observed during daylight due to the upslope flow regimen.

2.2 Measurements of water vapour isotopologues

Two commercial cavity ring-down spectrometers (Picarro model L2120-I) have been used for water vapour isotopologues monitoring at the two mountain sites at Tenerife.

Moisture pathways and H₂O- δ D pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



At IZO, measurements started in March 2012, and at TDE in July 2013. Time series of H₂O and δ D (around 2 years of 10 min average) at IZO and TDE stations are shown in Figs. 2 and 3 (left column), respectively. The measurement gaps are due to instrument failure and maintenance.

The instruments are calibrated every 8–12 h by using liquid standards injected with Picarro's Standard Delivery Module (SDM). The absolute uncertainties of the δ D measurements are < 13.7‰ at 500 ppmv and < 2.3‰ at 4500 ppmv. The error estimation accounts for instrument precision as well as errors due to the applied data corrections (SDM effects + instrumental drifts < 1‰, uncertainties of liquid standards < 0.7‰, and calibration < 0.5‰ for δ D). More detailed information about the calibration procedure and stability of the two instruments is given in Appendix A.

2.3 Measurements of dust

Long-term measurements of aerosol at Izaña includes chemical composition, dust concentrations and size distribution. The methodology and quality control of aerosol in situ techniques are described in Rodríguez et al. (2012). In Izaña, bulk mass concentrations of aerosols is clearly dominated by desert Saharan dust (Basart et al., 2009; Rodríguez et al., 2011). We used records of dust at Izaña to detect the arrival of North African air (Rodríguez et al., 2012).

Unfortunately, in situ dust measurements are not available at TDE. In order to distinguish between clean and dust laden conditions at this station we use the AERONET columnar-integrated aerosol optical depth (AOD) level 2.0 obtained at a wavelength of 500 nm at IZO (<http://aeronet.gsfc.nasa.gov>). See more details of calibration procedures, data acquisition and processing in Guirado et al. (2014).

2.4 Back-trajectories

Transport pathways of moisture are analysed by integrating the Global Data Assimilation System archive information (GDAS1, NCEP) in the Hybrid Single Particle La-

grangian Integrated Trajectory model HYSPLIT 4.0. The GDAS1 is available each 6 h, and the post-processing converts the data to $1^\circ \times 1^\circ$ latitude–longitude grids and from sigma levels to the 23 pressure levels between 1000 and 20 hPa (Rolph et al., 2014). HYSPLIT performs a linear interpolation between the times of the available input data (6 h) for calculating 5 day back-trajectories (Draxler and Rolph, 2003). The vertical component of the back-trajectories was computed using the vertical model velocity. The end points of the trajectories were set at Tenerife (28.3° N, 16.5° W) at the elevations of the IZO and TDE stations.

3 Results

3.1 The effect of diurnal upslope flow

The airflow regime at IZO is driven by the occurrence of upward transport of humid air during daylight and downward transport of dry FT air at night. The upward transport is caused by the combination of the thermally driven growth of the MBL volume and the buoyant airflows caused by the heating of the air located just above the terrain (Rodríguez et al., 2009). This upslope flow prompts the climb of gases emitted at lower parts of the island, which is captured in the marked daily cycle of gases and particles measured at IZO (e.g., Rodríguez et al., 2009). The highest concentrations of pollutants is observed in the early afternoon.

The right columns in Figs. 2 and 3 show the monthly mean daily cycle of H_2O and δD at IZO and TDE stations, respectively. There is a marked daily cycle in the H_2O and δD data of the IZO station (Fig. 2) and a weaker one at the TDE station (Fig. 3). At IZO, the diurnal cycle of H_2O and δD is more pronounced than the annual cycle. At TDE, the H_2O annual cycle is stronger than the diurnal cycle. However, at TDE, δD data also show a diurnal cycle with an amplitude similar to the amplitude of the annual cycle.

Moisture pathways and H₂O- δ D pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



The distribution of the 10 min H₂O- δ D pairs collected at IZO and TDE stations are shown in Fig. 4. The whole data set is presented in grey dots; black dots show the data collected at night (from midnight to 1 h after sunrise) and orange crosses show the data collected during daylight (from 3 to 10 h after sunrise, when the upslope breeze is active). At IZO, the lowest δ D values are measured at nighttime (left column in Fig. 4). During daylight, we observe less depletion. The H₂O- δ D pairs measured at IZO during daylight are assembled in the upper side of the H₂O- δ D distribution (δ D = $-146 \pm 39\%$, orange crosses, left column in Fig. 4). At midday, the increase of humidity is associated to a mean isotopic composition of δ D = $-131 \pm 35\%$. This value is similar to the one measured close to the ocean by Dyroff et al. (2015, δ D = $-124 \pm 43\%$ around the top of the MBL, 600–900 m a.s.l.). Thus, the shifting of the H₂O- δ D pairs to the upper side of the distribution is the result of the mixing of dry FT air with water evaporated from the surrounding ocean and exported by turbulent mixing at the top of the MBL. This result is in agreement with those found by Noone et al. (2011) in Mauna Loa (Hawaii).

At TDE, the difference between the daylight and nighttime H₂O- δ D distribution is not as clear as at IZO (right column in Fig. 4). The weaker diurnal effect at TDE station is due to its location. TDE is located at a higher altitude on a rather sharp peak (Pico del Teide). There it is less exposed to the slope breezes, and consequently, the influence of the MBL-FT air mixing is weaker.

At IZO, gases and particles measured at nighttime well represent FT conditions (Gómez-Peláez et al., 2006; Rodríguez et al., 2009, 2012; Cuevas et al., 2013). To examine the variability of the H₂O- δ D pairs in the subtropical North Atlantic FT, and in order to avoid the possible local MBL-FT mixing, only the H₂O- δ D pairs measured at nighttime at IZO and TDE will be considered in the following study.

in case it is not affected by subsequent mixing (Galewsky et al., 2005, and references therein).

We use GDAS1 data and HYSPLIT back-trajectories to derive information about the LC point and mixing after LC and then relate this information to our $\text{H}_2\text{O}-\delta\text{D}$ observations. The LC point is identified at the area where RH exceeds 80 % during a 3 h time interval (James et al., 2004; Sodemann et al., 2008). We use the corresponding 3 h averages of temperature and specific humidity at this LC point (in the following referred to as T_{LC} and $\text{H}_2\text{O}_{\text{LC}}$) for classifying the airmasses.

We create three different data groups: $T_{\text{LC}} < 250 \text{ K}$, $250 \text{ K} < T_{\text{LC}} < 270 \text{ K}$, and $T_{\text{LC}} > 270 \text{ K}$. The temperatures $T_{\text{LC}} = 250 \text{ K}$ and $T_{\text{LC}} = 270 \text{ K}$ correspond to humidities of approximately 1.7 and 8 mmol mol^{-1} , respectively. The top panels of Fig. 7 (left for IZO and right for TDE) show that T_{LC} is a good proxy for the locations of the LC point. The coldest saturation temperatures ($220\text{--}250 \text{ K}$, blue colour) typically corresponds to air transported from the upper extra-tropical troposphere ($> 40^\circ \text{ N}$, $< 450 \text{ hPa}$). These airmasses represent 32 and 43 % of the airmasses reaching IZO and TDE station, respectively. Airmasses experiencing LC at warmer temperatures ($250\text{--}270 \text{ K}$) usually originate between 20 and 50° N at $400\text{--}600 \text{ hPa}$ (grey colour in Fig. 7). They represent 48 and 42 % of the airmasses reaching IZO and TDE, respectively. Warmest LC temperatures ($270\text{--}290 \text{ K}$) usually originate between 0 and 40° N and pressure levels above 600 hPa (red colour in Fig. 7). They represent 20 and 14 % of the airmasses reaching IZO and TDE, respectively.

We use the logarithmic difference between the humidity given by GDAS1/HYSPLIT at the station ($\text{H}_2\text{O}_{t=0}$) and the humidity at the LC point ($\text{H}_2\text{O}_{\text{LC}}$), in order to analyse if the airmass experienced variations on the moist content during the transport from the LC point to the stations ($\log[\text{H}_2\text{O}_{t=0}] - \log[\text{H}_2\text{O}_{\text{LC}}]$, hereafter $\Delta\text{H}_2\text{O}$). We postulate that the airmasses with $\Delta\text{H}_2\text{O}$ within the ± 0.1 bin do conserve the properties of the LC point during their transport to IZO and TDE. Negative $\Delta\text{H}_2\text{O}$ indicates that the airmasses mix with drier airmasses during the transport to the stations (we exclude situations of rainout by requiring that RH never reaches 80 % before the LC point).

Moisture pathways and $\text{H}_2\text{O}-\delta\text{D}$ pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



Positive ΔH_2O indicates that the airmasses get moister. The bottom panels of Fig. 7 shows the normalized distribution of ΔH_2O for the three T_{LC} groups (blue, black, and red coloured lines, respectively). Left panel for IZO and right panel for TDE.

At IZO the humidity concentrations since the LC point are best conserved for $T_{LC} > 250$ K (red and grey line). At TDE we observe a reasonable conservations for $T_{LC} < 270$ K (grey and blue line) and a generally a drying for airmasses with $T_{LC} > 270$ K (red line). The total contribution of airmasses with $\Delta H_2O < -0.1$ (i.e. drying since LC) is 19% at IZO and 43% at TDE, revealing that drying by mixing with dry air is more frequently observed at IZO than for TDE. For $T_{LC} (> 270$ K), i.e. for air that has been rather humid at the LC point the drying by mixing with subsiding dry air is very clearly observed at TDE (red line, bottom right panel of Fig. 7). The total contribution of airmasses with $\Delta H_2O > +0.1$ (i.e. moistening since LC) is 46% at IZO and 29% at TDE. This moistening is most pronounced for air with the LC point in the upper troposphere of the extra-tropics ($T_{LC} < 250$ K) and it becomes in particularly evident at IZO (blue line, bottom left panel of Fig. 7). This moistening process is more important at IZO than at TDE, due to IZO's location at a lower altitude, which is directly affected by turbulent mixing from the marine boundary layer.

Figure 8 shows the H_2O - δD distribution as measured at IZO for the different T_{LC} groups. The H_2O - δD data pairs correspond to 10 min averages measured within ± 3 h of the air mass arrival time of the trajectory. For each T_{LC} group, the H_2O - δD data points have been colour-coded as a function of ΔH_2O . The green colour highlights those data associated to ΔH_2O within ± 0.1 , thus, conserving water vapour concentrations since LC. The orange colour marks data with ΔH_2O out of the ± 0.1 range. Figure 9 shows the same for TDE station.

For the cold LC temperatures ($T_{LC} < 250$ K) and at TDE we typically observe dry air ($H_2O < 3$ mmol mol⁻¹, see left panels in Fig. 9). For IZO we also observe dry air if there has been no mixing since LC ($\Delta H_2O \pm 0.1$, green dots, upper left panel in Fig. 8). However, this is only the case for about 14% of all the airmasses that have their LC at these low temperatures. Generally at IZO the humidity is not conserved since LC if T_{LC}

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Moisture pathways and H₂O- δ D pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



only very weakly affected by the local circulation on the island, and are well representative for the FT. This assumption is consistent to previous studies of trace gases made on the island's mountain and it is also consistent to the wide distribution of the H₂O- δ D pairs corresponding to the nighttime observations. Thus, our measurements generate a unique continuous water vapour isotopologue data record for the lower/middle FT and can be used for studying free tropospheric water pathways. For such study we combine the isotopologue data with back-trajectory calculations and dust measurements.

The distribution of water vapour isotopologues collected during dust-free North Atlantic conditions show a wide variability. This variability has been analysed in the context of the last condensation point. The results show that the most depleted δ D values registered at IZO are found in relation to airmasses that have experienced condensation at lower temperatures at higher latitudes and altitudes over the North Atlantic Ocean ($T_{LC} < 250$ K, $> 40^\circ$ N, < 400 hPa). The condensation at low temperatures is responsible for the dryness of the subtropical North Atlantic FT. These airmasses seem to frequently experience mixing with more humid airmasses during the transport to the subtropical region. Moistening during subsidence was detected by analysing GDAS1/HYSPLIT data and identified in the measured H₂O- δ D distribution. Airmasses experiencing last condensation close to the surface at lower latitudes and especially in the surroundings of the Canaries (> 270 K, > 600 hPa) were detected. In this region, rain re-evaporation or evaporation over a warm Ocean can be identified in the H₂O- δ D distribution (increased depletion with respect to Rayleigh).

For dust episodes, rather humid and enriched vapour is detected at the stations, indicating a strong injection of boundary layer air into the FT. These dust laden airmasses, product of a strong convection over the Sahara desert, reach the Canaries without having experienced significant condensation, and are found as an influential contribution of moistening in this region. We show that the measurements of water vapour isotopologues at regions located to the West of the African continent provide new insights into the influence of the African continent on the moisture budget of the FT of the subtropical Northern Atlantic.

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



In summary, our results indicate that, four different moisture transport pathways have to be considered in order to understand the subtropical North Atlantic moisture budget. While the dominant dryness of the region is determined by the mean subsidence of dry air from high altitudes of the extra-tropics (pathway 1), there are three main processes that moisten the FT over the Atlantic: horizontal mixing over the Atlantic with air from the Saharan Air Layer (pathway 2), transport of air from low altitudes ($P > 600$ hPa) and latitudes (whereby humidity occasionally originates from rain-evaporation, pathway 3), and vertical mixing close to the Canaries (pathway 4).

Figure 10 gives an overview on the H_2O - δD distributions as observed when one of the four different pathways is clearly prevailing. It depicts the areas with highest density of the observed H_2O - δD pairs. Pathway 2 is dominating when there is high aerosol load (dust $> 25 \mu\text{g m}^{-3}$ or AOD > 0.1 , red contour lines). The other pathways are dominating for low aerosol load (dust $< 2 \mu\text{g m}^{-3}$ or AOD < 0.02) and when T_{LC} and $\Delta\text{H}_2\text{O}$ are situated within specific ranges. Pathway 1 is prevailing for $T_{\text{LC}} < 250$ K and $\Delta\text{H}_2\text{O}$ within ± 0.1 (grey contour lines). Pathway 3 is prevailing for $T_{\text{LC}} > 270$ K and $\Delta\text{H}_2\text{O}$ within ± 0.1 (green contour lines). Finally pathway 4 is dominating for $T_{\text{LC}} < 250$ K and $\Delta\text{H}_2\text{O} > 1.0$ (blue contour lines). This pathway is mainly limited to altitudes below 3000 m a.s.l., and it is more frequently observed at IZO than at TDE.

The summary as shown in Fig. 10 reveals that the H_2O - δD pairs measured in the subtropical North Atlantic FT well reflect the dominating moisture transport pathways to this atmospheric region. A continued long-term monitoring of water vapour isotopologue ratios would offer a unique possibility for investigating the importance of the different mechanisms responsible for the expected moistening of the subtropical North Atlantic FT in response to climate change.

Appendix A: Calibration procedure of PICARRO instruments

A1 Mixing ratio calibration

Measurements of absolute humidity obtained from the meteorological sensors have been used for correcting Picarro's humidity measurements. The meteorological stations are located close to respective Picarro inlets. The temperature and relative humidity of these stations have been used for calculating the water vapour pressure ($e = e_{\text{sat}} \cdot \text{RH}/100$). The saturation vapour pressure is calculated from the Magnus–Tetens formula ($e_{\text{sat}} = 6.1094 \cdot \exp^{(17.625 \cdot T)/(243.04 + T)}$, WMO, 2008).

Figure A1 shows 10 min resolution of simultaneous measurements of humidity from the meteorological station and the Picarro at IZO and TDE stations, respectively. The slope (S), intercept (i) and coefficient of determination (r^2) of the linear fit at each station are shown. The linear fit obtained at each station is applied as a correction for the whole humidity measurements.

A2 Isotopic calibrations with the SDM system

The isotopic calibration is carried out every 8–12 h by measuring two liquid standards of composition $\delta D_{S1} = -142.2 \pm 0.7\text{‰}$ and $\delta D_{S2} = -245.3 \pm 0.7\text{‰}$. These two standards are reasonably representative for the situation at IZO and TDE. In order to correct the humidity dependence, these two standards are analysed periodically at three different water vapour mixing ratios (around 6, 12 and 18 mmol mol⁻¹). The time intervals between sampling and calibration, as well as the calibration humidity points have been slightly modified as a function of the demands in certain campaign periods. The calibration procedure takes 2 h.

The calibration steps are generated by mixing the different liquid sample volumes with a synthetic air flow. At TDE, the air flow is controlled by an electronic mass flow controller, while at IZO, the flow is controlled by a rotameter. The reduced precision of

Moisture pathways and H₂O- δ D pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

this second device is translated in a bigger variability of the fixed humidity points at IZO in comparison with the TDE (Fig. A2).

The isotopic calibration starts by filtering those data recorded in the transition between sampling and calibration, in the transition between the 3 humidity calibration points, as well as those related to clogged syringes. The left column in Fig. A2 shows the difference between the Picarro δ -readings obtained during the SDM calibration at the 3 humidity points (standard 1 is shown in blue dots and standard 2 in black dots) at the 2 stations. No significant differences are observed along the humidity range covered with the SDM, being the 2σ below 2‰ (instrumental precision < 0.5‰). Each day, the data are calibrated with the resulting combination of the calibration at 3 different humidity points (no humidity dependence was found) and a linear fit between the responses of the 2 standards. The time series of the SDM calibrations carried out at IZO and TDE stations are shown in the right column in Fig. A2 (gaps are due to instrumentation's repairs). No temporal drifts are observed in the different time series indicating that both Picarro instruments are very stable and consistent over time.

The SDM calibration is appropriate for the humidity ranges where the SDM works properly (6000–25 000 ppmv). To characterize the Picarro response for lower humidities, an experiment with a gas bubbler covering a humidity until 500 ppmv, was carried out in our lab right after the installation under controlled temperature conditions. This exercise showed no humidity dependences on the Picarro's isotopologues readings, but more variability. From that experiment, we use the SDM calibration procedure for the whole range of humidity measured at the stations considering the following absolute uncertainties in δD : < 13.7‰ at 500 ppmv and < 2.3‰ at 4500 ppmv. The error estimation accounts for instrument precision as well as errors due to the applied data corrections (SDM effects + instrumental drifts < 1‰, liquid standard bias < 0.7‰, calibration bias < 0.5‰ for δD).

Acknowledgements. This study has been conducted in the framework of the project MUSICA (Multi-platform remote Sensing of Isotopologues for investigating the Cycle of Atmospheric water) funded by the European Research Council under the European Community's Seventh

Moisture pathways and H₂O- δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion



**Moisture pathways
and H₂O- δ D pairs in
the subtropical North
Atlantic free
troposphere**Y. González et al.

Title Page

Abstract

Introduction

Conclusions

References

Tables

Figures

◀

▶

◀

▶

Back

Close

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

- Cuevas, E., González, Y., Rodríguez, S., Guerra, J. C., Gómez-Peláez, A. J., Alonso-Pérez, S., Bustos, J., and Milford, C.: Assessment of atmospheric processes driving ozone variations in the subtropical North Atlantic free troposphere, *Atmos. Chem. Phys.*, 13, 1973–1998, doi:10.5194/acp-13-1973-2013, 2013. 27222, 27225
- 5 Draxler, R. and Rolph, G.: HYSPLIT (HYbrid Single-Particle Lagrangian Integrated Trajectory) Model Access Via NOAA ARL READY, NOAA Air ReSOURCES Laboratory, Silver Spring, MD Website, available at: <http://www.arl.noaa.gov/ready/hysplit4.html> (last access: June 2015), 2003. 27224
- Dyroff, C., Sanati, S., Christner, E., Zahn, A., Balzer, M., Bouquet, H., McManus, J. B.,
10 González-Ramos, Y., and Schneider, M.: Airborne in situ vertical profiling of HDO/H₂¹⁶O in the subtropical troposphere during the MUSICA remote sensing validation campaign, *Atmos. Meas. Tech.*, 8, 2037–2049, doi:10.5194/amt-8-2037-2015, 2015. 27221, 27225
- Galewsky, J. and Hurlley, J. V.: An advection-condensation model for subtropical water vapour isotopic ratios, *J. Geophys. Res.*, 115, D16116, doi:10.1029/2009JD013651, 2010. 27220,
15 27221, 27231
- Galewsky, J., Sobel, A., and Held, I.: Diagnosis of subtropical humidity dynamics using tracers of last saturation, *J. Atmos. Sci.*, 62, 3353–3367, 2005. 27222, 27229
- García, O. E., Díaz, J. P., Expósito, F. J., Díaz, A. M., Dubovik, O., Derimian, Y., Dubuisson, P., and Roger, J.-C.: Shortwave radiative forcing and efficiency of key aerosol types using AERONET data, *Atmos. Chem. Phys.*, 12, 5129–5145, doi:10.5194/acp-12-5129-2012,
20 2012. 27226
- Gómez-Peláez, A., Ramos, R., and Pérez-de la Puerta, J.: Methane and carbon dioxide continuous measurements at Izaña GAW station (Spain), in: GAW Report (No. 168) of the “13th WMO/IAEA Meeting of Experts on Carbon Dioxide Concentration and Related Tracers Measurement Techniques (Boulder, Colorado, USA, 19–22 September 2005)”, edited by: J. B. Miller, World Meteorological Organization (TD No. 1359), available at: <http://www.wmo.int/pages/prog/arep/gaw/gaw-reports.html> (last access: October 2014), 2006. 27225
25
- Guirado, C., Cuevas, E., Cachorro, V. E., Toledano, C., Alonso-Pérez, S., Bustos, J. J., Basart, S., Romero, P. M., Camino, C., Mimouni, M., Zeudmi, L., Goloub, P., Baldasano, J. M., and de Frutos, A. M.: Aerosol characterization at the Saharan AERONET site Tamanrasset,
30 *Atmos. Chem. Phys.*, 14, 11753–11773, doi:10.5194/acp-14-11753-2014, 2014. 27223
- James, P., Stohl, A., Spichtinger, N., Eckhardt, S., and Forster, C.: Climatological aspects of the extreme European rainfall of August 2002 and a trajectory method for estimating

**Moisture pathways
and H₂O- δ D pairs in
the subtropical North
Atlantic free
troposphere**

Y. González et al.

[Title Page](#)[Abstract](#)[Introduction](#)[Conclusions](#)[References](#)[Tables](#)[Figures](#)[◀](#)[▶](#)[◀](#)[▶](#)[Back](#)[Close](#)[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)

Rodríguez, S., González, Y., Cuevas, E., Ramos, R., Romero, P. M., Abreu-Afonso, J., and Redondas, A.: Atmospheric nanoparticle observations in the low free troposphere during upward orographic flows at Izaña Mountain Observatory, *Atmos. Chem. Phys.*, 9, 6319–6335, doi:10.5194/acp-9-6319-2009, 2009. 27222, 27224, 27225, 27226

5 Rodríguez, S., Alastuey, A., Alonso-Pérez, S., Querol, X., Cuevas, E., Abreu-Afonso, J., Viana, M., Pérez, N., Pandolfi, M., and de la Rosa, J.: Transport of desert dust mixed with North African industrial pollutants in the subtropical Saharan Air Layer, *Atmos. Chem. Phys.*, 11, 6663–6685, doi:10.5194/acp-11-6663-2011, 2011. 27223, 27228

10 Rodríguez, S., Alastuey, A., and Querol, X.: A review of methods for long term in situ characterization of aerosol dust, *Aeolian Research*, 6, 55–74, doi:10.1016/j.aeolia.2012.07.004, 2012. 27223, 27225

Rodríguez, S., Cuevas, E., Prospero, J. M., Alastuey, A., Querol, X., López-Solano, J., García, M. I., and Alonso-Pérez, S.: Modulation of Saharan dust export by the North African dipole, *Atmos. Chem. Phys.*, 15, 7471–7486, doi:10.5194/acp-15-7471-2015, 2015. 27226, 27228

15 Rolph, G., Ngan, F., and Draxler, R.: Modeling the fallout from stabilized nuclear clouds using the HYSPLIT atmospheric dispersion model, *J. Environ. Radioactiv.*, 136, 41–55, 2014. 27224

Schneider, M., González, Y., Dyroff, C., Christner, E., Wiegeler, A., Barthlott, S., García, O. E., Sepúlveda, E., Hase, F., Andrey, J., Blumenstock, T., Guirado, C., Ramos, R., and Rodríguez, S.: Empirical validation and proof of added value of MUSICA's tropospheric δ D remote sensing products, *Atmos. Meas. Tech.*, 8, 483–503, doi:10.5194/amt-8-483-2015, 2015. 27221

20 Sodemann, H., Schwierz, C., and Wernli, H.: Interannual variability of Greenland winter precipitation sources: lagrangian moisture diagnostic and North Atlantic Oscillation influence, *J. Geophys. Res.*, 113, D03107, doi:10.1029/2007JD008503, 2008. 27226, 27229

25 WMO: Guide to Meteorological Instruments and Methods of Observation, WMO Technical Publication No 8, World Meteorological Organisation, Geneva, 2008. 27234

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure 1. Schematic depiction of the processes influencing the water vapour balance over Tenerife Island in the subtropical North Atlantic. A temperature inversion layer (TIL) separates the Marine Boundary Layer (MBL) and the Free Troposphere (FT). In the MBL, NE trade winds blow, while in the FT, the regular NW subsidence regime is alternated in summer with Saharan dust outbreaks. At the island, the upslope winds prompt that MBL air reaches the low FT during daylight. IZO and TDE stations are represented as red dots.

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure 2. Left: time series of 10 min averages of H_2O and δD measured at IZO station. Black dots represent the data collected from midnight to 1 h after sunrise (nighttime). Orange crosses represent the data collected during daylight (from 3 to 10 h after sunrise). Right: monthly mean of the diurnal cycle of H_2O and δD .

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure 3. Same as Fig. 2 for data collected at TDE station.

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure 4. Distribution of the H_2O - δD pairs (10 min averages) at IZO (left) and TDE (right) stations. Grey dots show all data for the individual stations. Black dots represent the data collected during nighttime (from midnight to 1 h after sunrise). Orange crosses represent the data collected during daylight (from 3 to 10 h after the sunrise). The whole data set is presented in grey dots.

[Title Page](#)[Abstract](#)[Introduction](#)[Conclusions](#)[References](#)[Tables](#)[Figures](#)[◀](#)[▶](#)[◀](#)[▶](#)[Back](#)[Close](#)[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure 5. Air masses reaching IZO station as a function of the dust load. First row shows non-dust conditions, second row, dust laden conditions. The colour-bar indicates the altitude (km) of these air masses in each grid. The left column shows the trajectories. The right column shows the H_2O - δD distribution (pairs are presented on 10 min average): all data (grey dots), data measured under non-dust conditions (green dots) and data for dust laden conditions (red dots). Orange lines represent the evolution of an air mass that has experienced Rayleigh distillation for $\text{RH} = 80\%$ and $\text{SST} = 18^\circ\text{C}$ (thin line) and $\text{SST} = 25^\circ\text{C}$ (thick line), respectively. These temperatures cover the annual mean sea surface temperatures around the Canaries. The black thin line represents the mixing between a moist air mass (initial conditions: $\text{H}_2\text{O} = 18 \text{ mmol mol}^{-1}$, $\delta\text{D} = -84\text{‰}$) and a dry air mass (initial conditions: $\text{H}_2\text{O} = 0.4 \text{ mmol mol}^{-1}$, $\delta\text{D} = -600\text{‰}$). The black thick line represents another mixing process (initial conditions for moist end member: $\text{H}_2\text{O} = 16 \text{ mmol mol}^{-1}$, $\delta\text{D} = -93\text{‰}$; initial conditions for dry end member: $\text{H}_2\text{O} = 0.4 \text{ mmol mol}^{-1}$, $\delta\text{D} = -600\text{‰}$).

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure 6. Same as Fig. 5 for the data collected at TDE station.

Title Page	
Abstract	Introduction
Conclusions	References
Tables	Figures
◀	▶
◀	▶
Back	Close
Full Screen / Esc	
Printer-friendly Version	
Interactive Discussion	



Moisture pathways and H₂O- δ D pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure 7. Trajectory-based analysis of the last condensation (LC) point for non SAL conditions. Upper panels: location (pressure-latitude) of LC point. Bottom panels: Histograms for $\Delta H_2O = \log[H_2O_{t=0}] - \log[H_2O_{LC}]$. The different colours correspond to different T_{LC} groups: $T_{LC} < 250$ K (blue line), $250 < T_{LC} < 270$ K (grey line) and $T_{LC} > 270$ K (red line).

Moisture pathways and H₂O- δ D pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure 8. H₂O- δ D distribution (10 min data within ± 3 h of the arrival time of the airmass) measured at IZO station and analysed with regard to the LC point. The data set has been grouped in 3 groups corresponding to different condensation temperatures: $T_{LC} < 250$ K, $250 \text{ K} < T_{LC} < 270$ K and $T_{LC} > 270$ K. The H₂O- δ D pairs measured for reduced mixing since LC ($\Delta \text{H}_2\text{O} \pm 0.1$) are presented in green. Pairs measured for increased mixing since LC ($\Delta \text{H}_2\text{O}$ outside ± 0.1) are presented in dark grey. Rayleigh and mixing curves are plotted as in Figs. 5 and 6.

Moisture pathways and H₂O- δ D pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure 9. Same as Fig. 8 for the data collected at TDE station.

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure 10. H_2O - δD distributions as obtained for the four different moisture pathways that determine the free troposphere moisture budget in the surroundings of Tenerife (Left panel for IZO and right panel for TDE). Depicted are contour lines indicating the areas of the highest data point density. The thin dashed and thick solid lines mark the areas that include 95 and 66 % of all data, respectively. The different colour of the contour lines mark the different pathways (1–4) as given in the legend. Rayleigh and mixing curves are plotted as in Figs. 5, 6, 8 and 9.

Moisture pathways and H_2O - δD pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure A1. Grey dots show the 10 min humidity data pairs of the Picarro and the meteorological at IZO and TDE. Red lines indicate the linear fit of the distribution. S = slope, i = intercept, r^2 = coefficient of determination.

[Title Page](#)[Abstract](#)[Introduction](#)[Conclusions](#)[References](#)[Tables](#)[Figures](#)[◀](#)[▶](#)[◀](#)[▶](#)[Back](#)[Close](#)[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)

Moisture pathways and H₂O- δ D pairs in the subtropical North Atlantic free troposphere

Y. González et al.




Figure A2. Difference between the measured δ D and that from the two liquid standards used for calibrating the instruments at IZO (first row) and TDE stations (second row). The left column depicts the dependence of this difference to the humidity during calibration. The right column shows the evolution of the difference with the time for all humidity levels.