

## ***Interactive comment on “Observation of a tidal effect on the Polar Jet Stream” by C. H. Best and R. Madrigali***

**C. H. Best and R. Madrigali**

clive.best@gmail.com

Received and published: 24 February 2016

In the paper we used the analogy of coin tossing to calculate the probability of observing 40/46 coincidences of negative AO peaks with tidal forces in winter. This is the origin of the quoted >99% probability that the effect is real. Since then NOAA has published new AO data for the current winter 2015/16 as shown in the attached figure. This further supports the conclusion that a tidal effect on the Jet Stream is correct. Provisional data for February 2016 show a continuation of this trend with an AO minimum coinciding with the new moon spring tide at 8 February. (see: [http://www.cpc.ncep.noaa.gov/products/precip/CWlink/daily\\_ao\\_index/ao.sprd2.gif](http://www.cpc.ncep.noaa.gov/products/precip/CWlink/daily_ao_index/ao.sprd2.gif))

The small overall negative correlation of the AO with tides is also statistically significant.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Figure 2 shows the last 10 years of daily AO data. The Spearman correlation of all daily data since 1950 with 45N tides may be only -0.02 when including summer months, but this still has a signal to background of 3 sigma, equating to > 99% probability of an effect.

---

Interactive comment on Atmos. Chem. Phys. Discuss., 15, 22701, 2015.

ACPD

15, C12724–C12727,  
2016

---

Interactive  
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

C12725



Interactive  
Comment




Fig. 1. Winter 2015/16


Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper





**Fig. 2.** Comparison of last 10 years AO data

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)