

Interactive comment on “Response of OH airglow emissions to the mesospheric gravity waves and its comparisons with full wave model simulation at a low latitude Indian station” by R. N. Ghodpage et al.

R. N. Ghodpage et al.

alok.taori@gmail.com

Received and published: 15 March 2016

Response to the comments/suggestions made by Referee#1 [detailed] Review of Response of OH airglow emissions to the mesospheric gravity waves and its comparisons with full wave model simulation at a low latitude Indian station” by R. N. Ghodpage et al. by Ghodpage ,Hickey, Taori, Siingh, and Patil. The paper presents the analysis of wave signatures present in OH airglow at Kolhapur in India, namely airglow brightness and (rotational) temperature, from a total of 105 nights of observation, in 2010 and 2011. The resulting values of Krassovsky’s ratio scatter widely, but not consider-

C13179

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment

ably more than 10 previous literature reports, since the earliest analysis from Svalbard published 27 years ago until results from Hawaii published in 2008. Another comparison is done with respect to model results for long horizontal wavelengths published in the early 90s. However, since all this is shown in the same figure (but different figures for the different parameters), it is very hard to distinguish the symbols and follow the description in the text. The paper also reports on wave model simulations for the atmospheric background conditions corresponding to the observation site and time of year. These results based on the Hickey et al. model are expected to be comparable to the parameters observed (modulus and phase of Krassovsky's ratio), but it turns out to be successful only for a certain range of small model phase velocities. While the discussion in the text is well done, the corresponding figure suffers from the very wide scale chosen to accommodate some of the model results for short-period waves, and so is not as instructive and easy to read as possible. No details are given about how rotational temperatures are determined from the two spectral samples available from the airglow photometer, nor any reference to other papers where this may have been described. Neither is there any mention about whether the intensities refer to the whole emission band (as required for meaningful and unbiased values of Krassovsky's ratio). There is a problem with figure 1 that I hope is only a scaling error. If the relative intensity and temperature amplitudes in Fig 1 are really plotted at the same scale (as the figure makes us believe), then they look too similar to explain eta values much different from the order of one. And indeed, the peak-to-peak distance of 12 mm I measure in Fig. 1a and 8.5 mm in 1b correspond to an eta of 1.4, but not 7 as the text claims, for the principal wave! For the residual wave, the situation does not look better, but it's harder to quantify from the -0.5 to +0.5 scale. The numerical result for the residual wave given in the text (3.7, see details on Line 165 (L165)) is however wrong (it is not even dimensionless but in relative intensity/kelvin). Figure 1 is also not a convincing example of the quality of the phase information (especially for the secondary wave) that can normally be obtained, and therefore casts doubt on the phases of eta obtained from the observations. For these reasons (some details are mentioned in the

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

list below), I cannot recommend publication in the present form and think that a major revision (except for the excellent section 4) is needed. Details (mainly minor technical points but also some explanations of more serious stuff:

Response: Thanks for the suggestions. We have attempted our best to incorporate the suggestions made in our revised manuscript. We have included description related to OH emission in our introduction section. Please note that we have normalized intensity data (mean intensity deviation / mean) and (mean temperature deviation / mean) to retrieve the wave features from the data.

L30: I do not understand what is gained by the words "In the present report", since there is no other topic in the abstract with which it could be confused.

Response: We have removed the text in abstract section.

L35: delete "the" before "propagating..." because it's generic (any gws!).

Response: We have deleted text as suggested on page number 4 (Line 57-58)

L37: "ambient" seems to stand for "mean flow", but that's not obvious for the general reader.

Response: Reviewer is correct. We have modified this word.

L40: Krassovsky (1972) did not include phase in his definition of eta. Better, replace "can be defined as" by "is now defined as".

Response: We have modified sentence as per reviewer suggestion on page number 4

L42: change "a phase" to "the phase difference".

Response: We have modified text as per reviewer suggestion on page number 4.

L68: Hickey et al. 1998 ref is missing. Do you mean Hickey, M.P., Taylor, M.J., Gardner, C.S., and Gibbons, C.R. (1998), Full-wave modeling of small-scale gravity waves using Airborne Lidar and Observations of the Hawaiian Airglow (ALOHA-93) O(1S) images

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



and coincident Na wind/temperature lidar measurements, J. Geophys. Res. 103, 6439-6453. -?

ACPD

Response: Thanks for your suggestion. We included references as we miss it in our reference list.

L74: better, simplify -> "are made with the multispectral..."

Response: We have modified text as per reviewer suggestion on page number 6.

L75: I suggest change to read "We analyze the data from... to...".

Response: We have modified text as per reviewer suggestion on page number 6.

L76: delete "the availability of" to read "when clear sky conditions prevailed...".

Response: We have modified text as per reviewer suggestion on page number 6.

L77: "In particular" sounds as if only details follow, rather than new relevant info about the number of wave signatures found in 2010 and 2011; so, better start with "For 2010, 14 nights out of 45 nights of observation clearly showed....., while in 2011, 30 from 60 nights of data showed wavelike...".

Response: We have modified text as per reviewer suggestion on page number 6.

L83: correspondence between wavelengths and emissions is a little confuse; the essential information -the two wavelenghts at which the OH (8-3) band is sampled- is mixed up with the list of red and green atomic oxygen lines (which are not used in this paper).Better reorganize this sentence!

Response: We have modified text as per reviewer suggestion on page number 6.

L91, 92: "This output... processing" is not very informative. The message is simply that the corresponding time series are stored for further processing. And the other reviewer is right when saying that details about the determination of rotational temperatures should be given. The two wavelengths alone, without information on bandwidth

15, C13179–C13195,
2016

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment

and therefore, the rotational band components included in each of the two spectral samples, are insufficient to derive temperatures. In principle, also the spectral background intensity unaffected by the OH emission would be needed for good rotational temperatures (although I think this would be difficult, in the spectral vicinity of the 8-3 band)...

Response: Thanks for the suggestion. We have included information in introductions section in our revised manuscript.

L128, 129: Instrument and satellite names should be capitalized to match acronyms.

Response: We corrected text as per suggestion of referee in revised manuscript on page number 8.

L130: "orbital inclination" needs be added to "at 74°"; add missing word" atmosphere"

Response: We have corrected text as per suggestion of referee on page number 8.

L135; not clear what is gained by mentioning 2010 and 2011 again; what is meant by "to identify this"?

Response: We corrected text as per suggestion of referee on page number 8.

L136, 137: change to read "(obtained from SABER)" and delete the rest of the sentence (redundant).

Response: We have corrected text as per suggestion of referee on page number 8- 9.

L138: replace "representing" by "to represent", because the selected grids do not automatically represent Kolhapur (but are meant to).However, I wonder why the longitude interval is so much greater than the latitude interval, being so relatively close to the equator (where $\text{COS}(17^\circ)=0.956=\sim 1$).

Response: We corrected text as per suggestion of referee on page number 8-9.

L139-140: the two miss-time criteria just boil down to "night time (excluding twilight)"

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



and do not require this two-item list.

Response: We have corrected text as per suggestion of referee on page number 9.

L146, 147: delete "with connecting lines", since that's not informative ;only circles can be clearly seen in figure 1.

Response: We have deleted text as per suggestion of referee on page number 9.

L149, 150: "mean airglow intensity", "mean temperature" is clear enough (delete "of", "of the").

Response: We have deleted text as per suggestion of referee on page number 9.

L153: an even better fit could be obtained if a constant term were included in equation (1).

Response: As per referee suggestion we tried to get best fit but did not seen many changes in wave periods, some phase difference values changes that effect on vertical wavelength values. We included it in our text on page number 10.

L150-154: too much information is given simultaneously in this long sentence, just to explain the red lines. Better, start simply: "Also, best-fit cosines are shown (red lines)." And then give details. The reason ("to identify...") is obvious.

Response: We have corrected text as per suggestion of referee on page number 9.

L155: then, this sentence ("Note that ... model") should be deleted.

Response: We have deleted text as per suggestion of referee on page number 9.

L157: see below (L161-162)! L158: the argument is that the temperature and intensity oscillations correspond to the same physical wave, in spite of the small nominal difference in period (within combined errors). L160: delete "(Figure 1c)" after "best-fit model values", because the next sentence is explicit enough. To explicit, in fact, since the information on the position of the panels ("bottom-left", etc.) is redundant.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Response: We deleted text as per suggestion of referee on page number 10.

L161-162, L165-166: but the correct order (Fig 1c, 1d) is intensity, temperature, respectively.

Response: We have mistakenly written wrong order. We corrected it on page number 10.

L164: while the figures 1a-d shows percentage amplitudes, the values in L165 are absolute amplitudes. Most importantly: the relative intensity and temperature amplitudes in Fig 1 look too similar to explain eta values of 7 (principal wave) and 3.7 (residual wave; but see the more serious error, below "L165-166"!). From the visual impression of figure 1, the principal wave has intensity and temperature nearly in phase, but for the secondary oscillation, visual inspection does not lead to a clear conclusion, because of the ambiguity of relating 3 (nearly 4!) intensity maxima to 2 temperature maxima.

Response: In figure1 we have plotted mean intensity per mean verses time and mean temperature per mean verses time values. Not the percentage amplitudes. If we reduce graph scale then you can see the phase difference in secondary wave. But as per referee suggestion we again replotted the figure 1 for intensity deviation and temperature deviation (you can see the scale values different for intensity and temperature deviation).

L165-166: the temperature amplitude of 4.1K and intensity amplitude of 15.1 units are insufficient information to arrive at the eta of 3.7 (but $15.1/4.1=3.68$ relative units/kelvin; hmm). I hope that this is not how all the eta values have been determined, because they would be all wrong!

Response: In that text, we clearly wrote that it is percentage amplitude which is divided by their mean values. Further, we have calculated all eta values using the Krassovsky's equation (1) given in A. Guharay et al., 2008 reference. We round up Eta value to keep on one digit after decimal point. Now, we corrected it and used two digits after decimal

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



point in all Eta values calculation for plotting and text in manuscript.

L173: formula (2) is not from Hines' Fundamental Theorem paper of 1997, but can be deduced from eq 57 and 58 in Tarasick & Hines 1990 (not cited; that is: Tarasick, D.W., and Hines, C.O. (1990), The observable effects of gravity waves on airglow emissions, *Planet. Space Sci.* 38, 1105-1119); your formula (2) in the form how you cite it (and others have), may have first been given in Reisin & Scheer 1996 (which you cite). This is not an important point in itself. A simpler version (using a numerical factor 22 instead of 2 pi and the gamma terms) can also be obtained from eq 37 of Hines & Tarasick 1987 (which you cite). Note that the sign conventions of H&T87 and T&H90 are opposite to what Reisin & Scheer 1996 and Reisin & Scheer 2001 (not cited, but relevant to the context of your paper: Reisin, E.R., and Scheer, J. (2001), Vertical propagation of gravity waves determined from zenith observations of airglow, *Adv. Space Res.* 27(10), 1743-1748.) have used. With your formula (2), negative vertical wavelength corresponds to downward phase propagation (i.e., upward energy propagation, as your manuscript mentions only much later), and that means that temperature oscillations precede the intensity oscillations in phase (as, e.g., Takahashi, H., Sahai, Y., and Teixeira, N.R. (1990), Airglow intensity and temperature response to atmospheric wave propagation in the mesopause region, *Adv. Space Res.* 10, (10)77-(10)81) have shown mostly to be the case). Since your paper compares with phase shifts from the literature, consistent phase conventions must be used. And since phase difference for waves with different period depends on time, corrections for frequency difference or time reference are needed, in general. Otherwise, considerable statistical errors can arise.

Response: We understand the reviewer's viewpoint. As these are geospatially different locations where latitude-longitude differences may be very large and more that they are not in same season and year, we think this should be highlighted in the manuscript. After reviewers comment we feel as we have no handle on these issues, we are now clearly mentioning this aspect in the manuscript.

L176: While formula (2) has not been derived for evanescent waves, this does not au-

ACPD

15, C13179–C13195,
2016

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment

tomatically imply that it is not at least approximately valid for $\Phi=0$, since that leads to infinite vertical wavelength (i.e., constant phase with height), which is not unreasonable. By the way, for ϕ so close to zero that sign may change, also the sign of VW changes (simply as statistical errors), which is why for large values of VW , sign is meaningless! This is why it does not make sense to choose very wide scale for plots of VW .

Response: We change our vertical wavelength plot (figure 2c and 3c) as per referee suggestions.

L178: importantly, missing "the" before "long period and short period waves", because only the two cases of figure 1 are referred to (and it is not a general statement).

Response: We change text as stated.

L179: Note that the bias for long-period waves alluded to here could have been removed by simply including a constant term in the fit (eq 1).

Response: It is true that by adding a time varying constant we can remove the trend. The prior knowledge of the possible period is a tough call to take while fitting to address and varies case to case. For this reason, we avoid any confusion by considering only those waves whose periods are substantially less than the length of the available data.

L183, 184: "one may note that" and "in the data show" are unnecessary subjective aspects of an objective message ("During 2010... The principal wave components have periods between 5.2 and 10.8 h").

Response: We change text as stated.

L185: minimum temperature amplitudes of 0.2 K? Such small amplitude for a "principal wave" must be a chance exception meaning "no wave detected", and not a result to be taken seriously.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Response: We apologize for mistake, this day in our plot and text removed. Referee raised point is correct.

L190-198: these numbers are hard to digest without a figure to look at, but unfortunately, Figure 2 has too many different symbols to make the present results stand out clearly. I think, separate plots without the literature comparisons are needed (while including the black model curves would not hurt)! With respect to the comparisons with other observations, I doubt that the period ranges are all correct (that would be easy to repair by a statement like "also some of the results from other investigations are shown"). Some of the symbols in 2a and 2b differ, making it harder to interpret the plots (symbol 16 for Viereck &Deehr eta, but symbol 7 for Viereck& Deehr phi). Already from the present figure 2b it appears that Viereck &Deehr had many outliers (but if I remember correctly, several values were derived from the same spectral feature; note that their figure 7 with many strange phases is for O2!). Therefore, choosing such a wide phase angle scale to accommodate these "outliers" does not make sense. However, I can see no evidence for so many phase outliers in Viereck and Deehr's paper (which was, by the way, based on only three consecutive (24 -h) days of observation), especially if one ignores periods below 1h; see their figure 4).

Response: We corrected text and figures. As per referee suggestions we inserted separate plots without the others researchers values, in manuscript as figure (2a1) and (2b1) for eta and phi respectively. Symbol system used in plots makes similar in all plots. Thanks for the suggestion.

L199-205: I insist that comparisons should go to a separate Figure. Strictly speaking, the different results do not "vary", but each one is constant. However, they do "range from... to", or "fall in the range between... and...". Also in other places, the text abuses "vary", when referring to a range of fixed values.

Response: As per referee suggestion we included separate figures in modified manuscript on page number 11 and make changes in text also.

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



L215, 216: see my other comments about Viereck &Deehr's phases. I can see no such similarity with respect to the present results.

Response: As per referee suggestion we checked the phase values in Viereck and Deehr's paper and corrected it in modified manuscript.

L225: It is not true that Reisin & Scheer 2004 is for periods of 3000 sec and eta = 5.6. That number (5.6) was derived from mean variances of temperature and intensity averaged over several years, but does not refer to waves of any specific period. However, that paper did state that periods between 1000s and 3h correspond to an eta of 3.47 ± 0.07 (for OH) according to Reisin & Scheer 2001 (which I have mentioned above, and which would make more sense to be cited here).

Response: As per referee suggestion we corrected text on page number 12.

L235: what is the reason to expect a latitudinal effect on the phases of eta? And, isn't Svalbard (Viereck & Deehr) even higher latitude than Sierra Nevada (Lopez-Gonzalez et al.)?

Response: In an earlier comment, reviewer has partially answered the reason for this. The reason can be because of time of wave occurrences, and more because of gas densities and temperature differences. Further, it is also remains to be seen that when mesopause altitude itself changes from low to high latitudes, how far the processes remain adiabatic. Only further experimental and theoretical efforts can resolve this.

L237: some word must be missing in this sentence.

Response: We corrected text on page number 13.

L239: Hines's Fundamental Theorem paper (1997; which you cite) uttered a different opinion.

Response: Reviewer is correct in saying that there are different opinions. However, a large data spread cannot be an aberration and has to be further ideas to explain them.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Our aim is to point out that aspect by mentioning these statements.

L242: "Winds also affect" - citation needed!

Response: We have added the reference of Sonnemann G. and M. Grygalashvly (2003) where they have elaborated the impact of wind on OH photochemistry.

L246: delete "the" before "upward"; also, citation needed about why this is thought to be so.

Response: Corrected sentence and included reference as suggested by reviewer on page number 13-14.

L263: The Offermann et al. (1981) paper has nothing to do with gravity waves and air-glow and therefore must not be cited here. It only discussed the variability of measured atomic oxygen profiles.

Response: We removed cited reference as per referee suggestion.

L272: this information on propagation direction has already been given. Is this repetition warranted or just an oversight?

Response: We remove repeated sentence on page number 14-15.

L273: typo in "Krassovsky"

Response: We corrected typo mistake on page number 15.

L281, 282: Shouldn't the previous results by Ghodpage et al. based on data from other times or places be given more emphasis here?

Response: As suggested, we have explained more on the earlier results over Indian sector based on the earlier literature including our own work.

L288: -> "Full Wave Model results" (?)

Response: Sorry for writing it wrong way. It should be Full Wave Model results.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



L289: what observations are you talking about? Isn't this section about model simulations?

ACPD

Response: This is about running the model for the duration when we have made the observations reported in earlier section. We have mentioned it clearly in statement on page no. 15.

L310: lost single word "show" before "The observed..."

15, C13179–C13195,
2016

Response: We corrected it on page number 16.

Interactive
Comment

L314: there is something incomplete in this sentence at "are 50-100 m/s". Maybe "at 50 and 100 m/s"?

Response: We corrected it on page number 16.

L321: delete excess "that" (after "that").

Response: We corrected it on page number 17.

L356: orphaned "for ."

Response: We corrected it on page number 18.

L363: please, correct strange "eta"-like font variant.

Response: Ok.

L367: correct typo in "constituents"; and if subject is "composition", then "were" -> "was"

Response: We corrected it on page number 19.

L369: missing "that" before arises" and missing final "s" in "a rises". my concluding remark to section 4: I wish the authors good luck to elevate the quality of the rest of the manuscript to the (language and argumentation) level of section 4!

Response: We corrected the text.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment

L386, 387: this section and the list of 4 items well deserves being called "conclusions"; "concluding remarks" implies that the results obtained are themselves clear enough, so that there is hardly a need to add more text. At any rate, "Following are the concluding remarks" sounds too obvious to be worth the space.

Response: We corrected it on page number 20.

L391: reformulate so that is clear what is meant by "more magnitude of eta values". (Note that no error bars are given, so that quantitative comparisons are not necessarily conclusive).

Response: We have checked the errors in estimates and the differences are much above to be discounted as errors.

L393, 394: do you mean, "On the other hand, the phase values are greater than..."? Better, limit the use of "we note" to the minimum necessary and better stick to objective conclusions.

Response: We corrected it on page number 20.

L395: according to my impression with the corresponding figure (2b; see your symbols #7), some of the Viereck and Deehr phases differ considerably from your results, and from all the rest. But as stated above, I doubt that V&D really report those phases for OH.

Response: We corrected phase difference values (V and D) and replots figure 2b.

L408: better, delete after "under way", or reformulate to sound more reasonable.

Response: We corrected it on page number 20.

refs: in general, maintain chronological order of references! L440: missing space between "airglow" and subscript "2" in "O₂"

Response: We corrected it on page number 22.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



L448: missing hyphen in "T. -Y.", delete Walterscheid initial "L." (Paper only has "Richard").

Response: We corrected it on page number 22.

L452: wrong numbers! Correct is "148, 266-281, 2000".

Response: We corrected it on page number 23.

L460, 461: remove title capitalization and hyphen in "wave driven"

Response: We corrected it as suggested by referee on page number 23.

L494: is first author's naming "Pragati Sikha, R." (As mentioned in text) or Sikha Pragati, R. (as in the paper cited)? -it is not unusual that authors' names are spelled wrongly in published papers, so I ask.

Response: We corrected it as suggested by referee on page number 25 and apologize for mistake.

L495: delete final "s" in "Current Science"; 98(3).

Response: We corrected it as suggested by referee on page number 25.

I did not check all the references, so that's up to the authors.

Response: We have checked all listed references. _____

L552: labeling indicates that (a) and (c) is intensity, (b) and (d) temperature, opposite to what caption (and text; see above) says.

Response: We corrected text on page number 29.

L555: info about meaning of the fits and "data ... Kolhapur" is redundant.

Response: We have corrected text as suggested by referee on page number 29.

L559: "A close resemblance..." contradicts the visual impression of wide scatter in

[Full Screen / Esc](#)

[Printer-friendly Version](#)

[Interactive Discussion](#)

[Discussion Paper](#)



figure 2b (but maybe the V&D outliers are O2, not OH; see above).

Response: We corrected text as suggested by referee on page number 29 and modified figure on page number 33.

L564, 571: typo in "Guharay". Each of the sections of figures 2 and 3 contains too much information to be part of a single figure!

Response: We corrected typo mistake. We have separately drawn plots for observed eta values and phi values as figure 2a1 and 2b1 on page number 32-33.

L576: Delete "Shown", because it's trivial that a figure shows something ; meaning of the sentence is hard to understand. Measured etas are compared with model?

Response: We corrected text as suggested by referee on page number 30 .

Figure 3a: model values for 100 and 150 m/s very nearly agree, so that the blue symbols are hardly visible. So, why are both ways plotted here?

Response: They are not always same when we look at amplitude and phase part and we wanted to show for clarity.

Figure 3b: most striking feature is that many of the highest phase velocity model phases are unrealistic.

Response: Reviewer's observation is correct. We like to showcase that most recent models are also unable to explain the observed values and large variations are persisting due to lack of a suitable photochemistry model which is dynamically coupled.

Figure 3c: symbols are here explained in a style that differs from all previous plots. Better, use consistent scheme everywhere. Space for positive vertical wavelengths (downward energy propagation) is kind of "wasted" for the 4 data points that occupy this region.

Response: We corrected figure 3c as suggested by referee on page number 36-37.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



L586, 587: "are shown in plot" is no information. Where do these emission rate profiles come from? -> "solid lines: 2010, dashed lines: 2011".

Response: They are SABER observations corresponding to the duration of ground based data. We have clearly mentioned them now at this place together with existing explanations at section 2.3.

Interactive comment on *Atmos. Chem. Phys. Discuss.*, 15, 35881, 2015.

ACPD

15, C13179–C13195,
2016

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

