Atmos. Chem. Phys. Discuss., 5, 8979–9001, 2005 www.atmos-chem-phys.org/acpd/5/8979/ SRef-ID: 1680-7375/acpd/2005-5-8979 European Geosciences Union



ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

C. Rödenbeck et al.

Title Page Introduction Abstract Conclusions References Tables Figures ∎◄ ► Back Close Full Screen / Esc **Print Version** Interactive Discussion



The effect of systematic measurement errors on atmospheric CO₂ inversions: a quantitative assessment

C. Rödenbeck¹, T. J. Conway², and R. Langenfelds³

¹Max Planck Institute for Biogeochemistry, Jena, Germany ²NOAA Climate Monitoring and Diagnostics Laboratory, Boulder CO, USA ³Commonwealth Scientific and Industrial Research Organisation, Australia

Received: 25 July 2005 - Accepted: 26 August 2005 - Published: 20 September 2005

Correspondence to: C. Rödenbeck (christian.roedenbeck@bgc-jena.mpg.de)

 $\ensuremath{\textcircled{O}}$ 2005 Author(s). This work is licensed under a Creative Commons License.

Abstract

Surface-atmosphere exchange fluxes of CO_2 , estimated by an interannual atmospheric transport inversion from atmospheric mixing ratio measurements, are affected by several sources of errors, one of which is experimental errors. Quantitative information about such measurement errors can be obtained from regular co-located measurements.

- ⁵ about such measurement errors can be obtained from regular co-located measurements done by different laboratories or using different experimental techniques. The present quantitative assessment is based on intercomparison information from the CMDL and CSIRO atmospheric measurement programs. We show that the effects of systematic measurement errors on inversion results are very small compared to other events in the flux estimation (as well as expressed to simplify). As a prestical terms in the flux estimation (as well as expressed to simplify).
- errors in the flux estimation (as well as compared to signal variability). As a practical consequence, this assessment justifies the merging of data sets from different laboratories or different experimental techniques (flask and in-situ), if systematic differences (and their changes) are comparable to those considered here. This work also highlights the importance of regular intercomparison programs.

15 1. Introduction

Regular mixing ratio measurements of an atmospheric trace gas contain information about spatial and temporal variations in its sources and sinks. A way to infer these flux variations is the atmospheric transport inversion technique. This assessment focuses on CO_2 , which has been measured by several institutions at over 100 sites worldwide

- (e.g., Conway et al., 1994; Francey et al., 2003; see also GLOBALVIEW-CO2, 2004).
 Based on these data, several global interannual inversion studies have been conducted (e.g., Rayner et al., 1999; Bousquet et al., 2000; Rödenbeck et al., 2003; Peylin et al., 2005). Flux estimates obtained by the inversion technique, however, are affected by errors of three types:
- Transport model errors. The transport model one of the most important elements of the calculation does not simulate the correct atmospheric tracer con-

5, 8979–9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

C. Rödenbeck et al.



EGU

centration fields, even if the correct flux fields would be supplied. This is due to errors in the parameterizations (especially vertical mixing) and meteorological input data, but also due to the relatively coarse model grids (coarse compared to the spatial structures in circulation and source processes, and especially coarse compared to the point measurements of mixing ratios).

5

10

- 2. Methodology and assumptions. Due to the current spatial density of observation sites, fluxes in several parts of the world cannot be well constrained by the available atmospheric information alone. In order to make the inverse problem mathematically well-posed, a-priori information about the fluxes is supplied, either in the form of a-priori estimates or of assumed uncertainty patterns and correlation structure ('flux model'), or both. Present understanding of surface processes is compatible with a large range of such choices, which results in a large range of flux estimates. Also, the choice of mathematical regularization method can lead to different results.
- Experimental errors. Even with present-day high-precision methodology and equipment, the mixing ratio data themselves are subject to experimental errors during sampling, storage, extraction, and analysis (Masarie et al., 2001b). While random errors tend to average out when looking at longer time scales (such as interannual variability), systematic errors will not. Offsets could also occur between measurements by different laboratories (Masarie et al., 2001a).

In addition to the flux estimates, the Bayesian inversion framework yields uncertainty intervals. They are calculated by error propagation from the assumed magnitudes of the above-mentioned errors. However, many of these uncertainties are very poorly known. Moreover, error propagation assumes random errors, while systematic errors are potentially even more important. A more complete picture of the errors can be obtained from 'sensitivity testing': Transport model errors ('type 1') are (partially) assessed by comparison of results obtained with different transport models (e.g., Gurney)

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

C. Rödenbeck et al.

Title	Title Page			
Abstract	Abstract Introduction			
Conclusions	References			
Tables	Tables Figures			
•	►			
Back	Close			
Full Sci	reen / Esc			
Print	Print Version			
Interactive	Interactive Discussion			

EGU

et al., 2002; Rivier et al., 2005¹), while errors related to methodology and assumptions ('type 2') are (again partially) revealed by the differences between different inversion setups or different studies (e.g., Bousquet et al., 2000; Rödenbeck et al., 2003). Even though sensitivity testing can only yield a lower limit to all the potential errors, it turns out that these errors can be large, at least with respect to certain modes of variability (e.g., long-term spatial flux patterns, compare Bousquet et al., 2000; Rödenbeck et al., 2003). So far, measurement errors have generally only been treated as random and uncorrelated.

This study attempts a quantitative assessment of systematic errors of 'type 3': What is the effect of systematic experimental errors, compared to the other errors, on a global interannual CO₂ inversion? In particular, what flux errors arise from systematic differences between measurements by different experimental methods or different laboratories?

2. Method

¹⁵ The present assessment of errors of 'type 3' is done, as in the case of the other errors, in the form of a sensitivity comparison. The inversion methodology, including the particular set-up used here, is described in Rödenbeck et al. (2005). It is similar to the one used in Rödenbeck et al. (2003). An important difference is the use of data with higher time resolution. Rather than monthly mean data and fluxes, data are used as individual values (flask pair mean, or hourly mean, respectively, for flask and in situ measurements), and fluxes are estimated nominally on a daily time step. More information on the inversion set-up is found in the Appendix.

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions



¹Rivier, L., Bousquet, Ph., Brandt, J., Ciais, Ph., Geels, C., Gloor, M., Heimann, M., Karstens, U., Peylin, Ph., and Rödenbeck, C.: Comparing Atmospheric Transport Models for Regional Inversions over Europe. Part 2 : Estimation of the regional sources and sinks of CO₂ using both regional and global atmospheric models, in preparation, 2005.

The sensitivity comparison uses different records of atmospheric CO_2 mixing ratios observed at the same site. The differences between such records are taken as representative of the experimental errors. Two alternatives are considered:

At some observation sites, CO₂ mixing ratios are measured by different techniques, such as by air sampling in glass flasks analyzed in a central laboratory, and by continous in-situ measurements (Tans et al., 1990; Steele et al., 2004). These colocated records represent essentially independent measurements, except that both use reference gases that are traceable to the same primary standards. Therefore, any difference between a flask pair mean and the coincidental hourly mean from the continuous analyser may be considered as representing all experimental errors relevant for the inversion calculation.

5

10

15

- There are also sites where CO₂ mixing ratios are observed by different institutions. At some of these sites, air samples are intentionally collected by two institutions close to simultaneously, independently from each other using their respective sampling procedures, and analyzed by their respective laboratories (Masarie et al., 2001a). As before, differences between such simultaneous values can be expected to give an indication of the full range of potential experimental errors. In addition, they may specifically quantify potential offsets between the measurement networks of different institutions as a whole.
- From these measured differences, several scenarios of concentration differences at all sites used in the flux estimation are derived, as detailed below. The inversion algorithm is then used to calculate the flux differences that result in response to these measurement differences. Exploiting the fact that the flux estimates depend linearly on the data, the amplitude of the flux differences quantifies the implied flux error. These errors are then set into perspective by comparison with the other types of error of the inversion
- method.

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

Title	Title Page			
Abstract	Introduction			
Conclusions	References			
Tables	Figures			
14				
•	►			
Back	Close			
Full Sci	reen / Esc			
Print	Print Version			
Interactive Discussion				

2.1. Assessment A: flask/in situ differences

Differences between flask and continuous in-situ measurements are considered at Point Barrow [BRW], Mauna Loa [MLO], Samoa [SMO], and South Pole [SPO] (NOAA/CMDL Baseline Observatories) and at Cape Grim [CGA] (BASGAM in-situ in-

- strument, CSIRO observatory). At Cape Grim, a further comparison is possible involving parallel measurements obtained by CSIRO using two independent in-situ analysers (the conventional BASGAM and new LOFLO systems; Steele et al., 2004); however, as CO₂ differences are slightly smaller than observed between flask and continuous measurements, it is not considered any further here.
- ¹⁰ In assessment A1, a record of mixing ratio differences (coincidental hourly mean minus flask pair mean) is formed for each of the 5 sites. These records are then low-pass filtered on a time scale of one year. The resulting smooth curves are considered as a representation of the systematic part of experimental errors (Tans et al., 1990). The left panel of Fig. 1 shows, as an example, the differences for SMO, both as individual
- values and filtered, while the right panel gives the systematic parts at all observatories. These smooth curves are now sub-sampled at the times of the original flask measurements. An inversion is conducted that uses these difference records at BRW, CGA, MLO, SMO, and SPO, and zero difference (i.e., a zero value at each respective original sampling time) for all other sites. Clearly, this test will only give meaningful flux
 differences within the regions of influence of BRW, CGA, MLO, SMO, and SPO.

The chosen way to filter out the systematic error is clearly not unique. Therefore, in a variant of this assessment (A2), two full inversion calculations are done, one based on flask data exclusively, and one with the continuous records substituting for the flask records at BRW, CGA, MLO, SMO, and SPO. Then the resulting flux estimates are subtracted from each other. These flux differences not only reflect any systematic differences between the measurements, but also the different sampling times: the sampled air parcels and their origins are not identical. (Note that the trivial influence of different sampling densities in time is intentionally minimized by the weighting applied;

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

Title	Title Page			
Abstract Introduction				
Conclusions	References			
Tables	Tables Figures			
14				
•	►			
Back	Close			
Full Sci	reen / Esc			
Print	Print Version			
Interactive Discussion				

Rödenbeck et al., 2005.)

2.2. Assessment B: inter-laboratory differences

Coincidental air sampling as mentioned above is done regularly by NOAA/CMDL and CSIRO at several sites (Masarie et al., 2001a). Here, measured differences at Cape Grim (CGA-CGO) are used. Similar to assessment A, a record of differences is formed (CSIRO flask pair mean minus NOAA/CMDL flask pair mean, for those occasions where both of them exist, are used in the standard inversion, and are taken within maximally 1 h from each other). This difference record is then filtered (again one year time scale) to get the 'systematic part', shown in the left panel of Fig. 2. (In the framework of the intercomparison program, one flask of each pair sampled by NOAA/CMDL is also first analyzed in the CSIRO laboratory, to obtain additional information on the respective role of sampling and analysis in the origin of differences (Masarie et al., 2001a). Here, the difference between both flask pair means is taken, because this seems to comprise the relevant difference as seen by the inversion calculation².

The aim of assessment B is to obtain quantitatively the flux differences in response to potential systematic offsets between the two networks, in an inversion calculation using the combined CMDL and CSIRO data sets. This requires concentration differences to be supplied at all these sites. Therefore, the 'systematic part' of the CGA-CGO differences is taken as a proxy for the systematic differences between the CMDL and CSIRO sampling networks as a whole. The degree to which this is justified can be checked by the right panel of Fig. 2 which compares the systematic parts at Alert (ALC-ALT), Cape Grim (CGA-CGO), and South Pole (SPU-SPO): All three curves exhibit

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

Title Page				
Abstract Introduction				
Conclusions	References			
Tables	Figures			
•	•			
Back	Close			
Full Scr	Full Screen / Esc			
Print	Print Version			
Interactive Discussion				

²At some sites, there may be sources of experimental error that are common to both labs and do not appear in the difference (e.g., due to artefacts involving common air intakes, or due to unusual flask storage conditions such as low ambient pressure and long storage times at South Pole). However, based on other information about consistency among sites within the same network and through the intercomparisons, such errors over and above the CSIRO-CMDL differences are expected to be very small by comparison.)

a general downward trend (especially during 1995 and 1997), but also several site-specific features.

It should be noted that part of the systematic difference is understood. The CSIRO data presented here are based on CO_2 assignments to its primary standards by CMDL

in 1992 and 1994 only, prior to the designation of CMDL as the WMO Central CO₂ Calibration Laboratory (CCL)³. The most recent CCL-calibration of CSIRO's primary standards in 2001 suggested a possible, mean drift of about +0.1 ppm since 1992–1994. No allowance for drift in CSIRO's standards has been made in the data presented here, in anticipation of a re-evaluation of past calibration assignments by the CCL. However, a drift towards higher CO₂ concentrations in CSIRO's standards would be of the right sign to account for part of the change in the CSIRO-CMDL difference

observed in Fig. 2.

In the test inversion, records for all CMDL and CSIRO sites are created by subsampling the smooth CGA-CGO differences curve at the respective site's sampling

- ¹⁵ instants. Two cases are then considered: In assessment B1a, the smooth CGA-CGO concentration difference is applied to all CSIRO sites, while at CMDL sites zero values are used. Conversely, in B1c the difference is put to all CMDL sites, and zero to CSIRO sites. In both cases, at the sites Alert (ALT), Cape Grim (CGA), Mauna Loa (MLO), and South Pole (SPO) (where records from both laboratories exist) half the smooth CGA-CGO.
- CGO difference is used, envisaging that the offset could be reduced by averaging there. It should be noted that this usage of the intercomparison difference is not meant to refer to any 'data correction'. Rather, assessments B1a/c just quantify the magnitude and structure of the effect on estimated fluxes. This aim is also reflected in the choice of a twin assessment which is symmetric with respect to the two laboratories.
- ²⁵ However, spurious flux differences not only arise from systematic offsets between groups of sites (i.e., implied systematic concentration differences in space). As soon as

5, 8979–9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

Title Page				
Abstract Introduction				
Conclusions	sions			
Tables	Figures			
•	Þ			
Back	Close			
Full Sci	reen / Esc			
Print	Print Version			
Interactive Discussion				

³The CCL maintains the WMO scale using a manometric technique that should be accurate in absolute terms to better than ± 0.1 ppm, and propagates the scale to other WMO laboratories by providing them with CO₂ assignments to their primary air standards.

such a (time-varying) offset exists, it has an effect even if only one network is used (i.e., also without any spatial gradients), because any coherent time variations at all sites falsely imply changes in total atmospheric carbon content and thus lead to spurious fluxes. In order to separate the temporal and the spatial effect of the offset, assessment
 B2 is performed. There, the smooth CGA-CGO concentration difference is applied to

all sites of both laboratories. The results of this assessment will also reflect regional flux differences due to the fact that concentrations at different sites are sampled at different times.

2.3. Comparison assessment C: model errors

- To put the results of the previous assessments into perspective, assessment C indicates the order of magnitude (lower limit) of model errors. Flux differences are calculated for two spatial resolutions of the transport model: Standard resolution (≈4° latitude ×5° longitude × 19 vertical levels) or enhanced resolution (≈1.8° latitude ×1.8° longitude ×28 vertical levels). Specifically, a flux field comprising all major CO₂ components is supplied (fossil fuel emissions from Olivier et al., 2001, terrestrial NEE from a BiomeBGC model simulation Churkina and Trusilova, 2002, daily values and ocean-atmosphere exchange from Takahashi et al., 2002 and Gloor et al., 2003); the exact choice is not crucial here. These fluxes are transported by the tracer model on the two resolutions, and the simulated concentrations are sampled at the same loca-
- ²⁰ tions and times as in assessments A and B (flask sites). The concentration differences between both simulations are then directly fed into the inversion calculation.

Figure 3 gives two examples of these concentration differencs, where Cape Grim (CGA) represents a typical order of magnitude, while Hegyhatsal (HUN) exhibits the largest differences of all considered sites. Clearly, these differences can only yield a

²⁵ lower limit to model errors, as the numerical parameterizations and meteorological data are identical between the two model runs. The total model error, due to all the reasons mentioned in the Introduction, is expected to be much larger (see, e.g., systematic differences up to several ppm between model simulations by different transport models 5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions



at continental sites in Europe presented in Geels et al., 2005⁴).

3. Results and discussion

The flux differences that arise from the described assessments are shown in Fig. 4. They are integrated over different regions (as done in Rödenbeck et al., 2003), and deseasonalized. The absolute difference in the global flux does not exceed 0.3 PgC/yr for any of the cases related to measurement errors (assessments A and B). Maximum absolute differences at the spatial scale of the TransCom-3 regions are mostly about 0.1 PgC/yr. In most regions, these differences are smaller or much smaller than the considered resolution part of the model error (assessment C as lower limit to errors of 'type 1'). In all regions, the flux differences are almost negligible compared to the systematic errors of 'type 2' found by sensitivity testing for the similar set-up in Rödenbeck et al. (2003) as well as by comparison to other inversion studies. They are also very small compared to the inferred magnitude of interannual variability.

Looking into the individual assessments, measurement differences between experi-⁵ mental methods (Fig. 1, assessment A) and between institutions (Fig. 2, assessment B) are similar and lead to flux differences of the same order of magnitude in most regions. This suggests that all these data records are qualitatively equivalent with respect to their use in inversion calculations. Globally averaged flux differences in Fig. 4 are smaller for assessment A than B because for A errors are applied only to the 5 sites with observed continuous-flask differences.

20

Further, flux differences under assessments B1a/c (concentration offset applied to either the CMDL or the CSIRO network) are not dramatically larger than those under

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

Title Page			
Abstract Introduction			
Conclusions References			
Tables Figures			
•	•		
Back	Close		
Full Scre	Full Screen / Esc		
Print Version			
Interactive Discussion			

⁴Geels, C., Bousquet, P., Ciais, P., Gloor, M., Peylin, P., Vermeulen, A. T., Dargaville, R., Brandt, J., Christensen, J. H., Frohn, L. M., Heimann, M., Karstens, U., Rödenbeck, C., and Rivier, L.: Comparing Atmospheric Transport models for regional inversions over Europe. Part 1: Mapping the CO₂ atmospheric signals, in preparation, 2005.

B2 (same offset applied everywhere). To the extent that offsets between measurement networks are on the same order as systematic measurement errors, this means that errors from the merging of data from different sources do not significantly exceed errors present anyway as soon as systematic concentration differences exist, even within the same network. The larger differences for assessment B1c compared to B1a only reflect

the larger number of sites in the NOAA/CMDL network.

Finally, assessment A2 (direct flux difference which also reflects the different measurement schedules) leads to larger and more variable differences than A1 (inverting smoothed concentration differences only). This reveals that, even for the interannual

- variations in coarse regions considered here, the flux differences caused by experimental errors are exceeded by the influence of the measurement schedule (i.e., by differences in which particular air parcels have been sampled). If fluxes are considered at finer temporal and spatial resolution, the effect of higher sampling density is expected to become higher.
- It must be noted that these results are specific in a number of ways. First, they are specific to the inversion set-up chosen here. Depending especially on the particular choices of uncertainties and uncertainty patterns (which imply different susceptibilities of regional fluxes with respect to the concentration signals at the individual sites), the same concentration differences might lead to other flux differences in other inversion signals.
- ²⁰ configurations. However, changes in these susceptibilities affect concentration signals and errors in the same way. Therefore, the finding that the calculated flux differences are small compared to other errors, as well as to the signals of interest, is expected to also be true in other inversions.

Second, the flux differences depend on the time and space scales chosen to look
 at. Here we selected those scales that were used for interpretation e.g. in Rödenbeck et al. (2003). The impact increases for smaller scales, but, again, the other types of errors behave in a similar way. However, if very different aspects (e.g., seasonal cycle amplitudes) are considered, a specific assessment might be necessary.

Finally, the presented results refer to the specific data sets and measurement net-

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

Title Page				
Abstract	Abstract Introduction			
Conclusions	References			
Tables	Tables Figures			
•	►			
Back Close				
Back	Close			
Full Scre	Close een / Esc			
Full Scre	Close een / Esc			
Full Scre	Close een / Esc /ersion			

works used here. However, other inter-comparisons of measurements by independent institutions have revealed differences of the same order as those used here (e.g., comparison at Alert (ALT) between MSC (Meteorological Service of Canada) and CMDL, Fig. 4 of Masarie et al., 2001b), which would therefore correspond to similar flux differences. If sites from a third network were included, in the worst case, differences of the same sign would add up. However, the flux differences would tend to be largest near the network sites, so the additive effect would probably be less because of limited overlap.

Still, all data considered here originate from high-precision measurements by wellestablished laboratories. Calibration gases of both laboratories are traceable to the same primary standards. Regular intercomparison activities help the participating groups to detect and avoid possible problems in their procedures (Masarie et al., 2001b). It is therefore interesting to ask: Would our conclusion change qualitatively with data obtained under less favorable conditions? Relevant examples of such data are CO₂ measurements at eddy flux towers (which are not usually calibrated against primary standards), satellite CO₂ retrievals, data from newly established equipment, or

from measurement programs that use different scales and primary standards. Let us pose the question in the opposite way: For a given target precision in the fluxes, what is the requirement for the mixing ratio measurements? In the presented assessments,
 systematic differences on the order of 0.2 ppm on yearly time scales lead to regional

flux differences on the order of 0.1 PgC/yr. If, for example, errors of 0.5 PgC/yr for annual fluxes in TransCom-3 regions would still be considered acceptable, then data with up to 1 ppm differences could still be used. It should be stressed, however, that the flux difference does not directly respond to the mixing ratio difference itself, but to its rate of change⁵. Therefore, this conclusion would be significantly modified if measurement 5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions



⁵This is illustrated, e.g., by assessment B2: The ≈ 0.3 PgC/yr peak in the global flux in 1998 (Fig. 4) directly corresponds to the ≈ 0.18 ppm/yr change in the applied worldwide mixing ratio difference (Fig. 2) at the same time. This relation is expected because, with the atmospheric mass of $5.1 \cdot 10^{21}$ g and molar masses of 12 g/mol for C in CO₂ and 28.9 g/mol for air, 1 ppm

differences change more rapidly than in the examples considered here.

The measurement uncertainties that have been chosen in the inversion set-up are broadly consistent with the presented assessments, in that measurement errors are smaller than model errors. The 0.3 ppm assumed measurement uncertainty (see Appendix) is in line with the standard deviations of the random parts of the mixing ratio differences (continuous-flask differences at BRW: 0.56 ppm, CGA: 0.15 ppm, MLO: 0.32 ppm, SMO: 0.43 ppm, SPO: 0.23 ppm; CSIRO-CMDL differences at ALC-ALT: 0.35 ppm, CGA-CGO: 0.18 ppm, MLU-MLO: 0.22 ppm, SPU-SPO: 0.13 ppm). Further, though biases cannot be handled by the Bayesian inversion technique, it is reassuring that systematic measurement errors on the yearly time scale (maximally \approx 0.2 ... 0.3 ppm, Figs. 1 and 2) are still similar to or smaller than the assumed magnitude of random errors for yearly concentration values (see Appendix).

4. Conclusions

Quantitative information about systematic experimental errors in atmospheric CO₂ mix-¹⁵ ing ratio data was used to calculate corresponding systematic errors in the fluxes estimated by an interannual atmospheric inversion. It was found that the resulting flux errors are very small compared to other errors in the estimation (as well as compared to signal variability). According to these assessments, therefore, it can be concluded that systematic measurement errors are not an important error source in present-day ²⁰ inversions. The calculation did not indicate any obstacle in merging data sets from different laboratories where differences in CO₂ measurements are comparable to those considered here between CSIRO and CMDL. The same applies to merging flask and in-situ data.

CMDL and CSIRO have cooperated closely over several decades to achieve high levels of accuracy and precision in their independent measurement programs. The

difference corresponds to around 2.1 PgC.

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions



remaining relatively small and elusive errors arising from gas handling and other unknown mechanisms may be common to both programs and to both flask and in-situ measurements, explaining their similar differences. Continuation of regular co-located measurements and open exchange of data should lead to further reduction of the observed differences.

Even though experimental errors turned out to have only a small effect on today's inversion calculations, we are convinced that the effort in performing regular high-precision atmospheric trace gas measurements is well spent. Ongoing development in atmospheric transport models (as well as the exponentially increasing performance of supercomputers which will allow finer resolution models) will lead to reduction of model errors, such that the accuracy in present-day measurements can be better exploited in future inverse calculations. Such future studies will certainly need also today's data in order to be able to detect important climatic signals on decadal time scales.

Appendix A: Summary of the inversion set-up

10

¹⁵ The present calulations are based on atmospheric CO₂ measurements by NOAA/CMDL and CSIRO at the sites listed in Table 1. The inversion technique determines those fluxes that lead to the smallest mismatch between their modelled concentration response and the actually measured concentrations.

Full details about the inversion set-up are given in Rödenbeck et al. (2005). Two items however are relevant to the present assessment:

The observation/model concentration mismatches for the individual sampling locations/times enter the calculation in a weighted fashion. On the one hand, these weights are set inversely proportional to the quadratic sum of the assumed magnitudes of errors in the measurements and the transport model. For the purposes of this weight-

ing, measurement uncertainties are assumed as 0.3 ppm (based on maximally allowed flask pair difference of 0.5 ppm – Conway et al., 1994 – and intercomparison differences of 0.2 ppm – Masarie et al., 2001a), while model uncertainties are set between 1 ppm

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions



for remote sites and 3 ppm for continental sites (reflecting different trust in the transport model performance at these locations). On the other hand, in order that continuous and weekly flask sampling sites have approximately the same impact, the weights for the individual values are proportionally reduced if there is more than one value per week at a given site. These choices correspond to standard deviations for yearly concentrations between ≈ 0.15 ppm for remote sites and ≈ 0.45 ppm for continental sites.

Data pretreatment involves selection according to the 'hard flags' and recommendations of the data providers. Individual flask values are averaged into pair means if sampled within 1 h of each other. Some automatic selection (avoiding night-time val-

- ¹⁰ ues at continentally influenced sites, as well as high-variability or upslope situations) is meant to avoid measurements that are valid but very likely unrepresentative for larger source areas or particularly misrepresented in the transport model. In addition, some manual selection was done (partially subjective, but the number of manually flagged values is very small).
- Acknowledgements. Fruitful discussions with C. Le Quéré, P. Steele, K. Masarie, M. Gloor, and M. Heimann are gratefully acknowledged. Cape Grim in-situ data were provided by P. Steele and P. Krummel of CSIRO in collaboration with the Australian Bureau of Meteorology. We are obliged to the computing centers Deutsches Klimarechenzentrum Hamburg and Gesellschaft für wissenschaftliche Datenverarbeitung Göttingen for their kind support.

20 References

25

5

Bousquet, P., Peylin, P., Ciais, P., Le Quéré, C., Friedlingstein, P., and Tans, P.: Regional changes in carbon dioxide fluxes of land and oceans since 1980, Science, 290, 1342–1346, 2000. 8980, 8982

Churkina, G. and Trusilova, K.: A global version of the biome-bgc terrestrial ecosystem model, Tech. Rep., Max Planck Institute for Biogeochemistry, Jena, 2002. 8987

Conway, T., Tans, P., Waterman, L., Thoning, K., Kitzis, D., Masarie, K., and Zhang, N.: Evidence for interannual variability of the carbon cycle from the national oceanic and atmo-

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

Title	Title Page				
Abstract	Introduction				
Conclusions	References				
Tables	Figures				
14					
•	•				
Back	Close				
Full Sci	reen / Esc				
Print	Print Version				
Interactive					

spheric administration climate monitoring and diagnostics laboratory global air sampling network, J. Geophys. Res., 99, 22831–22855, 1994. 8980, 8992

GLOBALVIEW-CO2: Cooperative Atmospheric Data Integration Project – Carbon Dioxide. CD-ROM, NOAA CMDL, Boulder, Colorado (also available on Internet via anonymous FTP to ftp://ftp.cmdl.noaa.gov, Path: ccg/co2/GLOBALVIEW), 2004. 8980

Gloor, M., Gruber, N., Sarmiento, J., Sabine, C., Feely, R., and Rödenbeck, C.: A first estimate of present and preindustrial air-sea CO₂ flux patterns based on ocean interior carbon measurements and models, Geophys. Res. Lett., 30, doi:10.1029/2002GL015594, 2003. 8987
 Gurney, K., Law, R. M., Denning, A. S., et al.: Towards robust regional estimates of CO₂

sources and sinks using atmospheric transport models, Nature, 415, 626–630, 2002. 8981, 8982

Francey, R. J., Steele, L. P., Spencer, D. A., Langenfelds, R. L., Law, R. M., Krummel, P. B., Fraser, P. J., Etheridge, D. M., Derek, N., Coram, S. A., Cooper, L. N., Allison, C. E., Porter, L., and Baly, S.: The CSIRO (Australia) measurement of greenhouse gases in the global compared by MMO(MCC) Machine of Superson and Supe

atmosphere, report of the 11th WMO/IAEA Meeting of Experts on Carbon Dioxide Concentration and Related Tracer Measurement Techniques, Tokyo, Japan, September 2001, edited by: Toru, S. and Kazuto, S., World Meteorological Organization Global Atmosphere Watch, 97–111, 2003. 8980

Masarie, K., Langenfels, R., Allison, C., Conway, T., Dlugokencky, E., Francey, R., Novelli, P.,

Steele, L., Tans, P., Vaughn, B., and White, J.: NOAA/CSIRO flask air intercomparison experiment: A strategy for directly assessing consistency among atmospheric measurements made by independent laboratories, J. Geophys. Res., 106, 445–464, 2001a. 8981, 8983, 8985, 8992

Masarie, K., Tans, P., and Conway, T.: GLOBALVIEW-CO₂: Past, present and future, in: Report of the eleventh WMO/IAEA meeting of experts on carbon dioxide concentration and related tracer measurement techniques, edited by: S. Toru and S. Kazuto, Tokyo, 2001b. 8981, 8990

Olivier, J. G. J. and Berdowski, J. J. M.: Global emissions sources and sinks, in: The Climate System, edited by: Berdowski, J., Guicherit, R., and Heij, B. J., A. A. Balkema Publish-

30 ers/Swets & Zeitlinger Publishers, Lisse, The Netherlands, ISBN 90 5809 255 0, 33–78, 2001. 8987

Peylin, P., Bousquet, P., Le Quéré, C., Sitch, S., Friedlingstein, P., McKinley, G., Gruber, N., Rayner, P., and Ciais, P.: Multiple constraints on regional CO₂ flux variations over land and

ACPD

5, 8979–9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

C. Rödenbeck et al.

Title Page			
Abstract Introduction			
Conclusions	References		
Tables Figures			
•	•		
Back	k Close		
Full Scr	Full Screen / Esc		
Print Version			
Interactive Discussion			

EGU

oceans, Glob. Biogeochem. Cycles, 19, doi:10.1029/2003GB002214, 2005. 8980
Rayner, P., Enting, I., Francey, R., and Langenfelds, R.: Reconstructing the recent carbon cycle from atmospheric CO₂, δ¹³CO₂ and O₂/N₂ observations, Tellus B, 51, 213–232, 1999. 8980
Rödenbeck, C., Houweling, S., Gloor, M., and Heimann, M.: CO₂ flux history 1982–2001 inferred from atmospheric data using a global inversion of atmospheric transport, Atmos. Chem. Phys., 3, 1919–1964, 2003,

SRef-ID: 1680-7324/acp/2003-3-1919. 8980, 8982, 8988, 8989

5

20

Rödenbeck, C.: Estimating CO₂ sources and sinks from atmospheric mixing ratio measurements using a global inversion of atmospheric transport, Technical Report 6, Max Planck In-

- stitute for Biogeochemistry, Jena, http://www.bgc-jena.mpg.de/mpg/websiteBiogeochemie/ Publikationen/Technical_Reports/tech_report6.pdf, 2005. 8982, 8985, 8992
 - Steele, L. P., Krummel, P. B., Spencer, D. A., Porter, L. W., Baly, S. B., Langenfelds, R. L., Cooper, L. N., van der Schoot, M. V., and Da Costa, G. A.: Baseline carbon dioxide monitoring, in: Baseline Atmospheric Program (Australia) 2001–2002, edited by: Cainey, J. M.,
- ¹⁵ Derek, N., and Krummel, P. B., Bureau of Meteorology and CSIRO Atmospheric Research, Melbourne, Australia, 36–40, 2004. <u>8983</u>, 8984
 - Takahashi, T., Sutherland, S. C., Sweeney, C., Poisson, A., Metzl, N., Tilbrook, B., Bates, N., Wanninkhof, R., Feely, R. A., Sabine, C., Olafsson, J., and Nojiri, Y.: Global sea-air CO₂ flux based on climatological surface ocean pCO₂, and seasonal biological and temperature effects, Deep Sea Res. II, 49, 1601–1623, 2002. 8987
 - Tans, P. P., Thoning, K. W., Elliott, W. P., and Conway, T. J.: Error estimates of background atmospheric CO₂ patterns from weekly flask samples, J. Geophys. Res., 95, 14063–14070, 1990. 8983, 8984

ACPD

5, 8979–9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

Title Page				
Abstract	Introduction			
Conclusions	References			
Tables	Tables Figures			
•	•			
Back	Close			
Full Scr	Full Screen / Esc			
Print Version				
Interactive Discussion				

Table 1. List of measurement sites used. ^ASite where flask records have been replaced by in-situ records in assessement A.

Co	de	Name / Geographic location	Latitude	Longitude	Height
CMDL	CSIRO		(°)	(°)	(m a.s.l.)
ALT	ALC	Alert, Canada	82.45	-62.52	210
ASC		Ascension Island, Indian Ocn.	-7.92	-14.42	54
ASK		Assekrem, Algeria	23.18	5.42	2728
AZR		Terceira Island, Azores, Atlantic	38.75	-27.08	30
BAL		Baltic Sea, Poland	55.50	16.67	7
BME		St. David's Head, Bermuda, Atlantic	32.37	-64.65	30
BMW		Southhampton, Bermuda, Atlantic	32.27	-64.88	30
BRW ^A		Barrow, Alaska	71.32	-156.60	11
BSC		Black Sea, Constanta, Romania	44.17	28.68	3
	CFA	Cape Ferguson, Australia	-19.28	147.05	2
CGO	CGA ^A	Cape Grim, Tasmania, Australia	-40.68	144.68	94
EIC		Easter Island, Pacific	-29.15	-109.43	50
GMI		Guam, Mariana Island, Pacific	13.43	144.78	2
HBA		Halley Bay, Antarctica	-75.67	-25.50	10
HUN		Hegyhatsal, Hungary	46.95	16.65	344
ICE		Heimaey, Iceland	63.25	-20.15	100
IZO		Izaña, Tenerife, Atlantic	28.30	-16.48	2360
KEY		Key Biscayne, Florida, USA	25.67	-80.20	3
KUM		Cape Kumukahi, Hawaii, Pacific	19.52	-154.82	3
LEF		Park Falls, Wisconsin, USA	45.93	-90.27	868
	MAA	Mawson, Antarctica	-67.62	62.87	32
MHD		Mace Head, Ireland	53.33	-9.90	25
MID		Sand Island, Midway, Pacific	28.22	-177.37	4
MLOA	MLU	Mauna Loa, Hawaii, Pacific	19.53	-155.58	3397
	MQA	Macquarie Island, S Ocn.	-54.48	158.97	12
NWR		Niwot Ridge, USA	40.05	-105.58	3475
PSA		Palmer Station, Antarctica	-64.92	-64.00	10
RPB		Ragged Point, Barbados, Atlantic	13.17	-59.43	3
SHM	010	Shemya Island, Alaska	52.72	1/4.10	40
A	SIS	Shetland Islands, UK	60.17	-1.17	30
SMO		Tutuila, American Samoa, Pacific	-14.25	-170.57	42
SPO ^A	SPU	South Pole	-89.98	-24.80	2810
STM		Station 'M', Atlantic	66.00	2.00	7
TAP		Tae-ahn Peninsula, Korea	36.73	126.13	20
TDF		Tierra del Fuego, Argentinia	-54.87	-68.48	20
UTA		Wendover, Utah, USA	39.90	-113.72	1320
UUM		Ulaan Uul, Mongolia	44.45	111.10	914
WIS		Sede Boker, Israel	31.13	34.88	400
ZEP		Zeppelin, Spitsbergen	78.90	11.88	4/4

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

C. Rödenbeck et al.

Title Page			
Abstract Introduction			
Conclusions References			
Tables Figures			
•			
Back	Close		
Full Scre	en / Esc		
Print Version			
Interactive Discussion			

EGU

8996

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions







Fig. 1. Left: Concentration differences between flask pair averages and coincident hourly mean values from the continuous analyzer at Samoa (SMO), measured by NOAA/CMDL. The impulses give the individual values, while the curve gives differences smoothed on a one year time scale. Right: Smoothed concentration differences between flask pair averages and coincident hourly mean values at the sites contributing to assessment A.

5,8979-9001,2005

Systematic measurement errors in atmospheric CO₂ inversions









Fig. 2. Left: Concentration differences between flask pair values measured by CMDL and CSIRO at Cape Grim (CGA-CGO). The impulses give the individual values, while the curve gives differences smoothed on a one year time scale. Right: Smoothed concentration differences between CMDL and CSIRO measurements at three intercomparison sites.

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions





Fig. 3. Concentration differences between transport model simulations using standard resolution (\approx 4° latitude ×5° longitude ×19 vertical levels) and enhanced resolution (\approx 1.8° latitude ×1.8° longitude ×28 vertical levels). Left: Cape Grim (CGA); Right: Hegyhatsal (HUN).



Conclusions References Tables Figures I ◀ ►I Back Close Full Screen / Esc Print Version Interactive Discussion

Fig. 4. Flux differences estimated in response to the considered scenarios of concentration differences. Fluxes are deseasonalized and filtered for interannual frequencies. The panels refer to different regions: **Part I.** Fluxes integrated over the TransCom 3 land regions, plus land and global totals. (The vertical scale can change between panels, but the tic interval is always the same.) 9000

ACPD

5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

C. Rödenbeck et al.

Title Page

Abstract

Introduction



5, 8979-9001, 2005

Systematic measurement errors in atmospheric CO₂ inversions

C. Rödenbeck et al.



EGU

Fig. 4. Part II. Fluxes integrated over the TransCom 3 ocean regions, plus ocean and global totals.