

Supplement of

**Global combustion sources of organic aerosols: Model comparison
with 84 AMS factor analysis data sets**

Tsimpidi et al.

Correspondence to: A.P Tsimpidi (a.tsimpidi@mpic.de)

Table S1. AMS and EMAC average concentrations for OA species over urban areas. In all cases the averages are over all the available data for each campaign. The period and the exact location of the each site are also listed.

Location	Coordinates		Time Period	AMS						EMAC				Reference
	Lat	Lon		HOA	BBOA	OOA	SVOOA	LVOOA	POA	SOA	Fresh SOA	Aged SOA		
Manchester, UK	53.5	-2.22	14/06/01- 25/06/01	1.9	-	3	-	-	-	0.35	0.64	-	-	Allan et al., 2003 ; Jimenez et al., 2009
New York, US	40.74	-73.92	30/06/01- 5/08/01	1.1	-	4.8	1.8	3	-	0.81	2.64	1.11	1.53	Drewnick et al. 2004; Jimenez et al., 2009
Vancouver, CA	49.25	-123.13	11/08/01- 24/08/01	2.4	-	2.5	-	-	-	0.26	2.81	-	-	Boudries et al., 2004; Jimenez et al., 2009
Manchester, UK	53.5	-2.22	17/01/02- 28/01/02	1	1.5	0.6	-	-	-	0.45	0.15	-	-	Allan et al., 2003; Jimenez et al., 2009
Pittsburgh, US	40.44	-79.94	06/09/02- 22/09/02	1.4	-	3.1	0.5	2.6	-	0.42	3.86	1.96	1.89	Zhang et al., 2004; Jimenez et al., 2009
Mexico City, MX	19.48	-99.15	13/04/03- 16/04/03	3.24	1.48	10.26	-	-	-	2.81	4.69	-	-	Salcedo et al., 2006; Tsimplidi et al., 2010
Boulder, US	40.02	-105.27	07/06/03- 20/06/03	0.5	-	2.5	1.5	1	-	0.26	2.46	1.56	0.90	Nemitz et al., 2008; Jimenez et al., 2009
Tokyo, JP	35.67	139.75	23/07/03- 14/08/03	1.9	-	4.7	1.5	3.2	-	0.48	2.95	0.89	2.06	Takegawa et al., 2005; Jimenez et al., 2009
New York, US	40.74	-73.92	07/01/04- 06/02/04	2.2	-	2.6	-	-	-	0.58	0.24	-	-	Drewnick et al. 2004; Jimenez et al., 2009
Tokyo, JP	35.67	139.75	20/01/04- 10/02/04	3.7	1	2.3	-	-	-	0.68	1.14	-	-	Takegawa et al., 2006; Jimenez et al., 2009
Mainz, DE	49.98	8.23	16/09/04- 01/10/04	0.8	-	1.1	-	-	-	0.74	2.76	-	-	Vester et al. 2007; Jimenez et al., 2009

Table S1. Continued

Location	Coordinates		Time Period	AMS						EMAC				Reference
	Lat	Lon		HOA	BBOA	OOA	SVOOA	LVOOA	POA	SOA	Fresh SOA	Aged SOA		
URBAN Riverside, US	33.95	-117.4	14/07/05- 13/08/05	1.2	0.6	7	4.2	2.8	1.16	10.9	4.73	6.17	De Carlo et al., 2006; Jimenez et al., 2009	
Zurich , CH	47.4	8.5	14/07/05- 04/08/05	0.46	0.65	4.31	1.44	2.87	0.5	3.37	1.55	1.82	Lanz et al. 2007; Lanz et al. 2010	
Zurich , CH	47.4	8.5	06/01/06- 25/01/06	0.32	1.75	2.53	-	-	1.08	0.49	-	-	Lanz et al. 2008; Lanz et al. 2010	
Mexico City , MX	19.48	-99.15	10/03/06- 30/03/06	4.6	2.5	7.5	-	-	2.13	4.01	-	-	Aiken et al., 2008; Aiken et al., 2009	
Beijing, CN	40.0	116.0	09/07/06- 21/07/06	11.5	-	16.6	4.3	12.3	3.95	11	3.45	7.54	Sun et al., 2009; Jimenez et al., 2009	
Grenoble, FR	45.18	5.73	14/01/09- 30/01/09	0.4	1.56	1.7	-	-	1.43	0.43	-	-	Favez et al., 2010; Lanz et al. 2010	
Barcelona, ES	41.39	2.12	25/02/09- 26/03/09	1.97	0.66	4.02	1.64	2.38	0.43	1.19	0.41	0.78	Mohr et al., 2012; Crippa et al., 2014	
New York , US	40.74	-73.92	13/07/09- 03/08/09	0.91	-	4.07	2.14	1.93	0.8	2.98	1.15	1.82	Sun et al., 2011	
Paris, FR	48.83	2.36	01/07/09- 31/07/09	0.7	-	1.7	-	-	0.6	1.58	-	-	Crippa et al., 2013a; Fountoukis et al., 2015	
Paris, FR	48.83	2.36	12/01/10- 16/02/10	2.7	-	3.2	-	-	1.4	0.24	-	-	Crippa et al., 2013b; Fountoukis et al., 2015	
Fresno, US	36.81	-119.78	09/01/10- 23/01/10	1.74	1.26	3.4	-	-	0.23	0.49	-	-	Ge et al. 2012	
Pasadena, US	34.14	-118.12	15/05/10- 16/06/10	0.84	-	4.62	2.38	2.24	0.9	4.64	2.00	2.64	Hayes et al. 2013	

Table S2. AMS and EMAC average concentrations for OA species over urban downwind areas. In all cases the averages are over all the available data for each campaign. The period and the exact location of the each site are also listed.

Location	Coordinates		Time period	AMS					EMAC				Reference	
	Lat	Lon		HOA	BBOA	OOA	SVOOA	LVOOA	POA	SOA	fresh SOA	aged SOA		
Urban Downwind														
Hohenpeissenberg, DE	47.8	11.0	19/05/02-31/05/02	0.5	-	2.85	-	-	0.43	2.21	-	-	Hock et al., 2008; Lanz et al., 2010	
East coast 1, US	37.95	-74.3	18/07/02-26/07/02	0.4	-	5.4	-	-	0.88	5.40	-	-	DeGouw et al., 2005; Zhang et al., 2007	
East coast 2, US	37.95	-74.3	29/07/02-10/08/02	0.58	-	4.4	-	-	0.33	4.26	-	-	DeGouw et al., 2005; Zhang et al., 2007	
NE London, UK	51.7	0.4	29/07/03-31/08/03	0.8	-	1.8	0.4	1.4	0.60	3.66	0.80	2.85	Cubison et al., 2006; Jimenez et al., 2009	
Norfolk coast, UK	53.0	1.1	25/04/04-26/05/04	0.56	-	1.5	-	-	0.27	1.06	-	-	Gysel et al., 2007; Zhang et al., 2007	
Wiesbaden, DE	50.22	8.45	14/07/04-04/08/04	1.6	-	7.9	3.4	4.5	0.63	2.8	1.35	1.46	Dusek et al., 2006; Jimenez et al., 2009	
Mexico City, MX	19.7	-98.98	10/03/06-30/03/06	1.3	-	4.6	-	-	2	3.94	-	-	Aiken et al., 2008; Tsimpidi et al., 2011	
Po Valley, IT	44.65	11.62	30/03/08-20/04/08	0.79	0.26	1.95	-	-	0.28	1.32	-	-	Saarikoski et al. 2012	
Puijo, FI	62.90	27.65	27/09/08-21/10/08	0.2	-	0.7	0	0.7	0.10	0.13	0.07	0.06	Crippa et al., 2014	
Helsinki 1, FI	60.2	24.95	09/01/09-13/03/09	0.41	0.35	1.87	0.47	1.4	1.00	0.41	0.23	0.18	Carbone et al., 2014	
Montseny, SP	41.76	2.4	21/02/09-27/03/09	0.25	0.32	2.91	0	2.91	0.45	1.13	0.41	0.73	Crippa et al., 2014	
Helsinki 2, FI	60.2	24.95	09/04/09-08/05/09	0.34	0.57	2.13	0.34	1.79	0.5	1.13	0.30	0.83	Timonen et al., 2012	
Paris, FR	48.72	2.21	01/07/09-31/07/09	0.5	-	1.19	0.67	0.52	0.59	1.54	0.68	0.86	Crippa et al., 2013a	
Paris, FR	48.72	2.21	12/01/10-16/02/10	2.4	-	3.3	-	-	1.36	0.23	-	-	Crippa et al., 2013b; Fountoukis et al., 2015	
Cool, US	38.88	-121.0	02/06/10-28/06/10	0.22	-	2.17	1.2	0.97	0.23	1.86	1.30	0.56	Setyan et al., 2012	

Table S3. AMS and EMAC average concentrations for OA species over rural/remote areas. In all cases, the averages are over all the available data for each campaign. The period and the exact location of the each site are also listed.

Location	Coordinates		Time period	AMS				EMAC				Reference	
	Lat	Lon		HOA	BBOA	OOA	SVOOA	LVOOA	POA	SOA	Fresh SOA		Aged SOA
Rural/Remote													
Cheju Island, KR	33.51	126.50	11/04/01-30/04/01	0.3	-	4	-	-	1.53	4.27	-	-	Topping et al., 2004; Jimenez et al., 2009
Jungfraujoch, CH	46.3	7.6	28/06/02-17/07/02	0	-	1.2	0.4	0.8	0.40	3	1.41	1.57	Jimenez et al., 2009
Mace Head, CH	53.3	-9.8	01/08/02-31/08/02	0	-	0.49	-	-	0.05	0.37	-	-	Alfarra et al., 2004; Zhang et al., 2007
Fukue Island, JP	32.69	128.84	18/03/03-03/04/03	0.3	-	3.8	-	-	0.7	2.30	-	-	Takami et al., 2005; Zhang et al., 2007
Fukue Island, JP	32.69	128.84	03/04/03-16/04/03	0.36	-	5.8	-	-	0.51	4.96	-	-	Takami et al., 2005; Zhang et al., 2007
Hyytiälä, FI	61.8	24.3	19/03/03-13/04/03	0.09	-	1.2	-	-	0.3	0.81	-	-	Zhang et al., 2007
Fukue Island, JP	32.69	128.84	10/05/03-03/06/03	0.39	-	7	-	-	0.58	6.17	-	-	Takami et al., 2005; Zhang et al., 2007
Okinawa, JP	26.87	128.25	03/10/03-28/10/03	0	-	3.1	-	-	0.17	1.96	-	-	Takami et al., 2005; Zhang et al., 2007
Okinawa, JP	26.87	128.25	28/10/03-02/12/03	0	-	1.9	-	-	0.08	0.73	-	-	Takami et al., 2005; Zhang et al., 2007
Okinawa, JP	26.87	128.25	02/12/03-24/12/03	0	-	3.1	-	-	0.25	1.09	-	-	Takami et al., 2005; Zhang et al., 2007
Okinawa, JP	26.87	128.25	13/03/04-08/04/04	0	-	1.7	-	-	0.15	1.14	-	-	Takami et al., 2005; Zhang et al., 2007
Okinawa, JP	26.87	128.25	08/04/04-27/04/04	0	-	2.7	-	-	0.29	3.36	-	-	Takami et al., 2005; Zhang et al., 2007

Table S3. Continued

Location	Coordinates		Time period	AMS						EMAC				Reference	
	Lat	Lon		HOA	BBOA	OOA	SVOOA	LVOOA	POA	SOA	Fresh SOA	Aged SOA			
Rural/Remote															
Storm Peak, US	40.45	-106.7	04/04/04-02/05/04	0.2	-	0.7	-	-	0.07	0.83	-	-	-	-	Richardson et al., 2007; Jimenez et al., 2009
Pinnacle Park, US	43.0	-76	14/07/04-05/08/04	0.3	-	5.4	2.7	2.7	0.33	2.53	1.13	1.39	1.39	1.13	Bae et al. 2007; Jimenez et al., 2009
Nova Scotia, CN	43.76	-66.1	07/07/04-14/08/04	0.2	-	1.5	0.6	0.9	0.12	1.92	0.49	1.43	1.43	0.49	Holzinger et al., 2007; Jimenez et al., 2009
Duke Forest, US	35.97	-79.1	13/09/04-21/09/04	0.1	-	1.3	0.5	0.8	0.26	2.81	1.48	1.33	1.33	1.48	Jimenez et al., 2009
Hyytiälä, FI	61.8	24.3	31/03/05-15/04/05	0	-	1.2	0.6	0.6	0.23	0.48	0.14	0.34	0.34	0.14	Allan et al. 2006; Jimenez et al., 2009
Harkningen, CH	40.74	7.82	12/05/05-30/05/05	0.99	-	7.26	2.72	4.54	0.5	2.23	0.93	1.30	1.30	0.93	Lanz et al., 2010
Thompson, US	43.11	-70.95	09/07/05-15/08/05	1.1	-	4.2	2.9	1.3	0.56	3.78	1.77	2.01	2.01	1.77	Cottrell et al., 2008; Jimenez et al., 2009
Payerne, CH	46.8	6.95	31/05/06-03/07/06	0.36	-	4.6	0.97	3.63	0.59	0.21	0.07	0.14	0.14	0.07	Lanz et al. 2010
Massongex, CH	46.24	6.14	23/11/06-17/12/06	0.31	1.1	0.81	-	-	1.27	0.50	-	-	-	-	Lanz et al. 2010
Payerne, CH	46.8	6.95	12/01/07-17/02/07	0.65	1.1	5.66	2.05	3.61	0.34	4.1	2.09	2.02	2.02	2.09	Lanz et al. 2010
San Pietro, IT	44.65	11.65	31/03/08-21/04/08	0.38	0.46	2.96	1.06	1.9	0.28	1.32	0.36	0.96	0.96	0.36	Saarikoski et al. 2012; Crippa et al., 2014

Table S3. Continued

Location	Coordinates		Time period	AMS						EMAC				Reference
	Lat	Lon		HOA	BBOA	OOA	SVOOA	LVOOA	POA	SOA	Fresh SOA	Aged SOA		
Finokalia , GR	35.33	25.66	09/05/08-05/06/08	0.1	-	2.37	0.86	1.51	0.21	3.74	0.56	3.18	Hildebrandt et al. 2010; Crippa et al.,2014	
Jungfraujoch , CH	46.3	7.6	01/05/08-29/05/08	0.04	0.07	0.55	0	0.55	0.47	2.81	1.01	1.80	Crippa et al.,2014	
Mace Head , CH	53.3	-9.8	16/05/08-13/06/08	0.11	0.14	0.6	0.25	0.35	0.15	1.21	0.26	0.95	Dall'Osto et al., 2010; Crippa et al.,2014	
Cabauw , NL	51.97	4.93	29/04/08-30/05/08	0.59	0.42	2.56	0.92	1.64	0.68	2.2	0.80	1.41	Mensah et al., 2012 ; Crippa et al.,2014	
Melpitz , DE	51.54	12.93	24/05/08-09/06/08	0.05	-	0.86	0.46	0.4	0.67	3.36	1.56	1.80	Poulain et al., 2011; Crippa et al.,2014	
Hyytiälä , FI	61.8	24.3	11/09/08-15/10/08	0.05	0.03	0.72	0.34	0.38	0.35	1.12	0.65	0.46	Crippa et al. 2014	
Puy de Dome , FR	45.77	2.97	14/09/08-18/10/08	0.02	0.16	1.59	0.97	0.62	0.59	3.12	1.33	1.79	Freney et al, 2011; Crippa et al.,2014	
K-Pusztá , HU	46.96	19.58	17/09/08-15/10/08	0.64	0.58	4.08	1.75	2.33	1.2	4.18	1.82	2.37	Crippa et al., 2014	
Payerne , CH	46.8	6.95	18/09/08-16/10/08	0.32	0.65	4.37	1.51	2.86	0.78	3.43	1.46	1.97	Crippa et al. 2014	
Melpitz , DE	51.54	12.93	17/09/08-03/11/08	0.31	0.55	3.05	1.37	1.68	0.7	1.42	0.76	0.66	Poulain et al. 2011; Crippa et al.,2014	
Vavthill , SE	56.02	13.15	01/10/08-07/11/08	0.74	0.44	2.52	0	2.52	0.2	0.32	0.12	0.20	Crippa et al., 2014	

Table S3. Continued

Location	Coordinates		Time period	AMS					EMAC				Reference	
	Lat	Lon		HOA	BBOA	OOA	SVOOA	LVOOA	POA	SOA	Fresh SOA	Aged SOA		
Rural/Remote														
Harwell, UK	51.15	-1.44	20/09/08-22/10/08	0.23	0.42	2.57	1.03	1.54	0.23	0.34	0.10	0.24	Crippa et al., 2014	
Finokalia, GR	35.33	25.66	27/02/09-26/03/09	0	-	1.84	0.92	0.92	0.08	0.92	0.15	0.77	Hildebrandt et al. 2011; Crippa et al., 2014	
Mace Head, CH	53.3	-9.8	27/02/09-27/03/09	0.1	0.22	0.47	0	0.47	0.06	0.18	0.05	0.13	Dall'Osto et al., 2010; Crippa et al., 2014	
Hyytiälä, FI	61.8	24.3	04/03/09-01/04/09	0.04	0.07	1.3	0.39	0.91	0.43	0.4	0.16	0.23	Crippa et al., 2014	
Puy de Dome, FR	45.77	2.97	23/02/09-10/03/09	0.03	0.1	0.43	0.21	0.22	0.37	0.65	0.28	0.37	Freney et al, 2011; Crippa et al., 2014	
Cabauw, NL	51.97	4.93	25/02/09-25/03/09	0.23	0.12	0.84	0.41	0.43	0.71	0.29	0.12	0.17	Crippa et al., 2014	
Melpitz, DE	51.54	12.93	10/03/09-27/03/09	0.13	0.15	1.12	0.39	0.73	0.39	0.4	0.16	0.24	Poulain et al. 2011; Crippa et al., 2014	
Payerne, CH	46.8	6.95	01/03/09-24/03/09	0.29	0.37	1.84	1.11	0.73	0.37	0.54	0.19	0.35	Crippa et al., 2014	
Vavinih, SE	56.02	13.15	26/02/09-02/04/09	0.55	0.26	1.79	1.3	0.49	0.32	0.28	0.10	0.18	Crippa et al., 2014	
Chilbolton, UK	51.1	-1.4	25/02/09-26/03/09	0.5	0.5	1.48	0.48	1	0.37	0.25	0.09	0.16	Crippa et al., 2014	
Puy de Dome, FR	45.77	2.97	22/06/10-29/06/10	0	-	11.58	3.76	7.82	0.36	2.99	1.43	1.56	Freney et al, 2011	
S. Great Plains, US	36.61	-97.49	01/12/10-31/12/10	0	0.74	3.21	1.17	2.04	0.21	0.53	0.24	0.29	Parworth et al., 2015	

References

- Aiken, A. C., Decarlo, P. F., Kroll, J. H., Worsnop, D. R., Huffman, J. A., Docherty, K. S., Ulbrich, I. M., Mohr, C., Kimmel, J. R., Sueper, D., Sun, Y., Zhang, Q., Trimborn, A., Northway, M., Ziemann, P. J., Canagaratna, M. R., Onasch, T. B., Alfarra, M. R., Prevot, A. S. H., Dommen, J., Duplissy, J., Metzger, A., Baltensperger, U., and Jimenez, J. L.: O/C and OM/OC ratios of primary, secondary, and ambient organic aerosols with high-resolution time-of-flight aerosol mass spectrometry, *Environ. Sci. Technol.*, **42**, 4478-4485, 2008.
- Alfarra, M. R., Coe, H., Allan, J. D., Bower, K. N., Boudries, H., Canagaratna, M. R., Jimenez, J. L., Jayne, J. T., Garforth, A. A., Li, S. M., and Worsnop, D. R.: Characterization of urban and rural organic particulate in the lower Fraser valley using two aerodyne aerosol mass spectrometers, *Atmo. Environ.*, **38**, 5745-5758, 2004.
- Allan, J. D., Alfarra, M. R., Bower, K. N., Williams, P. I., Gallagher, M. W., Jimenez, J. L., McDonald, A. G., Nemitz, E., Canagaratna, M. R., Jayne, J. T., Coe, H., and Worsnop, D. R.: Quantitative sampling using an Aerodyne aerosol mass spectrometer - 2. Measurements of fine particulate chemical composition in two U.K. cities, *J. Geophys. Res. Atmo.*, **108**, doi: 10.1029/2002jd002359, 2003.
- Allan, J. D., Alfarra, M. R., Bower, K. N., Coe, H., Jayne, J. T., Worsnop, D. R., Aalto, P. P., Kulmala, M., Hyotylainen, T., Cavalli, F., and Laaksonen, A.: Size and composition measurements of background aerosol and new particle growth in a Finnish forest during QUEST 2 using an Aerodyne Aerosol Mass Spectrometer, *Atmos. Chem. Phys.*, **6**, 315-327, 2006.
- Bae, M.-S., Schwab, J. J., Zhang, Q., Hogrefe, O., Demerjian, K. L., Weimer, S., Rhoads, K., Orsini, D., Venkatachari, P., and Hopke, P. K.: Interference of organic signals in highly time resolved nitrate measurements by low mass resolution aerosol mass spectrometry, *J. Geophys. Res. Atmo.*, **112**, doi: doi: 10.1029/2007jd008614, 2007.
- Boudries, H., Canagaratna, M. R., Jayne, J. T., Alfarra, M. R., Allan, J., Bower, K. N., Coe, H., Pryor, S. C., Jimenez, J. L., Brook, J. R., Li, S., and Worsnop, D. R.: Chemical and physical processes controlling the distribution of aerosols in the Lower Fraser Valley, Canada, during the Pacific 2001 field campaign, *Atmo. Environ.*, **38**, 5759-5774, 2004.
- Carbone, S., Aurela, M., Saarnio, K., Saarikoski, S., Timonen, H., Frey, A., Sueper, D., Ulbrich, I. M., Jimenez, J. L., Kulmala, M., Worsnop, D. R., and Hillamo, R. E.: Wintertime Aerosol Chemistry in Sub-Arctic Urban Air, *Aerosol Sci. Technol.*, **48**, 313-323, 2014.
- Cottrell, L. D., Griffin, R. J., Jimenez, J. L., Zhang, Q., Ulbrich, I., Ziemba, L. D., Beckman, P. J., Sive, B. C., and Talbot, R. W.: Submicron particles at Thompson Farm during ICARTT measured using aerosol mass spectrometry, *J. Geophys. Res. Atmo.*, **113**, doi: doi: 10.1029/2007jd009192, 2008.
- Crippa, M., El Haddad, I., Slowik, J. G., DeCarlo, P. F., Mohr, C., Heringa, M. F., Chirico, R., Marchand, N., Sciare, J., Baltensperger, U., and Prevot, A. S. H.: Identification of marine and continental aerosol sources in Paris using high resolution aerosol mass spectrometry, *J. Geophys. Res. Atmo.*, **118**, 1950-1963, doi: 10.1002/jgrd.50151, 2013a.
- Crippa, M., DeCarlo, P. F., Slowik, J. G., Mohr, C., Heringa, M. F., Chirico, R., Poulain, L., Freutel, F., Sciare, J., Cozic, J., Di Marco, C. F., Elsasser, M., Nicolas, J. B., Marchand, N., Abidi, E., Wiedensohler, A., Drewnick, F., Schneider, J., Borrmann, S., Nemitz, E., Zimmermann, R., Jaffrezo, J. L., Prevot, A. S. H., and Baltensperger, U.: Wintertime aerosol chemical composition and source apportionment of the organic fraction in the metropolitan area of Paris, *Atmos. Chem. Phys.*, **13**, 961-981, 2013b.
- Crippa, M., Canonaco, F., Lanz, V. A., Aijala, M., Allan, J. D., Carbone, S., Capes, G., Ceburnis, D., Dall'Osto, M., Day, D. A., DeCarlo, P. F., Ehn, M., Eriksson, A., Freney, E., Ruiz, L. H., Hillamo, R., Jimenez, J. L., Junninen, H., Kiendler-Scharr, A., Kortelainen, A. M.,

- Kulmala, M., Laaksonen, A., Mensah, A., Mohr, C., Nemitz, E., O'Dowd, C., Ovadnevaite, J., Pandis, S. N., Petaja, T., Poulain, L., Saarikoski, S., Sellegri, K., Swietlicki, E., Tiitta, P., Worsnop, D. R., Baltensperger, U., and Prevot, A. S. H.: Organic aerosol components derived from 25 AMS data sets across Europe using a consistent ME-2 based source apportionment approach, *Atmos. Chem. Phys.*, **14**, 6159-6176, 2014.
- Cubison, M. J., Alfarra, M. R., Allan, J., Bower, K. N., Coe, H., McFiggans, G. B., Whitehead, J. D., Williams, P. I., Zhang, Q., Jimenez, J. L., Hopkins, J., and Lee, J.: The characterisation of pollution aerosol in a changing photochemical environment, *Atmos. Chem. Phys.*, **6**, 5573-5588, 2006.
- Dall'Osto, M., Ceburnis, D., Martucci, G., Bialek, J., Dupuy, R., Jennings, S. G., Berresheim, H., Wenger, J., Healy, R., Facchini, M. C., Rinaldi, M., Giulianelli, L., Finessi, E., Worsnop, D., Ehn, M., Mikkilä, J., Kulmala, M., and O'Dowd, C. D.: Aerosol properties associated with air masses arriving into the North East Atlantic during the 2008 Mace Head EUCAARI intensive observing period: an overview, *Atmos. Chem. Phys.*, **10**, 8413-8435, 2010.
- de Gouw, J. A., Middlebrook, A. M., Warneke, C., Goldan, P. D., Kuster, W. C., Roberts, J. M., Fehsenfeld, F. C., Worsnop, D. R., Canagaratna, M. R., Pszenny, A. A. P., Keene, W. C., Marchewka, M., Bertman, S. B., and Bates, T. S.: Budget of organic carbon in a polluted atmosphere: Results from the New England Air Quality Study in 2002, *J. Geophys. Res. Atmo.*, **110**, doi: doi: 10.1029/2004jd005623, 2005.
- DeCarlo, P. F., Kimmel, J. R., Trimborn, A., Northway, M. J., Jayne, J. T., Aiken, A. C., Gonin, M., Fuhrer, K., Horvath, T., Docherty, K. S., Worsnop, D. R., and Jimenez, J. L.: Field-deployable, high-resolution, time-of-flight aerosol mass spectrometer, *Anal. Chem.*, **78**, 8281-8289, doi: 10.1021/ac061249n, 2006.
- Drewnick, F., Jayne, J. T., Canagaratna, M., Worsnop, D. R., and Demerjian, K. L.: Measurement of ambient aerosol composition during the PMTACS-NY 2001 using an aerosol mass spectrometer. Part II: Chemically speciated mass distributions, *Aerosol Sci. Technol.*, **38**, 104-117, 2004.
- Dusek, U., Frank, G. P., Hildebrandt, L., Curtius, J., Schneider, J., Walter, S., Chand, D., Drewnick, F., Hings, S., Jung, D., Borrmann, S., and Andreae, M. O.: Size matters more than chemistry for cloud-nucleating ability of aerosol particles, *Science*, **312**, 1375-1378, 2006.
- Favez, O., El Haddad, I., Piot, C., Boreave, A., Abidi, E., Marchand, N., Jaffrezo, J. L., Besombes, J. L., Personnaz, M. B., Sciare, J., Wortham, H., George, C., and D'Anna, B.: Inter-comparison of source apportionment models for the estimation of wood burning aerosols during wintertime in an Alpine city (Grenoble, France), *Atmos. Chem. Phys.*, **10**, 5295-5314, 2010.
- Fountoukis, C., Megaritis, A. G., Skyllakou, K., Charalampidis, P. E., Denier van der Gon, H. A. C., Crippa, M., Prévôt, A. S. H., Freutel, F., Wiedensohler, A., Pilinis, C., and Pandis, S. N.: Simulating the formation of carbonaceous aerosol in a European Megacity (Paris) during the MEGAPOLI summer and winter campaigns, *Atmos. Chem. Phys. Discuss.*, **15**, 25547-25582, 2015.
- Freney, E. J., Sellegri, K., Canonaco, F., Boulon, J., Hervo, M., Weigel, R., Pichon, J. M., Colomb, A., Prévôt, A. S. H., and Laj, P.: Seasonal variations in aerosol particle composition at the puy-de-Dôme research station in France, *Atmos. Chem. Phys.*, **11**, 13047-13059, 2011.
- Ge, X., Setyan, A., Sun, Y., and Zhang, Q.: Primary and secondary organic aerosols in Fresno, California during wintertime: Results from high resolution aerosol mass spectrometry, *J. Geophys. Res. Atmo.*, **117**, doi: 10.1029/2012jd018026, 2012.

- Gysel, M., Crosier, J., Topping, D. O., Whitehead, J. D., Bower, K. N., Cubison, M. J., Williams, P. I., Flynn, M. J., McFiggans, G. B., and Coe, H.: Closure study between chemical composition and hygroscopic growth of aerosol particles during TORCH2, *Atmos. Chem. Phys.*, **7**, 6131-6144, 2007.
- Hayes, P. L., Ortega, A. M., Cubison, M. J., Froyd, K. D., Zhao, Y., Cliff, S. S., Hu, W. W., Toohey, D. W., Flynn, J. H., Lefer, B. L., Grossberg, N., Alvarez, S., Rappenglueck, B., Taylor, J. W., Allan, J. D., Holloway, J. S., Gilman, J. B., Kuster, W. C., De Gouw, J. A., Massoli, P., Zhang, X., Liu, J., Weber, R. J., Corrigan, A. L., Russell, L. M., Isaacman, G., Worton, D. R., Kreisberg, N. M., Goldstein, A. H., Thalman, R., Waxman, E. M., Volkamer, R., Lin, Y. H., Surratt, J. D., Kleindienst, T. E., Offenberg, J. H., Dusanter, S., Griffith, S., Stevens, P. S., Brioude, J., Angevine, W. M., and Jimenez, J. L.: Organic aerosol composition and sources in Pasadena, California, during the 2010 CalNex campaign, *J. Geophys. Res. Atmo.*, **118**, 9233-9257, doi: 10.1002/jgrd.50530, 2013.
- Hildebrandt, L., Engelhart, G. J., Mohr, C., Kostenidou, E., Lanz, V. A., Bougiatioti, A., DeCarlo, P. F., Prevot, A. S. H., Baltensperger, U., Mihalopoulos, N., Donahue, N. M., and Pandis, S. N.: Aged organic aerosol in the Eastern Mediterranean: the Finokalia Aerosol Measurement Experiment-2008, *Atmos. Chem. Phys.*, **10**, 4167-4186, 2010.
- Hildebrandt, L., Kostenidou, E., Lanz, V. A., Prevot, A. S. H., Baltensperger, U., Mihalopoulos, N., Laaksonen, A., Donahue, N. M., and Pandis, S. N.: Sources and atmospheric processing of organic aerosol in the Mediterranean: insights from aerosol mass spectrometer factor analysis, *Atmos. Chem. Phys.*, **11**, 2011.
- Hock, N., Schneider, J., Borrmann, S., Roempp, A., Moortgat, G., Franze, T., Schauer, C., Poeschl, U., Plass-Duelmer, C., and Berresheim, H.: Rural continental aerosol properties and processes observed during the Hohenpeissenberg Aerosol Characterization Experiment (HAZE2002), *Atmos. Chem. Phys.*, **8**, 603-623, 2008.
- Holzinger, R., Millet, D. B., Williams, B., Lee, A., Kreisberg, N., Hering, S. V., Jimenez, J., Allan, J. D., Worsnop, D. R., and Goldstein, A. H.: Emission, oxidation, and secondary organic aerosol formation of volatile organic compounds as observed at Chebogue Point, Nova Scotia, *J. Geophys. Res. Atmo.*, **112**, doi: 10.1029/2006jd007599, 2007.
- Jimenez, J. L., Canagaratna, M. R., Donahue, N. M., Prevot, A. S. H., Zhang, Q., Kroll, J. H., DeCarlo, P. F., Allan, J. D., Coe, H., Ng, N. L., Aiken, A. C., Docherty, K. S., Ulbrich, I. M., Grieshop, A. P., Robinson, A. L., Duplissy, J., Smith, J. D., Wilson, K. R., Lanz, V. A., Hueglin, C., Sun, Y. L., Tian, J., Laaksonen, A., Raatikainen, T., Rautiainen, J., Vaattovaara, P., Ehn, M., Kulmala, M., Tomlinson, J. M., Collins, D. R., Cubison, M. J., Dunlea, E. J., Huffman, J. A., Onasch, T. B., Alfarra, M. R., Williams, P. I., Bower, K., Kondo, Y., Schneider, J., Drewnick, F., Borrmann, S., Weimer, S., Demerjian, K., Salcedo, D., Cottrell, L., Griffin, R., Takami, A., Miyoshi, T., Hatakeyama, S., Shimojo, A., Sun, J. Y., Zhang, Y. M., Dzepina, K., Kimmel, J. R., Sueper, D., Jayne, J. T., Herndon, S. C., Trimborn, A. M., Williams, L. R., Wood, E. C., Middlebrook, A. M., Kolb, C. E., Baltensperger, U., and Worsnop, D. R.: Evolution of organic aerosols in the atmosphere, *Science*, **326**, 1525-1529, 2009.
- Lanz, V. A., Alfarra, M. R., Baltensperger, U., Buchmann, B., Hueglin, C., and Prevot, A. S. H.: Source apportionment of submicron organic aerosols at an urban site by factor analytical modelling of aerosol mass spectra, *Atmos. Chem. Phys.*, **7**, 1503-1522, 2007.
- Lanz, V. A., Alfarra, M. R., Baltensperger, U., Buchmann, B., Hueglin, C., Szidat, S., Wehrli, M. N., Wacker, L., Weimer, S., Caseiro, A., Puxbaum, H., and Prevot, A. S. H.: Source attribution of submicron organic aerosols during wintertime inversions by advanced factor analysis of aerosol mass spectra, *Environ. Sci. Technol.*, **42**, 214-220, 2008.
- Lanz, V. A., Prevot, A. S. H., Alfarra, M. R., Weimer, S., Mohr, C., DeCarlo, P. F., Gianini, M. F. D., Hueglin, C., Schneider, J., Favez, O., D'Anna, B., George, C., and Baltensperger, U.:

- Characterization of aerosol chemical composition with aerosol mass spectrometry in Central Europe: an overview, *Atmos. Chem. Phys.*, 10, 2010.
- Mensah, A. A., Holzinger, R., Otjes, R., Trimborn, A., Mentel, T. F., ten Brink, H., Henzing, B., and Kiendler-Scharr, A.: Aerosol chemical composition at Cabauw, The Netherlands as observed in two intensive periods in May 2008 and March 2009, *Atmos. Chem. Phys.*, 12, 4723-4742, 2012.
- Mohr, C., DeCarlo, P. F., Heringa, M. F., Chirico, R., Slowik, J. G., Richter, R., Reche, C., Alastuey, A., Querol, X., Seco, R., Penuelas, J., Jimenez, J. L., Crippa, M., Zimmermann, R., Baltensperger, U., and Prevot, A. S. H.: Identification and quantification of organic aerosol from cooking and other sources in Barcelona using aerosol mass spectrometer data, *Atmos. Chem. Phys.*, 12, 1649-1665, 2012.
- Nemitz, E., Jimenez, J. L., Huffman, J. A., Ulbrich, I. M., Canagaratna, M. R., Worsnop, D. R., and Guenther, A. B.: An eddy-covariance system for the measurement of surface/atmosphere exchange fluxes of submicron aerosol chemical species - First application above an urban area, *Aerosol Sci. Technol.*, 42, 636-657, 2008.
- Parworth, C., Fast, J., Mei, F., Shippert, T., Sivaraman, C., Tilp, A., Watson, T., and Zhang, Q.: Long-term measurements of submicrometer aerosol chemistry at the Southern Great Plains (SGP) using an Aerosol Chemical Speciation Monitor (ACSM), *Atmo. Environ.*, 106, 43-55, 2015.
- Poulain, L., Spindler, G., Birmili, W., Plass-Dülmer, C., Wiedensohler, A., and Herrmann, H.: Seasonal and diurnal variations of particulate nitrate and organic matter at the IfT research station Melpitz, *Atmos. Chem. Phys.*, 11, 12579-12599, 2011.
- Richardson, M. S., DeMott, P. J., Kreidenweis, S. M., Cziczo, D. J., Dunlea, E. J., Jimenez, J. L., Thomson, D. S., Ashbaugh, L. L., Borys, R. D., Westphal, D. L., Casuccio, G. S., and Lersch, T. L.: Measurements of heterogeneous ice nuclei in the western United States in springtime and their relation to aerosol characteristics, *J. Geophys. Res. Atmo.*, 112, doi: 10.1029/2006jd007500, 2007.
- Saarikoski, S., Carbone, S., Decesari, S., Giulianelli, L., Angelini, F., Canagaratna, M., Ng, N. L., Trimborn, A., Facchini, M. C., Fuzzi, S., Hillamo, R., and Worsnop, D.: Chemical characterization of springtime submicrometer aerosol in Po Valley, Italy, *Atmos. Chem. Phys.*, 12, 8401-8421, 2012.
- Salcedo, D., Onasch, T. B., Dzepina, K., Canagaratna, M. R., Zhang, Q., Huffman, J. A., DeCarlo, P. F., Jayne, J. T., Mortimer, P., Worsnop, D. R., Kolb, C. E., Johnson, K. S., Zuberi, B., Marr, L. C., Volkamer, R., Molina, L. T., Molina, M. J., Cardenas, B., Bernabe, R. M., Marquez, C., Gaffney, J. S., Marley, N. A., Laskin, A., Shutthanandan, V., Xie, Y., Brune, W., Leshner, R., Shirley, T., and Jimenez, J. L.: Characterization of ambient aerosols in Mexico City during the MCMA-2003 campaign with Aerosol Mass Spectrometry: results from the CENICA Supersite, *Atmos. Chem. Phys.*, 6, 925-946, 2006.
- Setyan, A., Zhang, Q., Merkel, M., Knighton, W. B., Sun, Y., Song, C., Shilling, J. E., Onasch, T. B., Herndon, S. C., Worsnop, D. R., Fast, J. D., Zaveri, R. A., Berg, L. K., Wiedensohler, A., Flowers, B. A., Dubey, M. K., and Subramanian, R.: Submicron particles influenced by mixed biogenic and anthropogenic emissions: high-resolution aerosol mass spectrometry results from the Carbonaceous Aerosols and Radiative Effects Study (CARES), *Atmos. Chem. Phys. Discuss.*, 12, 5601-5658, 2012.
- Sun, J., Zhang, Q., Canagaratna, M. R., Zhang, Y., Ng, N. L., Sun, Y., Jayne, J. T., Zhang, X., Zhang, X., and Worsnop, D. R.: Highly time- and size-resolved characterization of submicron aerosol particles in Beijing using an Aerodyne Aerosol Mass Spectrometer, *Atmo. Environ.*, 44, 131-140, 2010.
- Sun, Y. L., Zhang, Q., Schwab, J. J., Demerjian, K. L., Chen, W. N., Bae, M. S., Hung, H. M., Hogrefe, O., Frank, B., Rattigan, O. V., and Lin, Y. C.: Characterization of the sources

- and processes of organic and inorganic aerosols in New York city with a high-resolution time-of-flight aerosol mass spectrometer, *Atmos. Chem. Phys.*, **11**, 1581-1602, 10.5194/acp-11-1581-2011, 2011.
- Takami, A., Miyoshi, T., Shimono, A., and Hatakeyama, S.: Chemical composition of fine aerosol measured by AMS at Fukue Island, Japan during APEX period, *Atmo. Environ.*, **39**, 4913-4924, 2005.
- Takegawa, N., Miyazaki, Y., Kondo, Y., Komazaki, Y., Miyakawa, T., Jimenez, J. L., Jayne, J. T., Worsnop, D. R., Allan, J. D., and Weber, R. J.: Characterization of an Aerodyne Aerosol Mass Spectrometer (AMS): Intercomparison with other aerosol instruments, *Aerosol Sci. Technol.*, **39**, 760-770, 2005.
- Takegawa, N., Miyakawa, T., Kondo, Y., Jimenez, J. L., Zhang, Q., Worsnop, D. R., and Fukuda, M.: Seasonal and diurnal variations of submicron organic aerosol in Tokyo observed using the Aerodyne aerosol mass spectrometer, *J. Geophys. Res. Atmo.*, **111**, doi: 10.1029/2005jd006515, 2006.
- Timonen, H., Carbone, S., Aurela, M., Saarnio, K., Saarikoski, S., Ng, N. L., Canagaratna, M. R., Kulmala, M., Kerminen, V.-M., Worsnop, D. R., and Hillamo, R.: Characteristics, sources and water-solubility of ambient submicron organic aerosol in springtime in Helsinki, Finland, *Journal of Aerosol Science*, **56**, 61-77, 2013.
- Topping, D., Coe, H., McFiggans, G., Burgess, R., Allan, J., Alfarra, M. R., Bower, K., Choularton, T. W., Decesari, S., and Facchini, M. C.: Aerosol chemical characteristics from sampling conducted on the Island of Jeju, Korea during ACE Asia, *Atmo. Environ.*, **38**, 2111-2123, 2004.
- Tsimpidi, A. P., Karydis, V. A., Zavala, M., Lei, W., Molina, L., Ulbrich, I. M., Jimenez, J. L., and Pandis, S. N.: Evaluation of the volatility basis-set approach for the simulation of organic aerosol formation in the Mexico City metropolitan area, *Atmos. Chem. Phys.*, **10**, 525-546, 2010.
- Tsimpidi, A. P., Karydis, V. A., Zavala, M., Lei, W., Bei, N., Molina, L., and Pandis, S. N.: Sources and production of organic aerosol in Mexico City: insights from the combination of a chemical transport model (PMCAMx-2008) and measurements during MILAGRO, *Atmos. Chem. Phys.*, **11**, 5153-5168, 2011.
- Vester, B. P., Ebert, M., Barnert, E. B., Schneider, J., Kandler, K., Schuetz, L., and Weinbruch, S.: Composition and mixing state of the urban background aerosol in the Rhein-Main area (Germany), *Atmo. Environ.*, **41**, 6102-6115, 2007.
- Zhang, Q., Stanier, C. O., Canagaratna, M. R., Jayne, J. T., Worsnop, D. R., Pandis, S. N., and Jimenez, J. L.: Insights into the chemistry of new particle formation and growth events in Pittsburgh based on aerosol mass spectrometry, *Environ. Sci. Technol.*, **38**, 4797-4809, 2004.
- Zhang, Q., Jimenez, J. L., Canagaratna, M. R., Allan, J. D., Coe, H., Ulbrich, I., Alfarra, M. R., Takami, A., Middlebrook, A. M., Sun, Y. L., Dzepina, K., Dunlea, E., Docherty, K., DeCarlo, P. F., Salcedo, D., Onasch, T., Jayne, J. T., Miyoshi, T., Shimono, A., Hatakeyama, S., Takegawa, N., Kondo, Y., Schneider, J., Drewnick, F., Borrmann, S., Weimer, S., Demerjian, K., Williams, P., Bower, K., Bahreini, R., Cottrell, L., Griffin, R. J., Rautiainen, J., Sun, J. Y., Zhang, Y. M., and Worsnop, D. R.: Ubiquity and dominance of oxygenated species in organic aerosols in anthropogenically-influenced Northern Hemisphere midlatitudes, *Geophys. Res. Lett.*, **34**, doi: 10.1029/2007gl029979, 2007.