

# ***Interactive comment on “Impacts of aerosol direct effects on tropospheric ozone through changes in atmospheric dynamics and photolysis rates” by Jia Xing et al.***

## **Anonymous Referee #2**

Received and published: 20 April 2017

In this paper, the authors have applied the WRF-CMAQ model to analyze the impact of aerosols on tropospheric ozone through their impacts on atmospheric dynamics and photolysis rates. Their results indicate that reducing aerosols may have negative impacts on ozone which need to be considered for air quality management in China. The topic is of general interest given the focus on reducing PM<sub>2.5</sub> pollution. The simulations have been designed appropriately to address the goals of the study. However, the authors have not considered the prominent way aerosols impact tropospheric ozone formation - via heterogeneous reactions - which leads me to question the conclusions of this study. Several studies have highlighted the role of aerosols in modulating ozone via heterogeneous reactions (eg., Liao and Seinfeld, 2005; Ti et al., 2005; Pozzoli et al.,

[Printer-friendly version](#)

[Discussion paper](#)



2008; Xu et al., 2012; Lou et al., 2014), which have largely been ignored in this study. The authors need to provide a strong justification for ignoring the impact of aerosols on ozone via heterogeneous reactions, before I can recommend this paper for publication. The presentation of the analysis also needs to be significantly revised, particularly the figures are too small to be legible.

Specific Comments:

P2L10: Please provide a reference for “ADE modulate the temperature, atmospheric ventilation, cloud and rainfall”.

P3 Section 2.1: What meteorological fields are used to drive WRF-CMAQ?

P3L5,6: Please define acronyms (e.g., AERO6, BHCOAT) before using them.

P4L20: Please clarify if this is for observations. The observations are hardly visible in Figure 2.

P4L24: Please provide a reference for “In January, O<sub>3</sub> production in north China is VOC-limited regime”

P4: It would also be helpful to see maps of PM<sub>2.5</sub> to assess if the reductions in O<sub>3</sub> due to aerosol feedbacks are co-located with PM concentrations.

P4-5: How significant are the changes in O<sub>3</sub> in response to  $\Delta$ Dynamics and  $\Delta$ Photolysis

References: H. Liao, J.H. Seinfeld, Global impacts of gas-phase chemistry–aerosol interactions on direct radiative forcing by anthropogenic aerosols and ozone, *J. Geophys. Res.*, 110 (2005), p. D18208 <http://dx.doi.org/10.1029/2005JD005907>

L. Pozzoli, I. Bey, S. Rast, M.G. Schultz, P. Stier, J. Feichter, Trace gas and aerosol interactions in the fully coupled model of aerosol-chemistry-climate ECHAM5-HAMMOZ: 1. Model description and insights from the spring 2001 TRACE-P experiment, *J. Geophys. Res.*, 113 (2008), p. D07308 <http://dx.doi.org/10.1029/2007JD009007>

Printer-friendly version

Discussion paper



X.X. Tie, S. Madronich, S. Walters, D.P. Edwards, P. Ginoux, N. Mahowald, R.Y. Zhang, C. Lou, G. Brasseur, Assessment of the global impact of aerosols on tropospheric oxidants, *J. Geophys. Res.*, 110 (2005), p. D03204 <http://dx.doi.org/10.1029/2004JD005359>.

J. Xu, Y.H. Zhang, S.Q. Zheng, Y.J. He, Aerosol effects on ozone concentrations in Beijing: a model sensitivity study, *J. Environ. Sci.*, 24 (4) (2012), pp. 645–656

Sijia Lou, Hong Liao, Bin Zhu, Impacts of aerosols on surface-layer ozone concentrations in China through heterogeneous reactions and changes in photolysis rates, *Atmospheric Environment*, Volume 85, March 2014, Pages 123-138, ISSN 1352-2310, <http://doi.org/10.1016/j.atmosenv.2013.12.004>.

---

Interactive comment on *Atmos. Chem. Phys. Discuss.*, doi:10.5194/acp-2017-198, 2017.

[Printer-friendly version](#)[Discussion paper](#)