Field characterization of the PM_{2.5} Aerosol Chemical Speciation Monitor: insights into the composition, sources and processes of fine particles in Eastern China

Yunjiang Zhang^{1,2,3,4}, Lili Tang^{1,2}, Philip L. Croteau⁵, Olivier Favez³, Yele Sun^{6,7}, Manjula R. Canagaratna⁵, Zhuang Wang¹, Florian Couvidat³, Alexandre Albinet³, Hongliang Zhang⁸, Jean Sciare⁹, André S. H. Prévôt¹⁰, John T. Jayne⁵, Douglas R. Worsnop⁵

¹Jiangsu Collaborative Innovation Center of Atmospheric Environment and Equipment Technology,

- Nanjing University of Information Science and Technology, Nanjing 210044, China
 ²Jiangsu Environmental Monitoring Center, Nanjing 210036, China
 ³Institut National de l'Environnement Industriel et des Risques, Verneuil en Halatte, 60550, France
 ⁴Laboratoire des Sciences du Climat et de l'Environnement, CNRS-CEA-UVSQ, Université Paris-Saclay, Gif sur Yvette, 91191, France
- ⁵Aerodyne Research, Inc., Billerica, Massachusetts 01821, United States
 ⁶State Key Laboratory of Atmospheric Boundary Layer Physics and Atmospheric Chemistry, Institute of Atmospheric Physics, Chinese Academy of Sciences, Beijing 100029, China
 ⁷Center for Excellence in Regional Atmospheric Environment, Institute of Urban Environment, Chinese Academy of Sciences, Xiamen 361021, China
- ⁸Nanjing Handa Environmental Science and Technology Limited, Nanjing 211102, China
 ⁹The Cyprus Institute, Environment Energy and Water Research Center, Nicosia, Cyprus
 ¹⁰Laboratory of Atmospheric Chemistry, Paul Scherrer Institute, Villigen PSI 5232, Switzerland

Correspondence to: Lili Tang (<u>lily3258@163.com</u>) and Yele Sun (<u>sunyele@mail.iap.ac.cn</u>) 25

Abstract

A PM_{2.5}-capable aerosol chemical speciation monitor (Q-ACSM) was deployed in urban Nanjing, China for the first time to measure in-situ non-refractory fine particle (NR-PM_{2.5}) composition from October 20 to November 19, 2015 along with parallel measurements of submicron aerosol (PM₁)

- 30 species by a standard Q-ACSM. Our results show that the NR-PM_{2.5} species (organics, sulfate, nitrate, and ammonium) measured by the PM_{2.5}-Q-ACSM are highly correlated ($r^2 > 0.9$) with those measured by a Sunset Lab OC/EC Analyzer and a Monitor for AeRosols and GAses (MARGA). The comparisons between the two Q-ACSMs illustrated similar temporal variations in all NR species between PM₁ and PM_{2.5}, yet substantial mass fractions of aerosol species were observed in
- 35 the size range of 1–2.5 μm. On average, NR-PM_{1–2.5} contributed 53 % of the total NR-PM_{2.5} with sulfate and secondary organic aerosols (SOA) being the two largest contributors (26 % and 27 %, respectively). Positive matrix factorization of organic aerosol showed similar temporal variations in both primary and secondary OA between PM₁ and PM_{2.5} although the mass spectra were slightly different due to more thermal decomposition on the capture vaporizer of the PM_{2.5}-Q-ACSM. We
- 40 observed an enhancement of SOA under high relative humidity conditions, which is associated with simultaneous increases in aerosol pH, gas-phase species (NO₂, SO₂, and NH₃) concentrations and aerosol water content driven by secondary inorganic aerosols. These results likely indicate an enhanced reactive uptake of SOA precursors upon aqueous particles. Therefore, reducing anthropogenic NO_x, SO₂, and NH₃ emissions might not only reduce secondary inorganic aerosols
- 45 but also the SOA burden during haze episodes in China.

1 Introduction

Atmospheric fine particles (PM_{2.5}, aerodynamic diameter $\leq 2.5 \,\mu$ m) are of great concern because they degrade air quality (Zhang et al., 2015a), reduce visibility (Watson, 2002) and negatively affect

50 human health (Pope and Dockery, 2006). PM_{2.5} also has potential impacts upon global climate change and ecosystems. However, the impacts remain highly uncertain, mainly due to their complex chemical and microphysical properties, and sources (Huang et al., 2014; Sun et al., 2014), and the unclear interactions between meteorology and atmospheric aerosols (Sun et al., 2015; Ding et al., 2016). Therefore, continuous measurements of aerosol particle composition particularly in a 55 complete level with high time-resolution (e.g., less than 1 hour) are essential to understand the variations and formation mechanisms of PM_{2.5} and are important to validate and improve chemical transport models.

The aerodyne Aerosol Mass Spectrometer (AMS) (Jayne et al., 2000) is a state-of-the-art instrument for measuring size-resolved chemical composition of non-refractory submicron aerosol 60 (NR-PM₁) with a high time resolution from seconds to minutes (Jimenez et al., 2003; Allan et al., 2004; Canagaratna et al., 2007). Organic aerosol (OA) measured by the AMS can be further deconvolved into various organic classes from different sources and processes using positive matrix factorization (PMF) (Paatero and Tapper, 1994; Lanz et al., 2010; Ulbrich et al., 2009; Zhang et al., 2011), which has greatly improved our understanding of the key atmospheric processes of OA 65 during the last ten years (Zhang et al., 2007; Jimenez et al., 2009). Based on the AMS system, a simpler instrument, the Quadrupole Aerosol Chemical Speciation Monitor (Q-ACSM), was designed and developed for robust long-term monitoring of the NR-PM₁ chemical species (Ng et al., 2011b; Sun et al., 2015). In China, the AMS and Q-ACSM deployments for highly timeresolved chemical evolution processes of NR-PM₁ species in urban and rural areas grow rapidly 70 since 2006 (Sun et al., 2010; Huang et al., 2010; Sun et al., 2012a; Hu et al., 2013; Xu et al., 2014; Zhang et al., 2015c; Sun et al., 2016). The new findings and conclusions have been well

summarized in a recent review paper (Li et al., 2017). Secondary organic aerosols (SOA) and secondary inorganic aerosols (e.g., sulfate, nitrate, and ammonium) have been found to be of similar importance in leading to the rapid formation and accumulation of PM_{2.5} during the severe haze events in China (Huang et al., 2014; Sun et al., 2014; Zhang et al., 2014). Recent studies have shown that heterogeneous reactions associated with high anthropogenic NO_x and relative humidity (RH) levels are one of the major formation mechanisms of secondary aerosols, e.g., sulfate (He et al., 2014; Xie et al., 2015; Cheng et al., 2016; Chu et al., 2016; Wang et al., 2016a; Xue et al., 2016). One reason might be that the aqueous oxidation of SO₂ by NO₂ in aerosol water is facilitated by the rich NH₃ which can partly explain the rapid formation of sulfate during severe haze events in

75

80

China (Wang et al., 2016a). Although the formation mechanisms of sulfate are relatively well understood, the impacts of aerosol water on the formation of SOA in $PM_{2.5}$ remains unclear (Xu et al., 2017b).

- Limited by the aerodynamic lens, the previous AMS and Q-ACSM only measure aerosol
 species in PM₁. This is reasonable for the studies in the US and Europe where PM₁ accounts for a large fraction (typically > 70 %) of PM_{2.5} (Sun et al., 2011; Budisulistiorini et al., 2014; Petit et al., 2015). However, a substantial fraction of aerosol particles in 1–2.5 µm (PM_{1-2.5}) is frequently observed in China, and the contribution can be more than 50 % during severe haze events (Wang et al., 2015; Zhang et al., 2015b). The source apportionment results of PM₁ might have differences
 from PM_{2.5} by missing such a large fraction of aerosol particles in PM_{1-2.5}. Therefore, the instruments which can measure PM_{2.5} composition in real-time are urgently needed in China for a better understanding of variations, sources, and formation mechanisms of PM_{2.5}. The techniques for real-time measurements of inorganic species have been well developed, e.g., particle-into-liquid sampler ion chromatograph (PILS-IC) (Orsini et al., 2003), Monitor for AeRosols and GAses
- (MARGA) (Du et al., 2011), and Gas and Aerosol Collector Ion Chromatography (GAC-IC)
 (Dong et al., 2012), and are also widely used for chemical characterization of PM_{2.5} in China.
 However, real-time measurements of the total organics in PM_{2.5} and subsequent OA source

apportionment were barely performed in China (Elser et al., 2016). Although ambient organic carbon (OC) and elemental carbon (EC) can be measured semi-continuously, typically in hourly

resolution, they can only be used to differentiate primary and secondary OC using the EC-tracer technique (Turpin and Huntzicker, 1995). In addition, size-segregated filter samples can provide a detailed chemical information in different size ranges, but are greatly limited by the sampling duration, typically days and even weeks (Huang et al., 2014; Xu et al., 2015; Ye et al., 2017). Therefore, real-time characterization of PM_{2.5} is important to have a better understanding of aerosol chemistry and sources of fine particles in highly-polluted environments in China.

Very recently, a PM_{2.5} lens that can transmit particles larger than 1 µm to the AMS and Q-ACSM detectors, has been developed and the performance has been fully evaluated in both laboratories and field studies (Hu et al., 2016; Hu et al., 2017; Xu et al., 2017a). The results showed that the PM_{2.5}-Q-ACSM equipped with the new developed capture vaporizer (CV) can detect 110 approximately 90 % of the PM_{2.5} particles, but more thermal decomposition of both inorganic and organic species was also observed. Although the CV produces different fragmentation patterns of organic and inorganic compounds compared with those of a standard vaporizer (SV), it reduces the particle bouncing effect at the vaporizer and hence improves the quantitative uncertainties caused by collection efficiency (CE). The recent evaluation of the CV for inorganic species measurements 115 showed overall agreements with those by co-located measurements (Hu et al., 2017). The PM_{2.5}-AMS equipped with a SV was deployed once in China, which provided new insights into composition and sources of PM_{2.5} in Beijing and Xi'an (Elser et al., 2016). The results showed that secondary inorganic components (mostly sulfate and nitrate) and oxygenated organic aerosol (OOA) had large enhancements in large sizes (> 1 μ m) during the extreme haze periods in Beijing and 120 Xi'an. It is clear that such real-time measurements of PM_{2.5} composition, particularly for a longer

time with the new CV, in other polluted regions are needed.

In this study, a PM_{2.5}-Q-ACSM equipped with a CV was deployed for the first time in the megacity of Nanjing for the real-time measurement of NR-PM_{2.5} composition. The performance of

the PM_{2.5}-Q-ACSM is thoroughly evaluated by comparing with those measurements by a suite of

125 collocated on-line instruments, including a PM₁-Q-ACSM, a Sunset Lab OC/EC Analyzer and a MARGA. The composition, diurnal variations, and processes of aerosol species in NR-PM₁ and NR-PM_{1-2.5} are characterized and compared. Moreover, sources of organic aerosols are elucidated by Positive Matrix Factorization (PMF) and new insights into the impacts of aerosol liquid water on the formation of secondary inorganic aerosols and SOA are discussed in this study.

130 **2 Experimental methods**

The measurement campaign took place from October 20 to November 16, 2015 in Nanjing, which is a typical mega-city in the western Yangtze River Delta of Eastern China. The sampling site is located at Jiangsu Environment Monitoring Center ($32^{\circ} \ 02' \ 35'' \ N$, $118^{\circ} \ 44' \ 45'' \ E$), an urban station representative of an atmospheric environment subject to multiple source influences, including industry, traffic, cooking, and biogenic emissions, etc. More detailed descriptions of this sampling site can be found in previous studies (Zhang et al., 2015c; Zhang et al., 2015b; Zhang et al., 2017).

2.1 Instrumentation

135

In this study, two Q-ACSMs, i.e., a PM₁-Q-ACSM with SV and a PM_{2.5}-Q-ACSM with CV were deployed side by side at the sampling site. The principles of the PM₁-Q-ACSM have been detailed elsewhere (Ng et al., 2011b). Briefly, ambient air is sampled into the aerodynamic lens system through a 100 μ m diameter critical aperture with a flow rate of ~ 85 cc min⁻¹. The focused particle beam is transmitted through the differentially pumped vacuum chamber into the detection region. Aerosol particles impact and vaporize on an oven at the temperature of approximately 600 °C, and

145 then are ionized with 70 eV electron impact. The produced ions are detected with a quadrupole mass spectrometer (Ng et al., 2011b). Different from the AMS system, the background of the Q-

ACSM is determined by measuring particle-free air.

The differences between the PM₁ and PM_{2.5} Q-ACSMs have been described in Xu et al. (2017a). The three main modifications that enable accurate $PM_{2.5}$ quantification are the sampling 150 inlet, the aerodynamic lens, and the vaporizer. The sampling inlet of the PM_{2.5}-Q-ACSM uses straight flow paths and relatively short lengths of tubing to minimize particle loss. The particle lens of the PM_{2.5}-Q-ACSM operates at a higher pressure than that of the PM₁-Q-ACSM (Liu et al., 2007; Ng et al., 2011b) and transmits larger particles (Peck et al., 2016; Xu et al., 2017a). And the standard vaporizer is replaced with the capture vaporizer to eliminate the effect of particle bounce which 155 can lead to a fraction of the particle mass not being detected, an effect which increases at larger particle diameters (Hu et al., 2016; Xu et al., 2017a). The PM₁ and PM_{2.5} Q-ACSM mass spectra were analyzed using the Q-ACSM Local toolkit (Version 1.5.11.2), a data analysis software written in Wavemetrics Igor ProTM. The detailed procedures for the data analysis have been described in Ng et al. (2011b) and Sun et al. (2012a). The sensitivity of the two O-ACSMs were calibrated using size-selected ammonium nitrate (NH₄NO₃) particles (300 nm), which were 1.09×10^{-10} and $2.06 \times$ 160 10^{-11} , respectively for the PM₁ and the PM_{2.5}-Q-ACSM. The relative ionization efficiencies (RIEs) of ammonium and sulfate were determined as 4.9 and 4.7, and 0.8 and 1.2 for the PM₁-Q-ACSM and PM_{25} -O-ACSM respectively. The default RIE values of 1.1, 1.4, and 1.3 were used for nitrate, organics, and chloride, respectively (Canagaratna et al., 2007; Ng et al., 2011b). In addition, the 165 composition-dependent CE, that is $CE = max (0.45, 0.0833 + 0.9167 \times ANMF)$ (Middlebrook et al., 2012), in which ANMF is the mass fraction of ammonium nitrate, was used for the mass concentration quantification of the PM_1 -Q-ACSM species, while a CE = 1 was used for the $PM_{2.5}$ -Q-ACSM (Xu et al., 2017a).

Water-soluble inorganic ions (NH4⁺, Na⁺, K⁺, Ca²⁺, Mg²⁺, SO4²⁻, NO3⁻, and Cl⁻) in PM_{2.5} were
simultaneously measured by a MARGA at 1 h resolution (Trebs et al., 2004; Rumsey et al., 2014).
Ambient air was pulled into the MARGA sampling box with a flow rate of 16.7 L min⁻¹. After removing the interferences of water-soluble gases by a wet rotating denuder, aerosol particles were

dissolved into the liquid phase, and then analyzed with two ion chromatographic systems (Metrohm USA, Inc., Riverview, FL, USA). In addition, the mass concentrations of OC and EC in PM_{2.5} were

- 175 measured on a 1hr-basis using a Sunset Lab. Semi-Continuous OCEC Analyzer (Model-4) implemented with the standard 'abbreviated' NIOSH 5040 thermal protocol (as detailed in Table S1). A denuder was placed in the sampling line to remove volatile organic compounds and avoid positive sampling artefacts.
- The particle number size distribution (3 nm–10 µm) was measured by a Twin Differential
 Mobility Particle Sizer (TDMPS, TSI Model 3081) combined with an Aerodynamic Particle Sizer (APS, TSI Model 3320). The TDMPS consists of two subsystems measuring different size ranges of dry particles at the same time. The 3–20 nm particles were measured by an Ultrafine Differential Mobility Analyzer (TSI Model 3085) in conjunction with an Ultrafine Condensation Particle Counter (TSI Model 3025) and the 20–900 nm particles were measured by a Differential Mobility
 Analyzer combined with a Condensation Particle Counter (TSI Model 3010). Large particles
- between 900 nm and 10 μ m were measured by the APS.

Other collocated measurements included the total PM_1 and $PM_{2.5}$ mass concentrations by a Met one BAM 1020 and a $PM_{2.5}$ Tapered Element Oscillating Microbalance equipped with a Filter Dynamic Measurement System (TEOM-FDMS, Thermo), respectively, and the gaseous species of

190 CO (model 48i), NO/NO₂ (model 42i), O₃ (model 49i), SO₂ (model 43i), and NH₃ (model 17i) by Thermo Scientific gas analyzers. Meteorological parameters, including wind speed (WS), wind direction (WD), ambient temperature (*T*) and RH, and the parameters of solar radiation (SR) and precipitation were measured at the same sampling site.

2.2 Q-ACSM data analysis

195 PMF analysis of the PM₁ and PM_{2.5} Q-ACSM organic mass spectra was performed within an Igor Pro-based PMF Evaluation Tool (Ulbrich et al., 2009) with the PMF2.exe algorithm (Paatero and Tapper, 1994). Pretreatment of the data and error matrices was similar to that reported in previous studies (Ulbrich et al., 2009; Zhang et al., 2011; Sun et al., 2012b). In addition, *m/z* = 12 and *m/z* > 100 were removed in both Q-ACSMs' organic PMF analysis considering that (1) a lot of negative
values at *m/z* 12 due to background uncertainties; (2) a small contribution of *m/z* > 100 in the total organic signals (Ng et al., 2011b) and large uncertainties due to low ion transmission efficiency and interference from the internal standard naphthalene signals (Sun et al., 2012a). The PMF results were evaluated following the procedures detailed in Zhang et al. (2011). The detailed key diagnostic plots for the PMF solution of PM₁ and PM_{2.5} Q-ACSMs are shown in Figs. S1–S4 in the supporting information. For a better comparison, a simplistic PMF solution was used to extract two factors, a primary organic aerosol (POA) factor and a SOA factor for both PM₁ and PM_{2.5} Q-ACSMs. However, a higher order factor analysis utilizing PMF and the multilinear engine (ME-2) (Canonaco et al., 2013) may reveal more chemical information which should be the subject of a future manuscript.

210 2.3 Aerosol pH and ALWC prediction

215

The aerosol pH and liquid water content (ALWC) associated with inorganic species in PM₁ and PM_{2.5} were predicted using the "forward" mode of ISORROPIA-II (Fountoukis and Nenes, 2007), with both inorganic composition and gas-phase species (HNO₃ and NH₃) as model inputs. To investigate the potential influence of mineral dust and sea salts, as well as the differences of aerosol chemical species measured by different instruments on the pH prediction, the model was also run with and without K⁺–Ca²⁺–Mg²⁺ or Na⁺–Cl⁻, respectively. The predicted aerosol pH is defined as in equation (1):

$$pH = -\log_{10}H_{aq}^{+} = -\log_{10}\frac{1000H_{air}^{+}}{ALWC}$$
(1)

where H_{aq}^+ (mol L⁻¹) is the hydronium ion concentration in ALWC driven by inorganic aerosols. 220 H_{air}^+ (µg m⁻³) is the hydronium ions concertation per volume air. The predicted NH₃ by ISORROPIA-II agreed well with the measured NH₃ (Fig. S5), suggesting that the aerosol phase state was representative via the thermodynamic analysis. Figure S6 presents the time series of pH for PM₁ and PM_{2.5}. By excluding mineral dust and sea salt species in ISORROPIA-II, the predicted pH was in the range of 1.23 – 4.19 (PM₁-Q-ACSM), 1.78 – 4.10 (PM_{2.5}-Q-ACSM), and 1.98 – 4.07
(PM_{2.5}-MARGA), with the mean values being 3.47, 3.33, and 3.42, respectively. The aerosol pH showed slight increases by 5 – 6 % except for the dust-related period if crustal species were included (Fig. S7). This indicates that the aerosol pH prediction was generally consistent with the measurements from different instruments. However, the crustal species have large impacts on the aerosol pH. For example, the fine aerosol pH shows an evident increase from 2.8 – 3.03 to 3.7 during the dust period after the cations of Ca²⁺, Mg²⁺, and K⁺ were included. Figure S8 shows excellent agreements of pH prediction with and without Na⁺ and Cl⁻ as the model inputs, suggesting the negligible influence of sea salts on aerosol particle acidity in this study. One reason is the relatively low concentrations of Na⁺ (0 – 0.87 µg m⁻³) during the campaign.

3 Results and discussion

235 **3.1 Inter-comparisons**

As shown in Fig. 1, the mass concentrations of PM₁ and PM_{2.5} measured by the Q-ACSMs agree well with those measured by collocated instruments (i.e., the total PM mass analyzers, including TEOM-FDMS and BAM-1020) and those estimated from size-resolved particle number concentrations (TDMPS and APS) and the composition dependent particle density (Fig. S9). On average, the total dry mass of PM₁ and PM_{2.5} Q-ACSM reports 89 % and 93 % of the volume-dependent mass, respectively (Fig. S10). As reported in Xu et al. (2017a), the PM_{2.5} lens system might have a considerable loss for particles below 200 nm due to the lens transmission efficiency (on average 45 %), which can partly explain the differences between the Q-ACSM and TDMPS (Fig. S10d). The NR-PM_{2.5} concentrations report approximately 90 % of the total PM_{2.5}
245 concentrations measured by the TEOM-FDMS and/or BAM 1020 instruments. After considering

the contributions of EC and alkaline cations $(Na^+ + K^+ + Ca^{2+} + Mg^{2+})$, it can explain 92 % of the PM_{2.5} mass. This slight underestimation of the total PM_{2.5} mass might be primarily due to discrepancies between the different inlet cut-offs, measurement uncertainties of the different instruments, and, as further discussed below, the un-identified mineral dust and sea salt components. 250 Figures 2 and 3 show the inter-comparisons of the measurements by the PM_{2.5}-Q-ACSM with those by other co-located instruments, including the PM₁-Q-ACSM, MARGA, and OC/EC analyzer. Overall, the PM_{2.5}-Q-ACSM measurements are well correlated with those measured by co-located instruments ($r^2 > 0.9$), except for chloride. SNA (= sulfate + nitrate + ammonium) measured by the PM_{2.5}-Q-ACSM were highly correlated with those measured by the MARGA ($r^2 = 0.92-0.95$). The 255 absolute agreement between the $PM_{2.5}$ -Q-ACSM and MARGA is very good for sulfate (slope = 1.02). The ammonium agreement is also quite good with the $PM_{2.5}Q$ -ACSM measuring on average 89 % of that reported by the MARGA. The average ratios of the measured NH_4^+ to predicted NH_4^+ that require to fully neutralize SO₄²⁻, NO₃⁻, and Cl⁻ were 1.02 and 0.95 for the PM_{2.5}-O-ACSM and PM₁-Q-ACSM, respectively (Fig. S11), which is similar to the water-soluble ion balance results 260 from the MARGA (Fig. S12). For nitrate, however, the PM_{2.5} Q-ACSM measures about 68 % of what is reported by the MARGA. One reason might be due to the contribution of nitrate from aged sea salts and/or mineral dust (e.g., NaNO3 and Mg(NO3)2) (Gibson et al., 2006), which the Q-ACSM cannot detect due to the limited vaporizer temperature. The much lower ratio of chloride (0.26, Fig. 3f) between the PM_{2.5}-Q-ACSM and MARGA also suggests the presence of such sea 265 salt and/or crustal particles. As shown in Fig. S13a, we estimated that about 83 % of the difference between the chloride PM_{2.5}-Q-ACSM and MARGA measurements could be explained by a maximum estimate of refractory chloride calculated using the ion mass balance with Na⁺, Ca²⁺, K⁺, and Mg²⁺. In addition, this estimated maximum refractory-chloride concentration also shows a positive relationship ($r^2 = 0.36$) with the difference between the nitrate loadings obtained from the 270 PM_{2.5}-Q-ACSM and MARGA (Fig. S13b). The presence of refractory-chloride (-nitrate) may then explain a large fraction of the discrepancies observed for these species between both PM2.5

chemical analyzers. Moreover, a recent evaluation of the AMS with a CV system also found a large difference in chloride measurements (Hu et al., 2017), yet the reason was not completely understood. A future RIE calibration for chloride in the CV system might be helpful to evaluate these differences.

275

As presented in Fig. 2, organics measured by the PM₁ and PM_{2.5} Q-ACSMs both show good correlations with the OC measured by the OC/EC Analyzer ($r^2 = 0.77$ and 0.93, respectively). The slope obtained between the PM_{2.5} measurements, that is the PM_{2.5} organic mass-to-organic carbon (OM / OC) ratio, is however relatively high, considering either the so-called "thermal OC" or 280 "optical OC" Sunset measurements (i.e., 3.5 and 2.9 respectively), as shown in Fig. 3b. Indeed, most of the previous studies generally reported a ratio below 2.5 for aged submicron OA (e.g., Aiken et al., 2008; Zhang et al., 2011). Nevertheless, the 2.9 and 3.5 values obtained here are close to values reported in a few other studies, e.g., a ratio of 3.3 observed in Pasadena (Hayes et al., 2013), and it may be expected that $PM_{1-2.5}$ organic aerosols may be more oxidized than the 285 submicron fraction (with a higher contribution of SOA, as discussed in section 3.2.2), and therefore have somewhat higher OM / OC ratios than those in NR-PM₁. Moreover, in the AMS and Q-ACSM systems, the fraction of OA signal at m/z 44 (f₄₄), mostly dominated by CO₂⁺, is commonly considered as a surrogate of atomic oxygen-to-carbon (O / C) and OM / OC (Aiken et al., 2008; Ng et al., 2011a). As reported from the ACTRIS Q-ACSM inter-comparison works, instrument 290 artefacts may significantly affect the variability in f_{44} measured by different Q-ACSMs (Crenn et al., 2015). For example, Pieber et al. (2016) recently found that thermal decomposition products of inorganic salts on the SV may raise up the non-OA CO_2^+ signal, which can increase f_{44} values.

295 OC/EC analyzer due to evaporative loss of semi-volatile organic carbon during the sampling (Bae et al., 2006; Sun et al, 2011). It is also possible that large particles are not being efficiently delivered to the filter in the semi-continuous OC/EC analyzer as they pass through a warm solenoid valve

Therefore, the impact of instrument artefacts on the PM2.5-Q-ACSM should be also investigated in

a future study. Another reason for this discrepancy is likely that OC is underestimated by the Sunset

with a bent flow path upstream of the filter.

Figure 3 also shows that SNA measured by the PM₁-Q-ACSM were tightly correlated with 300 those measured by the MARGA ($r^2 = 0.68-0.87$), indicating that the temporal variations of inorganic species in NR-PM1 are generally similar to those in PM2.5. However, the SNA in NR-PM₁ only report 25–49 % of those in PM_{2.5}, indicating that a large fraction of SNA is present in the size range of 1–2.5 µm (NR-PM_{1-2.5}). As shown in Fig. S14, the average ratio of NR-PM₁ to NR-PM_{2.5} is 0.48, suggesting that nearly half of NR-PM_{2.5} is NR-PM_{1-2.5}. This is quite different from 305 the results observed in the US and Europe that a dominant fraction of PM_{2.5} is PM₁ (Sun et al., 2011; Petit et al., 2015). For instance, 91 % of PM_{2.5} nitrate was found in NR-PM₁ at an urban background site in Paris, France (Petit et al., 2015). Our results indicate that it is of great importance to chemically characterize PM_{1-2.5} in China because of its large contribution to the total mass of PM_{2.5} in accordance with Elser et al. (2016). Figure 4 shows the relationship between the 310 PM₁/PM_{2.5} ratios of the aerosol species from the O-ACSM measurements and the ratio of SOA to OA in PM_{2.5}. It can be seen that the ratios of all aerosol species generally decrease with the increase of SOA/OA in PM_{2.5}. Given that primary particles are more abundant than SOA in smaller size ranges, our results suggest that the PM_{2.5} CV and PM₁ SV Q-ACSMs show a better agreement for measuring smaller particles while larger particles have higher probability to bounce off the SV 315 surface compared with the CV (Xu et al., 2017a).

3.2 Sized-segregated investigation of NR-PM_{2.5} components

Figure 5 presents the time series of the mass concentrations of the NR-PM₁ and NR-PM_{2.5} species, meteorological parameters, gas-phase species and size-resolved particle number concentrations for the entire study. The entire study period was characterized by five episodes (Ep1–Ep5) according

320 to different pollution events as marked in Fig. 5e. The mass concentrations of the total NR-PM₁ and NR-PM_{2.5} vary dramatically throughout the entire study, ranging from 4.2 to 81.9 μ g m⁻³, and

9.3 to 178.7 μg m⁻³, respectively. For example, aerosol mass loadings increase rapidly from a few μg m⁻³ to hundreds of μg m⁻³ within a short-time scale, e.g., Ep2, Ep4, and Ep5, which are associated with new particle formation and growth (Ep2) and foggy days (Ep4 and Ep5),
325 respectively (Fig. 5e). We also noticed that such rapid changes in aerosol mass were generally associated with a wind direction change to the northwest (Fig. 5a). This result indicates the potential source contributions in the northwest region to the PM level in Nanjing. The average NR-PM₁ and NR-PM_{2.5} were 32.5 μg m⁻³ and 68.7 μg m⁻³, respectively, for the entire study, indicating that 53 % of the PM_{2.5} mass is in the size range of 1–2.5 μm. During the persistent pollution events, e.g., Ep1
330 and Ep2, NR-PM_{1-2.5} accounts for 56 % and 42 % of the total NR-PM_{2.5}. Overall, NR-PM_{1-2.5} also

shows a ubiquitously higher contribution to NR-PM_{2.5} than that of NR-PM₁ during different types of episodes, except Ep3, further highlighting the importance for characterization of aerosol particles between 1 and 2.5 μ m.

3.2.1 Secondary inorganic aerosols

SNA constitutes a major fraction of NR-PM_{2.5}, on average accounting for 61 % in this study (Fig. 6). The average mass concentrations of SNA in NR-PM₁ and NR-PM_{2.5} were 19.6 µg m⁻³ and 40.6 µg m⁻³, respectively, both of which are about 1.6–1.7 times higher than that of organics. The average mass concentration of sulfate in NR-PM₁ is 5.9 µg m⁻³, which is close to that (5.4 µg m⁻³) measured by a soot particle (SP) AMS during springtime in urban Nanjing (Wang et al., 2016b).
However, it is nearly 3 times lower than that in NR-PM_{2.5} (17.4 µg m⁻³) indicating that a major fraction of sulfate exists in the size range of 1–2.5 µm. Sulfate frequently comprises the largest fraction of NR-PM_{1-2.5} with SOA being the second largest, particularly in the polluted episodes (Fig 6b). On average, sulfate and SOA contribute 33 % and 30 % to the total NR-PM_{1-2.5}, respectively, during the entire period. Sulfate accounts for the largest contribution (41 %) to the

- 345 total NR-PM_{1-2.5} loading during the persistent pollution event (Ep1). Compared with sulfate (26%), nitrate accounts for a lower fraction (19%) of NR-PM_{2.5} for the entire study, and the contribution to NR-PM_{1-2.5} is typically 2–4 times lower than that to NR-PM₁. One reason is likely that non-refractory nitrate (e.g., ammonium nitrate) mainly existed in submicron aerosols, while that in NR-PM_{1-2.5} contains more nitrate from sea salt and mineral dusts.
- 350 In addition, the average aerosol pH was 3.59 ± 0.37 and 3.51 ± 0.39 , respectively using the PM_{2.5} MARGA and PM_{2.5}-Q-ACSM measurements as ISORROPIA-II inputs (Fig. 7), indicative of acidic aerosol particles in this study. The pH values here are consistent with that (average = 4.2) observed during haze episodes in Beijing (Liu et al., 2017). Recent studies showed that sulfate formation was more sensitive to aqueous oxidation of SO₂ in the presence of high NO₂ and neutral conditions
- during the haze pollution periods in China (Cheng et al., 2016; Wang et al., 2016a). However, the pH values observed in this study suggest acidic particles, indicating that the aqueous oxidation pathway of SO₂ by NO₂ to form sulfate was not favored during the haze episodes in this study.

3.2.2 POA and SOA

The average mass concentration of OA in NR-PM_{2.5} (25.2 μg m⁻³) is approximately twice that
in NR-PM₁ (11.3 μg m⁻³). Despite the large differences in mass concentrations, the contributions of organics to the total NR-PM_{1-2.5} and NR-PM₁ are relatively similar (40 % vs. 36 %). POA on average contributes 34 % to the total OA in NR-PM₁, which is higher than the contribution (28 %) in NR-PM_{2.5} during the entire study. In contrast, SOA showed a higher fraction in OA in NR-PM_{2.5} (72 %) than NR-PM₁ (66 %). As shown in Fig. 6, the mass concentrations (9.0–11.8 µg m⁻³) and mass fractions (14–20 %) of SOA in NR-PM_{1-2.5} are also ubiquitously higher than those in NR-PM_{1-2.5}

 PM_1 (4.3–10.4 µg m⁻³, and 10–13 %).

Figure 8a shows a comparison of the mass spectra of POA and SOA between NR-PM1 and

NR-PM_{2.5}. While the mass spectra were overall similar, the one resolved from the PM_{2.5}-Q-ACSM with capture vaporizer showed higher contributions of small m/z's. This is consistent with the

- 370 recent findings that the CV is subject to have enhanced thermal decomposition compared to the SV (Hu et al., 2016). Similar to previous studies, the POA spectrum is characterized by the typical hydrocarbon ion series $C_nH_{2n-1}^+$ and $C_nH_{2n+1}^+$ (Zhang et al., 2011), e.g., *m/z* 55 and *m/z* 57, as well as AMS biomass-burning tracers (Alfarra et al., 2007), e.g., *m/z* 60 and *m/z* 73. Note that the mass spectra of NR-PM_{2.5} show smaller fractions of *m/z* 60 and *m/z* 73 signals, compared with those of
- 375 PM₁ (Fig. 8a and Fig. S15), which is likely due to the stronger thermal decomposition (Pieber et al., 2016). The high ratio of *m/z* 55/57 (1.91) in the SV system suggests a significant influence from local cooking emissions (Allan et al., 2010; Mohr et al., 2012; Sun et al., 2012a; Zhang et al., 2015c). In addition to the noon and evening meal time peaks, the diurnal variations of POA in Fig. S16 also show two peaks corresponding to morning rush hours (Zhang et al., 2015b), and night
- biomass-burning emissions (Zhang et al., 2015c). This result suggests that the POA factor in this study is subject to multiple influences, including traffic, cooking, and biomass burning emissions. The mass spectrum of SOA in both NR-PM₁ and NR-PM_{2.5} is dominated by m/z 44 (mostly CO₂⁺) with a higher f_{44} in the NR-PM_{2.5} system. One reason for the higher f_{44} in the PM_{2.5}-Q-ACSM could be the effects of enhanced thermal decomposition in the CV system (Xu et al., 2017a). Another
- 385 possibility is the more crustal materials in PM_{1-2.5} which can produce a non-OA CO_2^+ interference signal from the reactions on the particle SV (Pieber et al., 2016; Bozzetti et al., 2017). For example, the deposited carbonates on the particle vaporizer in the AMS/Q-ACSM system may release a CO_2^+ signal upon reaction with HNO₃ and NO_x (Goodman et al., 2000; Pieber et al., 2016). In addition, as discussed in Sect. 3.1, the instrument artefacts may lead to the *f*₄₄ discrepancies among different

Q-ACSM instruments and thereby affect factor profiles in the ME-2/PMF analysis (Fröhlich et al., 2015), which might also have a potential impact on the PMF analysis of PM_{2.5}-Q-ACSM OA mass spectra in this study.

SOA shows a positive relationship with ALWC, and the slope ratio of SOA to ALWC is strongly dependent on the RH levels (Fig. 9a). For example, the ratios at low RH levels (RH < 40 %) (2.25 and 2.50 in PM₁ and PM_{2.5}, respectively) are much higher than those at high RH levels 395 (RH > 80 %, slope = 0.18 and 0.22). Figure 10 presents results obtained from the nonparametric wind regression analysis performed following the procedures described in Petit et al. (2017). High RH levels (> 80 %) and ALWC (> 30 μ g.m⁻³ for PM₁ and 50 μ g.m⁻³ for PM_{2.5}) are mainly associated with Northwestern air masses, the latter ones being loaded with relatively high amounts 400 of secondary aerosols (SOA, as well as nitrate and sulfate) but low amount of gas-phase precursors (e.g., O₃, SO₂, NO₂, and NH₃). These results suggest the predominance of aqueous phase chemistry in SOA formation from the Northwestern sector. Moreover, as shown in Fig. 9b, SOA correlates well with $[SO_4^{2-} + NO_3^{-}]$ ($r^2 = 0.72$ and 0.75 for NR-PM₁ and NR-PM_{2.5}, respectively), and the correlation coefficient shows an evident RH dependence with a stronger correlation at high RH levels (e.g., RH > 80 %, $r^2 = 0.92$). This suggests that SOA might be well internally mixed with 405 SNA, and the enhancement of SOA might be caused by aqueous-phase chemistry under high RH levels in urban Nanjing. In addition, the ratio of SOA to $[SO_4^{2-} + NO_3^{-}]$ is also dependent on RH, with higher slopes (0.58 and 0.75 for NR-PM₁ and NR-PM_{2.5}, respectively) at RH < 40 % and lower values at RH > 80 (0.41 and 0.50, respectively), suggesting that the enhancement of SNA 410 was higher than the SOA production via aqueous-phase chemistry pathways. High SOA at low RH levels was likely mainly from photochemical production, which is also supported by the

correspondingly high O_x (= $O_3 + NO_2$) levels (Fig. 9c). Figure 9c also shows that the SOA concentrations in both PM₁ and PM_{2.5} increase with the increase of O_x , and the ratios of SOA to O_x show clear enhancements as the RH levels increase. For example, the ratio of [NR-PM₁ SOA] /

- 415 $[O_x]$ at low RH conditions (RH < 50 %) is close to that observed in our previous study during a period with strong photochemical processing (Zhang et al., 2017). The mass spectra of OA are also substantially different between low and high RH and/or O_x levels (Fig. S17). For instance, the mass spectra of SOA in both NR-PM₁ and NR-PM_{2.5} were characterized by higher signals at *m/z* 44 at high RH levels, likely suggesting the formation of more oxidized SOA via aqueous processing (Xu
- 420 et al., 2017b). These results might indicate that the total SOA contains different types of SOA at low and high RH levels. While the formation of SOA at high RH levels is significantly affected by aqueous-phase processing, it might be driven more by photochemical processing at low RH levels.

3.4 Specific episodes analysis (Ep2 and Ep5)

- Figure 11 shows the temporal variation of secondary aerosols, including SOA and SNA, in NR-PM₁ and NR-PM_{1-2.5} during two different episodes. A clear particle nucleation and growth event was observed before the formation of the first episode (Ep2, Fig. 11a), during which the air was relatively clean (PM_{2.5} mass loading = 28.5 µg m⁻³) and SR was strong (610.5 W m⁻²). The number concentration of nucleation mode particles increased rapidly from ~ 670 to 2400 (# cm⁻³) within 1
 hour, and the particle size grew from ~ 3 nm to 100 nm during the rest of the day. The role of new
- particle formation and growth in the formation of haze pollution has been reported in urban environments (Guo et al., 2014). Here, we observed simultaneous increases in secondary aerosol

species (Fig. 11a) and gaseous NH_3 and SO_2 during the particle growth period (Fig. 5d). Comparatively, NO_x shows a pronounced night peak and then decreases rapidly during daytime

because it is mainly from local traffic emissions (Fig. 5d). Interestingly, the aerosol pH shows an evident peak (pH = ~4) during the new particle formation (Fig. 11a), while ALWC is very low (2.4 μg m⁻³). This suggests that heterogeneous reactions might be involved into the new particle formation process under such NH₃-rich environments. Although only one such case was observed throughout the entire study due to the suppression of new particle formation by abundant
preexisting particles under the polluted environments, it appears that the continuous growth from nucleation mode particles under abundant NH₃, SO₂, and NO_x might also be one of the reasons for the high PM pollution in Nanjing.

The formation of secondary aerosol was more rapid during Ep5 compared to Ep2 (Fig. 11b), and was clearly associated with a fog event (RH > 80 % and averaged ALWC = 53.9 μg m⁻³).
While the number concentration of Aitken mode particles remained small, the mass concentrations of secondary sulfate, nitrate and SOA showed dramatic increases along with simultaneous increases in large particles (*D*_m > 100 nm) and aerosol pH (Fig. 11b). This is likely due to the efficient uptake kinetics of gaseous species (e.g., SO₂, NO₂, and NH₃) upon preexisting aerosol water (Cheng et al., 2016; Xue et al., 2016), which may undergo aqueous/heterogeneous reactions and subsequent hygroscopic growth at high RH. In fact, the mass fractions of secondary species of NR-PM_{1-2.5} in PM_{2.5} increased from 33 % to 56 %. These results support that aqueous processing plays a more important role in haze formation under high RH conditions and that it tends to form more large particles. The enhancement of SOA production via aqueous-phase chemistry has been observed in

many previous field studies (Ge et al., 2012; Chakraborty et al., 2015; Sun et al., 2016). As 19

- discussed above, SOA in this study shows a good correlation with $[SO_4^{2-} + NO_3^{-}]$ and particle water (under high RH levels), indicating that aqueous chemistry during foggy days might facilitate the production of both SNA and SOA (Sun et al., 2013; Xu et al., 2017b). We also compared the OA mass spectra between the two episodes. The OA mass spectra during the fog episode were characterized by much higher *m/z* 44 and *f*₄₄ compared with those during the new particle formation
- 460 episode (Fig. S17). This result indicates different formation mechanisms of SOA between the two different episodes. Chakraborty et al. (2015) have also observed similar aerosol composition differences between foggy and non-foggy events with a high-resolution aerosol mass spectrometer instrument deployed in Kanpur, India. While photochemical processing is the major formation mechanism of Ep2, aqueous-phase processing is more important for the formation of more aged
 465 SOA.

4 Conclusions and Implications

The chemically-resolved mass concentration of NR-PM_{2.5} was measured in-situ by the newly developed PM_{2.5}-Q-ACSM in urban Nanjing, China for the first time. The measured NR-PM_{2.5}
chemical species (organics, sulfate, ammonium, and nitrate) correlated well (*r*² > 0.9) with those from co-located measurements by the MARGA and OC/EC Analyzer. Also, all NR-PM_{2.5} species were tightly correlated with those in NR-PM₁ that were measured by a PM₁-Q-ACSM. The comparisons between the two different Q-ACSMs revealed substantial mass fractions of aerosol species in NR-PM_{1-2.5}, yet the ratios of [NR-PM₁] / [NR-PM_{2.5}] varied among different species. In particular, nitrate and chloride showed much higher [NR-PM₁] / [NR-PM_{2.5}] ratios compared with other species. The reasons are not very clear yet although refractory mineral dust and sea salts can

explain some differences. However, such difference here had an insignificant influence on aerosol pH prediction. The PMF analysis also showed similar temporal variations in POA and SOA between NR-PM₁ and NR-PM_{2.5}, but the mass spectra were slightly different with higher f_{44} and more small fragments for OA in NR-PM_{2.5} due to enhanced thermal decomposition.

On average, NR-PM_{2.5} was mainly composed of SOA (27 %) and SNA (61 %) for the entire study, of which 16 % of SOA and 17 % of sulfate were present in the size range of 1–2.5 μm. A high aerosol pH peak and a low ALWC was observed during the new particle formation process, suggesting that heterogeneous reactions in the presence of NH₃ might promote the new particle
formation and hereafter growth processes in urban areas in eastern China. Fog case analysis showed that secondary aerosol species (SNA and SOA) in NR-PM_{1-2.5}, aerosol pH and ALWC showed rapid increases within several hours during the fog processing which also contributed the dominant fractions of the total PM_{2.5} mass while smaller particles (less than 100 nm) remained relatively unchanged, indicating an enhanced role of aerosol species in PM_{1-2.5} during the fog episode. These
results suggest that the increased aqueous aerosol surface may enhance SOA production via heterogeneous reactions. Therefore, decreasing anthropogenic NO₂, SO₂, and NH₃ emissions may reduce both SNA and SOA levels. Overall, our study highlights the importance of real-time characterization of the PM_{2.5} composition to study the sources and processes of fine particles in

China.

495

Acknowledgments

This work was supported by the Natural Science Foundation of China (D0512/91544231) and the National Key Research and Development Plan of China (2016 YFC0200505). The development of the $PM_{2.5}$ -ACSM was funded by US EPA grant # EP-D-12-007 and US DoE grant # DE-

500 SC0001673. We would like to thank Dr. Ping Chen for his support in this campaign. Yunjiang Zhang acknowledges a PhD Scholarship from the China Scholarship Council (CSC).

References

525

Aiken, A. C., DeCarlo, P. F., Kroll, J. H., Worsnop, D. R., Huffman, J. A., Docherty, K. S., Ulbrich,

- I. M., Mohr, C., Kimmel, J. R., Sueper, D., Sun, Y., Zhang, Q., Trimborn, A., Northway, M., Ziemann, P. J., Canagaratna, M. R., Onasch, T. B., Alfarra, M. R., Prevot, A. S. H., Dommen, J., Duplissy, J., Metzger, A., Baltensperger, U., and Jimenez, J. L.: O/C and OM/OC ratios of primary, secondary, and ambient organic aerosols with high-resolution time-of-flight aerosol mass spectrometry, Environ. Sci. Technol., 42, 4478-4485, 10.1021/es703009q, 2008.
- Alfarra, M. R., Prevot, A. S. H., Szidat, S., Sandradewi, J., Weimer, S., Lanz, V. A., Schreiber, D.,
 Mohr, M., and Baltensperger, U.: Identification of the mass spectral signature of organic aerosols from wood burning emissions, Environ. Sci. Technol., 41, 5770-5777, 10.1021/es062289b, 2007.

Allan, J. D., Delia, A. E., Coe, H., Bower, K. N., Alfarra, M. R., Jimenez, J. L., Middlebrook, A.

- 515 M., Drewnick, F., Onasch, T. B., Canagaratna, M. R., Jayne, J. T., and Worsnop, D. R.: A generalised method for the extraction of chemically resolved mass spectra from Aerodyne aerosol mass spectrometer data, J. Aerosol Sci., 35, 909-922, 10.1016/j.jaerosci.2004.02.007, 2004.
 - Allan, J. D., Williams, P. I., Morgan, W. T., Martin, C. L., Flynn, M. J., Lee, J., Nemitz, E., Phillips,
- 520 G. J., Gallagher, M. W., and Coe, H.: Contributions from transport, solid fuel burning and cooking to primary organic aerosols in two UK cities, Atmos. Chem. Phys., 10, 647-668, 10.5194/acp-10-647-2010, 2010.
 - Bae, M.-S., Demerjian, K. L., and Schwab, J. J.: Seasonal estimation of organic mass to organic carbon in PM_{2.5} at rural and urban locations in New York state, Atmos. Environ., 40 (39): 7467-7479, 2006.
 - Bozzetti, C., El Haddad, I., Salameh, D., Daellenbach, K. R., Fermo, P., Gonzalez, R., Minguillón,M. C., Iinuma, Y., Poulain, L., Müller, E., Slowik, J. G., Jaffrezo, J. L., Baltensperger, U.,Marchand, N., and Prévôt, A. S. H.: Organic aerosol source apportionment by offline-AMS

over a full year in Marseille, Atmos. Chem. Phys. Discuss., 2017, 1-46, 10.5194/acp-2017-54, 2017.

530

540

Budisulistiorini, S. H., Canagaratna, M. R., Croteau, P. L., Baumann, K., Edgerton, E. S., Kollman, M. S., Ng, N. L., Verma, V., Shaw, S. L., Knipping, E. M., Worsnop, D. R., Jayne, J. T., Weber, R. J., and Surratt, J. D.: Intercomparison of an Aerosol Chemical Speciation Monitor (Q-ACSM) with ambient fine aerosol measurements in downtown Atlanta, Georgia, Atmos. Meas.

- 535 Tech., 7, 1929-1941, 10.5194/amt-7-1929-2014, 2014.
 - Canagaratna, M. R., Jayne, J. T., Jimenez, J. L., Allan, J. D., Alfarra, M. R., Zhang, Q., Onasch, T. B., Drewnick, F., Coe, H., Middlebrook, A., Delia, A., Williams, L. R., Trimborn, A. M., Northway, M. J., DeCarlo, P. F., Kolb, C. E., Davidovits, P., and Worsnop, D. R.: Chemical and microphysical characterization of ambient aerosols with the aerodyne aerosol mass spectrometer, Mass Spectrom. Rev., 26, 185-222, 10.1002/mas.20115, 2007.
 - Canonaco, F., Crippa, M., Slowik, J. G., Baltensperger, U., and Prévôt, A. S. H.: SoFi, an IGORbased interface for the efficient use of the generalized multilinear engine (ME-2) for the source apportionment: ME-2 application to aerosol mass spectrometer data, Atmos. Meas. Tech., 6, 3649-3661, 10.5194/amt-6-3649-2013, 2013.
- 545 Chakraborty, A., Bhattu, D., Gupta, T., Tripathi, S. N., and Canagaratna, M. R.: Real-time measurements of ambient aerosols in a polluted Indian city: Sources, characteristics, and processing of organic aerosols during foggy and nonfoggy periods, J. Geophys. Res. Atmos., 120, 9006-9019, 10.1002/2015JD023419, 2015.

Cheng, Y., Zheng, G., Wei, C., Mu, Q., Zheng, B., Wang, Z., Gao, M., Zhang, Q., He, K.,

- 550 Carmichael, G., Pöschl, U., and Su, H.: Reactive nitrogen chemistry in aerosol water as a source of sulfate during haze events in China, Sci. Adv., 2, 10.1126/sciadv.1601530, 2016.
 - Chu, B., Zhang, X., Liu, Y., He, H., Sun, Y., Jiang, J., Li, J., and Hao, J.: Synergetic formation of secondary inorganic and organic aerosol: effect of SO₂ and NH₃ on particle formation and growth, Atmos. Chem. Phys., 16, 14219-14230, 10.5194/acp-16-14219-2016, 2016.

- 555 Crenn, V., Sciare, J., Croteau, P. L., Verlhac, S., Fröhlich, R., Belis, C. A., Aas, W., Äijälä, M., Alastuey, A., Artiñano, B., Baisnée, D., Bonnaire, N., Bressi, M., Canagaratna, M., Canonaco, F., Carbone, C., Cavalli, F., Coz, E., Cubison, M. J., Esser-Gietl, J. K., Green, D. C., Gros, V., Heikkinen, L., Herrmann, H., Lunder, C., Minguillón, M. C., Močnik, G., O'Dowd, C. D., Ovadnevaite, J., Petit, J. E., Petralia, E., Poulain, L., Priestman, M., Riffault, V., Ripoll, A., Sarda-Estève, R., Slowik, J. G., Setyan, A., Wiedensohler, A., Baltensperger, U., Prévôt, A. S.
- H., Jayne, J. T., and Favez, O.: ACTRIS Q-ACSM intercomparison Part 1: Reproducibility of concentration and fragment results from 13 individual quadrupole aerosol chemical speciation monitors (Q-Q-ACSM) and consistency with co-located instruments, Atmos. Meas. Tech., 8, 5063-5087, 10.5194/amt-8-5063-2015, 2015.
- Ding, A. J., Huang, X., Nie, W., Sun, J. N., Kerminen, V. M., Petäjä, T., Su, H., Cheng, Y. F., Yang, X. Q., Wang, M. H., Chi, X. G., Wang, J. P., Virkkula, A., Guo, W. D., Yuan, J., Wang, S. Y., Zhang, R. J., Wu, Y. F., Song, Y., Zhu, T., Zilitinkevich, S., Kulmala, M., and Fu, C. B.: Enhanced haze pollution by black carbon in megacities in China, Geophys. Res. Lett., 43, 2873-2879, 10.1002/2016GL067745, 2016.
- 570 Dong, H. B., Zeng, L. M., Hu, M., Wu, Y. S., Zhang, Y. H., Slanina, J., Zheng, M., Wang, Z. F., and Jansen, R.: Technical Note: The application of an improved gas and aerosol collector for ambient air pollutants in China, Atmos. Chem. Phys., 12, 10519-10533, 10.5194/acp-12-10519-2012, 2012.

Du, H., Kong, L., Cheng, T., Chen, J., Du, J., Li, L., Xia, X., Leng, C., and Huang, G.: Insights into

- 575 summertime haze pollution events over Shanghai based on online water-soluble ionic composition of aerosols, Atmos. Environ., 45, 5131-5137, , 2011.
 - Elser, M., Huang, R. J., Wolf, R., Slowik, J. G., Wang, Q., Canonaco, F., Li, G., Bozzetti, C., Daellenbach, K. R., Huang, Y., Zhang, R., Li, Z., Cao, J., Baltensperger, U., El-Haddad, I., and Prévôt, A. S. H.: New insights into PM_{2.5} chemical composition and sources in two major cities
- 580 in China during extreme haze events using aerosol mass spectrometry, Atmos. Chem. Phys.,

16, 3207-3225, 10.5194/acp-16-3207-2016, 2016.

- Fountoukis, C. and Nenes, A.: ISORROPIA II: a computationally efficient thermodynamic equilibrium model for K⁺- Ca²⁺ Mg²⁺ NH₄⁺ Na⁺ SO₄²⁻ NO₃⁻ Cl⁻ H₂O aerosols, Atmos. Chem. Phys., 7, 4639-4659, 10.5194/acp-7-4639-2007, 2007.
- 585 Fröhlich, R., Crenn, V., Setyan, A., Belis, C. A., Canonaco, F., Favez, O., Riffault, V., Slowik, J. G., Aas, W., Aijälä, M., Alastuey, A., Artiñano, B., Bonnaire, N., Bozzetti, C., Bressi, M., Carbone, C., Coz, E., Croteau, P. L., Cubison, M. J., Esser-Gietl, J. K., Green, D. C., Gros, V., Heikkinen, L., Herrmann, H., Jayne, J. T., Lunder, C. R., Minguillón, M. C., Močnik, G., O'Dowd, C. D., Ovadnevaite, J., Petralia, E., Poulain, L., Priestman, M., Ripoll, A., Sarda-Estève, R.,
 590 Wiedensohler, A., Baltensperger, U., Sciare, J., and Prévôt, A. S. H.: ACTRIS Q-ACSM
- Wiedensonier, A., Baitensperger, U., Sciare, J., and Prevot, A. S. H.: ACTRIS Q-ACSM intercomparison Part 2: Intercomparison of ME-2 organic source apportionment results from 15 individual, co-located aerosol mass spectrometers, Atmos. Meas. Tech., 8, 2555-2576, 10.5194/amt-8-2555-2015, 2015.
 - Ge, X., Zhang, Q., Sun, Y., Ruehl, C. R., and Setyan, A.: Effect of aqueous-phase processing on
- aerosol chemistry and size distributions in Fresno, California, during wintertime, Environ.
 Chem., 9, 221-235, <u>http://dx.doi.org/10.1071/EN11168</u>, 2012.
 - Gibson, E. R., Hudson, P. K., and Grassian, V. H.: Physicochemical properties of nitrate aerosols: implications for the atmosphere, J. Phys. Chem. A, 110, 11785-11799, 10.1021/jp063821k, 2006.
- Goodman, A., Underwood, G., and Grassian, V.: A laboratory study of the heterogeneous reaction of nitric acid on calcium carbonate particles, J. Geophys. Res. Atmos., 105, 29053-29064, 2000.
 - Guo, S., Hu, M., Zamora, M. L., Peng, J., Shang, D., Zheng, J., Du, Z., Wu, Z., Shao, M., Zeng, L.,
 Molina, M. J., and Zhang, R.: Elucidating severe urban haze formation in China, Proc. Natl.
 Acad. Sci. U.S.A., 111, 17373-17378, 10.1073/pnas.1419604111, 2014.
 - Hayes, P. L., Ortega, A. M., Cubison, M. J., Froyd, K. D., Zhao, Y., Cliff, S. S., Hu, W. W., Toohey,

D. W., Flynn, J. H., Lefer, B. L., Grossberg, N., Alvarez, S., Rappenglück, B., Taylor, J. W.,Allan, J. D., Holloway, J. S., Gilman, J. B., Kuster, W. C., de Gouw, J. A., Massoli, P., Zhang,X., Liu, J., Weber, R. J., Corrigan, A. L., Russell, L. M., Isaacman, G., Worton, D. R.,

- Kreisberg, N. M., Goldstein, A. H., Thalman, R., Waxman, E. M., Volkamer, R., Lin, Y. H., Surratt, J. D., Kleindienst, T. E., Offenberg, J. H., Dusanter, S., Griffith, S., Stevens, P. S., Brioude, J., Angevine, W. M., and Jimenez, J. L.: Organic aerosol composition and sources in Pasadena, California, during the 2010 CalNex campaign, J. Geophys. Res. Atmos., 118, 9233-9257, 10.1002/jgrd.50530, 2013.
- 615 He, H., Wang, Y., Ma, Q., Ma, J., Chu, B., Ji, D., Tang, G., Liu, C., Zhang, H., and Hao, J.: Mineral dust and NOx promote the conversion of SO₂ to sulfate in heavy pollution days, Sci. Rep., 4, 10.1038/srep04172, 2014.
 - Hu, W., Campuzano-Jost, P., Day, D. A., Croteau, P., Canagaratna, M. R., Jayne, J. T., Worsnop, D.R., and Jimenez, J. L.: Evaluation of the new capture vaporizer for Aerosol Mass Spectrometers
- 620 (AMS) through laboratory studies of inorganic species, Atmos. Meas. Tech. Discuss., 2016, 155, 10.5194/amt-2016-337, 2016.
 - Hu, W., Campuzano-Jost, P., Day, D. A., Croteau, P., Canagaratna, M. R., Jayne, J. T., Worsnop, D. R., and Jimenez, J. L.: Evaluation of the new capture vaporizer for aerosol mass spectrometers (AMS) through field studies of inorganic species, Aerosol Sci. Technol., 0-0, 10.1080/02786826.2017.1296104, 2017.

625

- Hu, W. W., Hu, M., Yuan, B., Jimenez, J. L., Tang, Q., Peng, J. F., Hu, W., Shao, M., Wang, M., Zeng, L. M., Wu, Y. S., Gong, Z. H., Huang, X. F., and He, L. Y.: Insights on organic aerosol aging and the influence of coal combustion at a regional receptor site of central eastern China, Atmos. Chem. Phys., 13, 10095-10112, 10.5194/acp-13-10095-2013, 2013.
- Huang, R. J., Zhang, Y., Bozzetti, C., Ho, K. F., Cao, J. J., Han, Y., Daellenbach, K. R., Slowik, J. G., Platt, S. M., Canonaco, F., Zotter, P., Wolf, R., Pieber, S. M., Bruns, E. A., Crippa, M., Ciarelli, G., Piazzalunga, A., Schwikowski, M., Abbaszade, G., Schnelle-Kreis, J.,

Zimmermann, R., An, Z., Szidat, S., Baltensperger, U., El Haddad, I., and Prevot, A. S.: High secondary aerosol contribution to particulate pollution during haze events in China, Nature,

- **635** 514, 218-222, 10.1038/nature13774, 2014.
- Huang, X. F., He, L. Y., Hu, M., Canagaratna, M. R., Sun, Y., Zhang, Q., Zhu, T., Xue, L., Zeng, L. W., Liu, X. G., Zhang, Y. H., Jayne, J. T., Ng, N. L., and Worsnop, D. R.: Highly time-resolved chemical characterization of atmospheric submicron particles during 2008 Beijing Olympic Games using an Aerodyne High-Resolution Aerosol Mass Spectrometer, Atmos. Chem. Phys., 10, 8933-8945, 10.5194/acp-10-8933-2010, 2010.
 - Jayne, J. T., Leard, D. C., Zhang, X., Davidovits, P., Smith, K. A., Kolb, C. E., and Worsnop, D. R.: Development of an aerosol mass spectrometer for size and composition analysis of submicron particles, Aerosol Sci. Technol., 33, 49-70, 2000.
 - Jimenez, J. L., Jayne, J. T., Shi, Q., Kolb, C. E., Worsnop, D. R., Yourshaw, I., Seinfeld, J. H.,
- Flagan, R. C., Zhang, X., Smith, K. A., Morris, J. W., and Davidovits, P.: Ambient aerosol sampling using the Aerodyne Aerosol Mass Spectrometer, J. Geophys. Res. Atmos., 108, 8425, 10.1029/2001JD001213, 2003.
 - Jimenez, J. L., Canagaratna, M. R., Donahue, N. M., Prevot, A. S. H., Zhang, Q., Kroll, J. H., DeCarlo, P. F., Allan, J. D., Coe, H., Ng, N. L., Aiken, A. C., Docherty, K. S., Ulbrich, I. M.,
- Grieshop, A. P., Robinson, A. L., Duplissy, J., Smith, J. D., Wilson, K. R., Lanz, V. A., Hueglin,
 C., Sun, Y. L., Tian, J., Laaksonen, A., Raatikainen, T., Rautiainen, J., Vaattovaara, P., Ehn, M.,
 Kulmala, M., Tomlinson, J. M., Collins, D. R., Cubison, M. J., Dunlea, J., Huffman, J. A.,
 Onasch, T. B., Alfarra, M. R., Williams, P. I., Bower, K., Kondo, Y., Schneider, J., Drewnick,
 F., Borrmann, S., Weimer, S., Demerjian, K., Salcedo, D., Cottrell, L., Griffin, R., Takami, A.,
- Miyoshi, T., Hatakeyama, S., Shimono, A., Sun, J. Y., Zhang, Y. M., Dzepina, K., Kimmel, J. R., Sueper, D., Jayne, J. T., Herndon, S. C., Trimborn, A. M., Williams, L. R., Wood, E. C., Middlebrook, A. M., Kolb, C. E., Baltensperger, U., and Worsnop, D. R.: Evolution of organic aerosols in the atmosphere, Science, 326, 1525-1529, 10.1126/science.1180353, 2009.

Lanz, V. A., Prévôt, A. S. H., Alfarra, M. R., Weimer, S., Mohr, C., DeCarlo, P. F., Gianini, M. F.

- D., Hueglin, C., Schneider, J., Favez, O., D'Anna, B., George, C., and Baltensperger, U.:
 Characterization of aerosol chemical composition with aerosol mass spectrometry in Central Europe: an overview, Atmos. Chem. Phys., 10, 10453-10471, 10.5194/acp-10-10453-2010, 2010.
 - Li, Y. J., Sun, Y., Zhang, Q., Li, X., Li, M., Zhou, Z., and Chan, C. K.: Real-time chemical
- 665 characterization of atmospheric particulate matter in China: A review, Atmos. Environ., http://dx.doi.org/10.1016/j.atmosenv.2017.02.027, 2017.
 - Liu, M., Song, Y., Zhou, T., Xu, Z., Yan, C., Zheng, M., Wu, Z., Hu, M., Wu, Y., and Zhu, T.: Fine Particle pH during Severe Haze Episodes in Northern China, Geophys. Res. Lett., 44, 5213– 5221, 10.1002/2017GL073210, 2017.
- 670 Liu, P. S. K., Deng, R., Smith, K. A., Williams, L. R., Jayne, J. T., Canagaratna, M. R., Moore, K., Onasch, T. B., Worsnop, D. R., and Deshler, T.: Transmission efficiency of an aerodynamic focusing lens system: Comparison of model calculations and laboratory measurements for the aerodyne Aerosol Mass Spectrometer, Aerosol Sci. Technol., 41, 721-733, 10.1080/02786820701422278, 2007.
- 675 Middlebrook, A. M., Bahreini, R., Jimenez, J. L., and Canagaratna, M. R.: Evaluation of composition-dependent collection efficiencies for the aerodyne Aerosol Mass Spectrometer using field data, Aerosol Sci. Technol., 46, 258-271, 10.1080/02786826.2011.620041, 2012.

Mohr, C., DeCarlo, P. F., Heringa, M. F., Chirico, R., Slowik, J. G., Richter, R., Reche, C., Alastuey, A., Querol, X., Seco, R., Peñuelas, J., Jiménez, J. L., Crippa, M., Zimmermann, R.,

- Baltensperger, U., and Prévôt, A. S. H.: Identification and quantification of organic aerosol from cooking and other sources in Barcelona using aerosol mass spectrometer data, Atmos. Chem. Phys., 12, 1649-1665, 10.5194/acp-12-1649-2012, 2012.
 - Ng, N. L., Canagaratna, M. R., Jimenez, J. L., Chhabra, P. S., Seinfeld, J. H., and Worsnop, D. R.: Changes in organic aerosol composition with aging inferred from aerosol mass spectra, Atmos.

- Ng, N. L., Herndon, S. C., Trimborn, A., Canagaratna, M. R., Croteau, P. L., Onasch, T. B., Sueper,
 D., Worsnop, D. R., Zhang, Q., Sun, Y. L., and Jayne, J. T.: An Aerosol Chemical Speciation
 Monitor (Q-ACSM) for routine monitoring of the composition and mass concentrations of
 ambient aerosol, Aerosol Sci. Technol., 45, 780-794, 10.1080/02786826.2011.560211, 2011b.
- 690 Orsini, D. A., Ma, Y., Sullivan, A., Sierau, B., Baumann, K., and Weber, R. J.: Refinements to the particle-into-liquid sampler (PILS) for ground and airborne measurements of water soluble aerosol composition, Atmos. Environ., 37, 1243-1259, <u>http://dx.doi.org/10.1016/S1352-2310(02)01015-4, 2003.</u>

Paatero, P. and Tapper, U.: Positive matrix factorization: A non-negative factor model with optimal

- 695 utilization of error estimates of data values, Environmetrics, 5, 111-126, 10.1002/env.3170050203, 1994.
 - Panteliadis, P., Hafkenscheid, T., Cary, B., Diapouli, E., Fischer, A., Favez, O., Quincey, P., Viana, M., Hitzenberger, R., Vecchi, R., Saraga, D., Sciare, J., Jaffrezo, J. L., John, A., Schwarz, J., Giannoni, M., Novak, J., Karanasiou, A., Fermo, P., and Maenhaut, W.: ECOC comparison exercise with identical thermal protocols after temperature offset correction instrument diagnostics by in-depth evaluation of operational parameters, Atmos. Meas. Tech., 8, 779–792, doi:10.5194/amt-8-779-2015, 2015.
- Peck, J., Gonzalez, L. A., Williams, L. R., Xu, W., Croteau, P. L., Timko, M. T., Jayne, J. T., Worsnop, D. R., Miake-Lye, R. C., and Smith, K. A.: Development of an aerosol mass
 spectrometer lens system for PM_{2.5}, Aerosol Sci. Technol., 50, 781-789, 10.1080/02786826.2016.1190444, 2016.
 - Petit, J. E., Favez, O., Sciare, J., Crenn, V., Sarda-Estève, R., Bonnaire, N., Močnik, G., Dupont, J.
 C., Haeffelin, M., and Leoz-Garziandia, E.: Two years of near real-time chemical composition of submicron aerosols in the region of Paris using an Aerosol Chemical Speciation Monitor
 (O ACSM) and a multi-wavelength Aethelometer Atmos. Chem. Phys. 15, 2985 3005.
- 710 (Q-ACSM) and a multi-wavelength Aethalometer, Atmos. Chem. Phys., 15, 2985-3005, 10.5194/acp-15-2985-2015, 2015.

⁶⁸⁵ Chem. Phys., 11, 6465-6474, 10.5194/acp-11-6465-2011, 2011a.

- Petit, J. E., Favez, O., Albinet, A., and Canonaco, F.: A user-friendly tool for comprehensive evaluation of the geographical origins of atmospheric pollution: Wind and trajectory analyses, Environ. Modell. Softw., 88, 183-187, <u>http://dx.doi.org/10.1016/j.envsoft.2016.11.022</u>, 2017.
- Pieber, S. M., El Haddad, I., Slowik, J. G., Canagaratna, M. R., Jayne, J. T., Platt, S. M., Bozzetti, C., Daellenbach, K. R., Fröhlich, R., Vlachou, A., Klein, F., Dommen, J., Miljevic, B., Jiménez, J. L., Worsnop, D. R., Baltensperger, U., and Prévôt, A. S. H.: Inorganic salt interference on CO₂⁺ in aerodyne AMS and Q-ACSM organic aerosol composition studies, Environ. Sci. Technol., 50, 10494-10503, 10.1021/acs.est.6b01035, 2016.
- Pope, C. A. and Dockery, D. W.: Health effects of fine particulate air pollution: Lines that connect,J. Air Waste Manage Assoc., 56, 709-742, 10.1080/10473289.2006.10464485, 2006.
 - Rumsey, I. C., Cowen, K. A., Walker, J. T., Kelly, T. J., Hanft, E. A., Mishoe, K., Rogers, C., Proost,
 R., Beachley, G. M., Lear, G., Frelink, T., and Otjes, R. P.: An assessment of the performance of the Monitor for AeRosols and GAses in ambient air (MARGA): a semi-continuous method for soluble compounds, Atmos. Chem. Phys., 14, 5639-5658, 10.5194/acp-14-5639-2014,
- for soluble compounds, Atmos. Chem. Phys., 14, 5639-5658, 10.5194/acp-14-5639-2014, 2014.
 - Sun, J., Zhang, Q., Canagaratna, M. R., Zhang, Y., Ng, N. L., Sun, Y., Jayne, J. T., Zhang, X., Zhang,
 X., and Worsnop, D. R.: Highly time- and size-resolved characterization of submicron aerosol
 particles in Beijing using an Aerodyne Aerosol Mass Spectrometer, Atmos. Environ., 44, 131-
- **730** 140, 10.1016/j.atmosenv.2009.03.020, 2010.
 - Sun, Y., Wang, Z., Dong, H., Yang, T., Li, J., Pan, X., Chen, P., and Jayne, J. T.: Characterization of summer organic and inorganic aerosols in Beijing, China with an Aerosol Chemical Speciation Monitor, Atmos. Environ., 51, 250-259, 10.1016/j.atmosenv.2012.01.013, 2012a.
- Sun, Y., Wang, Z., Fu, P., Jiang, Q., Yang, T., Li, J., and Ge, X.: The impact of relative humidity on
 aerosol composition and evolution processes during wintertime in Beijing, China, Atmos.
 Environ., 77, 927-934, 10.1016/j.atmosenv.2013.06.019, 2013.

Sun, Y., Jiang, Q., Wang, Z., Fu, P., Li, J., Yang, T., and Yin, Y.: Investigation of the sources and

evolution processes of severe haze pollution in Beijing in January 2013, J. Geophys. Res. Atmos., 119, 4380-4398, 10.1002/2014JD021641, 2014.

- Sun, Y., Du, W., Fu, P., Wang, Q., Li, J., Ge, X., Zhang, Q., Zhu, C., Ren, L., Xu, W., Zhao, J., Han, T., Worsnop, D. R., and Wang, Z.: Primary and secondary aerosols in Beijing in winter: sources, variations and processes, Atmos. Chem. Phys., 16, 8309-8329, 10.5194/acp-16-8309-2016, 2016.
- Sun, Y. L., Zhang, Q., Schwab, J. J., Demerjian, K. L., Chen, W. N., Bae, M. S., Hung, H. M.,
 Hogrefe, O., Frank, B., Rattigan, O. V., and Lin, Y. C.: Characterization of the sources and processes of organic and inorganic aerosols in New York city with a high-resolution time-of-flight aerosol mass apectrometer, Atmos. Chem. Phys., 11, 1581-1602, 10.5194/acp-11-1581-2011, 2011.
- Sun, Y. L., Zhang, Q., Schwab, J. J., Yang, T., Ng, N. L., and Demerjian, K. L.: Factor analysis of
 combined organic and inorganic aerosol mass spectra from high resolution aerosol mass
 spectrometer measurements, Atmos. Chem. Phys., 12, 8537-8551, 10.5194/acp-12-8537-2012,

2012b.

760

- Sun, Y. L., Wang, Z. F., Du, W., Zhang, Q., Wang, Q. Q., Fu, P. Q., Pan, X. L., Li, J., Jayne, J., and Worsnop, D. R.: Long-term real-time measurements of aerosol particle composition in Beijing,
- China: seasonal variations, meteorological effects, and source analysis, Atmos. Chem. Phys.,
 15, 14549-14591, 10.5194/acpd-15-14549-2015, 2015.
 - Trebs, I., Meixner, F. X., Slanina, J., Otjes, R., Jongejan, P., and Andreae, M. O.: Real-time measurements of ammonia, acidic trace gases and water-soluble inorganic aerosol species at a rural site in the Amazon Basin, Atmos. Chem. Phys., 4, 967-987, 10.5194/acp-4-967-2004, 2004.
 - Turpin, B. J. and Huntzicker, J. J.: Identification of secondary organic aerosol episodes and quantitation of primary and secondary organic aerosol concentrations during SCAQS, Atmos. Environ., 29, 3527-3544, <u>http://dx.doi.org/10.1016/1352-2310(94)00276-Q</u>, 1995.

Ulbrich, I. M., Canagaratna, M. R., Zhang, Q., Worsnop, D. R., and Jimenez, J. L.: Interpretation

- of organic components from Positive Matrix Factorization of aerosol mass spectrometric data,
 Atmos. Chem. Phys., 9, 2891-2918, 10.5194/acp-9-2891-2009, 2009.
 - Wang, G., Zhang, R., Gomez, M. E., Yang, L., Levy Zamora, M., Hu, M., Lin, Y., Peng, J., Guo,
 S., Meng, J., Li, J., Cheng, C., Hu, T., Ren, Y., Wang, Y., Gao, J., Cao, J., An, Z., Zhou, W., Li,
 G., Wang, J., Tian, P., Marrero-Ortiz, W., Secrest, J., Du, Z., Zheng, J., Shang, D., Zeng, L.,
- Shao, M., Wang, W., Huang, Y., Wang, Y., Zhu, Y., Li, Y., Hu, J., Pan, B., Cai, L., Cheng, Y.,
 Ji, Y., Zhang, F., Rosenfeld, D., Liss, P. S., Duce, R. A., Kolb, C. E., and Molina, M. J.:
 Persistent sulfate formation from London Fog to Chinese haze, Proc. Natl. Acad. Sci. U.S.A.,
 10.1073/pnas.1616540113, 2016a.

Wang, J., Ge, X., Chen, Y., Shen, Y., Zhang, Q., Sun, Y., Xu, J., Ge, S., Yu, H., and Chen, M.: Highly

- time-resolved urban aerosol characteristics during springtime in Yangtze River Delta, China:
 insights from soot particle aerosol mass spectrometry, Atmos. Chem. Phys., 16, 9109-9127, 10.5194/acp-16-9109-2016, 2016b.
 - Wang, Y. H., Liu, Z. R., Zhang, J. K., Hu, B., Ji, D. S., Yu, Y. C., and Wang, Y. S.: Aerosol physicochemical properties and implications for visibility during an intense haze episode
- during winter in Beijing, Atmos. Chem. Phys., 15, 3205-3215, 10.5194/acp-15-3205-2015, 2015.
 - Watson, J. G.: Visibility: Science and Regulation, J. Air Waste Manage Assoc., 52, 628-713, 10.1080/10473289.2002.10470813, 2002.

Xie, Y., Ding, A., Nie, W., Mao, H., Qi, X., Huang, X., Xu, Z., Kerminen, V.-M., Petäjä, T., Chi,

- X., Virkkula, A., Boy, M., Xue, L., Guo, J., Sun, J., Yang, X., Kulmala, M., and Fu, C.:
 Enhanced sulfate formation by nitrogen dioxide: Implications from in situ observations at the
 SORPES station, J. Geophys. Res. Atmos., 120, 12679-12694, 10.1002/2015JD023607, 2015.
 - Xu, J., Zhang, Q., Chen, M., Ge, X., Ren, J., and Qin, D.: Chemical composition, sources, and processes of urban aerosols during summertime in northwest China: insights from high-

- resolution aerosol mass spectrometry, Atmos. Chem. Phys., 14, 12593-12611, 10.5194/acp-14 12593-2014, 2014.
 - Xu, J. Z., Zhang, Q., Wang, Z. B., Yu, G. M., Ge, X. L., and Qin, X.: Chemical composition and size distribution of summertime PM_{2.5} at a high altitude remote location in the northeast of the Qinghai–Xizang (Tibet) Plateau: insights into aerosol sources and processing in free troposphere, Atmos. Chem. Phys., 15, 5069-5081, 10.5194/acp-15-5069-2015, 2015.
 - Xu, W., Croteau, P., Williams, L., Canagaratna, M., Onasch, T., Cross, E., Zhang, X., Robinson,
 W., Worsnop, D., and Jayne, J.: Laboratory characterization of an aerosol chemical speciation monitor with PM_{2.5} measurement capability, Aerosol Sci. Technol., 51, 69-83, 10.1080/02786826.2016.1241859, 2017a.

- Xu, W., Han, T., Du, W., Wang, Q., Chen, C., Zhao, J., Zhang, Y., Li, J., Fu, P., Wang, Z., Worsnop,
 D. R., and Sun, Y.: Effects of aqueous-phase and photochemical processing on secondary organic aerosol formation and evolution in Beijing, China, Environ. Sci. Technol., 51, 762-770, 10.1021/acs.est.6b04498, 2017b.
 - Xue, J., Yuan, Z., Griffith, S. M., Yu, X., Lau, A. K. H., and Yu, J. Z.: Sulfate formation enhanced
- by a cocktail of high NOx, SO₂, particulate matter, and droplet pH during Haze-Fog events in megacities in China: an observation-based modeling investigation, Environ. Sci. Technol., 50, 7325-7334, 10.1021/acs.est.6b00768, 2016.
 - Ye, Z., Liu, J., Gu, A., Feng, F., Liu, Y., Bi, C., Xu, J., Li, L., Chen, H., Chen, Y., Dai, L., Zhou, Q., and Ge, X.: Chemical characterization of fine particulate matter in Changzhou, China, and
- source apportionment with offline aerosol mass spectrometry, Atmos. Chem. Phys., 17, 2573-2592, 10.5194/acp-17-2573-2017, 2017.
 - Zhang, J. K., Sun, Y., Liu, Z. R., Ji, D. S., Hu, B., Liu, Q., and Wang, Y. S.: Characterization of submicron aerosols during a month of serious pollution in Beijing, 2013, Atmos. Chem. Phys., 14, 2887-2903, 10.5194/acp-14-2887-2014, 2014.
- Zhang, Q., Jimenez, J. L., Canagaratna, M. R., Allan, J. D., Coe, H., Ulbrich, I., Alfarra, M. R.,
 34

Takami, A., Middlebrook, A. M., Sun, Y. L., Dzepina, K., Dunlea, E., Docherty, K., DeCarlo,
P. F., Salcedo, D., Onasch, T., Jayne, J. T., Miyoshi, T., Shimono, A., Hatakeyama, S.,
Takegawa, N., Kondo, Y., Schneider, J., Drewnick, F., Borrmann, S., Weimer, S., Demerjian,
K., Williams, P., Bower, K., Bahreini, R., Cottrell, L., Griffin, R. J., Rautiainen, J., Sun, J. Y.,

- Zhang, Y. M., and Worsnop, D. R.: Ubiquity and dominance of oxygenated species in organic aerosols in anthropogenically-influenced Northern Hemisphere midlatitudes, Geophys. Res. Lett., 34, 10.1029/2007gl029979, 2007.
 - Zhang, Q., Jimenez, J. L., Canagaratna, M. R., Ulbrich, I. M., Ng, N. L., Worsnop, D. R., and Sun,
 Y.: Understanding atmospheric organic aerosols via factor analysis of aerosol mass spectrometry: a review, Anal. Bioanal. Chem., 401, 3045-3067, 10.1007/s00216-011-5355-y,

825

2011.

- Zhang, R., Wang, G., Guo, S., Zamora, M. L., Ying, Q., Lin, Y., Wang, W., Hu, M., and Wang, Y.: Formation of urban fine particulate matter, Chem. Rev., 115, 3803-3855, 10.1021/acs.chemrev.5b00067, 2015a.
- Zhang, Y., Tang, L., Yu, H., Wang, Z., Sun, Y., Qin, W., Chen, W., Chen, C., Ding, A., Wu, J., Ge, S., Chen, C., and Zhou, H.-C.: Chemical composition, sources and evolution processes of aerosol at an urban site in Yangtze River Delta, China during wintertime, Atmos. Environ., 123, Part B, 339-349, 2015b.

T., Wang, Z., Croteau, P. L., Canagaratna, M. R., Zhou, H.-C., Prévôt, A. S. H., and Worsnop,
D. R.: Limited formation of isoprene epoxydiols-derived secondary organic aerosol under
NOx-rich environments in Eastern China, Geophys. Res. Lett., 44, 2035-2043, 10.1002/2016GL072368, 2017.

A. S. H., Zhang, H. L., and Zhou, H. C.: Insights into characteristics, sources, and evolution of submicron aerosols during harvest seasons in the Yangtze River delta region, China, Atmos.

Zhang, Y., Tang, L., Sun, Y., Favez, O., Canonaco, F., Albinet, A., Couvidat, F., Liu, D., Jayne, J.

Zhang, Y. J., Tang, L. L., Wang, Z., Yu, H. X., Sun, Y. L., Liu, D., Qin, W., Canonaco, F., Prévôt,

Chem. Phys., 15, 1331-1349, 10.5194/acp-15-1331-2015, 2015c.



Figure 1. Comparisons between the total particle mass concentrations measured by the PM₁ and PM_{2.5} ACSMs, a PM_{2.5} TEOM-FDMS and two MET ONE BAM 1020 (for PM₁ and PM_{2.5}, respectively), as well as volume-convolved mass calculated from the TDMPS and APS, i.e. PM₁ (~13-1000 nm), PM_{1-2.5} (~1000-2500 nm), and PM_{2.5} (~13-2500 nm), and particle density calculated by the ACSM species. Note that NR-PM₁ and NR-PM_{2.5} are the mass loadings of the sum of organic, nitrate, sulfate, nitrate, ammonium, and chloride from PM₁ and PM_{2.5} ACSM,

respectively.



Figure 2. Inter-comparisons between the NR-PM_{2.5} mass concentrations measured by the PM₁ and
PM_{2.5} ACSMs and the data acquired by collocated instruments: (a) organics vs. PM_{2.5} OC by a Sunset Lab OC/EC Analyzer, and (b–e) sulfate, nitrate, ammonium, and chloride vs. those measured by the PM_{2.5} MARGA.



Figure 3. Scatter plots with the linear regression parameters and the 1:1 line (dashed line) shown for the comparisons. Note that the term of "PM_{2.5}" in the plot of Fig. 3a means that the summed mass concentration of the PM_{2.5}-ACSM species (organics, nitrate, sulfate, ammonium, and chloride), Sunset EC, and MARGA species (K⁺, Na⁺, Mg²⁺, and Ca²⁺). Also note that the difference observed between "thermal" and "optical" PM_{2.5} OC measurements (Fig. 3b) might be related to

865 poor calibration of the oven temperature probe (e.g., Panteliadis et al., 2015), which couldn't be checked before nor after the campaign.



Figure 4. Relationship between the PM₁/PM_{2.5} ratios of aerosol species from the Q-ACSM
measurements and the ratio of SOA to OA in PM_{2.5}. The error bars refer to the standard deviation. The dots in grey are the raw data points corresponding to Figure 2. The mean (filled circles), 25th and 75th percentiles (lower and upper bands) are also shown.



Figure 5. Time series of (a) wind direction (WD) and wind speed (WS); (b) relative humidity (RH), air temperature (*T*); (c) solar radiation (SR) and O₃; (d) gas-phase NH₃, SO₂ and NO₂; (e) chemical composition of NR-PM (PM₁ and PM_{1-2.5}); and (f) size distribution of aerosol particles during the entire study. Note that the white blank areas in the (f) are caused by the missing data. In addition, five episodes (Ep1–Ep5) are marked by different pollution events, e.g., persistent haze pollution (> ~ 5 days) (Ep1 and Ep3), new particle formation and growth evolution (Ep2), and fog related processes (Ep4 and Ep5).



Figure 6. Mass concentration (a) and fraction (b) of the NR-PM₁ and NR-PM_{1-2.5} chemical components in NR-PM_{2.5} respectively during the different episodes (Ep1–Ep5) marked in Figure 5 and entire study period (Total).



Figure 7. Comparison of predicted fine aerosol pH between with and without Ca²⁺, K⁺, Mg²⁺ as model inputs, for the PM_{2.5}-ACSM and PM_{2.5}-MARGA, respectively. The dust plume has been marked in Figure S7, during the period of which the PM_{2.5}-MARGA pH increased from 3.06 ± 0.45 to 3.62 ± 0.32 , and the PM_{2.5}-ACSM pH increased from 2.86 ± 0.51 to 3.70 ± 0.37 .



Figure 8. Mass spectra (a and b) and time series (c and d) of POA and SOA for the PM_1 -ACSM and $PM_{2.5}$ -ACSM, respectively. The average mass concentrations and fraction of POA and SOA were added in the sub-plots.



Figure 9. Correlations between (a) NR-PM₁ and NR-PM_{2.5} SOA versus ALWC, which is color coded by wind direction (WD); and (b) SOA versus $SO_4^{2-} + NO_3^{-}$. The regression slopes at high RH (RH > 80 %) and low RH (RH < 40 %) levels and in different size (PM₁ and PM_{2.5}) are also shown. (c) Relationship between the SOA for NR-PM₁ and NR-PM_{2.5} and O_x (= O₃ + NO₂). The relationship between more oxidized OOA (MO-OOA) and O_x at the same sampling site during summertime (August) 2013 (Zhang et al., 2017) is also shown. Note that the data points during the precipitation periods (Fig. 5b) were removed in these Figs. 9 (a – c).



Figure 10. Wind analysis on relative humidity (RH), and gas-phase species (SO₂, NO₂, O₃, NH₃, and CO) and PM₁ and PM_{2.5} ALWC, SOA, and [SO₄ + NO₃], respectively. Radius and angle of each plot refers to wind speed (m s⁻¹) and wind direction.



Figure 11. Evolution of meteorological parameters, secondary particulate matter (SPM), and the size distribution during two types of episodes (Ep2 and Ep5).