

## ***Interactive comment on “The Climatology of Brewer-Dobson Circulation and the Contribution of Gravity Waves” by Kaoru Sato and Soichiro Hirano***

**M. Abalos (Referee)**

mabalosa@ucm.es

Received and published: 16 May 2018

Dear Dr. Kaoru Sato,

thank you again for your response, I am looking forward to reading the revised version of the paper.

I am somewhat confused by the fact that JRA-55 uses only an orographic GW parameterization. The variable 'Gravity wave zonal acceleration' provided for JRA-55 has a large (eastward) drag in the summer hemisphere (see Fig. 1 showing GWD in color and zonal wind in contours, easterlies dashed). This is not seen in ERA-Interim, con-

Printer-friendly version

Discussion paper



sistent with orographic gravity waves with near-zero phase speeds being filtered out by the summer stratospheric easterlies. Indeed the JRA-55 drag looks more consistent with that in MERRA, which includes non-orographic GWD. Perhaps I am missing something, but it might be helpful to shed light on this issue in the paper.

---

Interactive comment on Atmos. Chem. Phys. Discuss., <https://doi.org/10.5194/acp-2018-292>, 2018.

ACPD

---

[Interactive  
comment](#)

[Printer-friendly version](#)

[Discussion paper](#)






Fig. 1.

Printer-friendly version

Discussion paper

