

Interactive comment on “Vertical characterization of aerosol optical properties and brown carbon in winter in urban Beijing, China” by Conghui Xie et al.

J. C. Corbin

joel.corbin@nrc-cnrc.gc.ca

Received and published: 11 September 2018

This is a very brief comment to recommend that the authors use the terminology established in Petzold et al. (2013) when referring to aethalometer measurements. That is, use eBC rather than just BC.

Additionally, I would suggest writing MAC(637nm) rather than simply MAC on the figures, as was done in the abstract.

Best regards,

Joel Corbin.

Printer-friendly version

Discussion paper



Petzold, A., Ogren, J. A., Fiebig, M., Laj, P., Li, S.-M., Baltensperger, U., Holzer-Popp, T., Kinne, S., Pappalardo, G., Sugimoto, N., Wehrli, C., Wiedensohler, A., and Zhang, X.-Y.: Recommendations for reporting "black carbon" measurements, *Atmos. Chem. Phys.*, 13, 8365-8379, <https://doi.org/10.5194/acp-13-8365-2013>, 2013.

Interactive comment on *Atmos. Chem. Phys. Discuss.*, <https://doi.org/10.5194/acp-2018-788>, 2018.

ACPD

Interactive
comment

Printer-friendly version

Discussion paper

