

Supplement of

Vertical characterization of aerosol optical properties and brown carbon in winter in urban Beijing, China

Conghui Xie^{1,2}, Weiqi Xu^{1,2}, Junfeng Wang⁴, Qingqing Wang¹, Dantong Liu⁵, Guiqian Tang¹, Ping Chen⁶, Wei Du^{1,2}, Jian Zhao^{1,2}, Yingjie Zhang¹, Wei Zhou^{1,2}, Tingting Han¹, Qingyun Bian^{2,7}, Jie Li¹, Pingqing Fu^{1,2}, Zifa Wang^{1,2}, Xinlei Ge⁴, James Allan^{5,8}, Hugh Coe⁵, Yele Sun^{1,2,3}

¹State Key Laboratory of Atmospheric Boundary Layer Physics and Atmospheric Chemistry, Institute of Atmospheric Physics, Chinese Academy of Sciences, Beijing 100029, China

²College of Earth Sciences, University of Chinese Academy of Sciences, Beijing 100049, China

³Center for Excellence in Regional Atmospheric Environment, Institute of Urban Environment, Chinese Academy of Sciences, Xiamen 361021, China

⁴School of Environmental Science and Engineering, Nanjing University of Information Science & Technology, Nanjing 210044, China

⁵Centre for Atmospheric Science, School of Earth, Atmospheric and Environmental Science, University of Manchester, Manchester M13 9PL, UK

⁶Handix Scientific LLC, Boulder, CO 80301, USA

⁷CAS Key Laboratory of Regional Climate-Environment Research for Temperate East Asia, Institute of Atmospheric Physics, Chinese Academy of Sciences, Beijing 100029, China

⁸National Centre for Atmospheric Science, The University of Manchester, Manchester, UK

Correspondence: Yele Sun (sunyele@mail.iap.ac.cn)

Table S1. A summary of continuous vertical measurements in this study.

Number	Height (m)	Date	Up starting time	Up ending time	Down starting time	Down ending time
1	260	11-25-2016	15:26:30	15:56:42	16:10:10	16:47:30
2	240	11-25-2016	18:47:25	19:12:08	19:22:25	19:46:38
3	240	11-25-2016	23:16:44	23:41:26	23:51:53	(11-26) 00:16:07
4	240	11-26-2016	04:26:43	04:51:26	05:02:14	05:26:32
5	260	11-26-2016	08:31:33	08:58:08	09:09:32	09:35:46
6	260	11-26-2016	13:27:17	13:54:05	14:04:47	14:31:03
7	260	11-30-2016	12:09:46	12:36:31	12:46:58	13:13:15
8	260	11-30-2016	15:00:58	15:27:40	15:40:36	16:06:46
9	200	11-30-2016	20:01:27	20:22:30	20:32:41	20:53:14
10	260	12-01-2016	08:09:22	08:36:02	08:46:24	09:12:55
11	260	12-01-2016	11:29:38	11:54:15	12:04:18	12:30:30
12	260	12-01-2016	14:55:15	15:21:55	15:31:35	15:57:46
13	240	12-01-2016	18:51:02	19:15:39	19:28:00	19:52:13
14	240	12-01-2016	23:19:12	23:43:53	(12-02) 00:01:28	(12-02) 6 00:25:06
15	240	12-02-2016	06:07:23	06:32:02	06:42:54	6 07:06:10
16	260	12-02-2016	09:10:43	09:37:22	09:51:43	10:17:54
17	260	12-02-2016	14:33:48	15:00:30	15:10:24	15:36:34
18	240	12-02-2016	19:34:42	19:59:19	20:10:34	20:34:45
19	240	12-03-2016	00:26:58	00:51:50	01:18:38	01:42:56
20	240	12-03-2016	06:05:06	06:29:43	06:40:45	07:04:59
21	260	12-03-2016	10:29:54	10:56:20	11:06:39	11:32:43
22	260	12-03-2016	15:45:28	16:12:10	16:22:45	16:49:04
23	240	12-03-2016	20:57:41	21:22:13	21:33:47	21:58:03
24	240	12-04-2016	02:05:38	02:30:20	02:38:48	03:03:03
25	260	12-04-2016	07:30:57	07:57:37	08:10:47	08:37:00




Figure S1. Measured b_{abs} at ground (red dots) and 260 m (pink triangles) as a function of wavelengths. Estimation of b_{abs} for pure BC are also shown with the assumption that AAE equal to 1 and values derived from b_{abs} at 880 and 950 nm.




Figure S2. Time series of $\text{PM}_{2.5}$ and Ca content during this study. The periods with high Ca/ $\text{PM}_{2.5}$ (shaded areas) are excluded when calculating the absorption and AAE of BrC.




Figure S3. Diurnal cycles of (a) b_{sca} , (b) b_{abs} , and (c) SSA at 260 m and ground level for the entire study. Right panel shows the diurnal cycles of correlation coefficients (R^2) and ratio_{260m/ground} for b_{sca} , b_{abs} , and SSA.




Figure S4. Single scattering albedo of PM_1 as a function of $-\log(\text{NO}_x/\text{NO}_y)$. The solid circles and horizontal lines are mean and median values, respectively. The bottom and top of the box are 25th and 75th percentiles, and the bottom and top whiskers are 10th and 90th percentiles.




Figure S5. Relationship between mass fraction of BC and secondary inorganic aerosol (SIA) in PM₁, colored by SSA.




Figure S6. Composition of *r*BC coatings during different PM₁ levels: (a) < 50 μg m⁻³, (b) 50 – 100 μg m⁻³, (c) 100 – 150 μg m⁻³, (d) 150 – 200 μg m⁻³, (e) 200 – 250 μg m⁻³.




Figure S7. Probability distribution of absorption angstrom exponent (AAE) at ground level and at 260 m.




Figure S8. Factor profiles and the corresponding absorption apportionment analysis.