

Support Information for

First Measurement of Atmospheric Mercury Species in Qomolangma Nature Preserve and Evidence of Transboundary Pollutant Invasion

Authors

Huiming Lin¹, Yindong Tong², Xiufeng Yin^{3,4,5}, Qianggong Zhang^{4,6}, Hui Zhang⁷, Haoran Zhang¹, Long Chen⁸, Shichang Kang^{3,5,6}, Wei Zhang⁹, James Schauer^{10,11}, Benjamin de Foy¹², Xiaoge Bu², Xuejun Wang¹

Affiliations

1. MOE Laboratory of Earth Surface Processes, College of Urban and Environmental Sciences, Peking University, Beijing 100871, China
2. School of Environmental Science and Engineering, Tianjin University, Tianjin, 300072, China
3. State Key Laboratory of Cryospheric Science, Northwest Institute of Eco-Environment and Resources, Chinese Academy of Sciences, Lanzhou, 730000, China
4. Key Laboratory of Tibetan Environment Changes and Land Surface Processes, Institute of Tibetan Plateau Research, Chinese Academy of Sciences, Beijing, 100101, China
5. University of Chinese Academy of Sciences, Beijing, 100039, China
6. CAS Center for Excellence in Tibetan Plateau Earth Sciences, Beijing, 100085, China
7. State Key Laboratory of Environmental Geochemistry, Institute of Geochemistry, Chinese Academy of Sciences, Guiyang 550002, China
8. School of Geographic Sciences, East China Normal University, Shanghai 200241, China
9. School of Environment and Natural Resources, Renmin University of China, Beijing 100872, China
10. Department of Civil and Environmental Engineering, University of Wisconsin-Madison, Madison, WI, USA
11. Wisconsin State Laboratory of Hygiene, University of Wisconsin-Madison, WI, USA
12. Department of Earth and Atmospheric Sciences, Saint Louis University, St. Louis, MO, 63108, USA

Correspondence at:

Yindong Tong, Tianjin University, Tianjin, China, Email at: yindongtong@tju.edu.cn;

Xuejun Wang, Peking University, Beijing, China, Email at: wangxuejun@pku.edu.cn;

Figure List

Figure S1. Monitoring instrument platform in sunny and snowy, respectively

Figure S2. Comparison of GEM, GOM and PBM concentrations during the PISM and the ISM period;

Figure S3. Changes of Snow Cover Rate and Diurnal Index during the study period

Figure S4. Fire hotspots distribution from April to August, 2016. The background fill colors represent the population density.

Figure S1



Figure S2






Figure S3




Figure S4

