## Supporting Information

## Particulate organic nitrates in eastern China: variation characteristics and effects of anthropogenic activities

Jun Zhang<sup>1</sup>, Xinfeng Wang<sup>1</sup>, Rui Li<sup>2</sup>, Shuwei Dong<sup>1</sup>, Yingnan Zhang<sup>1</sup>, Penggang Zheng<sup>1</sup>, Min Li<sup>1</sup>, Tianshu Chen<sup>1</sup>, Yuhong Liu<sup>1</sup>, Likun Xue<sup>1</sup>, Wei Nie<sup>3</sup>, Aijun Ding<sup>3</sup>, Mingjin Tang<sup>2</sup>, Xuehua Zhou<sup>1</sup>, Lin Du<sup>1</sup>, Qingzhu Zhang<sup>1</sup>, Wenxing Wang<sup>1</sup>

<sup>1</sup>Environment Research Institute, Shandong University, Qingdao 266237, China

<sup>2</sup>State Key Laboratory of Organic Geochemistry, Guangzhou Institute of Geochemistry, Chinese Academy of Sciences, Guangzhou 510640, China

<sup>3</sup>Joint International Research Laboratory of Atmospheric and Earth System Sciences, School of Atmospheric Sciences, Nanjing University, Nanjing, 210023, China

Correspondence: Xinfeng Wang (xinfengwang@sdu.edu.cn) and Wenxing Wang (wxwang@sdu.edu.cn)

The copyright of individual parts of the supplement might differ from the CC BY 4.0 License.



Figure S1. Formation mechanism of LDKN247 from limonene in the Master Chemical Mechanism (MCM).



Figure S2. Distribution of fires and 48-h backward trajectories on 15 June, 2017 at DY site.