

Table S1. Correlation matrix for various PM components and OP metrics over the one-year sampling period.

	DTT	AA	GSH	WSOC	BrC	SO4	WS-K	WS-Mn	WS-Fe	WS-Cu	WS-Zn	OC	EC
AA	0.606												
GSH	0.455	0.669											
WSOC	0.524	0.551	0.190										
BrC	0.408	0.357	0.045	0.602									
SO4	0.343	0.413	0.374	0.370	0.093								
WS-K	0.174	0.486	0.304	0.071	0.042	0.482							
WS-Mn	0.387	0.377	0.191	0.553	0.380	0.404	0.363						
WS-Fe	0.502	0.472	0.169	0.483	0.137*	0.377	-0.007	0.461					
WS-Cu	0.341	0.500	0.740	0.203	-0.078	0.426	0.533	0.294	0.176				
WS-Zn	0.343	0.309	0.314	0.191	0.137*	0.450	0.907	0.483	0.179	0.510			
OC	0.546	0.497	0.105	0.774	0.426	0.245	0.054	0.437	0.599	0.143	0.223		
EC	0.513	0.488	0.126*	0.584	0.392	0.184	0.093	0.434	0.552	0.173	0.312	0.833	
PM mass	0.552	0.555	0.239	0.747	0.414	0.554	0.314	0.539	0.511	0.313	0.418	0.774	0.639

Note: r>0.6 are highlighted. Black without superscript: p-value<0.01; *p-value<0.05; grey: not statistically significant.

Table S2. Correlation matrix for PM components and OP metrics (Summer, Jun-Aug/2017).

Summer	DTT	AA	GSH	WSOC	BrC	SO4	WS-K	WS-Mn	WS-Fe	WS-Cu	WS-Zn	OC	EC
AA	0.656												
GSH	0.695	0.784											
WSOC	0.412	0.244*	0.202										
BrC	0.510	0.330	0.137	0.818									
SO4	0.477	0.425	0.350	0.479	0.323								
WS-K	0.464	0.322	0.085	0.708	0.566	0.442							
WS-Mn	0.611	0.345	0.134	0.457	0.410	0.319	0.616						
WS-Fe	0.587	0.428	0.212	0.683	0.762	0.395	0.500	0.428					
WS-Cu	0.648	0.515	0.791	0.400	0.300	0.479	0.220	0.312	0.418				
WS-Zn	0.457	0.326	0.110	0.526	0.518	0.168	0.426	0.518	0.573	0.262*			
OC	0.400	0.161	0.030	0.810	0.761	0.405	0.643	0.418	0.730	0.266*	0.624		
EC	0.386	0.114	0.007	0.442	0.540	0.082	0.233*	0.284	0.668	0.197	0.678	0.640	
PM mass	0.486	0.229*	0.188	0.606	0.459	0.578	0.451	0.384	0.455	0.264*	0.312	0.728	0.368

Note: r>0.6 are highlighted. Black without superscript: p-value<0.01; *p-value<0.05; grey: not statistically significant.

Table S3. Correlation matrix for PM components and OP metrics (Winter, Jan-Feb/2017 and Dec/2017).

Winter	DTT	AA	GSH	WSOC	BrC	SO4	WS-K	WS-Mn	WS-Fe	WS-Cu	WS-Zn	OC	EC
AA	0.534												
GSH	0.498	0.616											
WSOC	0.538	0.659	0.383										
BrC	0.689	0.514	0.332	0.758									
SO4	0.183*	0.332	0.268	0.275	0.067								
WS-K	0.563	0.523	0.333	0.779	0.682	0.288							
WS-Mn	0.373	0.492	0.284	0.589	0.540	0.220	0.651						
WS-Fe	0.483	0.518	0.239	0.422	0.213*	0.294	0.259	0.429					
WS-Cu	0.308	0.601	0.776	0.437	0.209*	0.339	0.343	0.227	0.294				
WS-Zn	0.309	0.414	0.140	0.461	0.450	0.016	0.368	0.524	0.495	0.185*			
OC	0.501	0.613	0.256	0.748	0.506	0.152	0.456	0.433	0.508	0.346	0.549		
EC	0.439	0.600	0.282	0.574	0.380	0.110	0.347	0.403	0.481	0.370	0.667	0.874	
PM mass	0.542	0.701	0.361	0.825	0.645	0.397	0.720	0.499	0.513	0.385	0.540	0.789	0.670

Note: r>0.6 are highlighted. Black without superscript: p-value<0.01; *p-value<0.05; grey: not statistically significant.




Figure S1. Time series of measured and predicted OP measures and the contributions of model variables to OPs (intercepts are not shown).