

Supplementary Information

Title: Substantial changes of gaseous pollutants and chemical compositions in fine particles in North China Plain during COVID-19 lockdown period: anthropogenic vs meteorological influences

Authors: Rui Li^a, Yilong Zhao^a, Hongbo Fu^{a,b,*}

Affiliations: ^a *Shanghai Key Laboratory of Atmospheric Particle Pollution and Prevention, Department of Environmental Science & Engineering, Institute of Atmospheric Sciences, Fudan University, Shanghai, 200433, P.R. China*

^b *Collaborative Innovation Center of Atmospheric Environment and Equipment Technology (CICAET), Nanjing University of Information Science and Technology, Nanjing 210044, P.R. China*

*** Correspondence to:**

Prof. Fu (Email: fuhb@fudan.edu.cn)

Number of pages: 7

Number of figures: 3

Number of tables: 3

Figure S1 The performance of the random forest model in predicting the hourly concentrations of gaseous pollutants. The model was constructed with 90% original data and the remained data was applied to validate the model.




Figure S2 The performance of the random forest model in predicting the hourly concentrations of water-soluble ions in PM_{2.5}. The model was constructed with 90% original data and the remained data was applied to validate the model.




Figure S3 The performance of the random forest model in predicting the hourly concentrations of trace elements in PM_{2.5}. The model was constructed with 90% original data and the remained data was applied to validate the model.




Table S1 Summary of PMF error diagnostics based on DISP.

Error Code:	0				
The largest decrease in Q:	0				
%dQ	0				
Swaps by Factor:	SF	IP	BB	CC	RD
dQmax=4	0	0	0	0	0
dQmax=8	0	0	0	0	0
dQmax=15	0	0	0	0	0
dQmax=25	0	0	0	0	0

Table S2 Summary of PMF error diagnostics based on BS.

BS Mapping ($r \geq 0.6$)	SF	IP	BB	CC	RD	Unmapped
SF	100	0	0	0	0	0
IP	0	100	0	0	0	0
BB	0	0	100	0	0	0
CC	0	2	1	96	1	0
RD	0	0	0	0	100	0

Table S3 Summary of PMF error estimation diagnostics from BS-DISP.

% of Cases Accepted:	97%				
Largest Decrease in	-25.4				
Q:					
% dQ	-0.0083				
# of Decreases in Q:	1				
# of Swaps in Best	0				
Fit:					
# of Swaps in DISP:	1				
Swaps by Factor:	SF	IP	BB	CC	RD
$dQ^{\max=0.5}$	0	0	1	0	0
$dQ^{\max=1}$	0	0	1	0	0
$dQ^{\max=2}$	0	0	1	0	0
$dQ^{\max=4}$	0	0	1	0	0
