Sudden changes in nitrogen dioxide emissions over Greece due to lockdown after the outbreak of COVID-

3 **19**

Maria-Elissavet Koukouli^{1*}, Ioanna Skoulidou¹, Andreas Karavias², Isaak Parcharidis², Dimitris Balis¹, Astrid Mandrers³, Arjo Segers³, Jos van Geffen⁴ and Henk Eskes⁴

- 6 ¹ Laboratory of Atmospheric Physics, Aristotle University of Thessaloniki, Greece.
- 7 ² Department of Geography, Harokopio University, Athens, Greece.
- 8 ³ TNO, Climate, Air and Sustainability, Utrecht, The Netherlands.
- 9 ⁴ Royal Netherlands Meteorological Institute (KNMI), De Bilt, The Netherlands.
- 10 * Correspondence: mariliza@auth.gr
- 11

12

14 Figure S1.



- 15 Figure S 1. In situ observations of NO₂ surface concentrations [µgr/m³] by air quality monitoring stations around Athens
- 16 reporting to the EEA Air Quality Database.

17

13





Figure S 2. Monthly mean S5P/TROPOMI tropospheric NO₂ [10¹⁵ molecules/cm²] over the Aegean Sea
in 2019 [left] and 2020 [right] for the month of March.



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).