

Dust Induced Atmospheric Absorption Influences Tropical Precipitations In IPSL-CM6 Climate Model

Yves Balkanski¹, Rémy Bonnet², Olivier Boucher², Ramiro Checa-Garcia¹ and Jérôme Servonnat¹

¹Laboratoire des Sciences du Climat et de l'Environnement, CEA-CNRS-UVSQ, IPSL, Gif-sur-Yvette, France

²Institut Pierre-Simon Laplace, Sorbonne Université-CNRS, Paris, France

Correspondance to: yves.balkanski@lscce.ipsl.fr

Abstract. The amount of shortwave radiation absorbed by dust has remained uncertain. We have developed a more accurate representation of dust absorption that is based on the observed dust mineralogical composition and accounts for very large particles. We analyze the results from two fully-coupled climate simulations of 100 years in terms of their simulated precipitation patterns against observations. A striking benefit of the new dust optical and physical properties is that tropical precipitations over Sahel, tropical North Atlantic and West Indian Ocean are significantly improved compared to observations, without degrading precipitations elsewhere. This alleviates a common persistent bias in earth system models that exhibit a summer African monsoon that does not reach far enough North. We show that the improvements documented here for the IPSL-CM6 climate model results from both a thermodynamical and dynamical response to dust absorption, which is unrelated to natural variability. Aerosol absorption induces more water vapor advection from the ocean to the Sahel region, thereby providing an added supply of moisture available for precipitation. This work thus provides a path towards improving precipitation patterns in these regions by more realistically accounting for both physical and optical properties of the aerosol.

1. Introduction

Mineral dust influences precipitation through direct radiative forcing (Miller et al., 2014), changing the vertical temperature profile, and is an efficient ice nucleus in the presence of feldspar mineral (Atkinson et al., 2013), therefore also producing an indirect, cloud-mediated radiative perturbation. It also influences the water cycle through microphysical interactions with clouds (Nenes et al., 2014). Near source regions, mineral dust

Formatted: Space Before: 18 pt

Deleted: Improves Influences Tropical Precipitations In IPSL[1]

Formatted: Space Before: 9 pt

Deleted: .

Formatted ... [2]

Formatted: Font: 10 pt

Formatted: Space Before: 6 pt

Formatted: Font: 10,5 pt, English (US)

Formatted: Justified, Line spacing: 1,5 lines

Formatted ... [3]

Deleted: We show that the improvement results from a thermodynamical and dynamical response to dust absorption is unrelated to natural variability

Formatted: Font: 10,5 pt

Deleted: .

Formatted: Font: 10,5 pt, English (US)

Formatted: Font: 10,5 pt

Formatted: Font: 10 pt

Formatted: Justified, Line spacing: 1,5 lines

Formatted ... [4]

absorption causes a change in atmospheric radiation of several tens of watts per square meter ($W \cdot m^{-2}$), an effect stronger than the one exerted by aerosol-cloud interactions (Miller et al., 2014; Nenes et al., 2014). Sahel precipitation is influenced by aerosol absorption (Miller et al., 2004; Solmon et al., 2008; Yoshioka et al., 2007), and absorption depends on iron oxides (hematite and goethite) that are part of dust mineralogical composition (Sokolik and Toon, 1996; Claquin et al., 1999). Over the last 15 years, simulating tropical precipitation has been notoriously difficult for climate models (Fiedler et al., 2020). Improving the representation of tropical monsoons is a prerequisite to predict future changes in tropical precipitations and attribute them to observed changes in greenhouse gases and to aerosol changes. We show here how a better representation of dust aerosols leads to an unequivocal improvement in the simulation of precipitation over key climatic tropical regions in the IPSL-CM6 model, namely Sahel, tropical North Atlantic and West Indian Ocean without degrading precipitation elsewhere around the globe, and subsequently discuss the thermodynamically and dynamically-driven mechanisms at play that affect the water cycle.

Miller et al. (2014) showed that the increase in Sahel precipitation in response to high dust absorption is a fairly robust result across models. The intensity and the seasonal pattern of tropical precipitations are controlled by the northward cross-equatorial transport of energy (e.g. Hwang and Frierson, 2013). CERES observations of the Earth's energy budget indicate a net northward cross-equatorial transport of energy. The atmospheric component of this cross-equatorial transport is southward whereas the oceanic component is northward (see Fig. 4 in Stephens et al., 2016). Haywood et al. (2016) discussed how, in the UK Met Office HadGEM2 model, tropical precipitation biases could be reduced by setting the northern and southern hemispheric albedos to be equal in agreement with multi-decadal satellite observations. Hemispheric albedo changes thus strongly influence tropical precipitations. The link between hemispheric albedo, aerosol loadings and properties in general, and dust atmospheric absorption in particular remains however poorly understood.

The abundance and variation in iron oxides, as well as the presence of large particles, are known to control dust absorption (Balkanski et al., 2007; Miller et al., 2004; Ryder et al., 2018; Yoshioka et al., 2007). Although iron oxides in dust are present in minute quantities from 1 to 5% by volume (Di Biagio et al., 2019; Journet et al., 2014; Kandler et al., 2007; Liu et al., 2018; Nickovic et al., 2012; Perlwitz et al., 2015; Reid, 2003), this relatively small volume largely influences mineral dust absorption (Balkanski et al., 2007; Ryder et al., 2018; Di Biagio et al., 2019). Large dust particles with diameters ranging between 10 and 100 μm , are rarely accounted for in climate models. Recent measurements have shown a much stronger absorption from these large particles than from smaller ones (Ryder et al., 2013 & 2018). Due to the abundance of these large particles over source regions, the atmospheric energy balance will be altered. Furthermore, Sahel is one of the world regions with the

Formatted ... [5]

Formatted ... [6]

Deleted: (... [7]

Formatted ... [7]

Deleted: (Haywood et al. (, ... [8]

Formatted ... [9]

Moved down [1]: The link between this additional atmospheric absorption and dust physical properties, however, remains poorly understood.

Deleted: The link between this additional atmospheric absorption and dust physical properties, however, remains poorly understood. Conversely, (Haywood et al., 2016) discuss how some

Formatted ... [10]

Formatted ... [11]

Moved (insertion) [1]

Formatted ... [12]

Deleted: Here we reunite these incomplete studies by describing an end-to-end physical mechanism that ties improvement in tropical precipitation to observational support for a higher level of dust absorption based on measurements of iron oxide in dust particles, measurements of the full dust particle size distribution and detailed climate simulations with interactive dust.

Formatted ... [13]

Deleted: controls

Formatted ... [14]

Deleted: have been shown through r...cent measurements have

Formatted: Font: 10 pt

Deleted: 2018; Ryder, C. L., Highwood, E. J., Rosenberg, P. D., Trembath, J., Brooke, J. K., Bart, M., Dean, A., Crosier, J., Dorsey, J., Brindley, H., Banks, J., Marsham, J. H., McQuaid, J. B., Sodemann, H., and Washington, R.;

Formatted: Font: 10 pt, English (US)

Deleted: Since Due to the abundance of these large particles are

120 highest iron oxide content in soils (Journet et al., 2014; Nickovic et al., 2012). In this study, we analyse the
strong relationship between high iron oxide content and increased Sahel precipitation. Here we discuss the role
125 played by dust on tropical precipitation and describe an end-to-end physical mechanism that ties improvement in
tropical precipitation to observational support for a higher level of dust absorption based on measurements of
iron oxide in dust particles, measurements of the full dust particle size distribution and detailed climate
simulations with interactive dust.

2. Methods

2.1 IPSL-CM6 description

130 The climate model used here is the low resolution model from the Institut Pierre-Simon Laplace Climate
Modelling Centre described by Boucher et al. (2020). The horizontal resolution is 2.5° in longitude and 1.28° in
latitude with a discretization of the vertical into 79 layers that extends to about 80 km. For the ocean model,
NEMO, that includes sea-ice and biogeochemistry, the horizontal resolution is 1° and the model is discretized
using 75 vertical levels. The aerosols are run interactively in the simulations presented here.

2.2 Dust modeling

135 Dust emission fluxes are calculated in two steps: in a first step, we derive the horizontal flux of dust that is
mobilized based upon three criteria: a threshold velocity that depends on the nature of the upper soil, the wind
speed at 10-meters and an erodibility factor that takes into account the effect of soil moisture. These erodibility
factors were tuned following the procedure described in Balkanski et al. (2004). Total emissions and loads
compare well with the constraints given by Ridley et al. (2016) and by Kok et al. (2017). The dust particle size
140 distribution are emitted with a constant shape following the Brittle theory described by Kok (2011). The size
distribution is represented by one or by four modes, each one represented with a log-normal distribution
consisting of a mass median diameter which varies in response to the sink processes that affect the dust cycle.
When using one mode for the simulation, this mode is centered at 2.5 µm with a width of 2.0 and represents both
the accumulation and coarse modes (Schulz et al., 1998; Denjean et al., 2016). The four modes size distribution
145 allows to account for large particles up to 100 µm (Di Biagio et al., 2020). These four modes have mass median
diameters of 1.0, 2.5, 7.0 and 22.0 µm, respectively and are fitted to the size distribution predicted by the brittle
theory for particles of diameter below 20 µm and to observations made during the campaigns Fennec and AER-
D (Ryder et al., 2013 & 2018) for diameters above 20 µm as described in Di Biagio et al. (2020).

Formatted ... [17]

Deleted: Specifically we determine the optical properties of airborne dust coming from African deserts based on its mineralogy and show the IPSL-CM6 precipitation fields in several key tropical areas are improved compared to observations when the effect of dust absorption is introduced in this model. We finally dissect the mechanisms that explain an increase in Sahel precipitation with dust absorption and answer the question of whether these mechanisms are thermodynamical, dynamical or occur in response to an improved phasing of the Atlantic Multidecadal Variability.

Formatted ... [18]

Deleted: Appendix

Formatted: English (US)

Formatted: Font: 10 pt

Formatted: Justified, Line spacing: 1,5 lines

Formatted ... [19]

Formatted: Font: 10 pt

Formatted: Justified, Line spacing: 1,5 lines

Formatted ... [20]

Deleted: several by four modes, each one represented by ...ith #21

Formatted ... [22]

Deleted: Accounting The four modes size distribution allows to ...t [23]

Deleted: The These four ...odes distribution ...aves...mass ... [25]

Formatted ... [24]

190 Dust absorption is influenced mainly by the iron oxide embedded in the dust aggregates (Lafon et al., 2006; Ryder et al., 2018; Di Biagio et al., 2019). Measurements of iron oxides on soils from around the world have been reported for two particle size class the clays with diameters of less than 2 microns and the silts with diameters between 2 and 64 μm . The iron oxide varies drastically depending on the soil types and most measurements indicate a weight content of 1 to 7% equivalent to 0.5 to 3.5% (Lafon et al., 2006; Di Biagio et al., 2019; Moosmüller et al., 2012; Engelbrecht et al., 2016; Journet et al., 2014), by volume. To determine the amount of iron oxides over Sahel, we used the high-resolution database published by Nickovic et al. (2012) and determined the amount of hematite over the Sahel region (16°W-36°E; 10°N-20°N) as shown in Fig. 1. With the 30'' grid high-resolution of the database, the mineral content of hematite could be retrieved for 6,026,016 points. For the clay fraction (diameter $\leq 2 \mu\text{m}$), 50% of these points had an hematite content of more than 2% by weight (equivalent to 1% by volume since density of hematite is twice that of all other minerals except goethite); 30% (respectively 17%) of the points had an hematite content of more than 3% (resp. 4%) by weight. For the silt fraction (diameter $> 2 \mu\text{m}$), 49% of these points had and goethite content of more than 2% by weight (equivalent to 1% by volume since density of hematite is twice that of all other minerals except goethite); 30% (respectively 12%) of the points had an hematite content of more than 4% (resp. 5%) by weight. Assuming that hematite and goethite contents are the same for these soils and accounting for the density of hematite (5300 kg m^{-3}) and goethite (3800 kg m^{-3}), we estimate that iron-oxides (hematite+goethite) represent 5.3% by weight and 3.0% by volume of mineral dust that has a density of 2650 kg m^{-3} . Hence, in the simulation, we took the optical properties of mineral dust with a volume of 3.0% made of iron oxides.

200 The absorption of dust size distribution is determined as follows: we consider dust as the mixture of six minerals, namely kaolinite (kaol), illite (lili), montmorillonite (montmo), quartz (qua), calcite (calci) and hematite (hema).

210 The difference in optical properties between goethite and hematite are not considered in this study as we focus on the mechanisms by which dust absorption causes an increase of precipitation over the Sahel and not into having a very precise estimate of this absorption. We keep a constant volume content of hematite of 3.0% representative of the Sahel region. The first step of the computation is to compute the refractive index of each of the above cited minerals with hematite, for example for 3% hematite, all mixtures are composed of 97-3%. Using the Maxwell Garnett mixing rule (Chylek et al., 1988), we compute the equivalent refractive index (m_e) of a particle that consists of the assemblage of 2 minerals is computed in the following way:

215

Formatted: Font: 10 pt

Deleted: ,

Deleted: see

Deleted: s

Deleted: d

Deleted:

Deleted:

Deleted: paper

Deleted: calculation

Deleted: vary the

Deleted: VOLUME

Deleted: with the following values:

Deleted: 0.9, 1.5, 2.7,

Deleted: , 4.0, 5.0 and 10

Deleted: ¶

A description of the Maxwell-Bruggeman approximation used here to compute the refractive index of dust can be found in Balkanski et al. (2007).

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: for each of these hematite content

Deleted: the mixtures: kaol-hema, illi-hema, montmo-illi, qua-hema and calci-hema (

Deleted:)

Formatted: Font: 10 pt

Formatted: Font: 10 pt

$$m_e^2 = m_0^2 \frac{m_A^2 + 2m_0^2 + 2v_A(m_A^2 - m_0^2)}{m_A^2 + 2m_0^2 - v_A(m_A^2 - m_0^2)} \quad (1)$$

where m_0 is the refractive index of mineral around the inclusion, and m_A is the refractive index of the inclusion in the internal mixture; and v_A is the volume fraction of inclusion of the particle.

The second step is to compute the refractive index starting first with the most abundant constituents of these clay mixtures illi-hema and kaol-hema. The third step takes the resulting mixture illi-kaol-hema and mixes it with montmorillonite. The resulting mixture illi-kaol-montmo-hema is then mixed with quartz. And finally the mixture illi-kaol-montmo-quartz is mixed with calcite, the least abundant of those minerals. We refer the reader to Table 1 of Balkanski et al. (2007) that explains the abundancies of the different assemblages and minerals.

We ran 100-year simulation of the fully-coupled IPSL-CM6 model with all interactive components of the aerosol including dust for the 1915-2014 period, as well as another 100-year simulation without the dust. We analyzed the last 30 years of the coupled simulations (1985-2014) for the period when precipitation is most abundant over the Sahel from June to September, referred to as JJAS in the rest of the text. We checked for all variables the consistency of the results compared to the previous 30-year period from 1955 to 1984. We compare the SW and LW radiative effects of two simulations that have the same absorption: 4 modes (including large particles, $10 \mu\text{m} < D < 100 \mu\text{m}$) with 3% iron oxides, to the simulation with 1 mode (without large particle, $10 \mu\text{m} < D < 100 \mu\text{m}$), the results are shown in Table 1. We ran for the full 100-year period only the simulation with 1 mode and 5% iron oxide content equivalent to the full size distribution (4 modes) and 3% iron oxide.

In order to compute of the Direct Radiative Perturbation (DRP) from dust, we compare the fluxes both at top-of-atmosphere and at the surface for the simulation with the dust aerosol and the case when dust aerosol concentrations are set to zero in the model. The refractive indices are described for the shortwave in the work from Di Biagio et al. (2019) and Balkanski et al. (2007) and for the longwave in Di Biagio et al. (2020). The radiative transfer module includes a six-band (0.185–4.0 μm) scheme in the SW (improved from the parametrization of Fouquart and Bonnel (1980)) and the Rapid Radiative Transfer Model with sixteen bands between 3.33 and 1,000 μm (Hogan and Bozzo, 2016). The model accounts for the diurnal cycle of solar radiation and allows fractional cloudiness to form in a grid box. The reflectivity and transmissivity of a layer are computed using the delta Eddington approximation (Joseph et al., 1976) in the case of a maximum random overlap (Morcrette and Fouquart, 1986) by averaging the clear and cloudy sky fluxes weighted linearly by their respective fractions in the layer. The radiative fluxes are computed every ninety minutes, with and without the presence of clouds, and with and without the presence of aerosols; they are sampled at the top-of-atmosphere and

Formatted: Space Before: 6 pt

Formatted: Font: 10 pt

Formatted: Justified, Line spacing: 1,5 lines, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Justified, Line spacing: 1,5 lines

Deleted: for the two most...tating first with the most abundan [26]

Formatted ... [27]

Deleted: Figure 2 illustrates how co-albedo (1.-SSA), SSA (single scattering albedo) varies with increasing iron oxide content and the effect of considering large particles (diameter > 10 μm). For a co-albedo of 0.09, we can see from these curves that the same absorption from the whole size distribution including large particles (orange solid line) requires only 3.0% volume content of iron oxide whereas for particles of less than 10 μm in diameter the have to include a volume of 5.0% of iron oxide. This is also observed in field measurements (see Fig. 8 from Ryder et al. (2013)).

Formatted ... [28]

Deleted: summer period that includes the month of...hen ... [29]

Deleted: ¶

Deleted: Computation

Formatted

Formatted: Justified, Line spacing: 1,5 lines, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Deleted: ¶

Formatted ... [30]

Deleted: from

Formatted ... [31]

Commented [o3]: 100 or 1000 ?

Formatted ... [32]

Deleted: The solar radiation code in the LMDZ GCM consists of an improved version of the parameterizations of Fouquart and Bonnel (1980)(Fouquart and Bonnel, 1980). The radiative transfer module includes a six-band (0.185–4.0 μm) scheme in the SW and the Rapid Radiative Transfer Model for Global Circulation Models radiative scheme in sixteen bands between 3.33 and 1,000 μm (Hogan and Bozzo, 2016).

Formatted ... [33]

Deleted: two hoursninety minutes, with and without the presence [34]

at the surface. The clear-sky and all-sky aerosol radiative forcings can then be estimated as the differences in radiative fluxes with and without aerosols.

2.3 Deriving the Water Budget along the Sahel region (10°N-20°N; 15°W- 35°E)

Following Sheen et al. (Sheen et al., 2017), we seek to determine the total flux of moisture depth across each of the airshed boundaries. Hence we compute the integrated moisture flux through the following integral:

$$1./\rho_w g \int_0^{p_s} \langle q\bar{u} \rangle dp \quad (2)$$

where ρ_w is the density of water, g is the acceleration due to gravity, p_s is the surface pressure, $\langle q\bar{u} \rangle$ represents the monthly mean of the product of the water content with the wind speed. The fluxes are expressed in unit of $\text{kg.m}^{-1} \text{s}^{-1}$. The integrated fluxes across each side of the airshed are first averaged, scaled by the length along the flux trajectory (Trenberth, 1999), and then divided by the airshed area to obtain quantities in units of mm per day that can be compared to the precipitation and the evaporation fluxes over the airshed.

3. Results

We first present how dust absorption is calculated and then present the results from a fully-coupled climate simulation of 100 years (from which we analyse the last 30 years) and compare simulated precipitations with observations. Iron oxide content is based on the observations of dust mineralogical composition over the Sahel region (Lafon et al., 2006; Di Biagio et al., 2019) and displayed for soils in Fig. 1. We infer the refractive index of the mineral dust using an optical model. Figure 2 illustrates the influence of the iron oxide content and the size of a particle on its radiative absorption. In this Figure, the aerosol absorption increases along the x-axis with the aerosol co-single-scattering-albedo (coSSA), calculated at 550 nm and defined as:

$$coSSA = 1. - SSA \quad (3)$$

The solid blue line illustrates the absorption calculated when dust particles with diameter less than 10 μm are considered. The shift from the solid blue to the solid orange line indicates the increase in dust absorption when particles with a diameter larger than 10 μm are accounted for. This graph also indicates that particles of diameter less than 10 μm with an iron oxide content of 5.0% absorb the same amount of radiation than particles with 3.0% iron oxide for which we consider also the diameters greater than 10 μm (see Table 1). With these mineralogical compositions we obtain a coSSA of 0.09. For dust particles with an iron oxide volume content of 1.5%, thought

- Deleted: , and with and without the presence of aerosols
- Deleted: Few models have published the radiative effect of dust [495]
- Deleted: airshed
- Formatted ... [36]
- Formatted ... [37]
- Formatted ... [38]
- Formatted ... [39]
- Deleted: $u \rightarrow dp \rightarrow \dots \rightarrow (1)$... [40]
- Formatted ... [41]
- Formatted ... [42]
- Formatted ... [43]
- Formatted ... [44]
- Deleted: u
- Formatted ... [45]
- Deleted: qu ... product of the water content with the wind speed [46]
- Formatted ... [47]
- Deleted: Deriving the vertical advection response of moist static [48]
- Formatted ... [49]
- Formatted ... [50]
- Formatted ... [51]
- Deleted: in this study
- Formatted ... [52]
- Deleted: calculated at 550 nm along the x-axis ... ands. The ... [53]
- Formatted ... [54]
- Deleted: coSSA is
- Formatted ... [55]
- Formatted ... [56]
- Deleted: l
- Formatted ... [57]
- Deleted: the
- Formatted ... [59]
- Formatted ... [60]
- Deleted: only
- Formatted ... [61]
- Deleted: of dust of
- Formatted ... [58]
- Formatted ... [62]
- Deleted: Furthermore, the The shift from the solid blue to the ... [63]

to be the global median value as discussed in Balkanski et al. (2007), the coSSA is 0.032 and it almost doubles to 0.058 when large particles are also considered. Hence, the substantial increase in aerosol absorption caused by large particles, will be particularly marked over dust source regions. This has yet to be taken into account in many models that generally do not include particles sizes above 10 μm .

We now discuss the changes in aerosol direct radiative effect for dust containing 3.0% iron oxide which corresponds to the amount of iron oxides measured over Sahel (Fig. 1). Figure 3 illustrates the June, July, August and September (JJAS) mean radiative perturbation due to the presence of dust. Over the bright surfaces of the Sahel region, the top-of-atmosphere shortwave radiative perturbation is positive, i.e., an atmosphere with dust is less reflective than an atmosphere without dust. At the surface, the radiative effect from dust is strongly negative (-16 W m^{-2} over the Sahel) as the dominant term is the reduction of shortwave radiation due to either back-scatter or absorption of radiation by dust. The difference between TOA and surface determines the dust JJAS mean atmospheric absorption due to dust, estimated at $+17 \text{ W m}^{-2}$ over the Sahel. Since dust is highly variable in time, this average value is consistent with values of several hundred watts per square meter simulated during particularly strong dust episodes (Pérez et al., 2006).

To evaluate the impact of this change of radiative forcing on precipitation, we calculate the difference in 30-year (1985-2014) precipitation averaged over June, July, August and September (JJAS) between the simulation with dust and the one with no dust (Figs 4 & 5). These figures show an increase in precipitation between 6 and 20°N latitude over Africa. A common feature of most ESMs is to have a summer African monsoon that does not reach far enough North compared to observations such as Tropical Rainfall Measuring Mission (Roehrig et al., 2013) (TRMM). Figure 5 shows that precipitation averaged from 10°W to 10°E increases from 0.5 to 1.5 mm day^{-1} over the summer months (JJAS). Accounting for dust absorption hence shifts northward the extent of the African summer monsoon.

We now examine whether precipitations are better represented when the effect absorbing dust on atmospheric heating is accounted for. The accuracy with which the model captures the African monsoon was analyzed by comparing the incursion of the precipitations into the African continent with the TRMM observations for the same period of 15-year period (2000-2014) over the summer months (JJAS). Figure 6 introduces the change in water budget due to the effect of absorbing dust over an airshed of the size of the Sahel (10°N-20°N; 15°W-35°E). We derive the amount of water advected into this region in the same units as precipitation or evaporation (mm day^{-1} , see Methods). Figure 4 shows that aerosol absorption induces more water vapor advection from the ocean to the Sahel, thereby providing an added supply of moisture that is available for precipitation. When sufficient water vapor is advected towards the African continent, aerosol absorption changes the regional energy

Formatted ... [64]

Deleted: , which are particularly abundant ... [65]

Deleted: over the Sahel

Formatted: Font: 10 pt, Not Bold, Font color: Text 1

Formatted: Font: 10 pt, Font color: Text 1

Deleted: , increase substantially the aerosol absorption. This has yet to be taken into account in many models since they do not ... [66]

Formatted ... [67]

Formatted ... [68]

Deleted: $-18-16 \text{ W m}^{-2}$ over the Sahel) as the dominant term is the reduction of shortwave radiation due to either back-scatter or absorption of radiation by dust. The difference between TOA and surface determines the dust JJAS mean atmospheric absorption due to dust, estimated at $(+26 \dots 17 \text{ W m}^{-2}$ over the Sahel). Since dust is highly variable in time, this average value is consistent with values of several hundred watts per square meter simulated during particularly strong dust episodes particularly strong dust episodes are characterized by atmospheric absorption that reaches several hundred watts per square meter ... [69]

Formatted ... [70]

Deleted: Note that, in comparison, greenhouse gases contribute to a globally-averaged radiative forcing of only 3 W m^{-2} (Myhre et al., 2013) relatively constant on short timescales .

Formatted ... [71]

Formatted: Justified, Line spacing: 1,5 lines, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Deleted: general

Formatted ... [72]

Formatted: Font: 10 pt, Font color: Text 1

Formatted: Justified, Line spacing: 1,5 lines

Formatted: Font: 10 pt

Deleted: s

Formatted: Font: 10 pt, Font color: Text 1

Deleted: with

Formatted ... [73]

Deleted: than

Formatted ... [74]

Deleted: The effect of dust on precipitation is to increase the advection of moisture entering Sahel from the southern edge at 10°N. Figure S1 ... [75]

Formatted ... [76]

balance and enhances convection through the air column (Miller et al., 2014; Solmon et al., 2008). The change in water flux into the Sahel region amounts to an increase of 0.365 mm day⁻¹ for the JJAS period. Precipitation and evaporation over the Sahel region increase by 0.40 and 0.09 mm day⁻¹, respectively, for the same months over the 30-year period (1985-2014). Hence there is a small residual in the water budget which we attribute to imperfections in the way the advected water fluxes are diagnosed in the model.

4. Discussion

We now seek to analyze if the changes in precipitations, in SW and LW upward radiative fluxes brought about by the presence of dust improve or degrade these variables when compared to observations. We selected observations from the Global Precipitation Climatology Project (GPCP) from June to September over the period 1985 to 2014, and the radiative fluxes measured by CERES (Clouds and the Earth's Radiant energy System). Both the precipitation and the SW and LW upward radiative fluxes statistics based upon the model/measurements comparison show significant improvements over the Sahel, North Africa and the North Atlantic Ocean. We quantify these improvements in Tables 2, 3 & 4 through a comparison of the bias, root mean square error (RMSE) and spatial correlation between the simulated and observed fields. For precipitation, the largest changes occur over the Sahel where precipitation increases by 21% over the period and the negative bias and the RMSE are reduced by 34 and 29%, respectively. The spatial correlation of the precipitation is also improved from 0.951 to 0.965. Other regions where all of the mentioned statistics are improved are the North Atlantic and the West Indian Ocean. Over Northern Africa, the strong dust absorption causes an excess precipitation but there are improvements in the RMSE and the spatial correlation.

The Sahel region is prone to substantial atmospheric dust absorption as it is an important mineral dust source region. Being an active source region, the lower troposphere above Sahel experiences high dust loads and a large mass fraction comprises large-size particles of diameters above 10 μm (larger particles being more absorbing than smaller ones, see Figs. 8a,b in Ryder et al., 2013). Compounding these effects, soils from Sahel have a higher iron oxide content than other soils from North Africa (Kandler et al., 2007; Liu et al., 2018; Di Biagio et al., 2019; Formenti et al., 2014). The high atmospheric absorption that exists over the Sahel and illustrated by Fig. 3, induces water moisture advection from the North Atlantic in regions off the West Coast of Africa during the period of the African summer monsoon (Fig. 4). The action of mineral dust aerosol on precipitation is felt through the modifications of the diabatic heating and how the aerosol affects evaporation.

Deleted: vertical exchanges

Formatted ... [77]

Deleted: largest change in water flux into the Sahel airshed region amounts to an increase of is through the southern border of the region at 10°N with a flux reduction of 89% due to dust absorption, from -0.41 mm day⁻¹ (i.e. exiting the Sahel box) to only -0.360. [78]

Formatted ... [79]

Deleted: The change in flux on the western side of the airshed is significantly smaller and amounts to 0.1 mm day⁻¹. By comparison, the increases in

Formatted ... [80]

Deleted: precipitation and evaporation over the Sahel region are 0.40 and 0.09 mm day⁻¹, respectively, for the months JJAS averaged over the 30-year period (1985-2014). [81]

Formatted: Font: (Default) Times New Roman, 10 pt, Not Italic

Formatted: Justified, Line spacing: 1,5 lines

Formatted ... [81]

Deleted: We now compare the distribution of the surface precipitation between the two model simulations with and without dust with observations from the Global Precipitation Climatology Project (GPCP) for the months when African monsoon sets in from June to September.

Formatted ... [82]

Deleted: The Both, the precipitation and the SW and LW upward radiative fluxes statistics based upon the model/measurements comparison show significant improvements over the Sahel, North Africa and the North Atlantic Ocean. We quantify these improvements in Tables 2, 3 & 4 through a comparison of the bias, the root mean square error (RMSE) and the spatial correlation between precipitation the simulated and observed fields. The For precipitation, the largest changes occur over the Sahel where where precipitation increases by 21% over the period and the negative bias and of

Formatted: Justified, Space After: 0 pt, Line spacing: 1,5 lines, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted ... [84]

Deleted: S1

Formatted: Font: 10 pt

Deleted: We present below the terms of the energy budget that play a role over the Sahel have been discussed by Miller et al. (2014). We also explain the main elements that lead to upward movement of the moist air above the Sahel region that then generates precipitation.

Formatted ... [85]

The terms in the energy balance that influence evaporation are the dimming caused by the aerosol layer of -18 W.m^{-2} over the Sahel (see Fig. 3) which needs to be compensated by the decrease of net latent heat flux that leaves the surface. Table 5 shows the different terms of the change in surface energy budget. Ignoring the changes in surface heat storage, we have:

$$\Delta F_{surf}^{SW} + \Delta F_{surf}^{LW} + \Delta LE + \Delta S_E \approx 0 \quad (4)$$

where ΔF_{surf}^{SW} and ΔF_{surf}^{LW} represent the net change in respectively the SW and LW radiative fluxes at the surface, and the two other terms, ΔLE and ΔS_E indicate the changes in turbulent fluxes of latent and sensible heat due to the presence of dust. Over the oceans, the change in latent heat flux dominates and the evaporation is reduced hence diminishing precipitation over these regions (see last column of Table 1). Figure S2 indicates the vertical amount of transported Moist Static Energy (MSE). Two regions can be distinguished, one over the Sahel where the transport is upward as a result of the absorbed energy by dust, and the surrounding regions with a downward motion. These are the main perturbations that accompany the precipitation anomaly caused by the presence of dust. Other variables that increase are: evaporation, low-level cloud cover, liquid water path. As noticed by Miller et al. (2004), and reinforced by the results presented here, evaporation over Sahel increases with dust absorption (see Fig. S3), while precipitation increases over the same region. Part of the evaporation is supplied by the moisture brought through precipitation over the same region. One mechanism for supplying the moisture is the advection that is evidenced in Fig. S1 and in the water budget presented on Fig. 6.

To complete the analysis of the possible mechanisms that may have explained this improvement in Sahel precipitation, we examined whether a different phasing of the Atlantic Multidecadal Variability (Enfield et al., 2001) (AMV), a basin-wide low-frequency variations of the sea surface temperature over the North Atlantic, could be responsible for better reproducing observed precipitation fields. Figure S4 compares the observed and simulated AMV Index (Enfield et al., 2001; Trenberth and Shea, 2006). The AMV index is more in phase in the simulation without dust than in the simulation with dust. We conclude from this analysis that the precipitation improvements brought about by dust absorption, which are also evident for earlier portions of the 100-year long simulations, are not due to a better phasing of natural variability in the dust simulation. Instead they correspond to dynamical effects that respond to a thermodynamically driven forcing.

Formatted: Justified, Line spacing: 1,5 lines

Deleted: Following Miller et al.(2014), this surface flux reduction can be expressed as

Formatted: ... [86]

Deleted: :

Formatted: Space After: 0 pt, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: ... [87]

Deleted: $F_{surf} = \partial R_{surf}^{LW} + \partial LE + \partial S_E$ (2)

Formatted: Font: 10 pt

Formatted: Justified, Space Before: 12 pt, Line spacing: 1,5 lines, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: ... [89]

Deleted: ∂R_{surf}^{LW}

Formatted: ... [90]

Deleted: s the net change upward ...n respectively the SW and LW LW radiativeon

Deleted: ∂LE and ∂

Formatted: ... [91]

Formatted: ... [92]

Deleted: S_E

Formatted: ... [93]

Deleted: are indicate the cc

Formatted: ... [94]

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted:

Formatted: ... [95]

Deleted: explain

Formatted: ... [96]

Deleted: s

5. Conclusion

695 This study was designed to realistically represent dust absorption over the Sahel region and describe the mechanisms by which dust stimulates summer precipitation (JJAS) over the region. Our modelling includes two aspects not accounted for prior to it, ~~first it accounts for the high iron oxide content of the region in the optical properties, and second, it takes into consideration the extra-absorption from very large particles, with diameters~~ greater than 10 µm, generally not represented in climate models. The striking benefit ~~of these refinements in the~~ dust physics is that, at least in the IPSL-CM6 model¹ considered here, tropical precipitations ~~and top-of-aermosphere LW and SW fluxes~~ are significantly improved compared to observations. This important result came almost serendipitously, ~~when checking if the comparison between simulated and observed precipitation over 30 years showed improvement. In key regions of tropical precipitations, namely the Sahel, tropical North Atlantic and West Indian Ocean, the precipitation in the IPSL-CM6 climate model is significantly improved without degradation elsewhere. We speculate that this improvement may not be restricted to this climate model as other models participating in the CMIP exercises have low dust absorption as well as a similar bias over Sahel, which is a symptom of too little advection of water vapor northward into the region during the Northern Hemisphere summer months. We thus provide a path towards improving precipitation patterns in these regions by more realistically accounting for both physical (size-based) and optical (absorption) properties of the aerosol.~~

700

705

710 Our results also offer a strong physical basis for a stabilizing feedback loop involving dust emission, atmospheric absorption, Sahel precipitation, and vegetation, as hypothesized by Carslaw et al. (2013), which could create multiannual or multidecadal oscillations at these latitudes that could also interact with natural models of variability in the Atlantic region. Future studies should therefore account for the role of water recycling from semi-arid vegetation (Yu et al., 2017) which plays a potentially important role in this loop.

¹ IPSL-CM6 is the Earth System Model developed at the Institut Pierre- Simon Laplace and described in Boucher et al.(Boucher et al., 2020)

Formatted: Space Before: 6 pt, Don't keep with next

Deleted: ,

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: ing

Deleted: ly

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: ing

Deleted: to estimate more precisely dust absorption and take into account very large particles

Formatted: Font: 10 pt

Formatted: Font: Bold

Formatted: Font: 10 pt

Deleted: ,

Deleted: as we set to check

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: :

Formatted: Font: 10 pt

Deleted: are

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: ing

Deleted: precipitations

Deleted: believe

Formatted: Font: 10 pt

Deleted: is not

Formatted: Font: 10 pt

Deleted: the same

Formatted: Font: 10 pt

Deleted: to have to little

Formatted: Font: 10 pt

Field Code Changed

Field Code Changed

References

- Atkinson, J. D., Murray, B. J., Woodhouse, M. T., Whale, T. F., Baustian, K. J., Carslaw, K. S., Dobbie, S., O'Sullivan, D., and Malkin, T. L.: The importance of feldspar for ice nucleation by mineral dust in mixed-phase clouds, *Nature*, 498, 355, 2013.
- 735 Balkanski, Y., Schulz, M., Moulin, C., and Ginoux, P.: The formulation of dust emissions on global scale: formulation and validation using satellite retrievals, in: *Emissions of Atmospheric Trace Compounds*, eds. C. Granier, P. Artaxo and C. Reeves, Kluwer Academic Publishers, Dordrecht, 239–267, 2004.
- Balkanski, Y., Schulz, M., Claquin, T., and Guibert, S.: Reevaluation of Mineral aerosol radiative forcings suggests a better agreement with satellite and AERONET data, *Atmospheric Chem. Phys.*, 7, 81–95, <https://doi.org/10.5194/acp-7-81-2007>, 2007.
- 740 Boucher, O., Servonnat, J., Albright, A. L., Aumont, O., Balkanski, Y., Bastrikov, V., Bekki, S., Bonnet, R., Bony, S., Bopp, L., Braconnot, P., Brockmann, P., Cadule, P., Caubel, A., Cheruy, F., Codron, F., Cozic, A., Cugnet, D., D'Andrea, F., Davini, P., Lavergne, C., Denvil, S., Deshayes, J., Devilliers, M., Ducharne, A., Dufresne, J., Dupont, E., Éthé, C., Fairhead, L., Falletti, L., Flavoni, S., Foujols, M., Gardoll, S., Gastineau, G., Ghattas, J., Grandpeix, J., Guenet, B., Guez, L., E., Guilyardi, E., Guimberteau, M., Hauglustaine, D., Hourdin, F., Idelkadi, A., Joussaume, S., Kageyama, M., Khodri, M., Krinner, G., Lebas, N., Levavasseur, G., Lévy, C., Li, L., Lott, F., Lurton, T., Luyssaert, S., Madec, G., Madeleine, J., Maignan, F., Marchand, M., Marti, O., Mellul, L., Meurdesoif, Y., Mignot, J., Musat, I., Ottlé, C., Peylin, P., Planton, Y., Polcher, J., Rio, C., Rochetin, N., Rousset, C., Sepulchre, P., Sima, A., Swingedouw, D., Thiéblemont, R., Traore, A. K., Vancoppenolle, M., Vial, J., Vialard, J., Viovy, N., and Vuichard, N.: Presentation and Evaluation of the IPSL-CM6A-LR Climate Model, *J. Adv. Model. Earth Syst.*, 12, <https://doi.org/10.1029/2019MS002010>, 2020.
- 750 Carslaw, K. S., Lee, L. A., Reddington, C. L., Pringle, K. J., Rap, A., Forster, P. M., Mann, G. W., Spracklen, D. V., Woodhouse, M. T., Regayre, L. A., and Pierce, J. R.: Large contribution of natural aerosols to uncertainty in indirect forcing, *Nature*, 503, 67, 2013.
- 755 Chylek, P., Srivastava, V., Pinnick, R. G., and Wang, T.: Scattering of Electromagnetic waves by composites spherical particles: Experiment and effective medium approximations, *Appl Opt*, 27, 2396–2404, 1988.
- Claquin, T., Schulz, M., and Balkanski, Y. J.: Modeling the mineralogy of atmospheric dust sources, *J. Geophys. Res. Atmospheres*, 104, 22243–22256, <https://doi.org/10.1029/1999JD900416>, 1999.
- Denjean, C., Cassola, F., and Mazzino, A., Triquet, S., Chevaillier, S., Grand, N., Bourriane, T., Mombosse, G., Sellegri, K., Schwarzenbock, A., Freney, E., Mallet, M., and Formenti, P.: Size distribution and optical
- 760

Deleted: *

Formatted: Font: 12 pt

properties of mineral dust aerosols transported in the western Mediterranean, *Atmos Chem Phys*, 1081–1104, <https://doi.org/10.5194/acp-16-1081-2016>, 2016.

765 | Di Biagio, C., Formenti, P., Balkanski, Y., Caponi, L., Cazaunau, M., Pangu, E., Journet, E., Nowak, S.,
Andreae, M. O., Kandler, K., Saeed, T., Piketh, S., Seibert, D., Williams, E., and Doussin, J.-F.: Complex
refractive indices and single scattering albedo of global dustaerosols in the shortwave spectrum and relationship
to iron content and size, *Atmospheric Chem. Phys.*, 19, <https://doi.org/10.5194/acp-2019-145>, 2019.

770 | Di Biagio, C., Balkanski, Y., Albani, S., Boucher, O., and Formenti, P.: Direct Radiative Effect by Mineral Dust
Aerosols Constrained by New Microphysical and Spectral Optical Data, *Geophys. Res. Lett.*, 47,
<https://doi.org/10.1029/2019GL086186>, 2020.

775 | Enfield, D. B., Mestas-Nuñez, A. M., and Trimble, P. J.: The Atlantic Multidecadal Oscillation and its relation to
rainfall and river flows in the continental U.S., *Geophys. Res. Lett.*, 28, 2077–2080,
<https://doi.org/10.1029/2000GL012745>, 2001.

775 | Engelbrecht, J. P., Moosmüller, H., and Pincock, S., Jayanty, R. K. M., Lersch, T., and Casuccio, G.: Technical
note: Mineralogical, chemical, morphological, and optical interrelationships of mineral dust re-suspensions,
Atmos Chem Phys, 16, 2016.

780 | Fiedler, S., Crueger, T., D'Agostino, R., Peters, K., Becker, T., Leutwyler, D., Paccini, L., Burdanowitz, J.,
Buehler, S. A., Cortes, A. U., Dauhut, T., Dommenget, D., Fraedrich, K., Jungandreas, L., Maher, N., Naumann,
A. K., Rugenstein, M., Sakradzija, M., Schmidt, H., Sielmann, F., Stephan, C., Timmreck, C., Zhu, X., and
Stevens, B.: Simulated Tropical Precipitation Assessed across Three Major Phases of the Coupled Model
Intercomparison Project (CMIP), *Mon. Weather Rev.*, 148, 3653–3680, <https://doi.org/10.1175/MWR-D-19-0404.1>, 2020.

785 | Formenti, P., Caquineau, S., Chevallier, S., Klaver, A., Desboeufs, K., Rajot, J. L., Belin, S., and Briois, V.:
Dominance of goethite over hematite in iron oxides of mineral dust from Western Africa: Quantitative
partitioning by X-ray absorption spectroscopy, *J. Geophys. Res. Atmospheres*, 119, 12,740–12,754,
<https://doi.org/10.1002/2014JD021668>, 2014.

790 | Foucart, Y. and Bonnel, B.: Computations of Solar Heating of the Earth's Atmosphere—A New
Parameterization, *Beitrag Zur Phys. Atmosphere*, 53, 35–62, 1980.

790 | Haywood, J. M., Jones, A., Dunstone, N., Milton, S., Vellinga, M., Bodas-Salcedo, A., Hawcroft, M., Kravitz,
B., Cole, J., Watanabe, S., and Stephens, G.: The impact of equilibrating hemispheric albedos on tropical
performance in the HadGEM2-ES coupled climate model, *Geophys. Res. Lett.*, 43, 395–403,
<https://doi.org/10.1002/2015GL066903>, 2016.

- Hogan, R. and Bozzo, A.: ECRAD: A new radiation scheme for the IFS, ECMWF, 2016.
- 795 Hwang, H. and Frierson, D.: Link between the double-intertropical convergence zone problem and cloud biases over the southern ocean., *Proc. Natl. Acad. Sci.*, 110, 4935–4940, 2013.
- Joseph, J. H., Wiscombe, W. J., and Weinman, J. A.: The delta-Eddington approximation for radiative flux transfer, *J Atmos Sci*, 33, 2452–2459, 1976.
- Journet, E., Balkanski, Y., and Harrison, S. P.: A new data set of soil mineralogy for dust-cycle modeling, *Atmospheric Chem. Phys.*, 14, 3801–3816, <https://doi.org/10.5194/acp-14-3801-2014>, 2014.
- 800 Kandler, K., Benker, N., Bundke, U., Cuevas, E., Ebert, M., Knippertz, P., Rodríguez, S., Schütz, L., and Weinbruch, S.: Chemical composition and complex refractive index of Saharan Mineral Dust at Izaña, Tenerife (Spain) derived by electron microscopy, *Atmos. Environ.*, 41, 8058–8074, <https://doi.org/10.1016/j.atmosenv.2007.06.047>, 2007.
- Kok, J. F.: Does the size distribution of mineral dust aerosols depend on the wind speed at emission?, *Atmos Chem Phys*, 11, 10149–10156, <https://doi.org/10.5194/acp-11-10149-2011>, 2011.
- 805 Kok, J. F., Ridley, D. A., Zhou, Q., Miller, R. L., Zhao, C., Heald, C. L., Ward, D. S., Albani, S., and Haustein, K.: Smaller desert dust cooling effect estimated from analysis of dust size and abundance, *Nat. Geosci.*, 10, 274–278, <https://doi.org/10.1038/ngeo2912>, 2017.
- Lafon, S., Sokolik, I. N., Dajot, J. L., Caqueneau, S., and Gaudichet, A.: Characterization of iron oxides in mineral dust aerosols: Implications for light absorption, *J Geophys Res Atm*, 111, <https://doi.org/10.1029/2005JD007016>, 2006.
- 810 Liu, D., Taylor, J. W., Crosier, J., Marsden, N., Bower, K. N., Lloyd, G., Ryder, C. L., Brooke, J. K., Cotton, R., Marengo, F., Blyth, A., Cui, Z., Estelles, V., Gallagher, M., Coe, H., and Choullarton, T. W.: Aircraft and ground measurements of dust aerosols over the west African coast in summer 2015 during ICE-D and AER-D, *Atmospheric Chem. Phys.*, 18, 3817–3838, <https://doi.org/10.5194/acp-18-3817-2018>, 2018.
- 815 Miller, R. L., Tegen, I., and Perlwitz, J.: Surface radiative forcing by soil dust aerosols and the hydrologic cycle, *J. Geophys. Res. Atmospheres*, 109, 4085–4112, <https://doi.org/10.1029/2003JD004085>, 2004a.
- Miller, R. L., Tegen, I., and Perlwitz, J.: Surface radiative forcing by soil dust aerosols and the hydrologic cycle, *J. Geophys. Res. Atmospheres*, 109, <https://doi.org/10.1029/2003JD004085>, 2004b.
- 820 Miller, R. L., Knippertz, P., Pérez Garcia-Pando, C., Perlwitz, J. P., and Tegen, I.: Impact of Dust Radiative Forcing upon Climate, in: *Mineral Dust: A Key Player in the Earth System*, edited by: Knippertz, P. and Stuut, J.-B. W., Springer Netherlands, Dordrecht, 327–357, https://doi.org/10.1007/978-94-017-8978-3_13, 2014a.

- 825 Miller, R. L., Knippertz, P., Pérez García-Pando, C., Perlwitz, J. P., and Tegen, I.: Impact of Dust Radiative Forcing upon Climate, in: Mineral Dust, edited by: Knippertz, P. and Stuut, J.-B. W., Springer Netherlands, Dordrecht, 327–357, https://doi.org/10.1007/978-94-017-8978-3_13, 2014b.
- Moosmüller, H., Engelbrecht, J. P., Skiba, M., Frey, G., and Chakrabarty, R. K., and Amott, W. P.: Single scattering albedo of fine mineral dust aerosols controlled by iron concentration, *J Geophys Res*, 117, 2012.
- Morcrette, J.-J. and Fouquart, .: The overlapping of cloud layers in shortwave radiation parameterizations, *J Atmos Sci*, 43, 321–328, 1986.
- 830 Nenes, A., Murray, B., and Bougiatioti, A.: Mineral Dust and its Microphysical Interactions with Clouds, in: Mineral Dust, edited by: Knippertz, P. and Stuut, J.-B. W., Springer Netherlands, Dordrecht, 287–325, https://doi.org/10.1007/978-94-017-8978-3_12, 2014.
- Nickovic, S., Vukovic, A., Vujadinovic, M., Djurdjevic, V., and Pejanovic, G.: Technical Note: High-resolution mineralogical database of dust-productive soils for atmospheric dust modeling, *Atmospheric Chem. Phys.*, 12, 845–855, <https://doi.org/10.5194/acp-12-845-2012>, 2012.
- 835 Pérez, C., Nickovic, S., Pejanovic, G., Baldasano, J. M., and Özsoy, E.: Interactive dust-radiation modeling: A step to improve weather forecasts, *J. Geophys. Res.*, 111, D16206, <https://doi.org/10.1029/2005JD006717>, 2006.
- Perlwitz, J. P., Pérez García-Pando, C., and Miller, R. L.: Predicting the mineral composition of dust aerosols – Part 1: Representing key processes, *Atmospheric Chem. Phys.*, 15, 11593–11627, <https://doi.org/10.5194/acp-15-11593-2015>, 2015.
- 840 Reid, J. S.: Comparison of size and morphological measurements of coarse mode dust particles from Africa, *J. Geophys. Res.*, 108, 8593, <https://doi.org/10.1029/2002JD002485>, 2003.
- Ridley, D. A., Heald, C. L., Kok, J. F., and Zhao, C.: An observationally constrained estimate of global dust aerosol optical depth, *Atmos Chem Phys*, 16, 15097–15117, <https://doi.org/10.5194/acp-16-15097-2016>, 2016.
- 845 Roehrig, R., Bouniol, D., Guichard, F., Hourdin, F., and Redelsperger, J.-L.: The Present and Future of the West African Monsoon: A Process-Oriented Assessment of CMIP5 Simulations along the AMMA Transect, *J. Clim.*, 26, 6471–6505, <https://doi.org/10.1175/JCLI-D-12-00505.1>, 2013.
- Ryder, C. L., Marengo, F., Brooke, J. K., Estelles, V., Cotton, R., Formenti, P., McQuaid, J. B., Price, H. C., Liu, D., Ausset, P., Rosenberg, P. D., Taylor, J. W., Choulaton, T., Bower, K., Coe, H., Gallagher, M., Crosier, J., 850 Lloyd, G., Highwood, E. J., and Murray, B. J.: Coarse-mode mineral dust size distributions, composition and optical properties from AER-D aircraft measurements over the tropical eastern Atlantic, *Atmospheric Chem. Phys.*, 18, 17225–17257, <https://doi.org/10.5194/acp-18-17225-2018>, 2018.

- Ryder, C. L., Highwood, E. J., Rosenberg, P. D., Trembath, J., Brooke, J. K., Bart, M., Dean, A., Crosier, J., Dorsey, J., Brindley, H., Banks, J., Marsham, J. H., McQuaid, J. B., Sodemann, H., and Washington, R.: Optical properties of Saharan dust aerosol and contribution from the coarse mode as measured during the Fennec 2011 aircraft campaign, *Atmos Chem Phys*, 13, 303–325, 2013., *Atmos Chem Phys*, 13, 303–325, [https://doi.org/10.5194, 2013](https://doi.org/10.5194/2013).
- Schulz, M., Balkanski, Y. J., Guelle, W., and Dulac, F.: Role of aerosol size distribution and source location in a three dimensional simulation of a Saharan dust episode tested against satellite-derived optical thickness, *J Geophys Res Atm*, 103, 10579–10592, 1998.
- Sheen, K. L., Smith, D. M., Dunstone, N. J., Eade, R., Rowell, D. P., and Vellinga, M.: Skilful prediction of Sahel summer rainfall on inter-annual and multi-year timescales, *Nat. Commun.*, 8, <https://doi.org/10.1038/ncomms14966>, 2017.
- Sokolik, I. N. and Toon, O. B.: Direct radiative forcing by anthropogenic airborne mineral aerosols, *Nature*, 381, 681–683, <https://doi.org/10.1038/381681a0>, 1996.
- Solmon, F., Mallet, M., Elguindi, N., Giorgi, F., Zakey, A., and Konaré, A.: Dust aerosol impact on regional precipitation over western Africa, mechanisms and sensitivity to absorption properties, *Geophys. Res. Lett.*, 35, L24705, <https://doi.org/10.1029/2008GL035900>, 2008.
- Stephens, G. L., Hakuba, M. Z., Hawcroft, M., Haywood, J. M., Behrangi, A., Kay, J. E., and Webster, P. J.: The Curious Nature of the Hemispheric Symmetry of the Earth’s Water and Energy Balances, *Curr. Clim. Change Rep.*, 2, 135–147, <https://doi.org/10.1007/s40641-016-0043-9>, 2016.
- Trenberth, K. E.: Atmospheric moisture recycling: Role of advection and local evaporation, *J Clim*, 12, 1368–1371, [https://doi.org/10.1175/1520-0442\(1999\)012<1368:AMRROA](https://doi.org/10.1175/1520-0442(1999)012<1368:AMRROA), 1999.
- Trenberth, K. E. and Shea, D. J.: Atlantic hurricanes and natural variability in 2005, *Geophys. Res. Lett.*, 33, L12704, <https://doi.org/10.1029/2006GL026894>, 2006.
- Yoshioka, M., Mahowald, N. M., Conley, A. J., Collins, W. D., Fillmore, D. W., Zender, C. S., and Coleman, D. B.: Impact of Desert Dust Radiative Forcing on Sahel Precipitation: Relative Importance of Dust Compared to Sea Surface Temperature Variations, Vegetation Changes, and Greenhouse Gas Warming, *J. Clim.*, 20, 1445–1467, <https://doi.org/10.1175/JCLI4056.1>, 2007.
- Yu, Y., Notaro, M., Wang, F., Mao, J., Shi, X., and Wei, Y.: Observed positive vegetation-rainfall feedbacks in the Sahel dominated by a moisture recycling mechanism, *Nat. Commun.*, 8, 1873, <https://doi.org/10.1038/s41467-017-02021-1>, 2017.

Formatted: Line spacing: 1,5 lines

Author contributions

885

Y.B. conceived and designed the project and led manuscript writing. Y.B. and O.B. analysed the data and interpreted results. R.C.-G processed the observational satellite dataset and compared with the model. Y.B. led manuscript writing and preparation. R.B., O.B., R.C.-G. and J.S. assisted in manuscript writing and preparation.

Formatted: Font: 10 pt

Formatted: Space After: 12 pt

Competing interests

The authors declare no competing interests.

Formatted: Font: 10 pt

890

Availability of materials and data

The datasets generated during and/or analysed during the current study are available from the corresponding author on reasonable request.

Formatted: Font: 10 pt

Formatted: Font: 10 pt, English (US)

Formatted: Font: 10 pt

Deleted: ¶

Acknowledgements


895

This work has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 641816 (CRESCENDO) to Y.B., R. C.-G. and O.B.. Y.B. and R. C.-G. acknowledge the hospitality of the Institut Pascal, UPSaclay, during the INDICES programme 2019. The simulations were performed using supercomputing resources from the GENCI (Grand Equipement National de Calcul Intensif) under grant 2020-t2014012201.

Formatted: Font: 10 pt

Deleted:

Deleted: ¶



905

Figure 1. Iron oxide content (by mass) in the clay and silt fractions of soils over Central and North Africa from Nickovic et al. (2012).

Formatted: Font: 10 pt

Formatted: Justified




Figure 2. Relationship between the aerosol absorption, (co-single-scattering albedo at 550nm) presented on the x-axis, and the volume fraction of iron oxide present in dust. The solid blue line is for dust particles with diameters of less than 10 μm. The shift from the blue to the orange line shows the increase in dust absorption when the assumed size distribution is taken from observations made during the Fenec campaign by Ryder et al. (2013) as shown in Fig.1 of Di Biagio et al. (2020). The optical model used is described in the Methods. The ranges of absorptions measured during the AER-D campaign (Ryder et al., 2018) over Sahara and the near Atlantic are indicated by the blue shading (co-SSA at 550 nm ranging from 0.01 to 0.09), the range measured during the FENNEC campaign (Ryder et al., 2013) with the red shading (coSSA at 550nm ranging from 0.02 to 0.14).

910

915

Deleted: ¶
Formatted: Font: 13 pt
Formatted: Font: (Default) Sylfaen, 10 pt, Font color: Black, English (US)
Deleted: percentage in
Deleted: presents this relationship
Formatted: Font: 10 pt, Font color: Black, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, Font color: Black, English (US)
Deleted:
Formatted: Font: (Default) Sylfaen, 12,5 pt, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, Bold, Not Italic, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, Bold, Not Italic, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, Bold, Not Italic, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, Bold, Not Italic, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, Bold, Not Italic, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, English (US)
Formatted: Font: (Default) Sylfaen, 10 pt, Bold, Not Italic, English (US)
Deleted: the full dust size distribution observed in Ryder et al. (Ryder et al., 2018) is considered
Formatted: Font: 10 pt
Formatted: ... [99]
Formatted: Font: 10 pt
Formatted: ... [100]
Deleted: for the co-albedo
Formatted: Font: 10 pt
Formatted: ... [101]
Deleted: for the coSSA
Deleted: ¶ ... [102]
Formatted: ... [103]
Deleted: Section Break (Next Page) ... [104]
Formatted: Font: 10 pt




Figure 3. Top panel: Mean JJAS top-of-atmosphere (TOA) Dust Direct Radiative Effect (in $W m^{-2}$); Middle panel: Mean JJAS dust Atmospheric Absorption ($W m^{-2}$) which is obtained as the difference between top-of-atmosphere and surface effects; Bottom Panel: Mean JJAS surface Dust Radiative effect ($W m^{-2}$). Over the Sahel region ($10^{\circ}N$ to $20^{\circ}N$; $15^{\circ}W$ to $35^{\circ}E$), at the TOA effect amounts to $+6.0 W.m^{-2}$ ($SW=+4.1, LW=+1.9$); the atmospheric absorption amounts to $+16.7 W.m^{-2}$ ($SW=+19.9, LW=-3.2$); and the surface radiative effect amounts to $-10.8 W.m^{-2}$ ($SW=-15.8, LW=+5.1$). In addition, Table 1 also indicates the values for the dust global direct radiative effect.





Figure 4. The contours represent the mean precipitation difference (mm d-1) due to the effect of absorbing dust obtained for the months JJAS for 30 years (1985 to 2014) by subtracting the precipitation fields of the experiment with dust and the experiments without dust in the IPSL-CM6 climate model where dust is run interactively. The arrows indicate the changes in mean humidity transport (m/s*RH) for the same period.

Deleted: Figure 3. Top panel: Top-of-atmosphere Dust Direct Radiative Effect (in $W m^{-2}$); Middle panel: Dust Atmospheric Absorption ($W m^{-2}$) which is obtained as the difference between top-of-atmosphere and surface effects; Bottom Panel: Surface Dust Radiative effect ($W m^{-2}$). The effects indicated to the left of the Figures are the sum of SW+LW, the SW and the LW for the period JJAS, respectively. Over the Sahel region ($10^{\circ}N$ to $20^{\circ}N$; $15^{\circ}W$ to $35^{\circ}E$), at the top-of atmosphere this effect amounts to $+8.1 W.m^{-2}$ (SW= $+4.4$, LW= $+3.7$); the atmospheric absorption amounts to $+25.8 W.m^{-2}$ (SW= $+36.0$, LW= -10.2); at the surface, $-17.7 W.m^{-2}$ (SW= -31.6 , LW= $+13.9$).

Formatted: Font: 10 pt



945 **Figure 5. Hovmöller diagram showing the time and latitudinal variations of the zonally-averaged precipitation (mm day^{-1}) from 10°W to 10°E from 2000 to 2014. TRMM indicates the observed precipitations from the NASA Tropical Rainfall Measuring Mission.**

Deleted: <object> ... [105]

- Deleted: o
- Formatted: Font: 10 pt
- Formatted: Justified, Indent: Left: 0,5 cm, Right: 0,69 cm, Space After: 10 pt
- Deleted: for JJAS

950




Figure 6. Differences in water fluxes (mm day^{-1}), integrated between the surface and 200 hPa, through the boundaries of the Sahel region for a 30-year mean (1985-2014) in JJAS between simulations with and without. See the Methods for an explanation of how the fluxes are derived. The total change in precipitation and in evaporation over the Sahel due to the presence of dust amount respectively to 0.40 and 0.09 mm day^{-1} . The Sahel region is indicated on the Figure with a box. The sign of the water budget difference is positive (resp. negative) if water enters (resp. exits) the Sahel box.

Formatted: Justified, Indent: Left: 0,5 cm, Hanging: 0,75 cm, Right: 0,93 cm, Tab stops: 0,5 cm, Left + 1,25 cm, Left

Deleted: Budget Difference

Formatted: Font: 10 pt

Deleted: W

Deleted: over

Deleted: dust from the surface to 200 mb

Deleted: The way this budget was established is explained in

Formatted: Font: 10 pt, Bold, Not Italic

Formatted: Font: 10 pt

Deleted: has

Deleted: a

Deleted: sign when

| Region | DOD at 550nm (Dust Optical Depth) | Height | Dust Radiative Perturbation (Wm^{-2}) | | |
|------------------------------------|--|--|---|-------|-------|
| | | | SW | LW | Net |
| Sahel (10°N-20°N; 15°W-35°E) | 0.37*, 5% iron oxide Dust diameter < 10 μ m | Top-of-atmosphere (TOA) | +3.00 | +0.37 | +3.37 |
| | | Atmospheric Absorption (TOA-Surface) | +19.5 | -0.65 | +18.8 |
| | | Surface | -16.5 | +1.02 | -15.5 |
| | | TOA | +4.11 | +1.87 | +5.98 |
| | 0.37*, 3% iron oxide Dust diam. < 100 μ m | Atm. Absorption | +19.9 | -3.21 | +16.7 |
| | | Surface | -15.8 | +5.09 | -10.8 |
| TOA | | -0.15 | +0.02 | -0.14 | |
| Global | 0.030**, 5% iron oxide Dust diam.< 10 μ m | Atm. Absorption | +1.07 | -0.04 | +1.02 |
| | | Surface | -1.22 | +0.06 | -1.16 |
| | | TOA | -0.14 | +0.12 | -0.02 |
| | 0.030**, 3% iron oxide Dust diam. < 100 μ m | Atm. Absorption | +1.28 | -0.29 | +0.98 |
| | | Surface | -1.42 | +0.41 | -1.01 |
| | | TOA | -0.14 | +0.12 | -0.02 |

Table 1. Dust Global Radiative Perturbation in the Different Model Simulations. The atmospheric radiative perturbations (corresponding to atmospheric absorption) are highlighted in blue.

*Sahel Dust Optical depth at 550 nm was scaled to 0.37 to match the MODIS JJAS mean from 2000 to 2014 (both on-land and Deep-Blue products).

**Global Dust Optical depth at 550 nm was scaled to 0.030 according to observational constraints described in Kok et al. (2017).

- Formatted Table ... [106]
- Formatted ... [108]
- Formatted ... [109]
- Formatted ... [110]
- Formatted ... [111]
- Formatted ... [112]
- Formatted ... [113]
- Formatted ... [114]
- Formatted ... [115]
- Formatted ... [116]
- Formatted ... [117]
- Formatted ... [118]
- Formatted ... [119]
- Formatted ... [107]
- Formatted ... [120]
- Formatted ... [121]
- Formatted ... [122]
- Formatted ... [123]
- Formatted ... [124]
- Formatted ... [125]
- Formatted ... [126]
- Formatted ... [127]
- Formatted ... [128]
- Formatted ... [130]
- Formatted ... [131]
- Formatted ... [132]
- Formatted ... [133]
- Formatted ... [134]
- Formatted ... [135]
- Formatted ... [136]
- Formatted ... [137]
- Formatted ... [138]
- Formatted ... [139]
- Formatted ... [140]
- Formatted ... [141]
- Formatted ... [129]
- Formatted ... [142]
- Formatted ... [143]
- Formatted ... [144]
- Formatted ... [145]
- Formatted ... [146]
- Formatted ... [147]
- Formatted ... [148]
- Formatted ... [149]
- Formatted ... [150]
- Formatted ... [151]
- Formatted ... [152]
- Formatted ... [153]
- Formatted ... [154]

| Regions | No Dust vs. GPCP | | | Dust vs. GPCP | | |
|---|------------------|-------|-------------|---------------|--------------|--------------|
| | Bias | RMSE | Correlation | Bias | RMSE | Correlation |
| Globe | 0.277 | 1.61 | 0.821 | 0.276 | 1.62 | 0.819 |
| N. Atlantic (50°W-20°W; 0-30°N) | 0.625 | 1.43 | 0.952 | 0.499 | 1.25 | 0.956 |
| N. Africa (18W-40E; 0-35N) | 0.029 | 1.67 | 0.883 | 0.235 | 1.56 | <i>0.916</i> |
| Sahel (16W-36E; 10N-20N) | -1.18 | 1.51 | 0.951 | -0.775 | 1.07 | <i>0.965</i> |
| West Indian Ocean (50E-70E; 10S-15N) | 1.33 | 1.74 | 0.815 | <i>1.26</i> | <i>1.58</i> | <i>0.865</i> |
| Equatorial Pacific (120E-90W; 10S-10N) | 0.313 | 3.67 | 0.704 | <i>0.326</i> | 3.68 | 0.709 |
| Western Europe (0-50E; 35N-60N) | -0.298 | 0.748 | 0.708 | <i>-0.319</i> | <i>0.705</i> | <i>0.766</i> |

Table 2. Statistics of the simulated precipitation between without dust and with dust compared to the GPCP observations for the months of June-July-August-September (JJAS). The last column indicates the precipitation change (mm day⁻¹) over the period JJAS. Both simulated and observed precipitation fields are compared for the same JJAS period from 1985 to 2014. The Table cells with statistics in italics (resp. in bold) indicate an improvement/degradation from 5 to 15% (resp. > 15%) of the bias, RMSE, and correlation for the region indicated in the first column.

Deleted:

Deleted: →

Formatted: Justified, Space After: 10 pt

Formatted: Font: 10 pt, Bold

Formatted: Justified

Formatted: Right

| Regions | rlut vs CERES No Dust vs. GPCP | | | rlut vs CERES Dust vs. GPCP | | |
|---|--------------------------------|------|-------------|-----------------------------|------|-------------|
| | Bias | RMSE | Correlation | Bias | RMSE | Correlation |
| Globe | -3.71 | 11.0 | 0.956 | -3.65 | 10.6 | 0.959 |
| N. Atlantic (50°W-20°W; 0-30°N) | -8.17 | 10.2 | 0.915 | -7.48 | 9.12 | 0.939 |
| N. Africa (18W-40E; 0-35N) | 6.55 | 18.1 | 0.877 | 2.64 | 13.4 | 0.922 |
| Sahel (16W-36E; 10N-20N) | 26.1 | 28.0 | 0.92 | 15.7 | 17.7 | 0.947 |
| West Indian Ocean (50E-70E; 10S-15N) | -6.24 | 10.8 | 0.889 | -5.34 | 8.94 | 0.918 |
| Equatorial Pacific (120E-90W; 10S-10N) | 0.263 | 18.4 | 0.767 | 0.202 | 18.0 | 0.779 |
| Western Europe (0-50E; 35N-60N) | 1.01 | 6.95 | 0.94 | 2.12 | 6.79 | 0.95 |

Formatted Table

Table 3. Comparison of the simulated LW top-of-atmosphere (toa) outgoing fluxes (in $W m^{-2}$) to CERES observations over the regions indicated in the first column. For 2-D maps see: https://vesg.ipsl.upmc.fr/thredds/fileServer/IPSLFS/vbalkanski/C-ESM-EP/Yves_first_comparison_vbalkanski/DustPrecipitationMaps_vs_obs/Yves_first_comparison.html.

Formatted: Justified, Indent: Left: 0,5 cm, Right: -0,31 cm, Space Before: 0 pt

Field Code Changed

Formatted: Font: 10 pt

Deleted: ¶

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Left

| Regions | rsut vs CERES No Dust vs. GPCP | | | rsut vs CERES Dust vs. GPCP | | |
|---|--------------------------------|------|-------------|-----------------------------|------|-------------|
| | Bias | RMSE | Correlation | Bias | RMSE | Correlation |
| Globe | 4.0 | 16.3 | 0.917 | 3.78 | 16.0 | 0.918 |
| N. Atlantic (50°W-20°W; 0-30°N) | 10.4 | 14.1 | 0.912 | 13.7 | 16.3 | 0.932 |
| N. Africa (18W-40E; 0-35N) | -3.42 | 18.7 | 0.78 | -2.11 | 17.1 | 0.797 |
| Sahel (16W-36E; 10N-20N) | -15.1 | 19.8 | 0.801 | -13.5 | 16.0 | 0.816 |
| West Indian Ocean (50E-70E; 10S-15N) | 5.56 | 11.6 | 0.778 | 5.89 | 10.8 | 0.801 |
| Equatorial Pacific (120E-90W; 10S-10N) | 0.712 | 20.9 | 0.774 | 0.674 | 20.8 | 0.777 |
| Western Europe (0-50E; 35N-60N) | -11.7 | 15.1 | 0.932 | -11.6 | 14.9 | 0.938 |

Formatted: Justified, Indent: Left: 0 cm, Hanging: 0,25 cm, Right: -1,07 cm, Space Before: 0 pt

Formatted: Font: 10 pt

Formatted: Font: (Default) Times New Roman, 10 pt, Bold

Formatted: Font: (Default) Times New Roman, Bold

Formatted: Font: (Default) Times New Roman, 10 pt, Bold

Formatted: Font: 10 pt, Bold

Formatted: Font: Bold

Table 4. Comparison of the simulated SW top-of-atmosphere (toa) outgoing fluxes (in $W m^{-2}$) to CERES observations over the regions indicated in the first column. For 2-D maps see: https://vesg.ipsl.upmc.fr/thredds/fileServer/IPSLFS/vbalkanski/C-ESM-EP/Yves_first_comparison_vbalkanski/DustPrecipitationMaps_vs_obs/Yves_first_comparison.html.

[EP/Yves first comparison vbalkanski/DustPrecipitationMaps vs obs/atlas DustPrecipitationMaps vs obs Yves first comparison.html](#)

| Flux Differences ($W\ m^{-2}$) between the cases 'Dust 3% Haematite' and 'No Dust' | | | | | |
|--|------------------------|------------------------|-------------|-------------|---|
| | ΔF_{surf}^{SW} | ΔF_{surf}^{LW} | ΔLE | ΔSE | $\Delta F_{surf}^{SW} + \Delta F_{surf}^{LW} + \Delta LE + \Delta SE$ |
| Annual Global | -1.57 | 0.74 | 0.25 | 0.61 | -0.03 |
| Annual Sahel | -26.85 | 18.48 | -2.87 | 11.10 | -0.14 |
| JJAS Global | -1.34 | 0.86 | 0.09 | 0.48 | 0.08 |
| JJAS Sahel | -23.43 | 18.44 | -2.71 | 7.66 | -0.05 |

Table 5. Annual and JJAS flux differences in surface fluxes (and their residuals) in $W\ m^{-2}$ estimated globally and for the Sahel region (15°W-35°E; 10°N-20°N) between the Dust and No Dust experiments. ΔF_{surf}^{SW} and ΔF_{surf}^{LW} represent the net changes in respectively the SW and LW radiative fluxes at the surface, respectively, and the two other terms, ΔLE and ΔSE , indicate the changes in turbulent fluxes of latent and sensible heat due to the presence of dust. These terms are computed over the 30-year period from 1985 to 2014.

995

- Formatted ... [155]
- Formatted: Font: 12 pt
- Formatted: Font: 12 pt
- Formatted Table
- Formatted ... [156]
- Formatted: Font: 12 pt
- Formatted ... [157]
- Formatted ... [159]
- Formatted: Font: 12 pt
- Formatted: Font: 12 pt
- Formatted ... [158]
- Formatted: Font: (Default) Calibri, 11 pt
- Formatted: Font: 10 pt
- Formatted: Justified
- Formatted ... [160]
- Formatted ... [161]
- Formatted: Font: Bold
- Formatted ... [162]

Page 1: [1] Deleted **Microsoft Office User** **3/15/21 3:26:00 PM**

Page 1: [1] Deleted **Microsoft Office User** **3/15/21 3:26:00 PM**

Page 1: [2] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [2] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

Page 1: [3] Formatted **Microsoft Office User** **5/26/21 9:13:00 AM**

Font: 10,5 pt

▲ **Page 1: [3] Formatted** Microsoft Office User 5/26/21 9:13:00 AM

Font: 10,5 pt

▲ **Page 1: [3] Formatted** Microsoft Office User 5/26/21 9:13:00 AM

Font: 10,5 pt

▲ **Page 1: [3] Formatted** Microsoft Office User 5/26/21 9:13:00 AM

Font: 10,5 pt

▲ **Page 1: [3] Formatted** Microsoft Office User 5/26/21 9:13:00 AM

Font: 10,5 pt

▲ **Page 1: [4] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 1: [4] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 1: [4] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 1: [4] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 1: [4] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 1: [4] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [5] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [5] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [5] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [5] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [5] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [5] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [5] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [5] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [6] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [6] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [6] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [6] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [6] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [6] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [7] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: Times New Roman, 10 pt, Not Italic

▲ **Page 2: [7] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: Times New Roman, 10 pt, Not Italic

▲ **Page 2: [8] Deleted** Microsoft Office User 5/19/21 4:04:00 PM

▲ **Page 2: [8] Deleted** Microsoft Office User 5/19/21 4:04:00 PM

▲ **Page 2: [9] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [9] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [9] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [9] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [9] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [10] Deleted** Microsoft Office User 3/16/21 5:09:00 PM

▲ **Page 2: [11] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, Font color: Black

▲ **Page 2: [11] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, Font color: Black

▲ **Page 2: [11] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

▲ **Page 2: [11] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, Font color: Black

▲ **Page 2: [11] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, Font color: Black

▲ **Page 2: [11] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, Font color: Black

▲ **Page 2: [12] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, Font color: Black

▲ **Page 2: [12] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, Font color: Black

▲ **Page 2: [12] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, Font color: Black

▲ **Page 2: [12] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, Font color: Black

▲ **Page 2: [12] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, Font color: Black

▲ **Page 2: [13] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [13] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [13] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [13] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [13] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [14] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [14] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [14] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [14] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [14] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [14] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [14] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 2: [15] Deleted** Microsoft Office User 3/16/21 9:25:00 AM

▲ **Page 2: [15] Deleted** Microsoft Office User 3/16/21 9:25:00 AM

▲ **Page 2: [16] Deleted** Microsoft Office User 3/16/21 9:27:00 AM

▲ **Page 2: [16] Deleted** Microsoft Office User 3/16/21 9:27:00 AM

▲ **Page 2: [16] Deleted** Microsoft Office User 3/16/21 9:27:00 AM

▲ **Page 2: [16] Deleted** Microsoft Office User 3/16/21 9:27:00 AM

▲ **Page 2: [16] Deleted** Microsoft Office User 3/16/21 9:27:00 AM

▲ **Page 3: [17] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 3: [17] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 3: [17] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 3: [17] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt

▲ **Page 3: [18] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, English (US)

▲ **Page 3: [18] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, English (US)

▲ **Page 3: [18] Formatted** Microsoft Office User 5/26/21 9:14:00 AM

Font: 10 pt, English (US)

▲ **Page 3: [19] Formatted** Microsoft Office User 5/26/21 9:17:00 AM

Font: 10 pt

▲ **Page 3: [20] Formatted** Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ **Page 3: [20] Formatted** Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ **Page 3: [20] Formatted** Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ **Page 3: [20] Formatted** Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ **Page 3: [20] Formatted** Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ **Page 3: [20] Formatted** Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ **Page 3: [20] Formatted** Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ **Page 3: [20] Formatted** Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ **Page 3: [21] Deleted** Microsoft Office User 3/19/21 10:16:00 AM

Font: 10 pt

▲ **Page 3: [21] Deleted** Microsoft Office User 3/19/21 10:16:00 AM

Font: 10 pt

▲ **Page 3: [21] Deleted** Microsoft Office User 3/19/21 10:16:00 AM

Font: 10 pt

▲ **Page 3: [21] Deleted** Microsoft Office User 3/19/21 10:16:00 AM

Font: 10 pt

▲ **Page 3: [21] Deleted** Microsoft Office User 3/19/21 10:16:00 AM

Font: 10 pt

▲ **Page 3: [21] Deleted** Microsoft Office User 3/19/21 10:16:00 AM

Font: 10 pt

▲ **Page 3: [21] Deleted** Microsoft Office User 3/19/21 10:16:00 AM

Font: 10 pt

▲ **Page 3: [22] Formatted** Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ **Page 3: [22] Formatted** Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ Page 3: [23] Deleted Microsoft Office User 3/19/21 10:18:00 AM

✖

▲ Page 3: [23] Deleted Microsoft Office User 3/19/21 10:18:00 AM

✖

▲ Page 3: [23] Deleted Microsoft Office User 3/19/21 10:18:00 AM

✖

▲ Page 3: [24] Formatted Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ Page 3: [24] Formatted Microsoft Office User 5/26/21 9:18:00 AM

Font: 10 pt

▲ Page 3: [25] Deleted Microsoft Office User 3/19/21 10:19:00 AM

✖

▲ Page 3: [25] Deleted Microsoft Office User 3/19/21 10:19:00 AM

✖

▲ Page 3: [25] Deleted Microsoft Office User 3/19/21 10:19:00 AM

✖

▲ Page 3: [25] Deleted Microsoft Office User 3/19/21 10:19:00 AM

✖

▲ Page 3: [25] Deleted Microsoft Office User 3/19/21 10:19:00 AM

✖

▲ Page 5: [26] Deleted Microsoft Office User 3/16/21 10:00:00 AM

✖

▲ Page 5: [26] Deleted Microsoft Office User 3/16/21 10:00:00 AM

✖

▲ Page 5: [26] Deleted Microsoft Office User 3/16/21 10:00:00 AM

✖

▲ Page 5: [26] Deleted Microsoft Office User 3/16/21 10:00:00 AM

✖

▲ Page 5: [26] Deleted Microsoft Office User 3/16/21 10:00:00 AM

✖

▲ Page 5: [27] Formatted Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [28] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt, Bold

▲ **Page 5: [28] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt, Bold

▲ **Page 5: [28] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt, Bold

▲ **Page 5: [28] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt, Bold

▲ **Page 5: [29] Deleted** Microsoft Office User 3/16/21 4:27:00 PM

✖

▲ **Page 5: [29] Deleted** Microsoft Office User 3/16/21 4:27:00 PM

✖

▲ **Page 5: [29] Deleted** Microsoft Office User 3/16/21 4:27:00 PM

✖

▲ **Page 5: [29] Deleted** Microsoft Office User 3/16/21 4:27:00 PM

✖

▲ **Page 5: [29] Deleted** Microsoft Office User 3/16/21 4:27:00 PM

✖

▲ **Page 5: [30] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [30] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [30] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [31] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [31] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [31] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [31] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [32] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [33] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [33] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [33] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [33] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [33] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [33] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [33] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [33] Formatted** Microsoft Office User 5/26/21 9:19:00 AM

Font: 10 pt

▲ **Page 5: [34] Deleted** Microsoft Office User 5/25/21 9:34:00 AM

✖

▲ **Page 5: [34] Deleted** Microsoft Office User 5/25/21 9:34:00 AM

✖

▲ **Page 6: [35] Deleted** Microsoft Office User 3/16/21 10:04:00 AM

✖

▲ **Page 6: [36] Formatted** Microsoft Office User 5/26/21 9:25:00 AM

Font: 10 pt

▲ **Page 6: [37] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [38] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Justified, Line spacing: 1,5 lines

▲ **Page 6: [39] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [39] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [40] Deleted** Microsoft Office User 3/22/21 10:35:00 AM

▼

▲ **Page 6: [40] Deleted** Microsoft Office User 3/22/21 10:35:00 AM

▲ **Page 6: [41] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [42] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Justified, Line spacing: 1,5 lines, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

▲ **Page 6: [43] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [43] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [43] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [43] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [43] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [43] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [44] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [45] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [45] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [46] Deleted** Microsoft Office User 3/22/21 10:37:00 AM

x

▲ **Page 6: [46] Deleted** Microsoft Office User 3/22/21 10:37:00 AM

x

▲ **Page 6: [46] Deleted** Microsoft Office User 3/22/21 10:37:00 AM

x

▲ **Page 6: [46] Deleted** Microsoft Office User 3/22/21 10:37:00 AM

x

▲ **Page 6: [47] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [47] Formatted** Microsoft Office User 5/26/21 9:20:00 AM

Font: 10 pt

▲ **Page 6: [48] Deleted** Microsoft Office User 3/16/21 10:12:00 AM

▲ **Page 6: [49] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [50] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Justified, Space After: 0 pt, Line spacing: 1,5 lines, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

▲ **Page 6: [51] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 6: [51] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 6: [51] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 6: [52] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [52] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [52] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [52] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [52] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [52] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [52] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [52] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [52] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [52] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, English (US)

▲ **Page 6: [53] Deleted** Microsoft Office User 3/17/21 10:02:00 AM

▲ **Page 6: [53] Deleted** Microsoft Office User 3/17/21 10:02:00 AM

▲ **Page 6: [54] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Font color: Text 2

▲ **Page 6: [55] Formatted** Microsoft Office User 5/19/21 2:38:00 PM

Line spacing: Double

▲ **Page 6: [56] Formatted** Microsoft Office User 5/25/21 9:46:00 AM

Font color: Text 1

▲ **Page 6: [57] Formatted** Microsoft Office User 5/25/21 9:46:00 AM

Font color: Text 1

▲ **Page 6: [58] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Font color: Text 1

▲ **Page 6: [59] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Justified, Line spacing: 1,5 lines

▲ **Page 6: [60] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Font color: Text 1

▲ **Page 6: [60] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Font color: Text 1

▲ **Page 6: [61] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Not Bold, Font color: Text 1

▲ **Page 6: [61] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Not Bold, Font color: Text 1

▲ **Page 6: [62] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Not Bold, Font color: Text 1

▲ **Page 6: [62] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Not Bold, Font color: Text 1

▲ **Page 6: [63] Deleted** Microsoft Office User 3/16/21 10:17:00 AM

✖

▲ **Page 6: [63] Deleted** Microsoft Office User 3/16/21 10:17:00 AM

✖

▲ **Page 6: [63] Deleted** Microsoft Office User 3/16/21 10:17:00 AM

✖

▲ **Page 6: [63] Deleted** Microsoft Office User 3/16/21 10:17:00 AM

✖

▲ **Page 6: [63] Deleted** Microsoft Office User 3/16/21 10:17:00 AM

✖

▲ **Page 6: [63] Deleted** Microsoft Office User 3/16/21 10:17:00 AM

✖

▲ **Page 7: [64] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Font color: Text 1

▲ **Page 7: [64] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Font color: Text 1

▲ **Page 7: [64] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt, Font color: Text 1

▲ **Page 7: [65] Deleted** Microsoft Office User 5/19/21 3:17:00 PM

▲ **Page 7: [65] Deleted** Microsoft Office User 5/19/21 3:17:00 PM

▲ **Page 7: [65] Deleted** Microsoft Office User 5/19/21 3:17:00 PM

▲ **Page 7: [66] Deleted** Microsoft Office User 5/19/21 3:17:00 PM

▲ **Page 7: [66] Deleted** Microsoft Office User 5/19/21 3:17:00 PM

▲ **Page 7: [66] Deleted** Microsoft Office User 5/19/21 3:17:00 PM

▲ **Page 7: [66] Deleted** Microsoft Office User 5/19/21 3:17:00 PM

▲ **Page 7: [66] Deleted** Microsoft Office User 5/19/21 3:17:00 PM

▲ **Page 7: [67] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [67] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [67] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [67] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [67] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [68] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [68] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [68] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [69] Deleted** Microsoft Office User 3/16/21 4:45:00 PM

▲ **Page 7: [69] Deleted** Microsoft Office User 3/16/21 4:45:00 PM

▲ **Page 7: [69] Deleted** Microsoft Office User 3/16/21 4:45:00 PM

▲ **Page 7: [69] Deleted** Microsoft Office User 3/16/21 4:45:00 PM

▲ **Page 7: [69] Deleted** Microsoft Office User 3/16/21 4:45:00 PM

▲ **Page 7: [70] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [71] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [71] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [72] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [72] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [73] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [73] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [74] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [74] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 7: [75] Deleted** Microsoft Office User 5/25/21 9:53:00 AM

✖

▲ **Page 7: [75] Deleted** Microsoft Office User 5/25/21 9:53:00 AM

✖

▲ **Page 7: [76] Formatted** Microsoft Office User 5/26/21 9:33:00 AM

Font: 10 pt, Font color: Text 1

▲ **Page 7: [76] Formatted** Microsoft Office User 5/26/21 9:33:00 AM

Font: 10 pt, Font color: Text 1

▲ **Page 7: [76] Formatted** Microsoft Office User 5/26/21 9:33:00 AM

Font: 10 pt, Font color: Text 1

▲ **Page 8: [77] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 8: [77] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 8: [77] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 8: [77] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 8: [78] Deleted** Microsoft Office User 5/25/21 10:03:00 AM

▲ **Page 8: [78] Deleted** Microsoft Office User 5/25/21 10:03:00 AM

▲ **Page 8: [78] Deleted** Microsoft Office User 5/25/21 10:03:00 AM

▲ **Page 8: [78] Deleted** Microsoft Office User 5/25/21 10:03:00 AM

▲ **Page 8: [79] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: Times New Roman

▲ **Page 8: [79] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: Times New Roman

▲ **Page 8: [79] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: Times New Roman

▲ **Page 8: [80] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 8: [80] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 8: [80] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 8: [80] Formatted** Microsoft Office User 5/26/21 9:21:00 AM

Font: 10 pt

▲ **Page 8: [81] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [81] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [81] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [81] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [81] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [81] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [82] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [82] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [82] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [82] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [83] Deleted** Microsoft Office User 5/19/21 4:39:00 PM

✖

▲ **Page 8: [83] Deleted** Microsoft Office User 5/19/21 4:39:00 PM

✖

▲ **Page 8: [83] Deleted** Microsoft Office User 5/19/21 4:39:00 PM

✖

▲ **Page 8: [83] Deleted** Microsoft Office User 5/19/21 4:39:00 PM

✖

▲ **Page 8: [83] Deleted** Microsoft Office User 5/19/21 4:39:00 PM

✖

▲ **Page 8: [83] Deleted** Microsoft Office User 5/19/21 4:39:00 PM

✖

▲ **Page 8: [83] Deleted** Microsoft Office User 5/19/21 4:39:00 PM

✖

▲ **Page 8: [84] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [84] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [85] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 8: [85] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [86] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [86] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [86] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [86] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

Font: 12 pt

▲ **Page 9: [87] Formatted** Microsoft Office User 5/19/21 2:25:00 PM

▼
Page 9: [88] Deleted Microsoft Office User 5/19/21 11:28:00 AM

▼
Page 9: [89] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [89] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [89] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [89] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [89] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [89] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [89] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [89] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [89] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [90] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [90] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [90] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [90] Formatted Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲
Page 9: [91] Deleted Microsoft Office User 5/19/21 2:20:00 PM

▼

▲
Page 9: [91] Deleted Microsoft Office User 5/19/21 2:20:00 PM

▼

▲
Page 9: [91] Deleted Microsoft Office User 5/19/21 2:20:00 PM

▲ **Page 9: [92] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [92] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [93] Deleted** Microsoft Office User 5/19/21 11:31:00 AM

▼

▲ **Page 9: [93] Deleted** Microsoft Office User 5/19/21 11:31:00 AM

▼

▲ **Page 9: [94] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [94] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [94] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [95] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [95] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [95] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [96] Deleted** Microsoft Office User 5/19/21 2:20:00 PM

▼

▲ **Page 9: [96] Deleted** Microsoft Office User 5/19/21 2:20:00 PM

▼

▲ **Page 9: [97] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [97] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [98] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

▲ **Page 9: [98] Formatted** Microsoft Office User 5/26/21 9:22:00 AM

Font: 10 pt

| | | |
|---|-----------------------|---------------------|
| Page 9: [98] Formatted | Microsoft Office User | 5/26/21 9:22:00 AM |
| Font: 10 pt | | |
| Page 18: [99] Formatted | Microsoft Office User | 5/26/21 10:19:00 AM |
| Font: (Default) Sylfaen, 10 pt, Font color: Black, English (US) | | |
| Page 18: [100] Formatted | Microsoft Office User | 5/26/21 10:19:00 AM |
| Font: (Default) Sylfaen, 10 pt, Font color: Black, English (US) | | |
| Page 18: [101] Formatted | Microsoft Office User | 5/26/21 10:19:00 AM |
| Font: (Default) Sylfaen, 10 pt, Font color: Black, English (US) | | |
| Page 18: [102] Deleted | Microsoft Office User | 5/26/21 11:19:00 AM |
| Page 18: [103] Formatted | Microsoft Office User | 5/26/21 10:19:00 AM |
| Font: (Default) Sylfaen, 13 pt, Font color: Black, English (US) | | |
| Page 18: [104] Deleted | Microsoft Office User | 5/26/21 11:20:00 AM |
| Page 21: [105] Deleted | Microsoft Office User | 5/26/21 8:54:00 AM |
| Page 23: [106] Formatted Table | Microsoft Office User | 3/19/21 9:54:00 AM |
| Formatted Table | | |
| Page 23: [107] Formatted | Microsoft Office User | 3/19/21 9:54:00 AM |
| Font: 10 pt | | |
| Page 23: [107] Formatted | Microsoft Office User | 3/19/21 9:54:00 AM |
| Font: 10 pt | | |
| Page 23: [107] Formatted | Microsoft Office User | 3/19/21 9:54:00 AM |
| Font: 10 pt | | |
| Page 23: [107] Formatted | Microsoft Office User | 3/19/21 9:54:00 AM |
| Font: 10 pt | | |
| Page 23: [107] Formatted | Microsoft Office User | 3/19/21 9:54:00 AM |
| Font: 10 pt | | |
| Page 23: [107] Formatted | Microsoft Office User | 3/19/21 9:54:00 AM |
| Font: 10 pt | | |
| Page 23: [107] Formatted | Microsoft Office User | 3/19/21 9:54:00 AM |
| Font: 10 pt | | |
| Page 23: [108] Formatted | Microsoft Office User | 3/17/21 9:47:00 AM |
| Font: 10,5 pt | | |
| Page 23: [109] Formatted | Microsoft Office User | 3/19/21 9:50:00 AM |

Font: 10 pt

▲ **Page 23: [110] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [110] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [111] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [111] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [112] Formatted** Microsoft Office User 3/17/21 9:47:00 AM

Font: 10,5 pt

▲ **Page 23: [113] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [113] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [114] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [114] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [115] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [115] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [116] Formatted** Microsoft Office User 3/17/21 9:47:00 AM

Font: 10,5 pt

▲ **Page 23: [117] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [117] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [118] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [118] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [119] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [119] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [120] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [121] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [121] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [122] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [122] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [123] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [123] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [124] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [124] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [125] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [125] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [126] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [126] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [127] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [127] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [128] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [128] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [129] Formatted** Microsoft Office User 3/17/21 9:47:00 AM

Font: 11 pt

▲ **Page 23: [131] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [131] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [132] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [132] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [133] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [133] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [134] Formatted** Microsoft Office User 3/19/21 9:51:00 AM

Font: 11 pt

▲ **Page 23: [135] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [135] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [136] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [136] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [137] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [137] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [138] Formatted** Microsoft Office User 3/19/21 9:51:00 AM

Font: 11 pt

▲ **Page 23: [139] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [139] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [140] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [140] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [141] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [142] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [142] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [143] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [143] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [144] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [144] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [145] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [145] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [146] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [146] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [147] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [147] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [148] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [148] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [149] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [149] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [150] Formatted** Microsoft Office User 3/19/21 9:50:00 AM

Font: 10 pt

▲ **Page 23: [151] Formatted** Microsoft Office User 5/26/21 10:22:00 AM

Font: 10 pt

▲ **Page 23: [152] Formatted** Microsoft Office User 5/26/21 10:22:00 AM

Justified, Space After: 10 pt

▲ **Page 23: [153] Formatted** Microsoft Office User 5/26/21 10:22:00 AM

Font: 10 pt

▲ **Page 23: [154] Formatted** Microsoft Office User 5/26/21 10:22:00 AM

Font: 10,5 pt

▲ **Page 26: [155] Formatted** Microsoft Office User 5/25/21 9:22:00 AM

Font: 9 pt

▲ **Page 26: [155] Formatted** Microsoft Office User 5/25/21 9:22:00 AM

Font: 9 pt

▲ **Page 26: [156] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [156] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [156] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [156] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [156] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [157] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [157] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [157] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [157] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [158] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [158] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 12 pt

▲ **Page 26: [158] Formatted** Microsoft Office User 5/19/21 5:19:00 PM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [159] Formatted** Microsoft Office User 5/25/21 10:39:00 AM

Font: 11 pt

▲ **Page 26: [160] Formatted** Microsoft Office User 5/26/21 10:27:00 AM

Font: 10 pt

▲ **Page 26: [160] Formatted** Microsoft Office User 5/26/21 10:27:00 AM

Font: 10 pt

▲ **Page 26: [161] Formatted** Microsoft Office User 5/26/21 10:27:00 AM

Font: Bold

▲ **Page 26: [161] Formatted** **Microsoft Office User** **5/26/21 10:27:00 AM**

Font: Bold

▲ **Page 26: [161] Formatted** **Microsoft Office User** **5/26/21 10:27:00 AM**

Font: Bold

▲ **Page 26: [162] Formatted** **Microsoft Office User** **5/26/21 10:27:00 AM**

Font: Bold

▲ **Page 26: [162] Formatted** **Microsoft Office User** **5/26/21 10:27:00 AM**

Font: Bold

▲ **Page 26: [162] Formatted** **Microsoft Office User** **5/26/21 10:27:00 AM**

Font: Bold

▲